LIEBHERR

LTM 1200-5.1
0045632

Load chart manual

Edition: 28.09.2015

Liebherr-Werk Ehingen GmbH
Postfach 1361
89582 Ehingen/Donau
Germany
phone: +49 (0)7391/502-0
fax: +49 (0)7391/502-3399
E-mail: info.lwe@liebherr.com
www.liebherr.com

Base text: bltm1200-5.1.gc.pdf

Edition: 28.09.2015

Contents

I. INFORMATION FOR USING THE LOAD CAPACITY TABLES

DANGER

Risk of accident!

The guidelines in the operating instructions are definitive for operation of the crane.

▶ Observe the notes and details in the operating instructions!

1. Explanations . . . . . page I - 3
2. Crane operating mode „Crane supported“ . . . . . page I - 3
3. There is a danger of tipping or a risk of overloading load-bearing components if: . . . . . page I - 4
4. Telescopic boom . . . . . page I - 4
5. Rope winches (Hosting gear) . . . . . page I - 5
6. Hoisting rope reeving . . . . . page I - 5
7. Utilisation of the crane (load collective) . . . . . page I - 7
8. LICCON-overload safety device and limit switch . . . . . page I - 8
9. Hook block and load hook . . . . . page I - 9
   - 9.1 Minimum required hook block weight . . . . . page I - 9
     - 9.1.1 Calculate the minimum required hook block weight . . page I - 11
     - 9.1.2 Establishing rope weight for rope diameter . . . . . page I - 11
     - 9.1.3 Establishing the reeving factor . . . . . page I - 12
     - 9.1.4 Calculation examples . . . . . page I - 13
   - 9.2 Load capacity, rope pulleys and operating weight . . . . . page I - 14
   - 9.3 Distance between hook and pulley set in the boom head . . . page I - 15
10. Load reduction where a folding fly jib has been mounted . . . . . page I - 16
11. Maximum turning speed of the crane’s superstructure with a nominal load . . . . . page I - 17
   - 11.1 EN 13000 - load charts . . . . . page I - 17
   - 11.2 85% - load charts . . . . . page I - 18
12. Explanation of symbols . . . . . page I - 19
   - Hoisting rope reeving . . . . . page I - 19
   - Load capacity in metric tons [t] . . . . . page I - 19
   - Operating mode . . . . . page I - 19
   - Operating mode that can only be operated with accessories! . . . page I - 22

Contents

Assembly operating modes . . . . . page I - 23
Disassembly and assembly of the rear sliding rods using the standing crane . . . . . page I - 23
Raising and setting down the telescopic jib into and out of the holding fixture on the dolly . . . . . page I - 24
Limitation descriptions for operating modes . . . . . page I - 25
Characteristic: 1)
- Minimum hoist rope reeving . . . . . page I - 25
Working radius symbols . . . . . page I - 26
Telescopic boom length . . . . . page I - 26
Short code . . . . . page I - 26
Hoisting rope reeving . . . . . page I - 27
Auxiliary jib angle . . . . . page I - 27
Extension conditions of the telescopic boom sections . . . . . page I - 27
Permissible wind speed . . . . . page I - 27
Counterweight . . . . . page I - 28
Crane operation „Crane supported“ . . . . . page I - 28
Assembly operation „Crane supported wide at the front, rear free on tyres“ . . . . . page I - 28
Slewing range . . . . . page I - 29
13. Wind influences during crane operation . . . . . page I - 30
13.1 Definition of terms . . . . . page I - 30
13.2 Wind influence on the LICCON-overload safety device . . . . . page I - 32
13.2.1 Wind from the rear . . . . . page I - 32
13.2.2 Wind from the front . . . . . page I - 32
13.2.3 Wind from the side . . . . . page I - 32
13.3 Permissible wind speed and surface susceptibility to wind . . page I - 33
13.3.1 Establishing the maximum permissible wind speed . . page I - 35
13.3.2 Calculating the maximum permissible wind speed using a formula . . . . . page I - 35
13.3.3 Establishing the maximum permissible wind speed by way of wind force diagrams . . . . . page I - 37
13.3.4 Wind force diagrams . . . . . page I - 39

II. LOAD CAPACITY TABLES

1. Explanations

1.1 The load capacity values in the tables are stated in metric tons [t].

1.2 The working radius is the horizontal gravity center distance of the load from the rotational axis of the crane superstructure measured at the ground. The radius stated is valid under load conditions, i.e. including boom flexure.

1.3 Boom positions differing from those given in the load capacity tables are not permissible.

1.4 The boom may only be manoeuvred into those areas specified in the load chart, even if no load is suspended, otherwise there is a risk of the crane toppling.

1.5 The stated load capacities contain the weights of the load bearing, lifting and slinging tackle. The possible weight for the load to be lifted is therefore reduced according to the weights of the afore-mentioned tackle.

1.6 If the boomnose is mounted on the jib head during crane operation, then the possible load is reduced further corresponding the weight of the boomnose (0.127 t).

1.7 Additional information and limitations are specified in the operating mode symbol for select operating modes. *See „Limitation descriptions for operating modes“ on page 25.*

DANGER

Risk of accident!

▶ It is imperative that the limitations and requirements for crane operation are strictly observed!

2. Crane operating mode „Crane supported“

2.1 Before the crane is raised on its supports, the axle suspension must be blocked.

2.2 The sliding arms of the hydraulic support jack must be extended (to a uniform length on both sides) to the extent stated in the applirope load capacity table.

2.3 The sliding arms must be secured by pins.

2.4 It is necessary to place stable underlay material under the support pads of the support jacks over a large surface area according to ground conditions.

2.5 All wheels must be raised clear of the ground.

2.6 Use the Bluetooth™ Terminal (BTT) to align the crane horizontally. Horizontal positioning of the crane must also be checked from time to time and adjusted as necessary.

3. There is a danger of tipping or a risk of overloading load-bearing components if:

3.1 the slewing platform of an upright crane is turned away from the forward driving direction of the vehicle. Before turning the superstructure, the crane must be supported.

3.2 the four hydraulic supports of the crane are not properly supported and in vertical position.

3.3 the sliding rods are not slid out to the exact measurement specified in the load capacity charts (on both sides).

3.4 the sliding rods are not secured with pins.

3.5 the support pads are not supported with the appropriate base material (surface area too small) for the soil conditions.

3.6 the loads and / or the working radi in the load capacity charts corresponding to the jib length are exceeded or not met.

3.7 cranes are operated too close to landfills, basements and slopes.

3.8 the hook load begins swinging due to improper handling.

3.9 Pulling at an angle is executed. Pulling at an angle is most dangerous when it goes against the jib length direction. Pulling at an angle is not allowed!

4. Telescopic boom

4.1 The lifting capacity of the telescopic boom with its 6 extendable telescopic sections is limited. The loads stated in the load capacity tables must not be exceeded.

4.2 The specifications for the telescopic sections to be extended according to load and required boom length must be observed under all circumstances.

4.3 As a general rule, the boom should first be extended to the required length and then loaded.
However, it is possible to extend and retract the boom under partial load. The weight of this partial load is dependent on bearing pad lubrication and the available useable lengths of the telescopic sections.

4.4 Even without a load, the telescopic boom may only be moved within the working radius ranges for which values are listed in the load capacity table.

5. Rope winches (Hosting gear)

5.1 Winch 1

Winch 1 is designed for a maximum rope tension of 105 kN. This rope tension must not be exceeded under any circumstances. Accordingly, the minimum number of hoisting rope lines (rope reeving) should be selected according to the weight of the load to be lifted (see table "Hoisting rope reeving" in chapter II).

5.2 Winch 2

Winch 2 is designed for a maximum rope tension of 105 kN. This rope tension must not be exceeded under any circumstances. Accordingly, the minimum number of hoisting rope lines (rope reeving) should be selected according to the weight of the load to be lifted (see table "Hoisting rope reeving" in chapter II).

5.3 Prevention of rope slack formation:

5.3.1 When retracting the telescopic boom, the winch must be operated in the direction of lifting simultaneously in order to prevent the hook block from descending to the ground and creating rope slack. The speed of the hoisting rope movement should matched to that used for retraction!

5.3.2 The rope guides on the winches must be supervised by a member of the workforce when additional equipment is being mounted!

6. Hoisting rope reeving

6.1 The hoisting rope must be reeved in between boom head and hook block in accordance with the maximum rope tension of the winch and the weight of the load to be lifted.

6.2 If several hoisting rope lines are reeved in, the effeciency of the hook block is reduced due to pulley friction and rope flexure. In consequence, with a rope tension of e.g. 105 kN, only 986 kN (98.6 t) can be pulled with a 10-fold line reeving, instead of 1050 kN (105.0 t).

6.3 Consult the table "Hoisting rope reeving" in chapter II of this manual for the maximum loads in dependence on the number of hoisting rope lines.

6.4 The number of hoisting rope lines reeved must be set on the control and display unit of the LICCON-overload safety device according to the current hoisting rope reeving total.

6.5 If the block hook is operated with a higher reeve number than necessary for the respective boom lenght loads, then the block hook weight will not be sufficient and can slacken the cable when lowering, which can lead to damage to the cable.

6.6 Maximum rope pull values for countries applying a rope safety factor of 5 in accordance with ASME B30.5 (Canada, USA and Taiwan)

Note

In countries where the national standard ASME B30.5 applies (Canada, USA and Taiwan), a rope safety factor of 5 for non-rotating hoist ropes is mandatory. The loads derived from the rope pull values as detailed in the "Hoist rope reeving" table in Chapter II of this manual were calculated using a rope safety factor of 4.5 in accordance with DIN EN 13000.

In contrast to ASME B30.5, DIN EN 13000 also factors in rope drive efficiency. For this reason the loads derived from the rope pull values detailed in the following tables must be applied in the case of a reeving factor of up to 13 in countries where the national standard ASME B30.5 applies (Canada, USA and Taiwan). In the case of a reeving factor greater than 13, the rope safety factor of 4.5 as per DIN EN 13000 is safer than the rope safety factor of 5 as per ASME B30.5!

Where the normative standards detailed in Chapter 5.3.2.1.1 (d) of ASME B30.5 are complied with, rope pull values as per DIN EN 13000 can also be applied.

6.6.1 Maximum loads are dependent on reeving factor used

Reeving	Maximum load (DIN EN 13000) [t]	Maximum load (ASME B30.5) (Canada, USA, Taiwan) [t]
1	10.5	9.6
2	20.9	19.3
3	31.2	28.9
4	41.2	38.5
5	51.2	48.2
6	60.9	57.8
7	70.6	67.4
8	80.0	77.1
9	89.4	86.7
10	98.6	96.3
11	107.7	106.0
12	116.6	115.6
13	125.4	125.2

7. Utilisation of the crane (load collective)

Liebherr mobile cranes and crawler cranes have been designed for assembly operation (load collective category = "light" = Q1 or L1). If the cranes are applied for magnet, grapple or material handling operation (load collective category = "medium" or higher), various points are to be observed. See chapter 8.01 "Recurring inspections for cranes" in the crane's operating instructions.

Note

▶ If the crane is subjected to high load collectives which are above-average, for example when working in magnet, grapple or material handling operation, the inspection intervals must be reduced accordingly.

CAUTION

Premature wear and cracks in load-bearing structural parts!

If the crane is not applied in assembly operation, but rather in magnet, grapple or material handling operation, premature wear of the drive mechanisms and/ or cracks in the load-bearing steel structural parts must be expected.

▶ We therefore strongly recommend an overall reduction of the loads during magnet, grapple or material handling operation by 50% from the loads specified in the respective load chart.

CAUTION

Increased wear and damage to ropes!

To keep wear of hoist ropes to an absolute minimum during magnet, grapple or material handling operation, we recommend the application of special rope lengths!

If special rope lengths are not applied, the layers of rope not being used could loosen. For high rope pulls, the rope may be pulled into the rope layers not being used, thus causing damage to the rope!

▶ Use a special rope length for magnet, grapple or material handling operation so that the entire rope length (save for approx. 3-5 residual windings) is wound off the drum when the hook block is at its lowermost position!

8. LICCON-overload safety device and limit switch

If the permissible load moment is exceeded, the electronic LICCON-overload safety device shuts down the hoisting and boom topping movements. It is possible to decrease the load by means of movements in the opposite direction. The LICCON-overload safety device must be checked for correct operation on each occasion before operating the crane.

8.1 The LICCON-overload safety device must be set to the current equipment mode of the crane by means of function keys or by entering the corresponding 4-digit code.

8.2 The LICCON-overload limit switch is a safety device and must not be used as a shutdown device for operating purposes. The crane operator must assure himself of the weight of a load before attempting to lift it. The fact that the crane is equipped with the LICCON-overload safety device does not free the operator from responsibility with regard to operating safety.

8.3 The control and display unit of the LICCON-overload safety device indicates among other things the working radius, boom length, pulley height, load and degree of crane load utilization. This provides the operator with a constant overview of the working range and crane utilization.

8.4 Hoisting limit switches at the head of the telescopic boom and folding fly jib prevent the hook block from running up against the boom head. The hoisting limit switches must be checked for correct operation on each occasion before the crane is operated.

8.5 Winch speed sensor on the rope winches ensure that 3 safety turns remain on the rope drums. When the final rope layer is reached, a visual check is also necessary to ensure that the 3 safety turns are available. If the hoisting gears have been overturned in the lifting direction, or if the hoisting rope has been changed, then the corresponding limit switch must be reset before resuming operation.

8.6 The crane operator must check correct operation of the LICCON-overload safety device on each occasion before operating the crane. The crane manufacturer will accept no liability for damage to the crane and consequential damage resulting from non-function or disactivation of the LICCON-overload safety device.

9. Hook block and load hook

9.1 Minimum required hook block weight

WARNING

Falling parts and hook block!

If an insufficient hook block weight is selected, the hook block will be wrenched violently upwards by the hoist rope between jib head and winch once a certain hoist height has been reached. This could cause damage to the jib head and the hook block. Damaged parts, as well as the hoist rope between jib head and winch are susceptible to falling.
If slack rope forms between winch and jib head as the winch is being wound off, the hook block could drop without warning.
Persons could suffer serious injury or even fatalities!

- ▶ Calculate the minimum required hook block weight prior to lifting the load!
- ▶ Select the weight of the hook block dependently of the calculation!

If the weight of the hook block is insufficient:

- ▶ Select a heavier hook block or increase the weight of the hook block using slinging gear, load-carrying equipment, additional weights or conversion kits!

CAUTION

The ropes could sustain damage due to insufficient weight of the hook block!

If the hook block is operated with a higher reeving than that required by the load on the respective jib length, the minimum required hook block weight increases.
If the hook block weight is not sufficient enough to apply the correct tension to the hoist rope, problems could arise when winding onto the winches during lifting and lowering of the hook block as a direct result of the formation of slack rope. This could cause damage to the ropes.

If no system-conditional minimum hoist rope reeving is required for the respective operating mode:

- ▶ Reeve the hook block minimally in correlation with maximum rope pull and the weight of the load being lifted!

If the weight of the hook block is insufficient:

- ▶ Select a heavier hook block or increase the weight of the hook block using slinging gear, load-carrying equipment, additional weights or conversion kits!

Note

Guidelines for correct selection of the hook block weight!

If the maximum load for the respective jib configuration is not exceeded with additional increase of the hook block weight:

▶ Continue to increase the minimum required hook block weight by at least 10 percent!

If an additional increase of weight for the hook block is not possible due to the maximum load for the respective jib configuration:

▶ Lower the hook block with utmost care!

Note

Observe the permissible hook block weights for erecting and dismantling the jib system!

If the permissible hook block weight for erecting and dismantling of the jib system is exceeded due to an increase of dead weight for the hook block, this hook block weight can not be used for erection or dismantling of the jib system.

▶ Observe the permissible hook block weights for erecting and dismantling in the erection and dismantling charts!

If the permissible hook block weights for erection and dismantling are exceeded:

▶ Remove the additional weights for erection and dismantling of the jib system!

9.1.1 Calculate the minimum required hook block weight

G = **L** x **M** x **N** x **F**

Tab. 1 Formula for calculation of the minimum required hook block weight

Abbreviation	Description	Unit
G	Minimum required hook block weight	kg
L	Overall jib length	m
M	Rope weight	kg/m
N	Reeving	-
F	Factor	-

Tab. 2 Explanation of variables for calculation of the minimum required hook block weight

9.1.2 Establishing rope weight for rope diameter

Rope diameter	Rope weight M
13 mm	0.85 kg/m
15 mm	1.12 kg/m
17 mm	1.45 kg/m
19 mm	1.81 kg/m
21 mm	2.24 kg/m
23 mm	2.67 kg/m
25 mm	3.09 kg/m
28 mm	3.94 kg/m
30 mm	4.46 kg/m
32 mm	5.09 kg/m
38 mm	7.21 kg/m
40 mm	7.99 kg/m
52 mm	13.50 kg/m

Tab. 3 Rope diameter and rope weight

9.1.3 Establishing the reeving factor

Reeving N	Factor F
1	1.31
2	1.34
3	1.36
4	1.39
5	1.41
6	1.44
7	1.46
8	1.49
9	1.52
10	1.54
11	1.57
12	1.60
13	1.63
14	1.65
15	1.68
16	1.71
17	1.74
18	1.77
19	1.80
20	1.83
21	1.87
22	1.90
23	1.93
24	1.96
25	2.00
26	2.03
27	2.06
28	2.10
29	2.13
30	2.17

Tab. 4 Reeving and factor

9.1.4 Calculation examples

Calculating the required hook block weight for crane operation with 1 hoist rope winch during independent operation with single hook block:

Crane configuration:

- Length of main boom: 53.8 m
- Length of additional boom: -
- Rope diameter: 23 mm
- Reeving: 3 rope runs

Variables for calculation:

L = Overall boom length = 53.8 m
M = Rope weight for rope diameter 23 mm = 2.67 kg/m
N = Reeving = 3
F = Factor for 3 rope runs = 1.36

Calculation:

G = **L** x **M** x **N** x **F**
G = 53.8 m x 2.67 kg/m x 3 x 1.36
G = 586.08 kg

The minimum required hook block weight must total 586 kg and must then be increased by at least 10 percent (58.6 kg) to 644.6 kg. Due to the additional weight increase, the hook block may not exceed the maximum load for the respective jib configurations.

9.2 Load capacity, rope pulleys and operating weight

Load [t]	Number of rope pulleys	Strings	Dead weight [t]
151.0	9	16	2.000
134.0	7	14	1.500
107.7	5	11	1.300
70.6	3	7	1.450
70.6	3	7	1.040
31.2	1	3	0.850
31.2	1	3	0.840
10.5	-	1	0.500

9.3 Distance between hook and pulley set in the boom head

To determine the hook height, the hoist height must be reduced by the distance between the hook and the centre of the pulley set in the boom head.

The distances for the hook blocks being used can be obtained from the following table.

Load [t]	Distance [H]	
	at the pulley head from the telescopic boom [m]	at the pulley head of the tip [m]
151.0	3.4	-
134.0	3.4	-
107.7	3.4	-
70.6	3.4	3.4
31.2	3.1	3.1
10.5	3.0	3.0





10. Load reduction where a folding fly jib has been mounted

The loads specified in the load charts for crane operation at the telescopic jib apply for telescopic jib without side-mounted folding fly jib.

If the entire folding fly jib is side-mounted on the jib heel piece for crane operation at the telescopic jib, the possible load values are reduced. The corresponding load reductions are specified in the following table.

Jib length	Load reduction
T-13.2 m	1.7 t
T-17.7 m	1.3 t
T-22.2 m	1.0 t
T-26.8 m	0.9 t
T-31.3 m	0.7 t
T-35.8 m	0.6 t
T-40.3 m	0.6 t
T-44.8 m	0.5 t
T-49.3 m	0.5 t
T-53.8 m	0.4 t
T-58.3 m	0.4 t
T-62.8 m	0.4 t
T-67.3 m	0.3 t
T-72.0 m	0.3 t

11. Maximum turning speed of the crane's superstructure with a nominal load

WARNING

Risk of accident!

The boom system could become overloaded if the maximum permissible turning speeds are not adhered to. This could lead to serious accidents.

▶ It is imperative that the max. permissible turning speeds for the operating modes and boom lengths are adhered to!

11.1 EN 13000 - load charts

Boom [m]	Permissible slewing speed	
	LICCON [%]	$\left[\frac{1}{min}\right]$
T-13.2	33	0.38
T-17.7	33	0.38
T-22.2	33	0.38
T-26.8	33	0.38
T-31.3	18	0.20
T-35.8	18	0.20
T-40.3	18	0.20
T-44.8	18	0.20
T-49.3	18	0.20
T-53.8	18	0.20
T-58.3	18	0.20
T-62.8	18	0.20
T-67.3	18	0.20
T-72.0	18	0.20
TK/TNZK-operation	18	0.20
TVK/TVNZK-operation	18	0.20

***** EN 13000-capacity load charts are marked in the upper left-hand area of the corresponding pages of the tables with the symbol **"EN 13000"**.

11.2 85% - load charts

Boom [m]	Permissible slewing speed	
	LICCON [%]	$\left[\frac{1}{min}\right]$
T-13.2	18	0.20
T-17.7	18	0.20
T-22.2	18	0.20
T-26.8	18	0.20
T-31.3	18	0.20
T-35.8	18	0.20
T-40.3	18	0.20
T-44.8	18	0.20
T-49.3	18	0.20
T-53.8	18	0.20
T-58.3	18	0.20
T-62.8	18	0.20
T-67.3	18	0.20
T-72.0	18	0.20
TK/TNZK-operation	18	0.20
TVK/TVNZK-operation	18	0.20

***** 85%-capacity load charts are marked in the upper left-hand area of the corresponding pages of the tables with the symbol **“85%”**.

With 85%-capacity load charts, nominal loads may only be moved with the slowest lifting or luffing speeds.

12. Explanation of symbols



Hoisting rope reeving

This symbol appears on the hoisting rope reeving table (1st table of chapter II) and indicates the required number of hoisting rope reevings to achieve a certain load capacity.

Load capacity in metric tons [t]

This symbol appears on the hoisting rope reeving table (1st table of chapter II) and indicates the max. permissible load capacity depending on hoisting rope reeving.

Operating mode

2part symbol

Example:



Left side = Main boom mode
- Main boom type ex.: T = Telescopic boom



Left side = Main boom mode
- Main boom type ex.: T = Telescopic boom

Right side = Auxiliary boom mode
- Auxiliary boom type ex.: K = Folding fly jib
- Auxiliary boom angle ex.: 22.5° = Folding fly jib mounted at an angle of 22.5° to the telescopic boom.
- Auxiliary boom length ex.: 5.4 m (Special folding jib)
- Limitation ex.: 1) = *See „Limitation descriptions for operating modes“ on page 25.*



Left side = Main boom mode
- Main boom type ex.: T = Telescopic boom

Right side = Auxiliary boom mode
- Auxiliary boom type ex.: K = Folding fly jib
- Auxiliary boom angle ex.: 0° = Folding fly jib mounted at an angle of 0° to the telescopic boom.
- Auxiliary boom length ex.: 12.2 m



Left side = Main boom mode
- Main boom type ex.: T = Telescopic boom
- Auxiliary boom type ex.: V = Telescopic boom - extension
- Auxiliary boom length ex.: 7.0 m = 7.0 m telescopic boom - extension

Right side = Auxiliary boom mode
- Auxiliary boom type ex.: K = Folding fly jib
- Auxiliary boom angle ex.: 45° = Folding fly jib mounted at an angle of 45° to telescopic boom - extension.
- Auxiliary boom length ex.: 19.2 m = 19.2 m folding fly jib



Left side = Main boom mode
- Main boom type ex.: T = Telescopic boom

Right side = Auxiliary boom mode
- Auxiliary boom type ex.: NZK = Hydraulically adjustable folding fly jib
- Auxiliary boom angle ex.: xx° = Hydraulically adjustable folding fly jib at rigid angle to telescopic boom, calculated from the angle value in the xx line of the appropriate load capacity chart.
- Auxiliary boom length ex.: 36.0 m



Left side = Main boom mode
- Main boom type ex.: T = Telescopic boom
- Auxiliary boom type ex.: V = Telescopic boom - extension
- Auxiliary boom length ex.: 7.0 m = 7.0 m telescopic boom - extension

Right side = Auxiliary boom mode
- Auxiliary boom type ex.: NZK = Hydraulically adjustable folding fly jib
- Auxiliary boom angle ex.: xx° = Hydraulically adjustable folding fly jib at rigid angle to telescopic boom - extension, calculated from the angle value in the xx line of the appropriate load capacity chart.
- Auxiliary boom length ex.: 29.0 m = 29.0 m folding fly jib

Operating mode that can only be operated with accessories!

DANGER

Risk of accident!

If the crane is operated without the required auxiliary device in operating modes designated with *), load-bearing structural members will become overloaded!

▶ The auxiliary device required for crane operation must be mounted on the crane in compliance with the manufacturer's instructions!

T *)	--

Left side = Main boom mode

- Main boom type ex.: T *) = Telescopic boom with auxiliary device

Assembly operating modes

Disassembly and assembly of the rear sliding rods using the standing crane

To reduce the axle loads for this crane, the rear sliding rods can be dismantled using the standing crane. The sliding rods are dismantled and reassembled complete with the support cylinders and extending cylinders. *See operating instructions for the crane.*

DANGER

Risk of toppling!

If the rear sliding rods are not dismantled and assembled with the respective assembly operating modes and permissible tyres, the crane could topple.

- ▶ Dismantle and assemble the rear sliding rods with the respective assembly operating modes!
- ▶ Dismantling and assembly of the rear sliding rods only permissible with the following tyres:

  445/95 R 25
  525/80 R 25



8.89 m = Length of support base 8.89 m
,][, = Special support base
- Wide support base at front 8.30 m
- Support at rear on tyres
- Axle suspension blocked
- Length compensation between axle 1 and 2 or 4 and 5

Raising and setting down the telescopic jib into and out of the holding fixture on the dolly

For raising and setting down of the telescopic jib into and out of the holding fixture on the dolly, the load chart (T210.00043) with the "operating range of +/-10° to the rear and to the front" (! II+/-10°) must be selected.

WARNING

Risk of accident due to the tyres sustaining damage!

If impermissible tyres are used when raising and setting down the telescopic jib into and out of the holding fixture of the dolly, these tyres could sustain damage. This could lead to serious accidents.

▶ Raising and setting down of the telescopic jib into and out of the holding fixture on the dolly only permissible with the following tyres:

445/95 R 25
525/80 R 25



8.89 m = Length of support base 8.89 m
,][, = Special support base
- Wide support base at front 8.30 m
- Support at rear on tyres
- Axle suspension blocked
- Length compensation between axle 1 and 2 or 4 and 5

Limitation descriptions for operating modes

For some operating modes, additional digits or letters appear in the operating modes symbol.

Characteristic: 1)
- Minimum hoist rope reeving

WARNING

Risk of toppling!

If the minimum hoist rope reeving can not be maintained, the jib could move backwards uncontrollably with steep jib positions. The crane could topple!
Persons could suffer serious injury or even fatalities!

▶ Reeve the hoist rope at least 2x!



For operating modes characterised with 1), minimum hoist rope reeving totals 2 rope runs!

Working radius symbols

The working radius is the horizontal distance of the center of gravity of the load to the slewing axis of the crane superstructure as measured from the ground beneath the load.

Radius symbol for main boom operating modes.

Radius symbol for additional jib mode with folding jib.

Radius symbol for additional jib mode with hydraulically adjustable folding jib.

Telescopic boom length

In the row beneath this symbol the different boom lengths of the crane are indicated in columns. The letters next to the symbol indicate the units of measurement in the actual load chart, for example “m> <t“ means that all lengths are given in meters [m] and all weights are given in metric tons [t].

Short code

CODE > 0001 <

4-digit short code; specifies in coded form the set operating mode / current set-up stage. The short code can be entered directly into the LICCON-overload safety device to call up the respective load capacity table.

Hoisting rope reeving

* n *

Appears in the load charts as a line below the load capacity values. Indicates the number of hoisting rope reevings required to hoist the maximum load in the corresponding load chart column. If a load capacity value in the column exceeds the load which can be lifted with the maximum reeving, then an exclamation mark (!) is next to the reeving number to signify that special equipment is required to lift this load.

- Loads exceeding 134 t with auxiliary blocks only
- Loads exceeding 151 t with auxiliary device only

Auxiliary jib angle

xx

Only appears with operating modes featuring hydraulically adjustable folding jib, as a line beneath the hoist rope reeving. The auxiliary jib angles are listed alongside one another in the columns, and must be set in order that the load values of the respective load columns can be lifted.

Extension conditions of the telescopic boom sections

%

Indications in percent for the individual telescopic sections (Tele 1 / Tele 2 / Tele 3 / Tele 4 / Tele 5 / Tele 6). Indication 0 = completely retracted, 100 = completely extended. Extension conditions other than those specified in the load charts are prohibited.
A "**+**" sign following the percentage details means that the respective telescopic section must be pinned.
A "**-**" sign following the percentage details means that the respective telescopic section can be telescoped with load up to the percental extension point value (in accordance with the load capacity table).
The loads which comply with the reaches specified in the table always apply for the respective maximum reach position of a load column.

Permissible wind speed

m/s

Indication of wind speed in [m/s] up to which crane operation is permissible depending on boom length. If the wind speed exceeds the indicated value, crane operations must be terminated and, if necessary, equipment must be removed from the crane.

Counterweight

In this symbol, the size of the counterweight is indicated in metric tons [t] which must be on the cranes superstructure in order to achieve the values of the given load chart.



Crane operation „Crane supported“

Specifications of the support base (e.g.: 8.89 m x 8.30 m = length x width). The hydraulic supports of the crane must be extended and pinned to the dimension specified in this symbol if work is to be carried out to the respective load capacity table.



Assembly operation „Crane supported wide at the front, rear free on tyres“

Specification of support base (e.g.: 8.89 m x ,][, = length x special support base).
This symbol appears for the assembly operating mode "Dismantling and assembly of the rear sliding rods using the standing crane" and "Raising and setting down of the telescopic jib out of and into the holding fixture on the dolly". *See „Assembly operating modes“ on page 23.*
The specified special support base must be set to allow implementation of assembly operation.

8.89 m = Length of support base 8.89 m
,][, = Special support base
- Wide support base at front 8.30 m
- Support at rear on tyres
- Axle suspension blocked
- Length compensation between axle 1 and 2 or 4 and 5

Slewing range

Specifications for the slewing range of the crane's uppercarriage for the respective load chart:

- 360° = unrestricted slewing possible
- ! 0° = operating range to the rear, slewing platform locking pinned
- ! +/-10° = operating range to the rear with a slewing range of +/- 10° to left and right
- ! II+/-10° = operating range to the rear or to the front with a slewing range of +/- 10° to left and right

If the (!) symbol is indicated for the slewing range, the LICCON will switch automatically to the load chart for the 360° slewing range, immediately upon exiting the specified slewing range.

Notes

Load charts indicating a (!) symbol do not always feature all load chart columns with the telescopic boom extension conditions of the respective 360° load charts.

If a load chart has been selected with chart changeover (!) by pressing O.K., slewing from outside of the slewing range indicated with (!) into the slewing range indicated with (!) will only be possible if it is featured for the actual telescopic boom extension condition in the load chart indicated with (!)!

13. Wind influences during crane operation

13.1 Definition of terms

To gain a detailed understanding, the most important terms regarding wind influences during crane operation are listed as follows.

Note

- Familiarise yourself with these terms. The magnitudes of influence must be known in order that the permissible wind speed can be established and calculated!
- Please contact Liebherr-Werk Ehingen GmbH to obtain further information regarding wind influences during crane operation!

		Designation	Definition
A_P	[m^2]	Projection surface	The relevant area arranged vertically to the incident flow for calculation of the exposed area.
c_W		Wind resistance coefficient	Value for flow resistance of an object around which air is flowing.
A_W	[m^2]	Exposed area	Exposed area = projection surface x wind resistance coefficient $A_W = A_P \times c_W$
m_T	[t]	Load	Respective table value from the load chart.
m_H	[t]	Hoist load	Weight (mass) being lifted (including lifting equipment, hook block and where applicable the section of hoist rope not taken into consideration in the calculation). The hoist load may not exceed the table value of the load chart.
m_N	[t]	Payload	Weight (mass) of the structural element being lifted (without lifting equipment and hook block).

		Designation	Definition
v(z)	[m/s]	3-second gust speed	Average value of wind speed generated over a period of 3 seconds at a height z above the ground.
v_{max}	[m/s]	Maximum permissible wind speed	Maximum permissible 3-second gust speed at maximum hoist height.
v_{max_TAB}	[m/s]	Maximum permissible wind speed (load chart)	Maximum permissible 3-second gust speed at maximum hoist height specified for the load values in the load chart.
p	[N/m^2]	Dynamic pressure	Pressure load on an object resulting from wind flow. Dynamic pressure = density/2 x (3-second gust speed)^2 $p = \rho/2 \times (v(z))^2$ (ρ = air density = 1.25 kg/m^3)
F_W	[N]	Wind load	Effective force on an object resulting from wind flow. $F_W = A_W \times p$

13.2 Wind influence on the LICCON-overload safety device

In particular for operating modes featuring long jib systems and steep jib positions, the wind can apply or relieve additional load from the crane system. This will cause inaccuracies in the load display. If necessary, the LICCON-overload safety device can shut down a little earlier or a little later.

13.2.1 Wind from the rear

Wind from the rear will apply additional load to the jib system. The load display is too high. Shutdown of the LICCON-overload safety device is resulted as soon as the hoist load drops below the maximum load.

13.2.2 Wind from the front

Wind from the front will relieve the jib system of additional load. The load display is too low. Shutdown of the LICCON-overload safety device is only resulted when the hoist load is greater than the maximum load.

DANGER

Risk of tipping and risk of load-bearing structural members becoming overloaded!

Wind from the front does not reduce the load of hook, hoist rope, hoist rope pulleys and hoist winch. Wind from the front could cause these assemblies to become overloaded to point of the LICCON-overload safety device shutting down upon lifting of a load!
When wind from the front desists, the entire crane could become overloaded if it has previously become overloaded to the point of the LICCON-overload safety device shutting down.

▶ The crane operator must be aware of the weight of the hoist load and may not exceed the maximum load!

13.2.3 Wind from the side

Wind from the side will apply lateral load to the jib system. The load display is practically the same as during crane operation with no wind influences at all.

DANGER

Risk of tipping and risk of load-bearing structural members becoming overloaded!

If wind speed during crane operation is greater than the maximum permissible wind speed, the crane will become unnoticeably overloaded by wind from the side!

▶ Before commencing crane operation, establish the maximum permissible wind speeds and perform a wind surface calculation wherever required!

13.3 Permissible wind speed and surface susceptibility to wind

DANGER

Risk of tipping and risk of load-bearing structural members becoming overloaded!

- The crane operator must contact the respective meteorological office to obtain the wind speeds anticipated for the duration of application prior to commencing work. If impermissible wind speeds are anticipated, lifting of the hoist load is prohibited!
- The 3-second gust speed v(z) at maximum hoist height may not exceed the maximum permissible wind speed (v_{max}) and the maximum permissible wind speed in accordance with the load chart (v_{max_TAB}) at any time!

Note

- The maximum permissible wind speed (v_{max}) and the maximum permissible wind speed in accordance with the load chart (v_{max_TAB}) relate at all times to the 3-second gust speed prevalent at maximum hoist height.

  Weather information services often also declare a wind speed established over a 10 minute period, rather than the 3-second gust speed (the so-called 10 minute average). As with the wind force, the 10 minute average is based around the Beaufort scale, usually using the average of the wind speed established over a 10 minute period at a height of 10 m above the ground or above sea level.

  The 3-second gust speed at maximum hoist height decisive for the calculation is considerably higher than the average of the wind speed established over a 10 minute period at a height of 10 m above the ground!

Crane operation is essentially permissible up to the maximum permissible wind speed stipulated in the respective load chart for the actual jib length (v_{max_TAB}).

The prerequisite for this is:

- the exposed surface (A_W) of the hoist load is not greater than 1.2 m^2/t

DANGER

Risk of tipping and risk of load-bearing structural members becoming overloaded!

▶ The maximum permissible wind speed stipulated by the load chart (v_{max_TAB}) may not be exceeded, even if the area of the hoist load exposed to wind (A_W) is less than 1.2 m^2/t!

▶ If the area of the hoist load exposed to wind (A_W) is greater than 1.2 m^2/t, the maximum permissible wind speed (v_{max}) for the load case must be calculated again!

13.3.1 Establishing the maximum permissible wind speed

The following methods can be applied to establish the maximum permissible wind speed:

1.) Calculation using a formula
2.) Establishing by way of wind force diagrams

13.3.2 Calculating the maximum permissible wind speed using a formula

$$V_{max} = V_{max_TAB} \times \sqrt{\frac{1{,}2\frac{m^2}{t} \times m_H}{A_W}}$$

Formula for calculating the maximum permissible wind speed

The following data is required for calculation:

- Maximum permissible wind speed in accordance with the load chart (v_{max_TAB})
- Hoist load (m_H)
- Projection surface of hoist load (A_P)
- Wind resistance coefficient (c_W)

Process description:

1.) Calculation of exposed surface ($A_W = A_P$ x c_W)
2.) Check whether exposed surface A_W exceeds the limit value of 1.2 m^2/t
3.) Calculation of the maximum permissible wind speed (v_{max})

Example for calculation of the maximum permissible wind speed

Data for calculation of the load case:

v_{max_TAB} = 9.0 m/s
m_H = 50.0 t
A_P = 70.0 m^2
c_W = 1.4

Step 1: Calculation of the exposed surface

$A_W = A_P \times c_W$
A_W = 70.0 m^2 x 1.4
A_W = 98.0 m^2

Result:
- The exposed surface A_W comprises: **98.0 m^2**

Step 2: Checking whether the exposed surface A_W exceeds the limit value of 1.2 m^2/t

The exposed surface per ton of hoist load comprises:
98.0 m^2 / 50 t = **1.96 m^2/t**

Result:
- The exposed surface per ton of hoist load exceeds the limit value of 1.2 m^2/t.

▶ The maximum permissible wind speed must be calculated anew!

Step 3: Calculation of the maximum permissible wind speed

$$V_{max} = V_{max_TAB} \times \sqrt{\frac{1{,}2\,\frac{m^2}{t} \times m_H}{A_W}}$$

$$V_{max} = 9\,m/s \times \sqrt{\frac{1{,}2\,\frac{m^2}{t} \times 50t}{98\,m^2}}$$

$$\underline{\underline{V_{max} = 7{,}04\,m/s}}$$

Result:
- The maximum permissible wind speed comprises: **7.04 m/s**

13.3.3 Establishing the maximum permissible wind speed by way of wind force diagrams

The maximum permissible wind speed (v_{max}) for the load case can be established by way of the following wind force diagrams in correlation with the maximum permissible wind speed in accordance with the load chart (v_{max_TAB}).

Arrangement of the wind force diagrams:

- **Diagram 7.0 m/s:** Wind force diagrams for load charts with a maximum permissible wind speed (v_{max_TAB}) of 7.0 m/s
- **Diagram 8.6 m/s:** Wind force diagrams for load charts with a maximum permissible wind speed (v_{max_TAB}) of 8.6 m/s
- **Diagram 9.0 m/s:** Wind force diagrams for load charts with a maximum permissible wind speed (v_{max_TAB}) of 9.0 m/s
- **Diagram 9.9 m/s:** Wind force diagrams for load charts with a maximum permissible wind speed (v_{max_TAB}) of 9.9 m/s
- **Diagram 11.1 m/s:** Wind force diagrams for load charts with a maximum permissible wind speed (v_{max_TAB}) of 11.1 m/s
- **Diagram 12.8 m/s:** Wind force diagrams for load charts with a maximum permissible wind speed (v_{max_TAB}) of 12.8 m/s
- **Diagram 14.3 m/s:** Wind force diagrams for load charts with a maximum permissible wind speed (v_{max_TAB}) of 14.3 m/s

WARNING

Risk of accident if the wrong wind force diagrams are used!

▶ The maximum permissible wind speed in accordance with the load chart (v_{max_TAB}) must correlate with the maximum permissible wind speed of the wind force diagram!

The following data is required for establishing:

- Maximum permissible wind speed in accordance with the load chart (v_{max_TAB})
- Hoist load (m_H)
- Projection surface of hoist load (A_P)
- Wind resistance coefficient (c_W)

Process description:

1.) Calculation of the exposed surface ($A_W = A_P \times c_W$)
2.) Check whether exposed surface A_W exceeds the limit value of 1.2 m^2/t
3.) Establishing the maximum permissible wind speed (v_{max}) from the respective wind force diagram

Example for establishing the maximum permissible wind speed

Data for calculation of the load case:

v_{max_TAB} = 9.0 m/s
m_H = 50.0 t
A_P = 70.0 m^2
c_W = 1.4

Step 1: Calculation of the exposed surface

A_W = A_P x c_W
A_W = 70.0 m^2 x 1.4
A_W = 98.0 m^2

Result:
- The exposed surface A_W comprises: **98.0 m^2**

Step 2: Checking whether the exposed surface A_W exceeds the limit value of 1.2 m^2/t

The exposed surface per ton of hoist load comprises:
98.0 m^2 / 50 t = **1.96 m^2/t**

Result:
- The exposed surface per ton of hoist load exceeds the limit value of 1.2 m^2/t.

▶ The maximum permissible wind speed must be established anew!

Step 3: Establishing the maximum permissible wind speed (v_{max}) from the respective wind force diagram

Establishing the maximum permissible wind speed (v_{max}) from the respective wind force diagram for load charts with a maximum permissible wind speed (v_{max_TAB}) of 9 m/s.

Diagram 9.0 m/s

Result:
- The maximum permissible wind speed comprises: **7.04 m/s**

13.3.4 Wind force diagrams



Wind force diagram 7.0 m/s for load charts with a maximum permissible wind speed (v_{max_TAB}) of 7.0 m/s.



Wind force diagram 8.6 m/s for load charts with a maximum permissible wind speed (v_{max_TAB}) of 8.6 m/s.



Wind force diagram 9.0 m/s for load charts with a maximum permissible wind speed (v_{max_TAB}) of 9.0 m/s.



Wind force diagram 9.9 m/s for load charts with a maximum permissible wind speed (v_{max_TAB}) of 9.9 m/s.



Wind force diagram 11.1 m/s for load charts with a maximum permissible wind speed (v_{max_TAB}) of 11.1 m/s.



Wind force diagram 12.8 m/s for load charts with a maximum permissible wind speed (v_{max_TAB}) of 12.8 m/s.



Wind force diagram 14.3 m/s for load charts with a maximum permissible wind speed (v_{max_TAB}) of 14.3 m/s.



→ 2

T *)	--

→ 3

T	--

→ 4

T	NZK xx° 12.2m

→ 421

T	NZK xx° 22.0m

→ 557

nx	t
1	10,5
2	20,9
3	31,2
4	41,2
5	51,2
6	60,9
7	70,6
8	80,0
9	89,4
10	98,6
11	107,7
12	116,6
13	125,4
14	134,0

EN 13000

T *)	--

045632 02.02

m > < t

CODE >0018< T210.00040

m	13,2
3,0	200,0
3,5	142,0
4,0	133,0
4,5	125,0
5,0	117,0
6,0	105,0
7,0	93,0
8,0	82,0
9,0	73,0
10,0	62,0
*** n ***	1!
1	0 +
2	0 +
3	0 +
4	0 +
5	0 +
% 6	0 +
m/s	14,3

	T *) --	72.0 t	8.89 x 8.30 m	! 0°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0017< T210.00037

m	13,2	17,7	17,7	13,2	17,7	13,2	17,7							
3,0	22,8	21,7	22,5	22,8	21,7	22,8	22,4							
3,5	17,8	17,4	18,1	17,8	17,4	17,8	18,1							
4,0	14,0	14,2	14,8	14,0	14,2	14,0	14,8							
4,5	11,1	11,6	12,3	11,1	11,6	11,1	12,3							
5,0	8,7	9,6	10,2	8,7	9,6	8,7	10,2							
6,0	4,3	5,8	6,7	4,3	5,8	4,3	6,7							
7,0	2,0	3,2	3,8	2,0	3,2	2,0	3,8							
8,0		1,6	2,2		1,6		2,2							
9,0														
*** n ***	3	3	3	3	3	3	3							
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
% 3	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
% 4	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
% 5	0 +	46 +	0 +	0 -	46 -	0 +	0 +							
% 6	0 +	0 +	46 +	0 +	0 +	0 -	46 -							
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3							

	T	--	0.0 t	8.89 x 2.70 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0042< T210.00077

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	13,2
3,0	44,6	27,3	28,5	29,5	30,2	18,0	19,7	21,2	22,4	22,6				44,6
3,5	39,8	24,8	26,0	26,9	27,7	16,5	18,2	19,7	20,8	21,0				39,8
4,0	35,7	22,7	23,8	24,7	25,5	15,2	16,8	18,3	19,4	19,6	15,0	16,0	15,3	35,7
4,5	32,2	20,8	21,9	22,8	23,5	14,0	15,6	17,1	18,2	18,4	14,1	15,1	14,4	32,2
5,0	29,4	19,2	20,2	21,1	21,8	12,9	14,5	15,9	17,0	17,2	13,3	14,3	13,6	29,4
6,0	24,8	16,3	17,4	18,2	18,9	11,0	12,6	14,0	15,0	15,2	11,9	12,9	12,1	24,8
7,0	21,4	14,1	15,1	15,9	16,6	9,4	10,9	12,3	13,4	13,5	10,6	11,6	10,9	21,4
8,0	18,8	12,2	13,2	14,0	14,7	8,1	9,6	11,0	12,0	12,1	9,6	10,5	9,8	18,8
9,0	16,9	10,7	11,7	12,5	13,1	6,9	8,4	9,8	10,8	10,9	8,6	9,6	8,9	16,9
10,0	15,8	9,4	10,4	11,2	11,8	6,0	7,4	8,7	9,7	9,9	7,8	8,7	8,0	15,8
11,0		8,4	9,3	10,1	10,7	5,1	6,5	7,8	8,8	9,0	7,1	8,0	7,3	
12,0		7,6	8,5	9,2	9,8	4,2	5,8	7,1	8,0	8,2	6,4	7,3	6,6	
13,0		6,9	7,8	8,5	9,1	3,4	5,1	6,4	7,3	7,5	5,8	6,7	6,1	
14,0		6,5	7,4	8,1	8,7	2,7	4,6	5,8	6,8	6,9	5,3	6,2	5,5	
15,0		6,4	7,3	8,0	8,6	2,1	4,1	5,3	6,3	6,4	4,8	5,7	5,1	
16,0						1,8	3,7	4,9	5,8	6,0	4,4	5,3	4,6	
18,0							3,1	4,3	5,3	5,4	3,7	4,6	3,9	
20,0											3,2	4,1	3,4	
22,0											2,9	3,7	3,1	
24,0											2,9	3,7	3,0	
*** n ***	5	3	3	3	4	2	2	3	3	3	2	2	2	5

%														
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	46 +	0 +	0 +	0 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	46 +	46 +	92 +	0 +
6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	46 +	92 +	46 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	14,3

	T --	0.0 t	8.89 x 2.70 m	! ||+/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0042< T210.00077

m	17,7	17,7	22,2	13,2	17,7	17,7	22,2	13,2	17,7	17,7	22,2	13,2	17,7	17,7
3,0	27,3	27,3	18,0	44,6	28,5	28,5	19,7	44,6	29,5	29,5	21,2	44,6	30,2	30,2
3,5	24,8	24,8	16,5	39,8	26,0	26,0	18,2	39,8	26,9	26,9	19,7	39,8	27,7	27,7
4,0	22,7	22,7	15,2	35,7	23,8	23,8	16,8	35,7	24,7	24,7	18,3	35,7	25,5	25,5
4,5	20,8	20,8	14,0	32,2	21,9	21,9	15,6	32,2	22,8	22,8	17,1	32,2	23,5	23,5
5,0	19,2	19,2	12,9	29,4	20,2	20,2	14,5	29,4	21,1	21,1	15,9	29,4	21,8	21,8
6,0	16,3	16,3	11,0	24,8	17,4	17,4	12,6	24,8	18,2	18,2	14,0	24,8	18,9	18,9
7,0	14,1	14,1	9,4	21,4	15,1	15,1	10,9	21,4	15,9	15,9	12,3	21,4	16,6	16,6
8,0	12,2	12,2	8,1	18,8	13,2	13,2	9,6	18,8	14,0	14,0	11,0	18,8	14,7	14,7
9,0	10,7	10,7	6,9	16,9	11,7	11,7	8,4	16,9	12,5	12,5	9,8	16,9	13,1	13,1
10,0	9,4	9,4	6,0	15,8	10,4	10,4	7,4	15,8	11,2	11,2	8,7	15,8	11,8	11,8
11,0	8,4	8,4	5,1		9,3	9,3	6,5		10,1	10,1	7,8		10,7	10,7
12,0	7,6	7,6	4,2		8,5	8,5	5,8		9,2	9,2	7,1		9,8	9,8
13,0	6,9	6,9	3,4		7,8	7,8	5,1		8,5	8,5	6,4		9,1	9,1
14,0	6,5	6,5	2,7		7,4	7,4	4,6		8,1	8,1	5,8		8,7	8,7
15,0	6,4	6,4	2,1		7,3	7,3	4,1		8,0	8,0	5,3		8,6	8,6
16,0			1,8				3,7				4,9			
18,0							3,1				4,3			
20,0														
22,0														
24,0														
*** n ***	3	3	2	5	3	3	2	5	3	3	3	5	4	4
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
3	46 -	46 +	46 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3

	T	--	0.0 t	8.89 x 2.70 m	! ||+/-10°		

T	--

045632 02.02

m > < t

CODE >0042< T210.00077

m	22,2	22,2	26,8	26,8	22,2	22,2	26,8							
3,0	22,4	22,4			22,6	22,6								
3,5	20,8	20,8			21,0	21,0								
4,0	19,4	19,4	15,0	15,3	19,6	19,6	16,0							
4,5	18,2	18,2	14,1	14,4	18,4	18,4	15,1							
5,0	17,0	17,0	13,3	13,6	17,2	17,2	14,3							
6,0	15,0	15,0	11,9	12,1	15,2	15,2	12,9							
7,0	13,4	13,4	10,6	10,9	13,5	13,5	11,6							
8,0	12,0	12,0	9,6	9,8	12,1	12,1	10,5							
9,0	10,8	10,8	8,6	8,9	10,9	10,9	9,6							
10,0	9,7	9,7	7,8	8,0	9,9	9,9	8,7							
11,0	8,8	8,8	7,1	7,3	9,0	9,0	8,0							
12,0	8,0	8,0	6,4	6,6	8,2	8,2	7,3							
13,0	7,3	7,3	5,8	6,1	7,5	7,5	6,7							
14,0	6,8	6,8	5,3	5,5	6,9	6,9	6,2							
15,0	6,3	6,3	4,8	5,1	6,4	6,4	5,7							
16,0	5,8	5,8	4,4	4,6	6,0	6,0	5,3							
18,0	5,3	5,3	3,7	3,9	5,4	5,4	4,6							
20,0			3,2	3,4			4,1							
22,0			2,9	3,1			3,7							
24,0			2,9	3,0			3,7							
*** n ***	3	3	2	2	3	3	2							
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
% 3	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
% 4	0 +	0 -	46 -	0 +	0 +	0 +	0 +							
% 5	46 -	46 +	46 +	92 -	0 +	0 -	46 -							
% 6	46 +	46 +	46 +	46 +	92 -	92 +	92 +							
m/s	14,3	14,3	12,8	12,8	14,3	14,3	12,8							

	T	--	0.0 t	8.89 x 2.70 m	! ||+/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	105,2	83,5	85,4	79,0	64,9	67,7	70,6	72,8	68,4	46,2				
3,5	75,5	62,3	64,0	65,4	61,1	52,6	55,1	57,4	59,1	43,1			49,6	
4,0	57,0	48,8	50,3	51,6	52,6	42,1	44,4	46,5	48,1	40,7	35,8	38,6	41,2	43,3
4,5	45,1	39,5	40,9	42,0	43,0	34,5	36,6	38,5	40,0	38,4	29,6	32,3	34,7	36,7
5,0	37,0	33,0	34,3	35,4	36,3	29,0	31,0	32,8	34,2	34,4	24,9	27,4	29,7	31,6
6,0	26,1	23,7	24,8	25,8	26,6	21,1	22,9	24,5	25,8	26,0	18,1	20,4	22,5	24,2
7,0	19,3	17,7	18,7	19,6	20,4	15,8	17,5	19,0	20,2	20,4	13,4	15,6	17,6	19,2
8,0	14,8	13,5	14,5	15,4	16,0	12,1	13,7	15,2	16,3	16,5	10,1	12,1	14,1	15,6
9,0	11,4	10,4	11,4	12,2	12,9	9,2	10,8	12,2	13,2	13,4	7,5	9,5	11,3	12,8
10,0	8,5	8,0	9,0	9,8	10,4	7,0	8,5	9,9	10,9	11,1	5,4	7,4	9,2	10,6
11,0		6,2	7,1	7,9	8,5	5,3	6,7	8,0	9,0	9,2	3,3	5,7	7,5	8,9
12,0		4,7	5,6	6,3	6,9	3,4	5,3	6,6	7,5	7,7	1,8	4,2	6,0	7,4
13,0		3,1	4,3	4,9	5,4	2,0	3,9	5,3	6,3	6,4		2,7	4,9	6,2
14,0		1,8	2,8	3,7	4,3		2,5	4,3	5,2	5,4		1,6	3,8	5,2
15,0			1,8	2,7	3,3		1,6	3,2	4,3	4,5			2,6	4,3
16,0								2,2	3,5	3,6			1,7	3,5
18,0									1,7	1,9				1,9
20,0														
22,0														
24,0														
*** n ***	13	11	11	8	7	9	9	8	8	5	5	5	5	6
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	0.0 t	8.89 x 5.50 m	360°	

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,6	42,1												
4,5	38,0	37,1												
5,0	32,9	32,0	23,7	21,6	26,4	28,6	29,4							
6,0	25,4	24,6	17,6	15,7	20,1	22,2	24,0	17,5	15,3	19,9	20,3	21,8	22,8	
7,0	20,3	19,5	13,4	11,5	15,7	17,7	19,4	13,5	11,5	15,9	16,3	17,7	18,6	11,8
8,0	16,6	15,9	10,2	8,5	12,5	14,3	16,0	10,6	8,7	12,8	13,2	14,6	15,4	9,1
9,0	13,8	13,1	7,8	6,1	10,0	11,8	13,3	8,3	6,5	10,5	10,8	12,2	13,0	7,1
10,0	11,6	10,9	6,0	3,9	8,0	9,8	11,3	6,5	4,5	8,6	9,0	10,3	11,1	5,3
11,0	9,8	9,1	4,1	2,1	6,4	8,1	9,6	5,0	2,5	7,1	7,4	8,7	9,5	3,6
12,0	8,3	7,7	2,5		5,1	6,8	8,2	3,4		5,8	6,1	7,4	8,2	2,2
13,0	7,1	6,5			3,8	5,6	7,0	2,2		4,8	5,1	6,3	7,1	
14,0	6,1	5,4			2,5	4,7	6,0			3,7	4,1	5,4	6,1	
15,0	5,2	4,5			1,6	3,8	5,2			2,7	3,1	4,5	5,3	
16,0	4,4	3,8				2,8	4,4			1,8	2,2	3,8	4,6	
18,0	3,1	2,1					3,1					2,3	3,3	
20,0	1,8						1,8						2,1	
22,0														
24,0														
*** n ***	5	5	3	3	4	4	4	3	2	3	3	3	3	2
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	0.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	13,8	17,2	17,3											
8,0	11,1	14,3	14,5	9,6	11,4	10,8	12,9	13,5						
9,0	8,9	12,0	12,2	7,6	9,3	8,8	10,8	11,5	6,8	7,8	8,6	9,3	10,4	10,6
10,0	7,2	10,2	10,4	6,0	7,7	7,1	9,1	9,8	5,3	6,2	7,0	7,8	8,9	9,0
11,0	5,7	8,7	8,9	4,6	6,3	5,8	7,7	8,3	3,8	5,0	5,8	6,5	7,5	7,7
12,0	4,5	7,5	7,6	3,1	5,2	4,6	6,5	7,2	2,4	3,7	4,7	5,4	6,4	6,6
13,0	3,3	6,5	6,6	2,0	4,2	3,4	5,5	6,2		2,4	3,5	4,4	5,5	5,6
14,0	2,1	5,5	5,6		3,1	2,3	4,7	5,3			2,4	3,5	4,6	4,8
15,0		4,7	4,8		2,2	1,6	3,9	4,5			1,7	2,5	3,9	4,0
16,0		4,0	4,2				3,1	3,8				1,8	3,1	3,3
18,0		2,7	2,9				1,7	2,5					1,8	1,9
20,0		1,5	1,6											
22,0														
24,0														
*** n ***	2	2	2	2	2	2	2	2	1	1	1	2	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	53,8	53,8	53,8	53,8	53,8	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7
3,0						52,1	47,1	47,2	43,6	43,9			53,8	49,0
3,5						52,9	46,9	47,2	43,2	43,7			54,6	48,7
4,0						53,6	46,1	46,4	40,9	41,1	35,8		54,9	47,9
4,5						45,1	39,5	39,5	34,5	34,5	29,6		45,1	40,9
5,0						37,0	33,0	33,0	29,0	29,0	24,9	18,4	37,0	34,3
6,0						26,1	23,7	23,7	21,1	21,1	18,1	15,7	26,1	24,8
7,0						19,3	17,7	17,7	15,8	15,8	13,4	11,5	19,3	18,7
8,0						14,8	13,5	13,5	12,1	12,1	10,1	8,5	14,8	14,5
9,0						11,4	10,4	10,4	9,2	9,2	7,5	6,1	11,4	11,4
10,0	5,1	6,1	7,2	7,6	8,2	8,5	8,0	8,0	7,0	7,0	5,4	3,9	8,5	9,0
11,0	3,5	4,9	5,9	6,4	7,0		6,2	6,2	5,3	5,3	3,3	2,1		7,1
12,0	2,3	3,6	4,9	5,3	5,9		4,7	4,7	3,4	3,4	1,8			5,6
13,0		2,5	3,9	4,4	5,0		3,1	3,1	2,0	2,0				4,3
14,0		1,6	2,9	3,5	4,2		1,8	1,8						2,8
15,0			2,0	2,6	3,4									1,8
16,0				1,9	2,6									
18,0														
20,0														
22,0														
24,0														
*** n ***	1	1	1	1	1	6	5	5	5	5	4	2	6	5
1	92 +	46 +	0 +	46 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +
2	92 +	92 +	92 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +
3	92 +	92 +	92 +	46 +	92 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	46 +	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
5	46 +	46 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	46 +	46 +	46 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	11,1	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3

	T --	0.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	17,7	22,2	22,2	26,8	26,8	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	49,3	45,7	46,3					55,3	51,8	52,6	47,7	48,5		
3,5	49,3	45,3	46,1					56,1	51,6	52,6	47,2	48,3	44,3	45,1
4,0	48,4	43,1	43,4	38,6	38,6			55,1	50,2	51,0	45,1	45,5	41,2	41,2
4,5	40,9	36,6	36,6	32,3	32,3			45,1	42,0	42,0	38,5	38,5	34,7	34,7
5,0	34,3	31,0	31,0	27,4	27,4	23,7		37,0	35,4	35,4	32,8	32,8	29,7	29,7
6,0	24,8	22,9	22,9	20,4	20,4	17,6	15,3	26,1	25,8	25,8	24,5	24,5	22,5	22,5
7,0	18,7	17,5	17,5	15,6	15,6	13,4	11,5	19,3	19,6	19,6	19,0	19,0	17,6	17,6
8,0	14,5	13,7	13,7	12,1	12,1	10,2	8,7	14,8	15,4	15,4	15,2	15,2	14,1	14,1
9,0	11,4	10,8	10,8	9,5	9,5	7,8	6,5	11,4	12,2	12,2	12,2	12,2	11,3	11,3
10,0	9,0	8,5	8,5	7,4	7,4	6,0	4,5	8,5	9,8	9,8	9,9	9,9	9,2	9,2
11,0	7,1	6,7	6,7	5,7	5,7	4,1	2,5		7,9	7,9	8,0	8,0	7,5	7,5
12,0	5,6	5,3	5,3	4,2	4,2	2,5			6,3	6,3	6,6	6,6	6,0	6,0
13,0	4,3	3,9	3,9	2,7	2,7				4,9	4,9	5,3	5,3	4,9	4,9
14,0	2,8	2,5	2,5	1,6	1,6				3,7	3,7	4,3	4,3	3,8	3,8
15,0	1,8	1,6	1,6						2,7	2,7	3,2	3,2	2,6	2,6
16,0											2,2	2,2	1,7	1,7
18,0														
20,0														
22,0														
24,0														
*** n ***	5	5	5	5	5	3	2	6	6	6	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
4	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	0.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	31,3	31,3	35,8	40,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8
3,0					56,5	53,1	54,1	49,2	51,7					
3,5					57,3	52,9	54,1	48,8	51,4					
4,0					55,3	51,5	52,4	46,6	47,6	43,3	43,3			
4,5					45,1	43,0	43,0	40,0	40,0	36,7	36,7			
5,0	26,4	26,4			37,0	36,3	36,3	34,2	34,2	31,6	31,6	28,6	28,6	
6,0	20,1	20,1	17,5		26,1	26,6	26,6	25,8	25,8	24,2	24,2	22,2	22,2	19,9
7,0	15,7	15,7	13,5	11,8	19,3	20,4	20,4	20,2	20,2	19,2	19,2	17,7	17,7	15,9
8,0	12,5	12,5	10,6	9,1	14,8	16,0	16,0	16,3	16,3	15,6	15,6	14,3	14,3	12,8
9,0	10,0	10,0	8,3	7,1	11,4	12,9	12,9	13,2	13,2	12,8	12,8	11,8	11,8	10,5
10,0	8,0	8,0	6,5	5,3	8,5	10,4	10,4	10,9	10,9	10,6	10,6	9,8	9,8	8,6
11,0	6,4	6,4	5,0	3,6		8,5	8,5	9,0	9,0	8,9	8,9	8,1	8,1	7,1
12,0	5,1	5,1	3,4	2,2		6,9	6,9	7,5	7,5	7,4	7,4	6,8	6,8	5,8
13,0	3,8	3,8	2,2			5,4	5,4	6,3	6,3	6,2	6,2	5,6	5,6	4,8
14,0	2,5	2,5				4,3	4,3	5,2	5,2	5,2	5,2	4,7	4,7	3,7
15,0	1,6	1,6				3,3	3,3	4,3	4,3	4,3	4,3	3,8	3,8	2,7
16,0								3,5	3,5	3,5	3,5	2,8	2,8	1,8
18,0								1,7	1,7	1,9	1,9			
20,0														
22,0														
24,0														
*** n ***	4	4	3	2	6	6	6	5	6	5	5	4	4	3
1	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
3	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
4	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
5	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	12,8	12,8	12,8	11,1	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8

	T	--	0.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	35,8	40,3	44,8	49,3	35,8	44,8	44,8	49,3	53,8	49,3	49,3	53,8	26,8	53,8
3,0														
3,5														
4,0													28,2	
4,5													27,6	
5,0													26,9	
6,0	19,9				20,2								24,4	
7,0	15,9	13,8			16,3								19,5	
8,0	12,8	11,1	9,6		13,2	10,8	10,8						15,9	
9,0	10,5	8,9	7,6	6,8	10,8	8,8	8,8	7,8		8,6	8,6		13,1	
10,0	8,6	7,2	6,0	5,3	9,0	7,1	7,1	6,2	5,1	7,0	7,0	6,1	10,9	7,2
11,0	7,1	5,7	4,6	3,8	7,4	5,8	5,8	5,0	3,5	5,8	5,8	4,9	9,1	5,9
12,0	5,8	4,5	3,1	2,4	6,1	4,6	4,6	3,7	2,3	4,7	4,7	3,6	7,7	4,9
13,0	4,8	3,3	2,0		5,1	3,4	3,4	2,4		3,5	3,5	2,5	6,5	3,9
14,0	3,7	2,1			4,1	2,3	2,3			2,4	2,4	1,6	5,4	2,9
15,0	2,7				3,1	1,6	1,6			1,7	1,7		4,5	2,0
16,0	1,8				2,2								3,8	
18,0													2,1	
20,0														
22,0														
24,0														
*** n ***	3	2	2	1	3	2	2	1	1	1	1	1	3	1
1	0 -	46 -	92 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +	0 -	46 -	0 +	0 +
2	46 +	46 +	46 +	92 -	0 +	92 -	92 +	92 +	92 +	92 -	92 +	92 +	0 +	92 -
3	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 -	92 +	92 +	0 +	92 -
4	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	0 +	92 -
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	12,8	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1

	T	--	0.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	22,2	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3
3,0	33,1	46,2												
3,5	32,5	43,1												
4,0	31,8	40,7	41,6											
4,5	31,2	38,4	38,0											
5,0	29,4	34,4	32,9			26,1	29,4							
6,0	26,0	26,0	25,4	21,8		24,0	24,0	22,8	22,8					
7,0	20,4	20,4	20,3	17,7		19,4	19,4	18,6	18,6	17,2	17,2			
8,0	16,5	16,5	16,6	14,6	11,4	16,0	16,0	15,4	15,4	14,3	14,3	12,9	12,9	
9,0	13,4	13,4	13,8	12,2	9,3	13,3	13,3	13,0	13,0	12,0	12,0	10,8	10,8	9,3
10,0	11,1	11,1	11,6	10,3	7,7	11,3	11,3	11,1	11,1	10,2	10,2	9,1	9,1	7,8
11,0	9,2	9,2	9,8	8,7	6,3	9,6	9,6	9,5	9,5	8,7	8,7	7,7	7,7	6,5
12,0	7,7	7,7	8,3	7,4	5,2	8,2	8,2	8,2	8,2	7,5	7,5	6,5	6,5	5,4
13,0	6,4	6,4	7,1	6,3	4,2	7,0	7,0	7,1	7,1	6,5	6,5	5,5	5,5	4,4
14,0	5,4	5,4	6,1	5,4	3,1	6,0	6,0	6,1	6,1	5,5	5,5	4,7	4,7	3,5
15,0	4,5	4,5	5,2	4,5	2,2	5,2	5,2	5,3	5,3	4,7	4,7	3,9	3,9	2,5
16,0	3,6	3,6	4,4	3,8		4,4	4,4	4,6	4,6	4,0	4,0	3,1	3,1	1,8
18,0	1,9	1,9	3,1	2,3		3,1	3,1	3,3	3,3	2,7	2,7	1,7	1,7	
20,0			1,8			1,8	1,8	2,1	2,1	1,5	1,5			
22,0														
24,0														
*** n ***	4	5	5	3	2	3	4	3	3	2	2	2	2	2
1	0 +	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
2	0 +	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
3	0 +	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
4	0 +	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0014< T210.00027

m	40,3	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8				
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	17,3	17,3												
8,0	14,5	14,5	13,5	13,5										
9,0	12,2	12,2	11,5	11,5	10,4	10,4		10,6	10,6					
10,0	10,4	10,4	9,8	9,8	8,9	8,9	7,6	9,0	9,0	8,2				
11,0	8,9	8,9	8,3	8,3	7,5	7,5	6,4	7,7	7,7	7,0				
12,0	7,6	7,6	7,2	7,2	6,4	6,4	5,3	6,6	6,6	5,9				
13,0	6,6	6,6	6,2	6,2	5,5	5,5	4,4	5,6	5,6	5,0				
14,0	5,6	5,6	5,3	5,3	4,6	4,6	3,5	4,8	4,8	4,2				
15,0	4,8	4,8	4,5	4,5	3,9	3,9	2,6	4,0	4,0	3,4				
16,0	4,2	4,2	3,8	3,8	3,1	3,1	1,9	3,3	3,3	2,6				
18,0	2,9	2,9	2,5	2,5	1,8	1,8		1,9	1,9					
20,0	1,6	1,6												
22,0														
24,0														
*** n ***	2	2	2	2	2	2	1	2	2	1				
1	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +				
2	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -				
3	0 +	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +				
4	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +				
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +				
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +				
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1				

	T	--	0.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0035< T210.00067

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,5	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	122,6	122,7	103,0	80,3	57,5	110,5	98,6	76,2	62,0	40,7	70,0	73,6	76,2	64,2
4,5	109,4	104,1	102,0	80,7	54,8	88,9	91,6	74,8	59,4	38,4	64,2	67,7	70,9	61,6
5,0	96,3	84,5	86,2	79,1	52,2	73,2	75,8	73,1	56,8	36,2	59,2	62,6	65,7	59,3
6,0	66,0	59,1	60,5	61,7	47,2	52,7	54,9	56,9	52,3	32,5	46,8	49,5	52,1	53,6
7,0	49,0	44,5	45,8	46,8	43,7	40,4	42,4	44,2	45,4	29,7	36,0	38,5	40,8	42,7
8,0	37,2	35,0	36,2	37,2	38,0	32,2	34,0	35,7	37,0	27,0	28,8	31,1	33,3	35,0
9,0	28,6	28,4	29,5	30,4	31,2	26,1	27,8	29,4	30,6	25,0	23,4	25,6	27,7	29,4
10,0	22,8	23,2	24,1	24,8	25,4	21,6	23,3	24,8	25,9	23,2	19,3	21,4	23,4	25,0
11,0		19,0	19,8	20,4	21,0	18,1	19,7	21,1	22,2	21,4	16,1	18,1	20,0	21,5
12,0		15,7	16,5	17,1	17,6	15,3	16,8	18,0	18,8	19,0	13,4	15,4	17,2	18,7
13,0		13,2	13,9	14,5	15,0	13,0	14,2	15,3	16,1	16,3	11,3	13,2	15,0	16,5
14,0		11,1	11,8	12,4	12,9	10,9	12,1	13,2	14,0	14,1	9,5	11,4	13,2	14,4
15,0		9,3	10,1	10,7	11,2	9,1	10,4	11,5	12,2	12,3	8,0	9,8	11,5	12,6
16,0						7,6	8,9	10,0	10,8	10,9	6,7	8,5	10,0	11,1
18,0						5,3	6,5	7,6	8,4	8,5	4,6	6,1	7,6	8,7
20,0											2,8	4,3	5,7	6,9
22,0												3,0	4,3	5,4
24,0												1,9	3,2	4,3
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	8	9	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	0.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0035< T210.00067

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	44,9	42,2	48,1	50,8	29,7							
6,0	34,0	34,3	39,7	37,2	42,7	45,3	27,0	32,7	30,2	35,5	36,0	36,5	27,1	
7,0	30,7	30,8	34,7	32,5	37,4	39,6	24,9	29,6	27,2	32,4	32,8	33,8	25,2	23,4
8,0	28,3	28,4	28,0	26,0	30,5	32,6	22,9	26,9	24,6	29,7	30,1	31,7	23,6	21,4
9,0	26,2	26,2	23,0	21,1	25,4	27,4	21,1	22,9	20,9	25,4	25,7	27,2	22,1	19,7
10,0	24,1	24,0	19,3	17,4	21,6	23,5	19,8	19,3	17,3	21,7	22,0	23,4	20,6	17,6
11,0	22,3	21,7	16,2	14,4	18,4	20,3	18,5	16,4	14,5	18,7	19,0	20,4	19,5	14,9
12,0	19,7	19,0	13,7	12,0	15,9	17,7	17,2	14,1	12,2	16,3	16,6	18,0	18,5	12,7
13,0	17,3	16,7	11,6	10,0	13,8	15,5	16,2	12,1	10,3	14,3	14,6	15,9	16,7	10,9
14,0	15,1	14,6	9,9	8,3	12,0	13,7	15,1	10,5	8,7	12,6	12,9	14,2	15,0	9,3
15,0	13,3	12,8	8,4	6,8	10,5	12,2	13,6	9,1	7,3	11,1	11,4	12,7	13,5	8,0
16,0	11,8	11,3	7,2	5,6	9,1	10,8	12,1	7,8	6,1	9,9	10,1	11,4	12,2	6,8
18,0	9,4	8,9	5,1	3,5	7,0	8,6	9,7	5,8	4,1	7,8	8,0	9,3	10,0	4,9
20,0	7,6	7,0	3,5	1,5	5,3	6,7	7,8	4,2	2,3	6,1	6,4	7,6	8,2	3,3
22,0	6,1	5,6	1,9		3,9	5,2	6,4	2,9		4,8	5,0	6,1	6,7	1,7
24,0	5,0	4,4			2,7	4,1	5,2	1,5		3,6	3,8	4,9	5,5	
26,0					1,6	3,1	4,2			2,7	2,9	3,9	4,5	
28,0						2,4	3,4			1,7	2,0	3,1	3,7	
30,0												2,4	3,0	
32,0												1,8	2,4	
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	5	5	5	5	6	6	4	4	4	4	4	4	3	3
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	0.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m	m > < t	CODE >0035<												T210.00067
	40,3	**40,3**	**40,3**	**44,8**	**44,8**	**44,8**	**44,8**	**44,8**	**49,3**	**49,3**	**49,3**	**49,3**	**49,3**	**49,3**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	25,7	25,5	22,8											
8,0	23,7	23,9	21,2	19,1	21,1	20,5	22,8	21,0						
9,0	21,9	22,6	19,8	17,7	19,7	19,0	21,3	19,8	14,8	15,8	16,7	17,6	18,8	18,6
10,0	19,6	21,4	18,7	16,4	18,4	17,7	20,0	18,7	13,8	14,8	15,7	16,5	17,7	17,7
11,0	16,8	19,9	17,5	15,2	17,0	16,4	18,5	17,7	12,8	13,8	14,7	15,5	16,7	16,8
12,0	14,6	17,7	16,4	13,2	15,0	14,4	16,4	16,7	11,9	12,9	13,8	14,6	15,7	15,9
13,0	12,8	15,8	15,4	11,4	13,2	12,6	14,6	15,2	10,6	11,6	12,4	13,2	14,3	14,4
14,0	11,1	14,1	14,3	9,9	11,6	11,0	13,0	13,7	9,2	10,2	10,9	11,7	12,7	12,9
15,0	9,7	12,7	12,8	8,6	10,3	9,7	11,7	12,3	8,0	8,9	9,7	10,4	11,4	11,6
16,0	8,5	11,5	11,6	7,5	9,1	8,6	10,5	11,1	6,9	7,8	8,6	9,3	10,3	10,5
18,0	6,6	9,4	9,5	5,6	7,2	6,6	8,5	9,1	5,1	6,0	6,7	7,4	8,4	8,6
20,0	5,0	7,8	7,9	4,1	5,6	5,1	7,0	7,5	3,6	4,5	5,2	5,9	6,9	7,0
22,0	3,7	6,4	6,5	2,8	4,4	3,9	5,7	6,3	2,3	3,3	4,0	4,7	5,7	5,8
24,0	2,7	5,2	5,3	1,5	3,4	2,8	4,6	5,2		2,2	3,0	3,7	4,6	4,8
26,0	1,5	4,2	4,3		2,5	1,8	3,7	4,3			2,0	2,8	3,8	3,9
28,0		3,4	3,5		1,5		3,0	3,5				2,0	3,0	3,1
30,0		2,7	2,8				2,3	2,8					2,4	2,5
32,0		2,1	2,2				1,5	2,2					1,7	1,9
34,0		1,6	1,7					1,6						
36,0														
38,0														
40,0														
42,0														
*** n ***	3	3	3	2	3	3	3	3	2	2	2	2	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0035< T210.00067

m	53,8	53,8	53,8	53,8	53,8	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7
3,0						52,1	47,1	47,2	43,6	43,9			53,8	49,0
3,5						52,9	46,9	47,2	43,2	43,7			54,6	48,7
4,0						53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6
4,5						54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4
5,0						54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4
6,0						56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,6	48,3
7,0						49,0	44,5	44,5	40,1	40,2	35,9	16,3	49,0	45,8
8,0						37,2	35,0	35,0	32,2	32,2	28,8	15,4	37,2	36,2
9,0						28,6	28,4	28,4	26,1	26,1	23,4	14,6	28,6	29,5
10,0	12,0	13,1	14,2	14,7	15,4	22,8	23,2	23,2	21,6	21,6	19,3	13,9	22,8	24,1
11,0	11,2	12,2	13,4	13,9	14,5		19,0	19,0	18,1	18,1	16,1	13,2		19,8
12,0	10,4	11,5	12,6	13,1	13,8		15,7	15,7	15,3	15,3	13,4	11,8		16,5
13,0	9,8	10,8	11,9	12,4	13,0		13,2	13,2	13,0	13,0	11,3	10,0		13,9
14,0	8,9	9,9	11,0	11,5	12,1		11,1	11,1	10,9	10,9	9,5	8,3		11,8
15,0	7,8	8,8	9,8	10,3	10,9		9,3	9,3	9,1	9,1	8,0	6,8		10,1
16,0	6,8	7,7	8,8	9,2	9,8				7,6	7,6	6,7	5,6		
18,0	5,0	6,0	7,0	7,4	7,9				5,3	5,3	4,6	3,5		
20,0	3,6	4,5	5,5	6,0	6,5						2,8	1,5		
22,0	2,3	3,3	4,3	4,7	5,3									
24,0		2,3	3,3	3,8	4,3									
26,0			2,5	2,9	3,4									
28,0			1,5	2,1	2,7									
30,0					2,1									
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	2	2	2	2	2	6	5	5	5	5	4	2	6	5

%														
1	92 +	46 +	0 +	46 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +
2	92 +	92 +	92 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +
3	92 +	92 +	92 +	46 +	92 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	46 +	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
5	46 +	46 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
6	46 +	46 +	46 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	11,1	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3

	T --	0.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0035< T210.00067

m	17,7	22,2	22,2	26,8	26,8	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	49,3	45,7	46,3					55,3	51,8	52,6	47,7	48,5		
3,5	49,3	45,3	46,1					56,1	51,6	52,6	47,2	48,3	44,5	45,6
4,0	49,3	44,9	45,8	41,8	42,8			56,9	51,4	52,5	46,8	48,0	44,0	45,3
4,5	49,3	44,5	45,6	41,3	42,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9
5,0	49,3	44,2	45,5	40,2	42,2	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7
6,0	49,3	43,6	45,2	38,8	41,7	35,9	16,8	61,2	51,1	52,5	45,5	47,4	42,2	44,1
7,0	45,8	42,1	42,1	38,1	38,5	34,2	15,8	49,0	46,8	46,8	43,9	44,0	40,8	40,8
8,0	36,2	34,0	34,0	31,1	31,1	28,0	14,9	37,2	37,2	37,2	35,7	35,7	33,3	33,3
9,0	29,5	27,8	27,8	25,6	25,6	23,0	14,1	28,6	30,4	30,4	29,4	29,4	27,7	27,7
10,0	24,1	23,3	23,3	21,4	21,4	19,3	13,3	22,8	24,8	24,8	24,8	24,8	23,4	23,4
11,0	19,8	19,7	19,7	18,1	18,1	16,2	12,6		20,4	20,4	21,1	21,1	20,0	20,0
12,0	16,5	16,8	16,8	15,4	15,4	13,7	12,0		17,1	17,1	18,0	18,0	17,2	17,2
13,0	13,9	14,2	14,2	13,2	13,2	11,6	10,3		14,5	14,5	15,3	15,3	15,0	15,0
14,0	11,8	12,1	12,1	11,4	11,4	9,9	8,7		12,4	12,4	13,2	13,2	13,2	13,2
15,0	10,1	10,4	10,4	9,8	9,8	8,4	7,3		10,7	10,7	11,5	11,5	11,5	11,5
16,0		8,9	8,9	8,5	8,5	7,2	6,1				10,0	10,0	10,0	10,0
18,0		6,5	6,5	6,1	6,1	5,1	4,1				7,6	7,6	7,6	7,6
20,0				4,3	4,3	3,5	2,3						5,7	5,7
22,0				3,0	3,0	1,9							4,3	4,3
24,0				1,9	1,9								3,2	3,2
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	5	5	5	5	5	4	2	7	6	6	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
4	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T --	0.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0035< T210.00067

m	31,3	31,3	35,8	40,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8
3,0					56,5	53,1	54,1	49,2	51,7					
3,5					57,3	52,9	54,1	48,8	51,4					
4,0					58,2	52,7	54,1	48,4	51,1	45,8	47,3			
4,5					59,0	52,6	54,0	48,0	50,9	45,4	47,0			
5,0	39,0	41,8			60,8	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2	
6,0	38,1	41,2	32,7		62,5	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	35,5
7,0	36,5	37,4	29,6	15,6	49,0	43,7	43,7	45,3	45,4	42,7	42,7	38,6	39,6	32,4
8,0	30,5	30,5	26,9	14,7	37,2	38,0	38,0	37,0	37,0	35,0	35,0	32,6	32,6	29,7
9,0	25,4	25,4	22,9	13,8	28,6	31,2	31,2	30,6	30,6	29,4	29,4	27,4	27,4	25,4
10,0	21,6	21,6	19,3	13,0	22,8	25,4	25,4	25,9	25,9	25,0	25,0	23,5	23,5	21,7
11,0	18,4	18,4	16,4	12,3		21,0	21,0	22,2	22,2	21,5	21,5	20,3	20,3	18,7
12,0	15,9	15,9	14,1	11,7		17,6	17,6	18,8	18,8	18,7	18,7	17,7	17,7	16,3
13,0	13,8	13,8	12,1	10,7		15,0	15,0	16,1	16,1	16,5	16,5	15,5	15,5	14,3
14,0	12,0	12,0	10,5	9,3		12,9	12,9	14,0	14,0	14,4	14,4	13,7	13,7	12,6
15,0	10,5	10,5	9,1	8,0		11,2	11,2	12,2	12,2	12,6	12,6	12,2	12,2	11,1
16,0	9,1	9,1	7,8	6,8				10,8	10,8	11,1	11,1	10,8	10,8	9,9
18,0	7,0	7,0	5,8	4,9				8,4	8,4	8,7	8,7	8,6	8,6	7,8
20,0	5,3	5,3	4,2	3,3						6,9	6,9	6,7	6,7	6,1
22,0	3,9	3,9	2,9	1,7						5,4	5,4	5,2	5,2	4,8
24,0	2,7	2,7	1,5							4,3	4,3	4,1	4,1	3,6
26,0	1,6	1,6										3,1	3,1	2,7
28,0												2,4	2,4	1,7
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	4	5	4	2	7	6	6	5	6	5	5	5	5	4
1	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
3	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
4	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
5	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	12,8	12,8	12,8	11,1	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8

	T	--	0.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0035< T210.00067

m	35,8	40,3	44,8	49,3	35,8	44,8	44,8	49,3	53,8	49,3	49,3	53,8	26,8	53,8
3,0														
3,5														
4,0													28,2	
4,5													27,6	
5,0													26,9	
6,0	35,5				21,6								25,8	
7,0	32,4	25,7			19,3								24,7	
8,0	29,7	23,7	14,6		18,3	16,0	20,5						23,8	
9,0	25,4	21,9	13,8	13,3	17,5	15,1	19,0	15,8		14,8	16,7		22,9	
10,0	21,7	19,6	13,0	12,5	16,7	14,3	17,7	14,8	12,0	14,0	15,7	13,1	22,2	13,9
11,0	18,7	16,8	12,3	11,8	16,0	13,5	16,4	13,8	11,2	13,3	14,7	12,2	21,3	13,2
12,0	16,3	14,6	11,6	11,1	15,4	12,9	14,4	12,9	10,2	12,6	13,8	11,5	19,0	12,5
13,0	14,3	12,8	11,0	9,5	14,4	12,2	12,6	11,6	9,0	12,0	12,4	10,8	16,7	11,9
14,0	12,6	11,1	9,3	8,8	12,9	11,0	11,0	10,2	8,5	10,9	10,9	9,9	14,6	11,0
15,0	11,1	9,7	8,4	8,0	11,4	9,7	9,7	8,9	7,8	9,7	9,7	8,8	12,8	9,8
16,0	9,9	8,5	7,5	6,9	10,1	8,6	8,6	7,8	6,8	8,6	8,6	7,7	11,3	8,8
18,0	7,8	6,6	5,6	5,1	8,0	6,6	6,6	6,0	5,0	6,7	6,7	6,0	8,9	7,0
20,0	6,1	5,0	4,1	3,6	6,4	5,1	5,1	4,5	3,6	5,2	5,2	4,5	7,0	5,5
22,0	4,8	3,7	2,8	2,3	5,0	3,9	3,9	3,3	2,3	4,0	4,0	3,3	5,6	4,3
24,0	3,6	2,7	1,5		3,8	2,8	2,8	2,2		3,0	3,0	2,3	4,4	3,3
26,0	2,7	1,5			2,9	1,8	1,8			2,0	2,0			2,5
28,0	1,7				2,0									1,5
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	4	3	2	2	3	2	3	2	2	2	2	2	3	2
1	0 -	46 -	92 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +	0 -	46 -	0 +	0 +
2	46 +	46 +	46 +	92 -	0 +	92 -	92 +	92 +	92 +	92 -	92 +	92 +	0 +	92 -
3	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 -	92 +	92 +	0 +	92 -
4	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	0 +	92 -
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	12,8	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1

	T	--	0.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0035< T210.00067

m	22,2	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3
3,0	33,1	46,2												
3,5	32,5	43,1												
4,0	31,8	40,7	41,7											
4,5	31,2	38,4	39,4											
5,0	29,4	36,2	37,4			26,1	29,7							
6,0	28,4	32,5	34,0	36,5		24,9	27,0	27,1	27,1					
7,0	27,5	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5			
8,0	26,6	27,0	28,3	31,7	21,1	22,7	22,9	23,6	23,6	23,9	23,9	22,8	22,8	
9,0	25,0	25,0	26,2	27,2	19,7	21,1	21,1	22,1	22,1	22,6	22,6	21,3	21,3	17,6
10,0	23,2	23,2	24,1	23,4	18,4	19,8	19,8	20,6	20,6	21,4	21,4	20,0	20,0	16,5
11,0	21,4	21,4	22,3	20,4	17,0	18,5	18,5	19,5	19,5	19,9	19,9	18,5	18,5	15,5
12,0	19,0	19,0	19,7	18,0	15,0	17,2	17,2	18,5	18,5	17,7	17,7	16,4	16,4	14,6
13,0	16,3	16,3	17,3	15,9	13,2	16,2	16,2	16,7	16,7	15,8	15,8	14,6	14,6	13,2
14,0	14,1	14,1	15,1	14,2	11,6	15,1	15,1	15,0	15,0	14,1	14,1	13,0	13,0	11,7
15,0	12,3	12,3	13,3	12,7	10,3	13,6	13,6	13,5	13,5	12,7	12,7	11,7	11,7	10,4
16,0	10,9	10,9	11,8	11,4	9,1	12,1	12,1	12,2	12,2	11,5	11,5	10,5	10,5	9,3
18,0	8,5	8,5	9,4	9,3	7,2	9,7	9,7	10,0	10,0	9,4	9,4	8,5	8,5	7,4
20,0			7,6	7,6	5,6	7,8	7,8	8,2	8,2	7,8	7,8	7,0	7,0	5,9
22,0			6,1	6,1	4,4	6,4	6,4	6,7	6,7	6,4	6,4	5,7	5,7	4,7
24,0			5,0	4,9	3,4	5,2	5,2	5,5	5,5	5,2	5,2	4,6	4,6	3,7
26,0				3,9	2,5	4,2	4,2	4,5	4,5	4,2	4,2	3,7	3,7	2,8
28,0				3,1	1,5	3,4	3,4	3,7	3,7	3,4	3,4	3,0	3,0	2,0
30,0				2,4				3,0	3,0	2,7	2,7	2,3	2,3	
32,0				1,8				2,4	2,4	2,1	2,1	1,5	1,5	
34,0										1,6	1,6			
36,0														
38,0														
40,0														
42,0														
*** n ***	4	5	5	4	3	3	4	3	3	3	3	3	3	2
1	0 +	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
2	0 +	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
3	0 +	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
4	0 +	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0035< T210.00067

m	40,3	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8				
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	21,4	22,8												
8,0	19,2	21,2	21,0	21,0										
9,0	18,3	19,8	19,8	19,8	18,8	18,8		16,5	18,6					
10,0	17,5	18,7	18,7	18,7	17,7	17,7	14,7	15,7	17,7	15,4				
11,0	16,8	17,5	17,7	17,7	16,7	16,7	13,9	14,9	16,8	14,5				
12,0	16,1	16,4	16,7	16,7	15,7	15,7	13,1	14,2	15,9	13,8				
13,0	15,3	15,4	15,2	15,2	14,3	14,3	12,4	13,6	14,4	13,0				
14,0	14,3	14,3	13,7	13,7	12,7	12,7	11,5	12,9	12,9	12,1				
15,0	12,8	12,8	12,3	12,3	11,4	11,4	10,3	11,6	11,6	10,9				
16,0	11,6	11,6	11,1	11,1	10,3	10,3	9,2	10,5	10,5	9,8				
18,0	9,5	9,5	9,1	9,1	8,4	8,4	7,4	8,6	8,6	7,9				
20,0	7,9	7,9	7,5	7,5	6,9	6,9	6,0	7,0	7,0	6,5				
22,0	6,5	6,5	6,3	6,3	5,7	5,7	4,7	5,8	5,8	5,3				
24,0	5,3	5,3	5,2	5,2	4,6	4,6	3,8	4,8	4,8	4,3				
26,0	4,3	4,3	4,3	4,3	3,8	3,8	2,9	3,9	3,9	3,4				
28,0	3,5	3,5	3,5	3,5	3,0	3,0	2,1	3,1	3,1	2,7				
30,0	2,8	2,8	2,8	2,8	2,4	2,4		2,5	2,5	2,1				
32,0	2,2	2,2	2,2	2,2	1,7	1,7		1,9	1,9					
34,0	1,7	1,7	1,6	1,6										
36,0														
38,0														
40,0														
42,0														
*** n ***	3	3	3	3	2	2	2	2	2	2				
1	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +				
2	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -				
3	0 +	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +				
4	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +				
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +				
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +				
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1				

	T	--	0.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	128,7	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	118,7	118,8	103,0	80,3	57,5	110,7	98,6	76,2	62,0	40,7	95,1	96,4	77,6	64,2
4,5	108,9	104,4	102,0	80,7	54,8	89,2	91,9	74,8	59,4	38,4	76,9	80,4	76,8	61,6
5,0	96,2	84,8	86,5	79,2	52,2	73,5	76,0	73,1	56,8	36,2	64,0	67,2	70,1	59,3
6,0	66,2	59,0	60,5	61,7	47,2	52,0	54,5	56,7	52,3	32,5	45,4	48,5	51,3	53,0
7,0	47,7	42,9	44,3	45,4	43,7	38,5	40,7	42,6	44,1	29,7	33,8	36,5	39,1	41,2
8,0	36,1	32,8	34,1	35,1	36,0	29,9	31,9	33,7	35,0	27,0	26,3	28,8	31,2	33,1
9,0	27,0	26,0	27,2	28,2	29,0	23,7	25,5	27,2	28,5	25,0	20,9	23,3	25,5	27,3
10,0	21,0	21,1	22,2	23,1	23,8	19,2	21,0	22,6	23,8	23,2	16,9	19,1	21,2	22,9
11,0		17,2	18,0	18,7	19,3	15,7	17,4	19,0	20,1	20,3	13,7	15,9	17,9	19,5
12,0		14,0	14,8	15,4	16,0	13,1	14,7	16,2	17,2	17,4	11,2	13,2	15,2	16,7
13,0		11,4	12,2	12,9	13,4	10,9	12,4	13,7	14,6	14,8	9,2	11,2	13,0	14,6
14,0		9,3	10,2	10,8	11,4	9,1	10,5	11,7	12,5	12,6	7,5	9,4	11,3	12,7
15,0		7,7	8,5	9,1	9,7	7,5	8,8	10,0	10,8	10,9	6,0	7,9	9,7	11,2
16,0						6,0	7,3	8,5	9,4	9,5	4,8	6,7	8,5	9,8
18,0						3,9	5,1	6,2	7,1	7,2	2,7	4,7	6,2	7,4
20,0												3,0	4,5	5,6
22,0													3,2	4,3
24,0													2,2	3,3
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7

%	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T --	0.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	58,3	55,2	61,9	60,6	29,7							
6,0	34,0	34,3	42,7	40,0	45,9	48,6	27,0	40,3	37,6	43,5	41,0	36,5	27,1	
7,0	30,7	30,8	32,5	30,1	35,4	37,9	24,9	31,6	29,1	34,5	34,9	33,8	25,2	28,3
8,0	28,3	28,4	25,6	23,4	28,3	30,6	22,9	25,2	22,9	27,9	28,3	30,0	23,6	22,8
9,0	26,2	26,2	20,6	18,6	23,1	25,3	21,1	20,6	18,4	23,2	23,6	25,2	22,1	18,6
10,0	23,6	23,2	16,9	15,0	19,4	21,4	19,8	17,1	15,0	19,5	19,9	21,4	20,6	15,3
11,0	20,6	19,8	13,9	12,1	16,3	18,2	18,5	14,3	12,3	16,7	17,0	18,5	19,4	12,8
12,0	17,8	17,0	11,5	9,7	13,8	15,7	17,0	12,0	10,1	14,3	14,7	16,1	16,9	10,7
13,0	15,6	14,8	9,6	7,8	11,8	13,6	15,2	10,2	8,3	12,4	12,7	14,1	15,0	8,9
14,0	13,7	13,0	7,9	6,2	10,1	11,9	13,4	8,6	6,7	10,8	11,1	12,5	13,3	7,4
15,0	11,9	11,4	6,6	4,9	8,6	10,4	11,9	7,2	5,4	9,4	9,7	11,0	11,8	6,2
16,0	10,5	9,9	5,4	3,7	7,4	9,2	10,6	6,1	4,3	8,2	8,5	9,8	10,6	5,1
18,0	8,2	7,6	3,4		5,4	7,1	8,5	4,2	2,1	6,2	6,5	7,8	8,6	3,2
20,0	6,4	5,8	1,6		3,9	5,5	6,7	2,6		4,7	5,0	6,2	7,0	
22,0	5,0	4,5			2,6	4,1	5,3			3,5	3,8	5,0	5,6	
24,0	4,0	3,4				3,0	4,1			2,5	2,8	3,8	4,5	
26,0						2,2	3,3				1,7	2,9	3,6	
28,0							2,5					2,2	2,8	
30,0													2,2	
32,0													1,6	
34,0														
36,0														
38,0														
*** n ***	5	5	8	8	8	7	4	6	5	5	5	4	3	4
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	0.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	30,7	25,5	22,8											
8,0	25,1	23,9	21,2	22,6	24,7	24,0	24,3	21,0						
9,0	20,8	22,6	19,8	18,8	20,8	20,1	22,5	19,8	17,4	18,5	19,4	20,3	19,5	18,6
10,0	17,4	20,9	18,7	15,7	17,7	17,0	19,3	18,7	14,6	15,6	16,6	17,4	18,4	17,7
11,0	14,8	18,2	17,5	13,2	15,1	14,5	16,7	17,3	12,3	13,3	14,2	15,0	16,2	16,4
12,0	12,6	15,9	16,1	11,2	13,1	12,4	14,6	15,3	10,4	11,4	12,3	13,1	14,2	14,4
13,0	10,9	14,1	14,2	9,5	11,3	10,7	12,8	13,5	8,8	9,8	10,6	11,4	12,5	12,7
14,0	9,3	12,4	12,6	8,1	9,8	9,3	11,3	12,0	7,4	8,4	9,2	10,0	11,1	11,2
15,0	8,0	11,1	11,2	6,9	8,6	8,0	10,1	10,7	6,3	7,2	8,0	8,8	9,8	10,0
16,0	6,9	9,9	10,0	5,8	7,5	6,9	8,9	9,6	5,3	6,2	7,0	7,7	8,8	9,0
18,0	5,0	8,0	8,1	4,1	5,7	5,1	7,1	7,7	3,6	4,5	5,3	6,0	7,0	7,2
20,0	3,6	6,4	6,6	2,5	4,3	3,7	5,6	6,2	1,8	3,1	3,9	4,6	5,6	5,7
22,0	2,2	5,2	5,3		3,1	2,5	4,4	5,0		1,7	2,7	3,4	4,4	4,6
24,0		4,2	4,3		2,0		3,5	4,1			1,5	2,4	3,5	3,6
26,0		3,3	3,4				2,6	3,2					2,7	2,8
28,0		2,5	2,6				1,8	2,5					1,9	2,1
30,0		1,8	2,0					1,9						
32,0														
34,0														
36,0														
38,0														
*** n ***	4	3	3	3	3	3	3	3	2	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	14,0	15,1	16,4	16,9	17,2									
11,0	11,9	13,0	14,1	14,6	15,3	11,7	12,9	14,0						
12,0	10,1	11,1	12,3	12,8	13,4	10,0	11,2	12,2	9,7	10,8				
13,0	8,6	9,6	10,7	11,2	11,8	8,6	9,7	10,7	8,3	9,4	8,1	8,8		
14,0	7,3	8,3	9,4	9,9	10,5	7,3	8,4	9,4	7,2	8,2	7,0	7,7	6,5	
15,0	6,1	7,1	8,2	8,7	9,3	6,3	7,3	8,3	6,1	7,2	6,1	6,8	5,7	5,5
16,0	5,2	6,1	7,2	7,7	8,3	5,3	6,4	7,3	5,3	6,3	5,3	5,9	4,9	4,7
18,0	3,5	4,5	5,6	6,0	6,6	3,7	4,8	5,7	3,8	4,9	3,9	4,5	3,6	3,4
20,0	1,9	3,2	4,2	4,6	5,2	2,2	3,5	4,5	2,5	3,7	2,7	3,4	2,4	2,2
22,0		1,8	3,1	3,5	4,1		2,3	3,4		2,7		2,4		
24,0			2,0	2,6	3,2			2,5		1,6				
26,0				1,6	2,3									
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
*** n ***	2	2	2	2	2	2	2	2	1	2	1	1	1	1
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	0.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,6	48,3	49,3	43,6	45,2	38,8	41,7
7,0	47,7	42,9	42,9	38,2	38,3	33,8	16,3	47,7	44,3	44,3	40,4	40,5	36,5	36,5
8,0	36,1	32,8	32,8	29,9	29,9	26,3	15,4	36,1	34,1	34,1	31,9	31,9	28,8	28,8
9,0	27,0	26,0	26,0	23,7	23,7	20,9	14,6	27,0	27,2	27,2	25,5	25,5	23,3	23,3
10,0	21,0	21,1	21,1	19,2	19,2	16,9	13,9	21,0	22,2	22,2	21,0	21,0	19,1	19,1
11,0		17,2	17,2	15,7	15,7	13,7	12,1		18,0	18,0	17,4	17,4	15,9	15,9
12,0		14,0	14,0	13,1	13,1	11,2	9,7		14,8	14,8	14,7	14,7	13,2	13,2
13,0		11,4	11,4	10,9	10,9	9,2	7,8		12,2	12,2	12,4	12,4	11,2	11,2
14,0		9,3	9,3	9,1	9,1	7,5	6,2		10,2	10,2	10,5	10,5	9,4	9,4
15,0		7,7	7,7	7,5	7,5	6,0	4,9		8,5	8,5	8,8	8,8	7,9	7,9
16,0				6,0	6,0	4,8	3,7				7,3	7,3	6,7	6,7
18,0				3,9	3,9	2,7					5,1	5,1	4,7	4,7
20,0													3,0	3,0
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
*** n ***	6	5	5	5	5	4	2	6	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	0.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,2	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,5
7,0	32,5	15,8	47,7	45,4	45,4	42,4	42,5	39,1	39,1	35,4	35,4	31,6	15,6	47,7
8,0	25,6	14,9	36,1	35,1	35,1	33,7	33,7	31,2	31,2	28,3	28,3	25,2	14,7	36,1
9,0	20,6	14,1	27,0	28,2	28,2	27,2	27,2	25,5	25,5	23,1	23,1	20,6	13,8	27,0
10,0	16,9	13,3	21,0	23,1	23,1	22,6	22,6	21,2	21,2	19,4	19,4	17,1	13,0	21,0
11,0	13,9	12,3		18,7	18,7	19,0	19,0	17,9	17,9	16,3	16,3	14,3	12,3	
12,0	11,5	10,1		15,4	15,4	16,2	16,2	15,2	15,2	13,8	13,8	12,0	10,7	
13,0	9,6	8,3		12,9	12,9	13,7	13,7	13,0	13,0	11,8	11,8	10,2	8,9	
14,0	7,9	6,7		10,8	10,8	11,7	11,7	11,3	11,3	10,1	10,1	8,6	7,4	
15,0	6,6	5,4		9,1	9,1	10,0	10,0	9,7	9,7	8,6	8,6	7,2	6,2	
16,0	5,4	4,3				8,5	8,5	8,5	8,5	7,4	7,4	6,1	5,1	
18,0	3,4	2,1				6,2	6,2	6,2	6,2	5,4	5,4	4,2	3,2	
20,0	1,6							4,5	4,5	3,9	3,9	2,6		
22,0								3,2	3,2	2,6	2,6			
24,0								2,2	2,2					
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	0.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	43,9	44,0	41,2	41,2	37,9	37,9	34,5	34,5	30,7			19,3
8,0	36,0	36,0	35,0	35,0	33,1	33,1	30,6	30,6	27,9	27,9	25,1	14,6		18,3
9,0	29,0	29,0	28,5	28,5	27,3	27,3	25,3	25,3	23,2	23,2	20,8	13,8	13,3	17,5
10,0	23,8	23,8	23,8	23,8	22,9	22,9	21,4	21,4	19,5	19,5	17,4	13,0	12,5	16,7
11,0	19,3	19,3	20,1	20,1	19,5	19,5	18,2	18,2	16,7	16,7	14,8	12,3	11,7	16,0
12,0	16,0	16,0	17,2	17,2	16,7	16,7	15,7	15,7	14,3	14,3	12,6	11,2	10,4	14,6
13,0	13,4	13,4	14,6	14,6	14,6	14,6	13,6	13,6	12,4	12,4	10,9	9,5	8,8	12,7
14,0	11,4	11,4	12,5	12,5	12,7	12,7	11,9	11,9	10,8	10,8	9,3	8,1	7,4	11,1
15,0	9,7	9,7	10,8	10,8	11,2	11,2	10,4	10,4	9,4	9,4	8,0	6,9	6,3	9,7
16,0			9,4	9,4	9,8	9,8	9,2	9,2	8,2	8,2	6,9	5,8	5,3	8,5
18,0			7,1	7,1	7,4	7,4	7,1	7,1	6,2	6,2	5,0	4,1	3,6	6,5
20,0					5,6	5,6	5,5	5,5	4,7	4,7	3,6	2,5	1,8	5,0
22,0					4,3	4,3	4,1	4,1	3,5	3,5	2,2			3,8
24,0					3,3	3,3	3,0	3,0	2,5	2,5				2,8
26,0							2,2	2,2						1,7
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3

%														
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T --	0.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	24,0							23,8					26,6
9,0	15,1	20,1	18,5		14,8	19,4			22,9					25,0
10,0	14,3	17,0	15,6	12,2	14,0	16,6	15,1		22,1	13,9	16,4			23,2
11,0	13,5	14,5	13,3	11,4	13,3	14,2	13,0	11,3	19,8	13,2	14,1	12,9		20,3
12,0	12,4	12,4	11,4	10,1	12,2	12,3	11,1	10,0	17,0	12,3	12,3	11,2	9,7	17,4
13,0	10,7	10,7	9,8	8,6	10,6	10,6	9,6	8,6	14,8	10,7	10,7	9,7	8,3	14,8
14,0	9,3	9,3	8,4	7,3	9,2	9,2	8,3	7,3	13,0	9,4	9,4	8,4	7,2	12,6
15,0	8,0	8,0	7,2	6,1	8,0	8,0	7,1	6,3	11,4	8,2	8,2	7,3	6,1	10,9
16,0	6,9	6,9	6,2	5,2	7,0	7,0	6,1	5,3	9,9	7,2	7,2	6,4	5,3	9,5
18,0	5,1	5,1	4,5	3,5	5,3	5,3	4,5	3,7	7,6	5,6	5,6	4,8	3,8	7,2
20,0	3,7	3,7	3,1	1,9	3,9	3,9	3,2	2,2	5,8	4,2	4,2	3,5	2,5	
22,0	2,5	2,5	1,7		2,7	2,7	1,8		4,5	3,1	3,1	2,3		
24,0					1,5	1,5			3,4	2,0	2,0			
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
*** n ***	2	3	3	2	2	3	2	2	3	2	2	2	1	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	0.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	30,0	24,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	25,2	20,8	21,1	21,1	22,1	22,1	22,6	22,6	22,5	22,5	20,3	18,3
10,0	23,2	23,6	21,4	17,7	19,8	19,8	20,6	20,6	20,9	20,9	19,3	19,3	17,4	17,5
11,0	20,3	20,6	18,5	15,1	18,5	18,5	19,4	19,4	18,2	18,2	16,7	16,7	15,0	16,8
12,0	17,4	17,8	16,1	13,1	17,0	17,0	16,9	16,9	15,9	15,9	14,6	14,6	13,1	15,9
13,0	14,8	15,6	14,1	11,3	15,2	15,2	15,0	15,0	14,1	14,1	12,8	12,8	11,4	14,2
14,0	12,6	13,7	12,5	9,8	13,4	13,4	13,3	13,3	12,4	12,4	11,3	11,3	10,0	12,6
15,0	10,9	11,9	11,0	8,6	11,9	11,9	11,8	11,8	11,1	11,1	10,1	10,1	8,8	11,2
16,0	9,5	10,5	9,8	7,5	10,6	10,6	10,6	10,6	9,9	9,9	8,9	8,9	7,7	10,0
18,0	7,2	8,2	7,8	5,7	8,5	8,5	8,6	8,6	8,0	8,0	7,1	7,1	6,0	8,1
20,0		6,4	6,2	4,3	6,7	6,7	7,0	7,0	6,4	6,4	5,6	5,6	4,6	6,6
22,0		5,0	5,0	3,1	5,3	5,3	5,6	5,6	5,2	5,2	4,4	4,4	3,4	5,3
24,0		4,0	3,8	2,0	4,1	4,1	4,5	4,5	4,2	4,2	3,5	3,5	2,4	4,3
26,0			2,9		3,3	3,3	3,6	3,6	3,3	3,3	2,6	2,6		3,4
28,0			2,2		2,5	2,5	2,8	2,8	2,5	2,5	1,8	1,8		2,6
30,0							2,2	2,2	1,8	1,8				2,0
32,0							1,6	1,6						
34,0														
36,0														
38,0														
*** n ***	5	5	4	3	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,4	18,4	16,9	15,7	17,7	17,2					
11,0	17,5	17,3	17,3	16,2	16,2	14,6	14,9	16,4	15,3	13,1	14,0			
12,0	16,1	15,3	15,3	14,2	14,2	12,8	14,1	14,4	13,4	12,2	12,2	10,8		11,5
13,0	14,2	13,5	13,5	12,5	12,5	11,2	12,7	12,7	11,8	10,7	10,7	9,4	8,1	10,1
14,0	12,6	12,0	12,0	11,1	11,1	9,9	11,2	11,2	10,5	9,4	9,4	8,2	7,0	8,9
15,0	11,2	10,7	10,7	9,8	9,8	8,7	10,0	10,0	9,3	8,3	8,3	7,2	6,1	7,8
16,0	10,0	9,6	9,6	8,8	8,8	7,7	9,0	9,0	8,3	7,3	7,3	6,3	5,3	6,9
18,0	8,1	7,7	7,7	7,0	7,0	6,0	7,2	7,2	6,6	5,7	5,7	4,9	3,9	5,4
20,0	6,6	6,2	6,2	5,6	5,6	4,6	5,7	5,7	5,2	4,5	4,5	3,7	2,7	4,2
22,0	5,3	5,0	5,0	4,4	4,4	3,5	4,6	4,6	4,1	3,4	3,4	2,7		3,2
24,0	4,3	4,1	4,1	3,5	3,5	2,6	3,6	3,6	3,2	2,5	2,5	1,6		2,3
26,0	3,4	3,2	3,2	2,7	2,7	1,6	2,8	2,8	2,3					
28,0	2,6	2,5	2,5	1,9	1,9		2,1	2,1						
30,0	2,0	1,9	1,9											
32,0														
34,0														
36,0														
38,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0007< T210.00017

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	8,8													
14,0	7,7	6,5												
15,0	6,8	5,7	5,1											
16,0	5,9	4,9	4,7											
18,0	4,5	3,6	3,4											
20,0	3,4	2,4	2,2											
22,0	2,4													
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
* n *	1	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	0.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,5	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	122,6	122,7	103,0	80,3	57,5	110,7	98,6	76,2	62,0	40,7	95,1	96,4	77,6	64,2
4,5	109,4	104,4	102,0	80,7	54,8	89,2	91,9	74,8	59,4	38,4	76,9	80,4	76,8	61,6
5,0	96,4	84,8	86,5	79,2	52,2	73,5	76,0	73,1	56,8	36,2	64,0	67,2	70,1	59,3
6,0	66,2	59,2	60,7	61,8	47,2	52,9	55,1	57,1	52,3	32,5	46,9	49,7	52,2	53,7
7,0	49,1	44,6	45,9	46,9	43,7	40,5	42,5	44,3	45,6	29,7	36,1	38,6	41,0	42,8
8,0	37,3	35,1	36,3	37,3	38,1	32,3	34,1	35,8	37,0	27,0	28,9	31,2	33,4	35,1
9,0	28,7	28,5	29,6	30,5	31,2	26,2	27,9	29,5	30,7	25,0	23,5	25,7	27,8	29,4
10,0	22,8	23,3	24,1	24,8	25,4	21,7	23,3	24,9	26,0	23,2	19,4	21,5	23,5	25,1
11,0		19,0	19,8	20,5	21,0	18,1	19,7	21,2	22,2	21,4	16,1	18,1	20,1	21,6
12,0		15,7	16,5	17,1	17,7	15,3	16,8	18,0	18,9	19,0	13,5	15,4	17,3	18,8
13,0		13,2	13,9	14,5	15,0	13,0	14,3	15,4	16,2	16,3	11,4	13,3	15,1	16,5
14,0		11,1	11,9	12,5	12,9	10,9	12,2	13,2	14,0	14,1	9,6	11,4	13,2	14,4
15,0		9,3	10,1	10,7	11,2	9,1	10,4	11,5	12,3	12,4	8,0	9,9	11,5	12,6
16,0						7,7	8,9	10,0	10,8	10,9	6,7	8,5	10,0	11,1
18,0						5,3	6,5	7,6	8,4	8,5	4,6	6,1	7,6	8,8
20,0											2,8	4,3	5,7	6,9
22,0												3,0	4,3	5,4
24,0												1,9	3,2	4,3
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7

%	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T --	0.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	59,2	56,5	62,4	60,6	29,7							
6,0	34,0	34,3	44,4	42,0	47,3	49,8	27,0	42,4	39,9	45,4	41,0	36,5	27,1	
7,0	30,7	30,8	34,8	32,6	37,5	39,7	24,9	33,8	31,5	36,5	36,8	33,8	25,2	30,8
8,0	28,3	28,4	28,1	26,0	30,6	32,7	22,9	27,6	25,4	30,1	30,5	31,7	23,6	25,2
9,0	26,2	26,2	23,1	21,2	25,5	27,5	21,1	23,0	20,9	25,4	25,8	27,3	22,1	21,0
10,0	24,1	24,0	19,3	17,5	21,6	23,5	19,8	19,4	17,4	21,7	22,1	23,5	20,6	17,7
11,0	22,3	21,7	16,2	14,5	18,5	20,3	18,5	16,5	14,6	18,7	19,1	20,5	19,5	15,0
12,0	19,8	19,0	13,7	12,0	15,9	17,7	17,2	14,1	12,3	16,3	16,7	18,0	18,5	12,8
13,0	17,4	16,7	11,7	10,0	13,8	15,6	16,2	12,2	10,3	14,3	14,6	16,0	16,7	10,9
14,0	15,2	14,6	9,9	8,3	12,0	13,7	15,1	10,5	8,7	12,6	12,9	14,2	15,0	9,3
15,0	13,3	12,8	8,5	6,8	10,5	12,2	13,6	9,1	7,3	11,2	11,5	12,7	13,5	8,0
16,0	11,8	11,3	7,2	5,6	9,2	10,9	12,1	7,8	6,1	9,9	10,2	11,4	12,2	6,8
18,0	9,5	8,9	5,1	3,5	7,1	8,6	9,7	5,8	4,1	7,8	8,1	9,3	10,0	4,9
20,0	7,6	7,0	3,5	1,6	5,3	6,7	7,9	4,2	2,3	6,2	6,4	7,6	8,2	3,3
22,0	6,1	5,6	2,0		3,9	5,2	6,4	2,9		4,8	5,0	6,1	6,7	1,7
24,0	5,0	4,4			2,7	4,1	5,2	1,6		3,6	3,8	4,9	5,5	
26,0					1,6	3,1	4,2			2,7	2,9	3,9	4,5	
28,0						2,4	3,4			1,8	2,0	3,1	3,7	
30,0												2,4	3,0	
32,0												1,8	2,4	
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	5	5	8	8	8	7	4	6	6	5	5	4	3	4
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	0.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	33,1	25,5	22,8											
8,0	27,4	23,9	21,2	25,0	27,0	26,3	24,3	21,0						
9,0	23,0	22,6	19,8	21,1	23,0	22,3	23,0	19,8	19,7	20,7	21,6	22,4	19,5	18,6
10,0	19,6	21,4	18,7	17,9	19,8	19,2	21,2	18,7	16,8	17,8	18,7	19,5	18,6	17,7
11,0	16,9	20,0	17,5	15,4	17,1	16,6	18,6	17,7	14,4	15,4	16,2	17,0	17,6	16,9
12,0	14,6	17,8	16,4	13,2	15,0	14,4	16,5	16,8	12,4	13,4	14,2	15,0	16,1	15,9
13,0	12,8	15,9	15,4	11,5	13,2	12,6	14,6	15,3	10,7	11,6	12,5	13,2	14,3	14,5
14,0	11,1	14,2	14,3	9,9	11,6	11,1	13,0	13,7	9,2	10,2	11,0	11,7	12,8	12,9
15,0	9,7	12,7	12,9	8,7	10,3	9,8	11,7	12,3	8,0	8,9	9,7	10,4	11,5	11,6
16,0	8,6	11,5	11,6	7,5	9,2	8,6	10,5	11,1	6,9	7,8	8,6	9,3	10,4	10,5
18,0	6,6	9,4	9,6	5,6	7,2	6,7	8,5	9,1	5,1	6,0	6,7	7,4	8,5	8,6
20,0	5,0	7,8	7,9	4,1	5,7	5,1	7,0	7,6	3,6	4,5	5,2	5,9	6,9	7,1
22,0	3,7	6,5	6,6	2,8	4,4	3,9	5,7	6,3	2,3	3,3	4,0	4,7	5,7	5,8
24,0	2,7	5,3	5,4	1,5	3,4	2,8	4,6	5,2		2,2	3,0	3,7	4,7	4,8
26,0	1,5	4,3	4,4		2,5	1,8	3,7	4,3			2,0	2,8	3,8	3,9
28,0		3,4	3,5		1,5		3,0	3,5				2,0	3,0	3,2
30,0		2,7	2,8				2,3	2,8					2,4	2,5
32,0		2,2	2,2				1,5	2,2					1,7	1,9
34,0		1,6	1,7					1,6						
36,0														
38,0														
40,0														
42,0														
*** n ***	4	3	3	3	3	3	3	3	3	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	16,2	17,2	18,4	18,4	17,3									
11,0	13,9	15,0	16,1	16,6	16,5	13,7	14,8	15,6						
12,0	12,0	13,1	14,2	14,6	15,3	11,9	12,9	13,9	11,4	12,5				
13,0	10,4	11,4	12,5	13,0	13,6	10,4	11,4	12,3	10,0	11,0	9,7	10,4		
14,0	9,0	10,0	11,1	11,6	12,2	9,0	10,0	11,0	8,7	9,8	8,5	9,2	8,0	
15,0	7,8	8,8	9,9	10,3	10,9	7,9	8,9	9,8	7,6	8,7	7,5	8,2	7,1	6,9
16,0	6,8	7,7	8,8	9,2	9,8	6,9	7,8	8,8	6,7	7,7	6,6	7,3	6,2	6,1
18,0	5,0	6,0	7,0	7,4	8,0	5,2	6,1	7,0	5,1	6,1	5,2	5,8	4,9	4,7
20,0	3,6	4,6	5,5	6,0	6,5	3,8	4,8	5,7	3,9	4,9	4,0	4,6	3,7	3,6
22,0	2,3	3,4	4,3	4,8	5,3	2,6	3,7	4,5	2,8	3,8	2,9	3,6	2,8	2,6
24,0		2,3	3,3	3,8	4,3		2,7	3,6	1,7	2,9	1,9	2,7	1,8	1,6
26,0			2,5	2,9	3,5		1,7	2,8		2,1		1,9		
28,0			1,6	2,1	2,7			2,1						
30,0					2,1									
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	2	2	2	2	2	2	2	2	2	2	1	2	1	1

%														
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	0.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,6	48,3	49,3	43,6	45,2	38,8	41,7
7,0	49,1	44,6	44,6	40,2	40,3	35,9	16,3	49,1	45,9	45,9	42,2	42,3	38,1	38,6
8,0	37,3	35,1	35,1	32,3	32,3	28,9	15,4	37,3	36,3	36,3	34,1	34,1	31,2	31,2
9,0	28,7	28,5	28,5	26,2	26,2	23,5	14,6	28,7	29,6	29,6	27,9	27,9	25,7	25,7
10,0	22,8	23,3	23,3	21,7	21,7	19,4	13,9	22,8	24,1	24,1	23,3	23,3	21,5	21,5
11,0		19,0	19,0	18,1	18,1	16,1	13,2		19,8	19,8	19,7	19,7	18,1	18,1
12,0		15,7	15,7	15,3	15,3	13,5	11,9		16,5	16,5	16,8	16,8	15,4	15,4
13,0		13,2	13,2	13,0	13,0	11,4	10,0		13,9	13,9	14,3	14,3	13,3	13,3
14,0		11,1	11,1	10,9	10,9	9,6	8,3		11,9	11,9	12,2	12,2	11,4	11,4
15,0		9,3	9,3	9,1	9,1	8,0	6,8		10,1	10,1	10,4	10,4	9,9	9,9
16,0				7,7	7,7	6,7	5,6				8,9	8,9	8,5	8,5
18,0				5,3	5,3	4,6	3,5				6,5	6,5	6,1	6,1
20,0						2,8	1,6						4,3	4,3
22,0													3,0	3,0
24,0													1,9	1,9
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	6	5	5	5	5	4	2	6	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	0.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,2	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,5
7,0	34,2	15,8	49,1	46,9	46,9	44,0	44,1	41,0	41,0	36,6	37,5	33,5	15,6	49,1
8,0	28,1	14,9	37,3	37,3	37,3	35,8	35,8	33,4	33,4	30,6	30,6	27,6	14,7	37,3
9,0	23,1	14,1	28,7	30,5	30,5	29,5	29,5	27,8	27,8	25,5	25,5	23,0	13,8	28,7
10,0	19,3	13,3	22,8	24,8	24,8	24,9	24,9	23,5	23,5	21,6	21,6	19,4	13,0	22,8
11,0	16,2	12,6		20,5	20,5	21,2	21,2	20,1	20,1	18,5	18,5	16,5	12,3	
12,0	13,7	12,0		17,1	17,1	18,0	18,0	17,3	17,3	15,9	15,9	14,1	11,7	
13,0	11,7	10,3		14,5	14,5	15,4	15,4	15,1	15,1	13,8	13,8	12,2	10,7	
14,0	9,9	8,7		12,5	12,5	13,2	13,2	13,2	13,2	12,0	12,0	10,5	9,3	
15,0	8,5	7,3		10,7	10,7	11,5	11,5	11,5	11,5	10,5	10,5	9,1	8,0	
16,0	7,2	6,1				10,0	10,0	10,0	10,0	9,2	9,2	7,8	6,8	
18,0	5,1	4,1				7,6	7,6	7,6	7,6	7,1	7,1	5,8	4,9	
20,0	3,5	2,3						5,7	5,7	5,3	5,3	4,2	3,3	
22,0	2,0							4,3	4,3	3,9	3,9	2,9	1,7	
24,0								3,2	3,2	2,7	2,7	1,6		
26,0										1,6	1,6			
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	0.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	45,4	45,5	42,8	42,8	38,7	39,7	35,9	36,5	32,6			19,3
8,0	38,1	38,1	37,0	37,0	35,1	35,1	32,7	32,7	30,1	30,1	27,4	14,6		18,3
9,0	31,2	31,2	30,7	30,7	29,4	29,4	27,5	27,5	25,4	25,4	23,0	13,8	13,3	17,5
10,0	25,4	25,4	26,0	26,0	25,1	25,1	23,5	23,5	21,7	21,7	19,6	13,0	12,5	16,7
11,0	21,0	21,0	22,2	22,2	21,6	21,6	20,3	20,3	18,7	18,7	16,9	12,3	11,8	16,0
12,0	17,7	17,7	18,9	18,9	18,8	18,8	17,7	17,7	16,3	16,3	14,6	11,6	11,1	15,4
13,0	15,0	15,0	16,2	16,2	16,5	16,5	15,6	15,6	14,3	14,3	12,8	11,0	9,5	14,4
14,0	12,9	12,9	14,0	14,0	14,4	14,4	13,7	13,7	12,6	12,6	11,1	9,3	8,8	12,9
15,0	11,2	11,2	12,3	12,3	12,6	12,6	12,2	12,2	11,2	11,2	9,7	8,4	8,0	11,5
16,0			10,8	10,8	11,1	11,1	10,9	10,9	9,9	9,9	8,6	7,5	6,9	10,2
18,0			8,4	8,4	8,8	8,8	8,6	8,6	7,8	7,8	6,6	5,6	5,1	8,1
20,0					6,9	6,9	6,7	6,7	6,2	6,2	5,0	4,1	3,6	6,4
22,0					5,4	5,4	5,2	5,2	4,8	4,8	3,7	2,8	2,3	5,0
24,0					4,3	4,3	4,1	4,1	3,6	3,6	2,7	1,5		3,8
26,0							3,1	3,1	2,7	2,7	1,5			2,9
28,0							2,4	2,4	1,8	1,8				2,0
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3

%	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T --	0.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	26,3							23,8					26,6
9,0	15,1	22,3	20,7		14,8	21,6			22,9					25,0
10,0	14,3	19,2	17,8	12,2	14,0	18,7	17,2		22,2	13,9	18,4			23,2
11,0	13,5	16,6	15,4	11,4	13,3	16,2	15,0	11,4	21,4	13,2	16,1	14,8		21,4
12,0	12,9	14,4	13,4	10,4	12,6	14,2	13,1	10,5	19,0	12,5	14,2	12,9	10,4	19,0
13,0	12,2	12,6	11,6	9,0	12,0	12,5	11,4	8,9	16,7	11,9	12,5	11,4	8,9	16,3
14,0	11,0	11,1	10,2	8,5	11,0	11,0	10,0	8,4	14,6	11,0	11,1	10,0	8,4	14,1
15,0	9,8	9,8	8,9	7,8	9,7	9,7	8,8	7,9	12,8	9,9	9,9	8,9	7,6	12,4
16,0	8,6	8,6	7,8	6,8	8,6	8,6	7,7	6,9	11,3	8,8	8,8	7,8	6,7	10,9
18,0	6,7	6,7	6,0	5,0	6,7	6,7	6,0	5,2	8,9	7,0	7,0	6,1	5,1	8,5
20,0	5,1	5,1	4,5	3,6	5,2	5,2	4,6	3,8	7,0	5,5	5,5	4,8	3,9	
22,0	3,9	3,9	3,3	2,3	4,0	4,0	3,4	2,6	5,6	4,3	4,3	3,7	2,8	
24,0	2,8	2,8	2,2		3,0	3,0	2,3		4,4	3,3	3,3	2,7	1,7	
26,0	1,8	1,8			2,0	2,0				2,5	2,5	1,7		
28,0										1,6	1,6			
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	2	3	3	2	2	3	2	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	0.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	27,0	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	27,3	23,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	22,4	18,3
10,0	23,2	24,1	23,5	19,8	19,8	19,8	20,6	20,6	21,4	21,4	21,2	21,2	19,5	17,5
11,0	21,4	22,3	20,5	17,1	18,5	18,5	19,5	19,5	20,0	20,0	18,6	18,6	17,0	16,8
12,0	19,0	19,8	18,0	15,0	17,2	17,2	18,5	18,5	17,8	17,8	16,5	16,5	15,0	16,1
13,0	16,3	17,4	16,0	13,2	16,2	16,2	16,7	16,7	15,9	15,9	14,6	14,6	13,2	15,3
14,0	14,1	15,2	14,2	11,6	15,1	15,1	15,0	15,0	14,2	14,2	13,0	13,0	11,7	14,3
15,0	12,4	13,3	12,7	10,3	13,6	13,6	13,5	13,5	12,7	12,7	11,7	11,7	10,4	12,9
16,0	10,9	11,8	11,4	9,2	12,1	12,1	12,2	12,2	11,5	11,5	10,5	10,5	9,3	11,6
18,0	8,5	9,5	9,3	7,2	9,7	9,7	10,0	10,0	9,4	9,4	8,5	8,5	7,4	9,6
20,0		7,6	7,6	5,7	7,9	7,9	8,2	8,2	7,8	7,8	7,0	7,0	5,9	7,9
22,0		6,1	6,1	4,4	6,4	6,4	6,7	6,7	6,5	6,5	5,7	5,7	4,7	6,6
24,0		5,0	4,9	3,4	5,2	5,2	5,5	5,5	5,3	5,3	4,6	4,6	3,7	5,4
26,0			3,9	2,5	4,2	4,2	4,5	4,5	4,3	4,3	3,7	3,7	2,8	4,4
28,0			3,1	1,5	3,4	3,4	3,7	3,7	3,4	3,4	3,0	3,0	2,0	3,5
30,0			2,4				3,0	3,0	2,7	2,7	2,3	2,3		2,8
32,0			1,8				2,4	2,4	2,2	2,2	1,5	1,5		2,2
34,0									1,6	1,6				1,7
36,0														
38,0														
40,0														
42,0														
*** n ***	5	5	4	3	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0028< T210.00057

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,4	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,6	17,6	16,6	14,9	16,9	16,5	13,1	15,6			
12,0	16,4	16,8	16,8	16,1	16,1	14,6	14,2	15,9	15,3	12,4	13,9	12,5		12,9
13,0	15,4	15,3	15,3	14,3	14,3	13,0	13,6	14,5	13,6	11,8	12,3	11,0	8,9	11,7
14,0	14,3	13,7	13,7	12,8	12,8	11,6	12,9	12,9	12,2	11,0	11,0	9,8	8,4	10,4
15,0	12,9	12,3	12,3	11,5	11,5	10,3	11,6	11,6	10,9	9,8	9,8	8,7	7,5	9,3
16,0	11,6	11,1	11,1	10,4	10,4	9,2	10,5	10,5	9,8	8,8	8,8	7,7	6,6	8,3
18,0	9,6	9,1	9,1	8,5	8,5	7,4	8,6	8,6	8,0	7,0	7,0	6,1	5,2	6,7
20,0	7,9	7,6	7,6	6,9	6,9	6,0	7,1	7,1	6,5	5,7	5,7	4,9	4,0	5,4
22,0	6,6	6,3	6,3	5,7	5,7	4,8	5,8	5,8	5,3	4,5	4,5	3,8	2,9	4,3
24,0	5,4	5,2	5,2	4,7	4,7	3,8	4,8	4,8	4,3	3,6	3,6	2,9	1,9	3,4
26,0	4,4	4,3	4,3	3,8	3,8	2,9	3,9	3,9	3,5	2,8	2,8	2,1		2,6
28,0	3,5	3,5	3,5	3,0	3,0	2,1	3,2	3,2	2,7	2,1	2,1			1,9
30,0	2,8	2,8	2,8	2,4	2,4		2,5	2,5	2,1					
32,0	2,2	2,2	2,2	1,7	1,7		1,9	1,9						
34,0	1,7	1,6	1,6											
36,0														
38,0														
40,0														
42,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	0.0 t	8.89 x 8.30 m	! +/-10°	

T	--

045632 02.02

m > < t	CODE >0028<													T210.00057
m	**66,7**	**71,2**	**72,0**											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	10,4													
14,0	9,2	8,0												
15,0	8,2	7,1	5,1											
16,0	7,3	6,2	4,7											
18,0	5,8	4,9	4,0											
20,0	4,6	3,7	3,3											
22,0	3,6	2,8	2,6											
24,0	2,7	1,8	1,6											
26,0	1,9													
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	2	1	1											
1	46 -	92 -	100 -											
2	100 +	100 +	100 +											
3	100 +	100 +	100 +											
4	100 +	100 +	100 +											
5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	0.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0016< T210.00036

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,5	35,7													
4,0	29,6	26,5	27,5											
4,5	24,9	22,5	23,5	24,3	24,9									
5,0	21,2	19,3	20,3	21,1	21,8	17,2	18,7							
6,0	15,7	14,4	15,4	16,1	16,7	12,9	14,3	15,6	16,6	16,8	10,9	12,7	14,5	
7,0	11,9	10,9	11,8	12,5	13,1	9,7	11,1	12,4	13,3	13,5	8,0	9,8	11,5	12,8
8,0	9,1	8,3	9,2	9,9	10,4	7,3	8,7	9,9	10,8	11,0	5,7	7,5	9,2	10,5
9,0	6,9	6,2	7,1	7,8	8,4	5,2	6,7	8,0	8,8	9,0	3,4	5,7	7,4	8,6
10,0	5,1	4,2	5,4	6,1	6,7	3,2	5,1	6,4	7,3	7,4	1,8	3,8	5,9	7,1
11,0		2,6	3,7	4,7	5,3	1,8	3,3	5,1	5,9	6,1		2,4	4,5	5,9
12,0		1,5	2,3	3,2	4,0		2,1	3,6	4,8	5,0			3,1	4,8
13,0				2,1	2,8			2,4	3,7	3,9			2,1	3,7
14,0					1,9			1,7	2,6	2,8				2,7
15,0									1,9	2,0				1,9
16,0														
18,0														
20,0														
*** n ***	4	3	3	3	3	3	2	2	2	2	2	2	2	2
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	12.0 t	8.89 x 2.70 m	360°		

T	--

045632 02.02

m > < t

CODE >0016< T210.00036

m	26,8	26,8	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3	40,3
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	13,7	13,1	8,2	10,2										
8,0	11,4	10,7	6,1	8,0	9,6	11,0	6,6	4,4						
9,0	9,5	8,9	3,9	6,3	7,9	9,3	4,8	2,6	6,9	7,2	8,4	9,1		
10,0	8,0	7,4	2,4	4,8	6,5	7,8	3,0		5,6	5,9	7,0	7,8	7,1	7,2
11,0	6,7	6,1		3,3	5,3	6,6	1,9		4,3	4,7	5,9	6,6	6,0	6,1
12,0	5,7	5,0		2,1	4,2	5,6			3,0	3,4	5,0	5,7	5,1	5,2
13,0	4,8	4,0			3,0	4,7			2,1	2,4	4,0	4,8	4,3	4,4
14,0	3,9	3,0			2,1	3,9				1,7	3,1	4,1	3,4	3,6
15,0	3,0	2,1				3,0					2,3	3,3	2,6	2,7
16,0	2,2	1,6				2,3					1,7	2,5	2,0	2,1
18,0														
20,0														
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
1	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +
3	0 +	0 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +	0 +
4	0 +	0 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +
5	46 +	92 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	92 +	46 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	92 +	92 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1

	T	--	12.0 t	8.89 x 2.70 m	360°		

T	--

045632 02.02

m > < t

CODE >0016< T210.00036

m	44,8	44,8	49,3	49,3	13,2	17,7	17,7	22,2	22,2	26,8	13,2	17,7	17,7	22,2
3,5					35,7						35,7			
4,0					29,6		26,5				29,6		27,5	
4,5					24,9		22,5				24,9		23,5	
5,0					21,2	19,3	19,3		17,2		21,2	20,3	20,3	
6,0					15,7	14,4	14,4	12,9	12,9	10,9	15,7	15,4	15,4	14,3
7,0					11,9	10,9	10,9	9,7	9,7	8,0	11,9	11,8	11,8	11,1
8,0					9,1	8,3	8,3	7,3	7,3	5,7	9,1	9,2	9,2	8,7
9,0					6,9	6,2	6,2	5,2	5,2	3,4	6,9	7,1	7,1	6,7
10,0	6,2				5,1	4,2	4,2	3,2	3,2	1,8	5,1	5,4	5,4	5,1
11,0	5,2					2,6	2,6	1,8	1,8			3,7	3,7	3,3
12,0	4,2	4,9	4,1	4,3		1,5	1,5					2,3	2,3	2,1
13,0	3,2	4,0	3,2	3,4										
14,0	2,3	3,2	2,3	2,5										
15,0	1,8	2,4	1,8	1,9										
16,0		1,8												
18,0														
20,0														
*** n ***	1	1	1	1	4	3	3	2	3	2	4	3	3	2
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +
2	46 +	0 +	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 +	0 +
3	46 +	46 +	46 +	92 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -
4	46 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
5	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	14,3	14,3	14,3	14,3	14,3	12,8	14,3	14,3	14,3	14,3

	T	--	12.0 t	8.89 x 2.70 m	360°		

T	--

045632 02.02

m > < t

CODE >0016< T210.00036

m	22,2	26,8	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8
3,5					35,7									
4,0					29,6									
4,5					24,9		24,3							
5,0	18,7				21,2	21,1	21,1							
6,0	14,3		12,7		15,7	16,1	16,1	15,6	15,6		14,5			
7,0	11,1	9,8	9,8		11,9	12,5	12,5	12,4	12,4	11,5	11,5		10,2	
8,0	8,7	7,5	7,5	6,1	9,1	9,9	9,9	9,9	9,9	9,2	9,2	8,0	8,0	
9,0	6,7	5,7	5,7	3,9	6,9	7,8	7,8	8,0	8,0	7,4	7,4	6,3	6,3	4,8
10,0	5,1	3,8	3,8	2,4	5,1	6,1	6,1	6,4	6,4	5,9	5,9	4,8	4,8	3,0
11,0	3,3	2,4	2,4			4,7	4,7	5,1	5,1	4,5	4,5	3,3	3,3	1,9
12,0	2,1					3,2	3,2	3,6	3,6	3,1	3,1	2,1	2,1	
13,0						2,1	2,1	2,4	2,4	2,1	2,1			
14,0								1,7	1,7					
15,0														
16,0														
18,0														
20,0														
*** n ***	2	2	2	1	4	3	3	2	2	2	2	1	2	1
1	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
2	0 -	46 -	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
3	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
4	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	12,8	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8

	T	--	12.0 t	8.89 x 2.70 m	360°		

T	--

045632 02.02

m > < t

CODE >0016< T210.00036

m	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	26,8	22,2	22,2
3,5	35,7													
4,0	29,6													
4,5	24,9		24,9											
5,0	21,2	21,8	21,8											
6,0	15,7	16,7	16,7	16,6	16,6									16,8
7,0	11,9	13,1	13,1	13,3	13,3	12,8	12,8						13,5	13,5
8,0	9,1	10,4	10,4	10,8	10,8	10,5	10,5	9,6	9,6			10,7	11,0	11,0
9,0	6,9	8,4	8,4	8,8	8,8	8,6	8,6	7,9	7,9	6,9		8,9	9,0	9,0
10,0	5,1	6,7	6,7	7,3	7,3	7,1	7,1	6,5	6,5	5,6	5,9	7,4	7,4	7,4
11,0		5,3	5,3	5,9	5,9	5,9	5,9	5,3	5,3	4,3	4,7	6,1	6,1	6,1
12,0		4,0	4,0	4,8	4,8	4,8	4,8	4,2	4,2	3,0	3,4	5,0	5,0	5,0
13,0		2,8	2,8	3,7	3,7	3,7	3,7	3,0	3,0	2,1	2,4	4,0	3,9	3,9
14,0		1,9	1,9	2,6	2,6	2,7	2,7	2,1	2,1		1,7	3,0	2,8	2,8
15,0				1,9	1,9	1,9	1,9					2,1	2,0	2,0
16,0												1,6		
18,0														
20,0														
*** n ***	4	3	3	2	2	2	2	2	2	1	1	2	2	2

%														
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +
3	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	92 -	0 +	0 +	0 +
4	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	0 +	0 -
6	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	14,3	14,3

	T	--	12.0 t	8.89 x 2.70 m	360°		

T	--

045632 02.02

m > < t

CODE >0016< T210.00036

m	26,8	35,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	40,3	40,3	44,8	44,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	13,7													
8,0	11,4			11,0										
9,0	9,5		9,3	9,3		9,1								
10,0	8,0	7,0	7,8	7,8	7,8	7,8		7,1			7,2			
11,0	6,7	5,9	6,6	6,6	6,6	6,6	6,0	6,0	5,2	6,1	6,1			
12,0	5,7	5,0	5,6	5,6	5,7	5,7	5,1	5,1	4,2	5,2	5,2	4,9	4,9	
13,0	4,8	4,0	4,7	4,7	4,8	4,8	4,3	4,3	3,2	4,4	4,4	4,0	4,0	3,2
14,0	3,9	3,1	3,9	3,9	4,1	4,1	3,4	3,4	2,3	3,6	3,6	3,2	3,2	2,3
15,0	3,0	2,3	3,0	3,0	3,3	3,3	2,6	2,6	1,8	2,7	2,7	2,4	2,4	1,8
16,0	2,2	1,7	2,3	2,3	2,5	2,5	2,0	2,0		2,1	2,1	1,8	1,8	
18,0														
20,0														
*** n ***	2	1	2	2	1	1	1	1	1	1	1	1	1	1

%														
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 -	46 -
3	0 +	46 -	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	46 +	46 +
4	0 +	46 -	0 +	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +
5	46 -	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	12.0 t	8.89 x 2.70 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0016< T210.00036

m	49,3
3,5	
4,0	
4,5	
5,0	
6,0	
7,0	
8,0	
9,0	
10,0	
11,0	
12,0	
13,0	3,4
14,0	2,5
15,0	1,9
16,0	
18,0	
20,0	
* n *	1
% 1	0 +
% 2	0 +
% 3	92 -
% 4	92 +
% 5	92 +
% 6	92 +
m/s	11,1

	T --	12.0 t	8.89 x 2.70 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0041< T210.00076

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	66,6	42,3	43,5	44,4	45,2	29,4	31,1	32,6	33,8	34,0				
3,5	59,8	38,8	40,0	40,9	41,7	27,3	29,0	30,5	31,6	31,9			23,3	
4,0	54,1	35,8	37,0	37,9	38,6	25,5	27,1	28,6	29,7	29,9	18,2	20,1	22,0	23,5
4,5	49,4	33,2	34,3	35,2	35,9	23,8	25,4	26,9	28,0	28,2	17,0	19,0	20,8	22,3
5,0	45,4	30,9	32,0	32,9	33,6	22,3	23,9	25,3	26,4	26,6	15,9	17,9	19,7	21,2
6,0	39,0	27,0	28,1	28,9	29,6	19,7	21,2	22,6	23,7	23,9	14,1	15,9	17,7	19,2
7,0	34,2	23,9	24,9	25,7	26,4	17,5	19,0	20,4	21,4	21,6	12,4	14,3	16,1	17,5
8,0	30,6	21,3	22,3	23,1	23,7	15,6	17,1	18,5	19,5	19,7	11,0	12,9	14,6	16,0
9,0	28,0	19,2	20,1	20,9	21,6	14,0	15,5	16,8	17,8	18,0	9,8	11,6	13,4	14,7
10,0	26,5	17,4	18,4	19,1	19,8	12,6	14,1	15,4	16,4	16,5	8,7	10,5	12,2	13,6
11,0		15,9	16,9	17,6	18,3	11,4	12,9	14,2	15,1	15,3	7,8	9,6	11,2	12,6
12,0		14,8	15,7	16,4	17,0	10,4	11,8	13,1	14,1	14,2	6,9	8,7	10,3	11,7
13,0		13,8	14,7	15,5	16,1	9,5	10,9	12,2	13,1	13,3	6,2	7,9	9,6	10,9
14,0		13,2	14,1	14,9	15,5	8,7	10,1	11,4	12,3	12,4	5,5	7,2	8,9	10,2
15,0		13,2	14,0	14,8	15,4	8,1	9,4	10,7	11,6	11,7	4,9	6,6	8,2	9,5
16,0						7,5	8,9	10,1	11,0	11,1	4,4	6,1	7,7	9,0
18,0						6,8	8,1	9,3	10,2	10,3	3,5	5,2	6,7	8,0
20,0											2,7	4,5	6,0	7,3
22,0											2,3	4,0	5,6	6,8
24,0											2,3	4,0	5,5	6,7
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
*** n ***	7	5	5	5	5	3	4	4	4	4	2	3	3	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	12.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0041< T210.00076

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	13,2	17,7	17,7
3,0												52,1	42,3	42,3
3,5												52,9	38,8	38,8
4,0	24,5	23,8										53,4	35,8	35,8
4,5	23,3	22,6										49,4	33,2	33,2
5,0	22,2	21,4	13,1	11,5	15,2	16,9	18,4					45,4	30,9	30,9
6,0	20,2	19,4	11,7	10,1	13,7	15,4	16,9	12,2	12,5	13,7	14,5	39,0	27,0	27,0
7,0	18,4	17,7	10,4	8,8	12,4	14,1	15,5	11,1	11,4	12,7	13,4	34,2	23,9	23,9
8,0	17,0	16,3	9,3	7,7	11,3	12,9	14,4	10,2	10,5	11,7	12,5	30,6	21,3	21,3
9,0	15,7	15,0	8,3	6,8	10,2	11,9	13,3	9,4	9,6	10,9	11,6	28,0	19,2	19,2
10,0	14,5	13,8	7,4	5,9	9,4	11,0	12,4	8,6	8,9	10,1	10,9	26,5	17,4	17,4
11,0	13,5	12,8	6,6	5,1	8,5	10,2	11,5	7,9	8,2	9,4	10,2		15,9	15,9
12,0	12,6	11,9	5,9	4,3	7,8	9,4	10,8	7,3	7,6	8,8	9,5		14,8	14,8
13,0	11,8	11,1	5,3	3,5	7,2	8,7	10,1	6,7	7,0	8,2	8,9		13,8	13,8
14,0	11,1	10,4	4,7	2,8	6,6	8,1	9,5	6,2	6,5	7,7	8,4		13,2	13,2
15,0	10,4	9,7	4,2	2,1	6,0	7,6	8,9	5,7	6,0	7,2	7,9		13,2	13,2
16,0	9,8	9,2	3,7	1,6	5,5	7,1	8,4	5,3	5,6	6,7	7,5			
18,0	8,9	8,2	2,6		4,7	6,2	7,5	4,5	4,8	6,0	6,7			
20,0	8,1	7,5	1,7		4,0	5,5	6,8	3,9	4,1	5,3	6,0			
22,0	7,6	7,0			3,4	4,9	6,2	3,3	3,6	4,7	5,4			
24,0	7,5	6,9			2,9	4,4	5,7	2,8	3,1	4,2	4,9			
26,0					2,7	4,2	5,4	2,4	2,7	3,8	4,5			
28,0					2,6	4,1	5,3	2,1	2,4	3,5	4,2			
30,0								1,9	2,2	3,3	3,9			
32,0								1,9	2,1	3,2	3,9			
34,0														
36,0														
38,0														
40,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	6	5	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	0 +	0 -
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	92 +	46 +	0 +	0 -	46 -	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	0 +	0 +	0 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	46 +	46 +	92 +	92 +	0 +	0 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	14,3	14,3	14,3

	T	--	12.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0041< T210.00076

m	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	13,2	17,7
3,0	29,4	29,4			53,8	43,5	43,5	31,1	31,1				55,3	44,4
3,5	27,3	27,3			54,6	40,0	40,0	29,0	29,0				56,1	40,9
4,0	25,5	25,5	18,2		53,7	37,0	37,0	27,1	27,1	20,1	20,1		53,9	37,9
4,5	23,8	23,8	17,0		49,4	34,3	34,3	25,4	25,4	19,0	19,0		49,4	35,2
5,0	22,3	22,3	15,9	11,5	45,4	32,0	32,0	23,9	23,9	17,9	17,9	13,1	45,4	32,9
6,0	19,7	19,7	14,1	10,1	39,0	28,1	28,1	21,2	21,2	15,9	15,9	11,7	39,0	28,9
7,0	17,5	17,5	12,4	8,8	34,2	24,9	24,9	19,0	19,0	14,3	14,3	10,4	34,2	25,7
8,0	15,6	15,6	11,0	7,7	30,6	22,3	22,3	17,1	17,1	12,9	12,9	9,3	30,6	23,1
9,0	14,0	14,0	9,8	6,8	28,0	20,1	20,1	15,5	15,5	11,6	11,6	8,3	28,0	20,9
10,0	12,6	12,6	8,7	5,9	26,5	18,4	18,4	14,1	14,1	10,5	10,5	7,4	26,5	19,1
11,0	11,4	11,4	7,8	5,1		16,9	16,9	12,9	12,9	9,6	9,6	6,6		17,6
12,0	10,4	10,4	6,9	4,3		15,7	15,7	11,8	11,8	8,7	8,7	5,9		16,4
13,0	9,5	9,5	6,2	3,5		14,7	14,7	10,9	10,9	7,9	7,9	5,3		15,5
14,0	8,7	8,7	5,5	2,8		14,1	14,1	10,1	10,1	7,2	7,2	4,7		14,9
15,0	8,1	8,1	4,9	2,1		14,0	14,0	9,4	9,4	6,6	6,6	4,2		14,8
16,0	7,5	7,5	4,4	1,6				8,9	8,9	6,1	6,1	3,7		
18,0	6,8	6,8	3,5					8,1	8,1	5,2	5,2	2,6		
20,0			2,7							4,5	4,5	1,7		
22,0			2,3							4,0	4,0			
24,0			2,3							4,0	4,0			
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
*** n ***	3	3	2	2	6	5	5	4	4	3	3	2	6	5
1	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +
2	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +
3	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	14,3	14,3

	T	--	12.0 t	8.89 x 2.70 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0041< T210.00076

m	17,7	22,2	22,2	26,8	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3
3,0	44,4	32,6	32,6				56,5	45,2	45,2	33,8	33,8			
3,5	40,9	30,5	30,5	23,3	23,3		57,3	41,7	41,7	31,6	31,6			
4,0	37,9	28,6	28,6	22,0	22,0		54,1	38,6	38,6	29,7	29,7	23,5	23,5	
4,5	35,2	26,9	26,9	20,8	20,8		49,4	35,9	35,9	28,0	28,0	22,3	22,3	
5,0	32,9	25,3	25,3	19,7	19,7	15,2	45,4	33,6	33,6	26,4	26,4	21,2	21,2	16,9
6,0	28,9	22,6	22,6	17,7	17,7	13,7	39,0	29,6	29,6	23,7	23,7	19,2	19,2	15,4
7,0	25,7	20,4	20,4	16,1	16,1	12,4	34,2	26,4	26,4	21,4	21,4	17,5	17,5	14,1
8,0	23,1	18,5	18,5	14,6	14,6	11,3	30,6	23,7	23,7	19,5	19,5	16,0	16,0	12,9
9,0	20,9	16,8	16,8	13,4	13,4	10,2	28,0	21,6	21,6	17,8	17,8	14,7	14,7	11,9
10,0	19,1	15,4	15,4	12,2	12,2	9,4	26,5	19,8	19,8	16,4	16,4	13,6	13,6	11,0
11,0	17,6	14,2	14,2	11,2	11,2	8,5		18,3	18,3	15,1	15,1	12,6	12,6	10,2
12,0	16,4	13,1	13,1	10,3	10,3	7,8		17,0	17,0	14,1	14,1	11,7	11,7	9,4
13,0	15,5	12,2	12,2	9,6	9,6	7,2		16,1	16,1	13,1	13,1	10,9	10,9	8,7
14,0	14,9	11,4	11,4	8,9	8,9	6,6		15,5	15,5	12,3	12,3	10,2	10,2	8,1
15,0	14,8	10,7	10,7	8,2	8,2	6,0		15,4	15,4	11,6	11,6	9,5	9,5	7,6
16,0		10,1	10,1	7,7	7,7	5,5				11,0	11,0	9,0	9,0	7,1
18,0		9,3	9,3	6,7	6,7	4,7				10,2	10,2	8,0	8,0	6,2
20,0				6,0	6,0	4,0						7,3	7,3	5,5
22,0				5,6	5,6	3,4						6,8	6,8	4,9
24,0				5,5	5,5	2,9						6,7	6,7	4,4
26,0						2,7								4,2
28,0						2,6								4,1
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
*** n ***	5	4	4	3	3	2	6	5	5	4	4	3	3	2
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
3	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
4	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
5	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	12,8	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8

	T	--	12.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0041< T210.00076

m	31,3	35,8	35,8	26,8	22,2	22,2	26,8	35,8	31,3	31,3	35,8			
3,0					33,1	34,0								
3,5					31,9	31,9								
4,0				23,8	29,9	29,9	24,5							
4,5				22,6	28,2	28,2	23,3							
5,0	16,9			21,4	26,6	26,6	22,2		18,4	18,4				
6,0	15,4	12,2	12,5	19,4	23,9	23,9	20,2	13,7	16,9	16,9	14,5			
7,0	14,1	11,1	11,4	17,7	21,6	21,6	18,4	12,7	15,5	15,5	13,4			
8,0	12,9	10,2	10,5	16,3	19,7	19,7	17,0	11,7	14,4	14,4	12,5			
9,0	11,9	9,4	9,6	15,0	18,0	18,0	15,7	10,9	13,3	13,3	11,6			
10,0	11,0	8,6	8,9	13,8	16,5	16,5	14,5	10,1	12,4	12,4	10,9			
11,0	10,2	7,9	8,2	12,8	15,3	15,3	13,5	9,4	11,5	11,5	10,2			
12,0	9,4	7,3	7,6	11,9	14,2	14,2	12,6	8,8	10,8	10,8	9,5			
13,0	8,7	6,7	7,0	11,1	13,3	13,3	11,8	8,2	10,1	10,1	8,9			
14,0	8,1	6,2	6,5	10,4	12,4	12,4	11,1	7,7	9,5	9,5	8,4			
15,0	7,6	5,7	6,0	9,7	11,7	11,7	10,4	7,2	8,9	8,9	7,9			
16,0	7,1	5,3	5,6	9,2	11,1	11,1	9,8	6,7	8,4	8,4	7,5			
18,0	6,2	4,5	4,8	8,2	10,3	10,3	8,9	6,0	7,5	7,5	6,7			
20,0	5,5	3,9	4,1	7,5			8,1	5,3	6,8	6,8	6,0			
22,0	4,9	3,3	3,6	7,0			7,6	4,7	6,2	6,2	5,4			
24,0	4,4	2,8	3,1	6,9			7,5	4,2	5,7	5,7	4,9			
26,0	4,2	2,4	2,7					3,8	5,4	5,4	4,5			
28,0	4,1	2,1	2,4					3,5	5,3	5,3	4,2			
30,0		1,9	2,2					3,3			3,9			
32,0		1,9	2,1					3,2			3,9			
34,0														
36,0														
38,0														
40,0														
*** n ***	2	2	2	3	4	4	3	2	2	2	2			
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +			
2	0 -	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +			
3	46 +	46 +	92 -	0 +	0 +	0 +	0 +	46 -	0 +	0 +	0 +			
4	46 +	46 +	46 +	0 +	0 +	0 +	0 +	46 -	0 +	0 -	46 -			
5	46 +	46 +	46 +	92 -	0 +	0 -	46 -	46 +	92 -	92 +	92 +			
% 6	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +			
m/s	12,8	12,8	12,8	12,8	14,3	14,3	12,8	12,8	12,8	12,8	12,8			

	T	--	12.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	123,4	122,6	101,5	79,0	64,9	104,0	100,3	77,1	68,4	46,2				
3,5	110,0	96,5	96,4	79,7	61,1	82,3	84,8	77,3	64,9	43,1			72,7	
4,0	89,1	76,7	78,2	78,3	57,5	67,0	69,2	71,0	62,0	40,7	58,0	60,8	63,4	63,2
4,5	71,7	63,0	64,4	65,6	54,8	55,8	57,9	59,8	59,4	38,4	49,1	51,8	54,2	56,2
5,0	59,7	53,5	54,8	55,9	52,2	47,7	49,7	51,5	52,9	36,2	42,2	44,7	47,0	48,9
6,0	43,7	39,8	41,0	42,0	42,8	36,1	37,9	39,5	40,8	32,5	32,2	34,4	36,6	38,3
7,0	33,7	31,0	32,1	33,0	33,7	28,3	30,1	31,6	32,8	29,7	25,3	27,4	29,4	31,1
8,0	26,1	24,9	25,9	26,8	27,4	22,9	24,5	26,0	27,1	26,7	20,4	22,4	24,3	25,9
9,0	20,6	20,4	21,3	22,1	22,8	18,7	20,2	21,7	22,7	22,9	16,6	18,6	20,4	21,9
10,0	16,6	16,9	17,7	18,3	18,8	15,5	17,0	18,4	19,4	19,5	13,6	15,5	17,3	18,8
11,0		13,9	14,6	15,2	15,7	12,9	14,3	15,7	16,7	16,8	11,2	13,1	14,8	16,2
12,0		11,5	12,2	12,8	13,3	10,8	12,2	13,5	14,4	14,5	9,2	11,0	12,7	14,1
13,0		9,5	10,2	10,9	11,3	9,1	10,5	11,6	12,4	12,5	7,6	9,4	11,1	12,4
14,0		7,8	8,6	9,2	9,7	7,6	8,9	10,0	10,7	10,8	6,2	8,0	9,6	10,9
15,0		6,5	7,2	7,8	8,3	6,3	7,5	8,5	9,4	9,5	5,0	6,7	8,4	9,7
16,0						5,1	6,3	7,3	8,1	8,2	4,0	5,7	7,3	8,5
18,0						3,2	4,4	5,4	6,2	6,3	1,9	4,0	5,4	6,5
20,0												2,4	3,9	5,0
22,0													2,7	3,8
24,0													1,9	2,9
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
*** n ***	14	13	11	9	7	13	11	8	8	5	7	8	8	7

%	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T --	12.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	39,7	37,6	42,4	44,6	29,7							
6,0	34,0	34,3	30,9	28,9	33,4	35,4	27,0	29,9	27,8	32,4	32,8	34,3	27,1	
7,0	30,7	30,8	24,7	22,8	27,0	29,0	24,9	24,3	22,3	26,6	27,0	28,5	25,2	22,0
8,0	26,9	26,2	20,1	18,3	22,3	24,2	22,9	20,0	18,1	22,2	22,6	24,0	23,6	18,2
9,0	22,9	22,2	16,5	14,8	18,7	20,5	21,1	16,7	14,9	18,9	19,2	20,6	21,4	15,1
10,0	19,7	19,0	13,8	12,1	15,9	17,6	19,1	14,1	12,3	16,2	16,5	17,8	18,6	12,7
11,0	17,2	16,5	11,5	9,9	13,5	15,2	16,7	11,9	10,1	14,0	14,3	15,6	16,4	10,6
12,0	15,0	14,4	9,6	8,0	11,6	13,3	14,7	10,1	8,4	12,1	12,4	13,7	14,5	8,9
13,0	13,3	12,6	8,0	6,5	10,0	11,6	13,0	8,6	6,9	10,6	10,9	12,1	12,9	7,5
14,0	11,8	11,2	6,7	5,1	8,6	10,2	11,6	7,3	5,6	9,3	9,5	10,8	11,5	6,3
15,0	10,4	9,8	5,5	4,0	7,4	9,0	10,4	6,2	4,5	8,1	8,4	9,6	10,3	5,2
16,0	9,2	8,7	4,5	2,7	6,4	7,9	9,3	5,2	3,4	7,1	7,4	8,6	9,3	4,3
18,0	7,2	6,7	2,6		4,7	6,2	7,5	3,5		5,4	5,7	6,9	7,6	2,4
20,0	5,7	5,1			3,3	4,8	5,9	1,9		4,1	4,3	5,5	6,2	
22,0	4,5	3,9			2,0	3,6	4,7			3,0	3,3	4,4	5,0	
24,0	3,6	3,0				2,7	3,7			1,9	2,3	3,4	4,0	
26,0						1,7	2,9					2,6	3,2	
28,0							2,2					1,8	2,5	
30,0													1,9	
32,0														
34,0														
36,0														
*** n ***	5	5	5	5	5	6	4	4	4	4	4	4	3	3
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	12.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	24,0	25,5	22,8											
8,0	20,1	23,3	21,2	18,3	20,0	19,4	21,5	21,0						
9,0	17,0	20,1	19,8	15,4	17,1	16,6	18,6	19,3	14,3	15,3	16,1	16,9	18,0	18,1
10,0	14,5	17,5	17,7	13,1	14,8	14,2	16,2	16,8	12,2	13,1	13,9	14,6	15,7	15,9
11,0	12,4	15,4	15,5	11,1	12,8	12,2	14,2	14,8	10,3	11,3	12,0	12,8	13,8	14,0
12,0	10,7	13,6	13,7	9,5	11,1	10,6	12,5	13,1	8,8	9,7	10,5	11,2	12,2	12,4
13,0	9,2	12,1	12,3	8,1	9,7	9,2	11,1	11,7	7,5	8,4	9,1	9,8	10,8	11,0
14,0	8,0	10,8	10,9	6,9	8,5	8,0	9,8	10,4	6,3	7,2	8,0	8,7	9,7	9,8
15,0	6,9	9,7	9,8	5,9	7,5	6,9	8,8	9,4	5,3	6,2	6,9	7,6	8,6	8,8
16,0	5,9	8,7	8,8	5,0	6,5	6,0	7,8	8,4	4,5	5,3	6,1	6,8	7,7	7,9
18,0	4,3	7,0	7,1	3,4	5,0	4,4	6,2	6,8	2,8	3,9	4,6	5,2	6,2	6,3
20,0	3,0	5,7	5,8	1,9	3,7	3,2	5,0	5,5		2,5	3,3	4,0	4,9	5,1
22,0	1,6	4,6	4,7		2,6	1,9	3,9	4,5			2,1	3,0	3,9	4,1
24,0		3,7	3,8				3,0	3,6				1,9	3,1	3,2
26,0		3,0	3,1				2,2	2,8					2,3	2,5
28,0		2,3	2,4					2,2						1,6
30,0			1,6											
32,0														
34,0														
36,0														
*** n ***	3	3	3	2	3	3	3	3	2	2	2	2	2	2
% 1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
% 2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
% 3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
% 4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
% 5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

T	--	12.0 t	8.89 x 5.50 m	360°

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	66,7	13,2	17,7	17,7
3,0												52,1	47,1	47,2
3,5												52,9	46,9	47,2
4,0												53,6	46,7	47,1
4,5												54,2	46,6	47,1
5,0												54,8	46,5	47,1
6,0												43,7	39,8	39,8
7,0												33,7	31,0	31,0
8,0												26,1	24,9	24,9
9,0												20,6	20,4	20,4
10,0	11,8	12,7	13,8	14,3	14,9							16,6	16,9	16,9
11,0	10,0	11,0	12,1	12,5	13,1	10,0	11,1	12,1					13,9	13,9
12,0	8,6	9,5	10,6	11,0	11,6	8,6	9,6	10,6	8,4	9,4			11,5	11,5
13,0	7,3	8,3	9,3	9,7	10,3	7,4	8,4	9,4	7,3	8,3	7,8		9,5	9,5
14,0	6,2	7,1	8,1	8,6	9,2	6,3	7,3	8,3	6,3	7,3	6,8		7,8	7,8
15,0	5,2	6,2	7,2	7,6	8,2	5,4	6,4	7,3	5,4	6,4	6,0		6,5	6,5
16,0	4,4	5,3	6,3	6,7	7,3	4,6	5,6	6,5	4,6	5,6	5,3			
18,0	2,8	3,9	4,8	5,3	5,8	3,1	4,2	5,1	3,4	4,3	4,0			
20,0		2,6	3,7	4,1	4,6	1,7	3,0	3,9	1,9	3,3	3,0			
22,0			2,6	3,1	3,6		1,8	3,0		2,2	2,0			
24,0				2,1	2,8			2,0						
26,0					1,9									
28,0														
30,0														
32,0														
34,0														
36,0														
*** n ***	2	2	2	2	2	2	2	2	1	1	1	6	5	5
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	46 +	0 +	0 +	0 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	0 +	0 +	0 -
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	0 -	46 -	46 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	0 +	0 +	0 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	100 +	0 +	0 +	0 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	100 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	14,3	14,3

	T --	12.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	35,8	13,2
3,0	43,6	43,9			53,8	49,0	49,3	45,7	46,3					55,3
3,5	43,2	43,7			54,6	48,7	49,3	45,3	46,1					56,1
4,0	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8			56,9
4,5	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5			57,5
5,0	42,1	43,1	37,4	18,4	55,9	48,4	49,2	44,2	45,5	40,2	42,1	36,8		56,9
6,0	36,1	36,1	32,2	17,3	43,7	41,0	41,0	37,9	37,9	34,4	34,4	30,9	16,8	43,7
7,0	28,3	28,3	25,3	16,3	33,7	32,1	32,1	30,1	30,1	27,4	27,4	24,7	15,8	33,7
8,0	22,9	22,9	20,4	15,4	26,1	25,9	25,9	24,5	24,5	22,4	22,4	20,1	14,9	26,1
9,0	18,7	18,7	16,6	14,5	20,6	21,3	21,3	20,2	20,2	18,6	18,6	16,5	14,1	20,6
10,0	15,5	15,5	13,6	12,1	16,6	17,7	17,7	17,0	17,0	15,5	15,5	13,8	12,3	16,6
11,0	12,9	12,9	11,2	9,9		14,6	14,6	14,3	14,3	13,1	13,1	11,5	10,1	
12,0	10,8	10,8	9,2	8,0		12,2	12,2	12,2	12,2	11,0	11,0	9,6	8,4	
13,0	9,1	9,1	7,6	6,5		10,2	10,2	10,5	10,5	9,4	9,4	8,0	6,9	
14,0	7,6	7,6	6,2	5,1		8,6	8,6	8,9	8,9	8,0	8,0	6,7	5,6	
15,0	6,3	6,3	5,0	4,0		7,2	7,2	7,5	7,5	6,7	6,7	5,5	4,5	
16,0	5,1	5,1	4,0	2,7				6,3	6,3	5,7	5,7	4,5	3,4	
18,0	3,2	3,2	1,9					4,4	4,4	4,0	4,0	2,6		
20,0										2,4	2,4			
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
*** n ***	5	5	4	2	6	5	5	5	5	5	5	4	2	6
% 1	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
% 2	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
% 3	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
% 4	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3

	T	--	12.0 t	8.89 x 5.50 m	360°	

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2	17,7	17,7	22,2
3,0	51,8	52,6	47,7	48,5							56,5	53,1	54,1	49,2
3,5	51,6	52,6	47,2	48,3	44,5	45,6					57,3	52,9	54,1	48,8
4,0	51,4	52,5	46,8	48,0	44,0	45,3					58,2	52,7	54,1	48,4
4,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0	52,6	54,0	48,0
5,0	50,8	51,6	46,1	47,6	43,1	44,5	39,0	40,8			58,5	51,7	52,2	47,6
6,0	42,0	42,0	39,5	39,5	36,6	36,6	33,4	33,4	29,9		43,7	42,8	42,8	40,8
7,0	33,0	33,0	31,6	31,6	29,4	29,4	27,0	27,0	24,3	15,6	33,7	33,7	33,7	32,8
8,0	26,8	26,8	26,0	26,0	24,3	24,3	22,3	22,3	20,0	14,7	26,1	27,4	27,4	27,1
9,0	22,1	22,1	21,7	21,7	20,4	20,4	18,7	18,7	16,7	13,8	20,6	22,8	22,8	22,7
10,0	18,3	18,3	18,4	18,4	17,3	17,3	15,9	15,9	14,1	12,7	16,6	18,8	18,8	19,4
11,0	15,2	15,2	15,7	15,7	14,8	14,8	13,5	13,5	11,9	10,6		15,7	15,7	16,7
12,0	12,8	12,8	13,5	13,5	12,7	12,7	11,6	11,6	10,1	8,9		13,3	13,3	14,4
13,0	10,9	10,9	11,6	11,6	11,1	11,1	10,0	10,0	8,6	7,5		11,3	11,3	12,4
14,0	9,2	9,2	10,0	10,0	9,6	9,6	8,6	8,6	7,3	6,3		9,7	9,7	10,7
15,0	7,8	7,8	8,5	8,5	8,4	8,4	7,4	7,4	6,2	5,2		8,3	8,3	9,4
16,0			7,3	7,3	7,3	7,3	6,4	6,4	5,2	4,3				8,1
18,0			5,4	5,4	5,4	5,4	4,7	4,7	3,5	2,4				6,2
20,0					3,9	3,9	3,3	3,3	1,9					
22,0					2,7	2,7	2,0	2,0						
24,0					1,9	1,9								
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
*** n ***	6	6	5	5	5	5	4	5	4	2	6	6	6	5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +
3	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
4	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
5	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3	14,3	14,3	14,3

	T	--	12.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8	44,8	44,8	49,3
3,0	51,7													
3,5	51,4													
4,0	51,1	45,8	47,3											
4,5	50,9	45,4	47,0											
5,0	50,3	44,9	46,4	42,2	43,1									
6,0	40,8	38,3	38,3	35,4	35,4	32,4	32,4				21,6			
7,0	32,8	31,1	31,1	29,0	29,0	26,6	26,6	24,0			19,3			
8,0	27,1	25,9	25,9	24,2	24,2	22,2	22,2	20,1	14,6		18,3	16,0	19,4	
9,0	22,7	21,9	21,9	20,5	20,5	18,9	18,9	17,0	13,8	13,3	17,5	15,1	16,6	15,3
10,0	19,4	18,8	18,8	17,6	17,6	16,2	16,2	14,5	12,8	12,2	16,4	14,0	14,2	13,1
11,0	16,7	16,2	16,2	15,2	15,2	14,0	14,0	12,4	11,1	10,3	14,3	12,2	12,2	11,3
12,0	14,4	14,1	14,1	13,3	13,3	12,1	12,1	10,7	9,5	8,8	12,4	10,6	10,6	9,7
13,0	12,4	12,4	12,4	11,6	11,6	10,6	10,6	9,2	8,1	7,5	10,9	9,2	9,2	8,4
14,0	10,7	10,9	10,9	10,2	10,2	9,3	9,3	8,0	6,9	6,3	9,5	8,0	8,0	7,2
15,0	9,4	9,7	9,7	9,0	9,0	8,1	8,1	6,9	5,9	5,3	8,4	6,9	6,9	6,2
16,0	8,1	8,5	8,5	7,9	7,9	7,1	7,1	5,9	5,0	4,5	7,4	6,0	6,0	5,3
18,0	6,2	6,5	6,5	6,2	6,2	5,4	5,4	4,3	3,4	2,8	5,7	4,4	4,4	3,9
20,0		5,0	5,0	4,8	4,8	4,1	4,1	3,0	1,9		4,3	3,2	3,2	2,5
22,0		3,8	3,8	3,6	3,6	3,0	3,0	1,6			3,3	1,9	1,9	
24,0		2,9	2,9	2,7	2,7	1,9	1,9				2,3			
26,0				1,7	1,7									
28,0														
30,0														
32,0														
34,0														
36,0														
*** n ***	6	5	5	5	5	4	4	3	2	2	3	2	3	2
1	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +	0 +	0 -	46 -
2	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +	92 -	92 +	92 +
3	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +
4	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2	22,2	26,8	35,8
3,0											33,1	46,2		
3,5											32,5	43,1		
4,0						28,2					31,8	40,7	41,7	
4,5						27,6					31,2	38,4	39,4	
5,0						26,9					29,4	36,2	37,4	
6,0						25,8					28,4	32,5	34,0	34,3
7,0						24,7					27,5	29,7	30,7	28,5
8,0						23,8					26,3	26,7	26,9	24,0
9,0		14,8	16,1			22,2					22,9	22,9	22,9	20,6
10,0	11,8	13,9	13,9	12,7		19,0	13,8	13,8			19,5	19,5	19,7	17,8
11,0	10,0	12,0	12,0	11,0	10,0	16,5	12,1	12,1	11,1		16,8	16,8	17,2	15,6
12,0	8,6	10,5	10,5	9,5	8,6	14,4	10,6	10,6	9,6	8,4	14,5	14,5	15,0	13,7
13,0	7,3	9,1	9,1	8,3	7,4	12,6	9,3	9,3	8,4	7,3	12,5	12,5	13,3	12,1
14,0	6,2	8,0	8,0	7,1	6,3	11,2	8,1	8,1	7,3	6,3	10,8	10,8	11,8	10,8
15,0	5,2	6,9	6,9	6,2	5,4	9,8	7,2	7,2	6,4	5,4	9,5	9,5	10,4	9,6
16,0	4,4	6,1	6,1	5,3	4,6	8,7	6,3	6,3	5,6	4,6	8,2	8,2	9,2	8,6
18,0	2,8	4,6	4,6	3,9	3,1	6,7	4,8	4,8	4,2	3,4	6,3	6,3	7,2	6,9
20,0		3,3	3,3	2,6	1,7	5,1	3,7	3,7	3,0	1,9			5,7	5,5
22,0		2,1	2,1			3,9	2,6	2,6	1,8				4,5	4,4
24,0						3,0							3,6	3,4
26,0														2,6
28,0														1,8
30,0														
32,0														
34,0														
36,0														
*** n ***	2	2	2	2	2	3	2	2	2	1	4	5	5	4
1	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +
2	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +	0 +	0 +	0 +
3	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +	0 +	0 +	46 -
4	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +	0 +	0 +	46 -
5	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +	0 -	46 -	46 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3	14,3	12,8	12,8

	T	--	12.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3	40,3	44,8	44,8
3,0														
3,5														
4,0														
4,5														
5,0		26,1	29,7											
6,0		24,9	27,0	27,1	27,1									
7,0		23,7	24,9	25,2	25,2	25,5	25,5				21,4	22,8		
8,0	20,0	22,7	22,9	23,6	23,6	23,3	23,3	21,5	21,5		19,2	21,2	21,0	21,0
9,0	17,1	21,1	21,1	21,4	21,4	20,1	20,1	18,6	18,6	16,9	18,3	19,8	19,3	19,3
10,0	14,8	19,1	19,1	18,6	18,6	17,5	17,5	16,2	16,2	14,6	17,4	17,7	16,8	16,8
11,0	12,8	16,7	16,7	16,4	16,4	15,4	15,4	14,2	14,2	12,8	15,5	15,5	14,8	14,8
12,0	11,1	14,7	14,7	14,5	14,5	13,6	13,6	12,5	12,5	11,2	13,7	13,7	13,1	13,1
13,0	9,7	13,0	13,0	12,9	12,9	12,1	12,1	11,1	11,1	9,8	12,3	12,3	11,7	11,7
14,0	8,5	11,6	11,6	11,5	11,5	10,8	10,8	9,8	9,8	8,7	10,9	10,9	10,4	10,4
15,0	7,5	10,4	10,4	10,3	10,3	9,7	9,7	8,8	8,8	7,6	9,8	9,8	9,4	9,4
16,0	6,5	9,3	9,3	9,3	9,3	8,7	8,7	7,8	7,8	6,8	8,8	8,8	8,4	8,4
18,0	5,0	7,5	7,5	7,6	7,6	7,0	7,0	6,2	6,2	5,2	7,1	7,1	6,8	6,8
20,0	3,7	5,9	5,9	6,2	6,2	5,7	5,7	5,0	5,0	4,0	5,8	5,8	5,5	5,5
22,0	2,6	4,7	4,7	5,0	5,0	4,6	4,6	3,9	3,9	3,0	4,7	4,7	4,5	4,5
24,0		3,7	3,7	4,0	4,0	3,7	3,7	3,0	3,0	1,9	3,8	3,8	3,6	3,6
26,0		2,9	2,9	3,2	3,2	3,0	3,0	2,2	2,2		3,1	3,1	2,8	2,8
28,0		2,2	2,2	2,5	2,5	2,3	2,3				2,4	2,4	2,2	2,2
30,0				1,9	1,9						1,6	1,6		
32,0														
34,0														
36,0														
*** n ***	3	3	4	3	3	3	3	3	3	2	3	3	3	3

%	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3	40,3	44,8	44,8
1	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +
2	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 +	0 -
3	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 -	46 -	46 +
4	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +
5	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	12.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0013< T210.00026

m	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	62,2	66,7			
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0	18,0	18,0		16,5	18,1									
10,0	15,7	15,7	14,3	15,6	15,9	14,9								
11,0	13,8	13,8	12,5	14,0	14,0	13,1	12,1	12,1						
12,0	12,2	12,2	11,0	12,4	12,4	11,6	10,6	10,6	9,4	10,0				
13,0	10,8	10,8	9,7	11,0	11,0	10,3	9,4	9,4	8,3	8,8	7,8			
14,0	9,7	9,7	8,6	9,8	9,8	9,2	8,3	8,3	7,3	7,8	6,8			
15,0	8,6	8,6	7,6	8,8	8,8	8,2	7,3	7,3	6,4	6,9	6,0			
16,0	7,7	7,7	6,7	7,9	7,9	7,3	6,5	6,5	5,6	6,1	5,3			
18,0	6,2	6,2	5,3	6,3	6,3	5,8	5,1	5,1	4,3	4,8	4,0			
20,0	4,9	4,9	4,1	5,1	5,1	4,6	3,9	3,9	3,3	3,7	3,0			
22,0	3,9	3,9	3,1	4,1	4,1	3,6	3,0	3,0	2,2	2,8	2,0			
24,0	3,1	3,1	2,1	3,2	3,2	2,8	2,0	2,0		1,9				
26,0	2,3	2,3		2,5	2,5	1,9								
28,0				1,6	1,6									
30,0														
32,0														
34,0														
36,0														
*** n ***	2	2	2	2	2	2	2	2	1	1	1			
1	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	0 -	46 -			
2	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	100 +	100 +			
3	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	100 +	100 +			
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +			
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +			
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +			
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1			

	T	--	12.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	127,7	125,4	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	96,6	99,1	77,6	64,2
4,5	115,1	115,2	102,1	80,7	54,8	115,0	96,2	74,8	59,4	38,4	88,9	92,4	78,0	61,6
5,0	104,0	104,3	100,1	81,1	52,2	101,1	93,7	73,4	56,8	36,2	82,3	85,7	76,9	59,3
6,0	86,6	82,2	83,6	80,5	47,2	73,8	76,0	68,8	52,3	32,5	66,3	69,0	70,4	55,4
7,0	69,0	62,8	64,1	65,1	43,7	57,4	59,4	61,0	48,7	29,7	51,9	54,4	56,8	51,6
8,0	52,2	50,2	51,4	52,4	40,4	46,5	48,3	50,0	45,2	27,0	42,3	44,6	46,8	47,4
9,0	40,8	41,3	42,2	43,0	37,3	38,4	40,1	41,7	42,0	25,0	35,1	37,3	39,4	41,1
10,0	33,1	33,5	34,4	35,1	34,9	32,4	34,1	35,6	36,7	23,2	29,7	31,7	33,7	35,3
11,0		27,9	28,7	29,3	29,9	27,7	29,0	30,2	31,1	21,4	25,3	27,3	29,2	30,8
12,0		23,5	24,3	24,9	25,5	23,4	24,7	25,8	26,7	20,0	21,8	23,8	25,6	27,0
13,0		20,2	20,9	21,5	22,0	20,0	21,2	22,3	23,1	18,8	19,0	20,8	22,4	23,5
14,0		17,5	18,2	18,7	19,2	17,3	18,5	19,5	20,3	17,7	16,6	18,2	19,6	20,7
15,0		15,3	15,9	16,5	17,0	15,1	16,2	17,2	18,0	16,7	14,4	15,9	17,2	18,3
16,0						13,2	14,3	15,3	16,1	15,9	12,6	14,0	15,3	16,4
18,0						10,1	11,3	12,3	13,0	13,1	9,4	11,0	12,3	13,3
20,0											7,1	8,6	10,0	11,0
22,0											5,3	6,8	8,1	9,2
24,0											3,9	5,4	6,6	7,7
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	11	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	62,7	60,1	65,9	60,6	29,7							
6,0	34,0	34,3	55,9	53,4	58,9	56,7	27,0	46,1	43,6	49,0	41,0	36,5	27,1	
7,0	30,7	30,8	49,5	47,2	52,4	52,9	24,9	42,1	39,7	44,9	37,5	33,8	25,2	34,2
8,0	28,3	28,4	40,8	38,8	43,3	45,4	22,9	38,6	36,3	41,3	34,7	31,7	23,6	31,6
9,0	26,2	26,2	34,2	32,2	36,5	38,6	21,1	33,6	31,6	36,0	32,1	29,7	22,1	29,3
10,0	24,1	24,0	29,2	27,3	31,5	33,4	19,8	28,9	26,9	31,2	29,6	27,8	20,6	26,8
11,0	22,5	22,4	25,1	23,3	27,3	29,2	18,5	25,0	23,1	27,3	27,6	26,2	19,5	23,2
12,0	21,2	21,0	21,8	20,1	24,0	25,8	17,2	21,9	20,0	24,1	24,4	24,9	18,5	20,3
13,0	19,8	19,6	19,1	17,4	21,2	22,9	16,2	19,3	17,5	21,5	21,8	23,0	17,5	17,9
14,0	18,5	18,2	16,8	15,1	18,8	20,5	15,4	17,1	15,3	19,2	19,5	20,9	16,4	15,8
15,0	17,5	17,2	14,8	13,2	16,8	18,2	14,6	15,2	13,5	17,3	17,6	18,9	15,6	14,0
16,0	16,6	16,3	13,1	11,5	14,9	16,2	13,8	13,6	11,9	15,6	15,9	17,1	15,0	12,4
18,0	14,0	13,5	10,3	8,8	11,9	13,2	12,3	10,9	9,2	12,8	13,0	14,0	13,6	9,9
20,0	11,6	11,1	7,9	6,5	9,5	10,8	11,2	8,8	7,1	10,5	10,7	11,6	12,2	7,8
22,0	9,8	9,3	6,0	4,7	7,6	9,0	10,0	6,9	5,4	8,6	8,8	9,8	10,3	6,2
24,0	8,4	7,8	4,6	3,2	6,1	7,5	8,5	5,4	4,0	7,0	7,2	8,3	8,8	4,8
26,0			3,4	2,0	4,9	6,2	7,3	4,2	2,8	5,8	6,0	7,0	7,6	3,6
28,0			2,4		3,9	5,2	6,3	3,2	1,5	4,7	4,9	5,9	6,5	2,6
30,0								2,3		3,9	4,1	5,0	5,6	1,5
32,0								1,6		3,2	3,3	4,3	4,9	
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	5	5	7	7	8	7	4	5	5	5	5	4	3	4
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	36,5	25,5	22,8											
8,0	33,8	23,9	21,2	28,1	30,1	29,5	24,3	21,0						
9,0	31,5	22,6	19,8	26,3	28,2	27,6	23,0	19,8	22,5	23,6	24,5	23,1	19,5	18,6
10,0	28,8	21,4	18,7	24,6	26,5	25,9	21,8	18,7	21,2	22,2	23,1	22,0	18,6	17,7
11,0	25,2	20,2	17,5	23,1	25,0	24,4	20,9	17,7	19,9	20,9	21,8	21,0	17,7	16,9
12,0	22,2	19,1	16,4	20,6	22,3	21,7	19,9	16,8	18,8	19,8	20,6	20,2	16,9	16,1
13,0	19,7	18,2	15,5	18,2	19,9	19,4	18,9	15,9	17,2	18,2	19,0	19,3	16,1	15,4
14,0	17,6	17,4	14,7	16,2	17,9	17,3	18,0	15,0	15,4	16,3	17,1	17,8	15,4	14,7
15,0	15,7	16,6	13,9	14,5	16,2	15,6	17,2	14,4	13,7	14,6	15,4	16,1	14,7	14,0
16,0	14,2	15,8	13,2	13,0	14,6	14,1	16,0	13,8	12,3	13,2	14,0	14,7	14,1	13,4
18,0	11,6	14,3	11,9	10,5	12,1	11,5	13,4	12,6	9,9	10,8	11,5	12,2	12,9	12,3
20,0	9,5	11,9	10,9	8,5	10,1	9,5	11,4	11,5	7,9	8,8	9,5	10,2	11,2	11,2
22,0	7,8	10,1	9,8	6,9	8,4	7,9	9,7	10,1	6,4	7,2	7,9	8,6	9,5	9,6
24,0	6,3	8,6	8,7	5,5	7,0	6,5	8,2	8,7	5,1	5,9	6,6	7,3	8,2	8,3
26,0	5,0	7,4	7,5	4,4	5,8	5,3	6,9	7,4	4,0	4,8	5,5	6,2	7,0	7,1
28,0	4,0	6,3	6,4	3,4	4,7	4,3	5,8	6,3	3,0	3,9	4,5	5,2	6,0	6,1
30,0	3,1	5,4	5,5	2,5	3,9	3,4	4,9	5,4	2,2	3,0	3,7	4,3	5,1	5,2
32,0	2,4	4,6	4,7	1,7	3,1	2,6	4,1	4,6		2,3	2,9	3,5	4,3	4,4
34,0	1,8	3,9	4,0		2,4	2,0	3,5	4,0		1,5	2,2	2,8	3,6	3,7
36,0		3,4	3,5		1,8		2,9	3,4			1,6	2,2	3,0	3,1
38,0							2,4	2,9				1,7	2,5	2,6
40,0							1,9	2,4					2,0	2,1
42,0							1,6	2,0					1,6	1,7
44,0														
46,0														
48,0														
50,0														
*** n ***	4	3	3	3	4	3	3	3	3	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	66,7	13,2	17,7	17,7
3,0												52,1	47,1	47,2
3,5												52,9	46,9	47,2
4,0												53,6	46,7	47,1
4,5												54,2	46,6	47,1
5,0												54,9	46,5	47,1
6,0												56,8	46,5	47,1
7,0												60,9	46,5	47,1
8,0												52,2	46,5	47,1
9,0												40,8	41,3	41,3
10,0	18,8	19,8	19,5	18,5	17,3							33,1	33,5	33,5
11,0	17,7	18,8	18,7	17,7	16,6	16,1	17,3	15,8					27,9	27,9
12,0	16,7	17,8	17,9	16,9	15,9	15,3	16,4	15,2	14,1	14,6			23,5	23,5
13,0	15,8	16,9	17,1	16,2	15,2	14,5	15,6	14,7	13,4	14,2	12,1		20,2	20,2
14,0	14,8	15,8	16,5	15,6	14,7	13,7	14,9	14,1	12,7	13,7	11,8		17,5	17,5
15,0	13,4	14,4	15,4	15,0	14,1	13,0	14,1	13,7	12,1	13,3	11,5		15,3	15,3
16,0	12,0	13,0	13,9	14,2	13,6	11,8	12,8	13,2	11,5	12,5	11,2			
18,0	9,7	10,7	11,6	12,0	12,2	9,6	10,5	11,4	9,4	10,4	10,0			
20,0	7,9	8,7	9,6	10,1	10,6	7,8	8,8	9,6	7,7	8,7	8,4			
22,0	6,3	7,2	8,1	8,5	9,0	6,4	7,3	8,1	6,3	7,3	7,0			
24,0	5,0	5,9	6,8	7,2	7,7	5,1	6,0	6,9	5,2	6,1	5,9			
26,0	4,0	4,8	5,7	6,1	6,6	4,1	5,0	5,8	4,2	5,2	5,0			
28,0	3,0	3,9	4,8	5,2	5,6	3,2	4,1	5,0	3,4	4,3	4,1			
30,0	2,2	3,1	4,0	4,4	4,8	2,5	3,4	4,2	2,6	3,6	3,4			
32,0		2,4	3,3	3,7	4,1	1,7	2,7	3,5	2,0	2,9	2,8			
34,0		1,7	2,6	3,0	3,5		2,1	2,9		2,4	2,2			
36,0			2,1	2,4	2,9			2,4		1,8	1,7			
38,0				1,9	2,4			1,9						
40,0					1,9									
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	2	2	2	2	2	2	2	2	2	2	2	7	5	5
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	46 +	0 +	0 +	0 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	0 +	0 +	0 -
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	0 -	46 -	46 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	0 +	0 +	0 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	100 +	0 +	0 +	0 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	100 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	14,3	14,3

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	35,8	13,2
3,0	43,6	43,9			53,8	49,0	49,3	45,7	46,3					55,3
3,5	43,2	43,7			54,6	48,7	49,3	45,3	46,1					56,1
4,0	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8			56,9
4,5	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5			57,5
5,0	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2	36,8		58,3
6,0	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7	35,9	16,8	61,4
7,0	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3	35,1	15,8	64,3
8,0	39,4	42,7	35,4	15,4	52,2	48,3	49,3	42,8	44,8	37,5	40,7	34,3	14,9	52,2
9,0	38,0	38,4	33,9	14,6	40,8	42,2	42,2	39,9	40,1	36,0	37,3	33,3	14,1	40,8
10,0	32,4	32,4	29,7	13,9	33,1	34,4	34,4	34,1	34,1	31,7	31,7	29,2	13,3	33,1
11,0	27,7	27,7	25,3	13,2		28,7	28,7	29,0	29,0	27,3	27,3	25,1	12,6	
12,0	23,4	23,4	21,8	12,6		24,3	24,3	24,7	24,7	23,8	23,8	21,8	12,0	
13,0	20,0	20,0	19,0	12,0		20,9	20,9	21,2	21,2	20,8	20,8	19,1	11,4	
14,0	17,3	17,3	16,6	11,5		18,2	18,2	18,5	18,5	18,2	18,2	16,8	10,8	
15,0	15,1	15,1	14,4	11,0		15,9	15,9	16,2	16,2	15,9	15,9	14,8	9,6	
16,0	13,2	13,2	12,6	10,6				14,3	14,3	14,0	14,0	13,1	8,7	
18,0	10,1	10,1	9,4	8,6				11,3	11,3	11,0	11,0	10,3	8,0	
20,0			7,1	6,5						8,6	8,6	7,9	7,1	
22,0			5,3	4,7						6,8	6,8	6,0	5,4	
24,0			3,9	3,2						5,4	5,4	4,6	4,0	
26,0				2,0								3,4	2,8	
28,0												2,4	1,5	
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	5	5	4	2	7	5	5	5	5	5	5	4	2	7
1	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2	17,7	17,7	22,2
3,0	51,8	52,6	47,7	48,5							56,5	53,1	54,1	49,2
3,5	51,6	52,6	47,2	48,3	44,5	45,6					57,3	52,9	54,1	48,8
4,0	51,4	52,5	46,8	48,0	44,0	45,3					58,2	52,7	54,1	48,4
4,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0	52,6	54,0	48,0
5,0	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8	51,7	52,2	47,6
6,0	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8	47,2	47,2	47,0
7,0	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7	43,7	43,7	46,5
8,0	51,1	52,4	44,7	46,7	40,6	43,0	36,5	38,8	33,8	14,7	52,2	40,4	40,4	45,2
9,0	43,0	43,0	41,5	41,7	38,1	39,4	35,6	36,5	32,8	13,8	40,8	37,3	37,3	42,0
10,0	35,1	35,1	35,6	35,6	33,7	33,7	31,5	31,5	28,9	13,0	33,1	34,9	34,9	36,7
11,0	29,3	29,3	30,2	30,2	29,2	29,2	27,3	27,3	25,0	12,3		29,9	29,9	31,1
12,0	24,9	24,9	25,8	25,8	25,6	25,6	24,0	24,0	21,9	11,7		25,5	25,5	26,7
13,0	21,5	21,5	22,3	22,3	22,4	22,4	21,2	21,2	19,3	11,1		22,0	22,0	23,1
14,0	18,7	18,7	19,5	19,5	19,6	19,6	18,8	18,8	17,1	10,3		19,2	19,2	20,3
15,0	16,5	16,5	17,2	17,2	17,2	17,2	16,8	16,8	15,2	8,9		17,0	17,0	18,0
16,0			15,3	15,3	15,3	15,3	14,9	14,9	13,6	8,4				16,1
18,0			12,3	12,3	12,3	12,3	11,9	11,9	10,9	7,7				13,0
20,0					10,0	10,0	9,5	9,5	8,8	7,1				
22,0					8,1	8,1	7,6	7,6	6,9	6,1				
24,0					6,6	6,6	6,1	6,1	5,4	4,8				
26,0							4,9	4,9	4,2	3,6				
28,0							3,9	3,9	3,2	2,6				
30,0									2,3	1,5				
32,0									1,6					
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	6	6	5	5	5	5	4	5	4	2	7	6	6	5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +
3	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
4	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
5	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3	14,3	14,3	14,3

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8	44,8	44,8	49,3
3,0	51,7													
3,5	51,4													
4,0	51,1	45,8	47,3											
4,5	50,9	45,4	47,0											
5,0	50,3	44,9	46,7	42,4	44,2									
6,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6			
7,0	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3			
8,0	45,2	42,6	45,0	38,6	42,5	36,0	38,3	33,3	14,6		18,3	16,0	29,5	
9,0	42,0	40,6	41,1	37,6	38,6	35,1	36,0	31,5	13,8	13,3	17,5	15,1	27,6	23,6
10,0	36,7	35,3	35,3	33,4	33,4	31,2	31,2	28,8	13,0	12,5	16,7	14,3	25,9	22,2
11,0	31,1	30,8	30,8	29,2	29,2	27,3	27,3	25,2	12,3	11,8	16,0	13,5	24,4	20,9
12,0	26,7	27,0	27,0	25,8	25,8	24,1	24,1	22,2	11,6	11,1	15,4	12,9	21,7	19,8
13,0	23,1	23,5	23,5	22,9	22,9	21,5	21,5	19,7	11,0	9,5	14,8	12,2	19,4	18,2
14,0	20,3	20,7	20,7	20,5	20,5	19,2	19,2	17,6	9,3	8,8	14,2	11,7	17,3	16,3
15,0	18,0	18,3	18,3	18,2	18,2	17,3	17,3	15,7	8,8	8,3	13,7	11,1	15,6	14,6
16,0	16,1	16,4	16,4	16,2	16,2	15,6	15,6	14,2	8,4	7,9	13,2	10,2	14,1	13,2
18,0	13,0	13,3	13,3	13,2	13,2	12,8	12,8	11,6	7,7	7,2	12,4	8,7	11,5	10,8
20,0		11,0	11,0	10,8	10,8	10,5	10,5	9,5	7,0	6,5	10,7	8,0	9,5	8,8
22,0		9,2	9,2	9,0	9,0	8,6	8,6	7,8	6,5	5,9	8,8	7,4	7,9	7,2
24,0		7,7	7,7	7,5	7,5	7,0	7,0	6,3	5,5	5,1	7,2	6,5	6,5	5,9
26,0				6,2	6,2	5,8	5,8	5,0	4,4	4,0	6,0	5,3	5,3	4,8
28,0				5,2	5,2	4,7	4,7	4,0	3,4	3,0	4,9	4,3	4,3	3,9
30,0						3,9	3,9	3,1	2,5	2,2	4,1	3,4	3,4	3,0
32,0						3,2	3,2	2,4	1,7		3,3	2,6	2,6	2,3
34,0								1,8				2,0	2,0	1,5
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	6	5	5	5	5	4	4	4	2	2	3	2	3	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +	0 +	0 -	46 -
2	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +	92 -	92 +	92 +
3	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +
4	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2	22,2	26,8	35,8
3,0											33,1	46,2		
3,5											32,5	43,1		
4,0						28,2					31,8	40,7	41,7	
4,5						27,6					31,2	38,4	39,4	
5,0						26,9					29,4	36,2	37,4	
6,0						25,8					28,4	32,5	34,0	36,5
7,0						24,7					27,5	29,7	30,7	33,8
8,0						23,8					26,6	27,0	28,3	31,7
9,0		14,8	24,5			22,9					25,0	25,0	26,2	29,7
10,0	12,2	14,0	23,1	19,8		22,2	13,9	19,5			23,2	23,2	24,1	27,8
11,0	11,4	13,3	21,8	18,8	11,4	21,5	13,2	18,7	17,3		21,4	21,4	22,5	26,2
12,0	10,4	12,6	20,6	17,8	10,5	20,8	12,5	17,9	16,4	10,4	20,0	20,0	21,2	24,9
13,0	9,0	12,0	19,0	16,9	8,9	19,1	11,9	17,1	15,6	8,9	18,8	18,8	19,8	23,0
14,0	8,5	11,4	17,1	15,8	8,4	18,2	11,3	16,5	14,9	8,4	17,7	17,7	18,5	20,9
15,0	8,0	10,8	15,4	14,4	8,0	17,2	10,7	15,4	14,1	7,9	16,7	16,7	17,5	18,9
16,0	7,6	10,0	14,0	13,0	7,5	16,3	9,4	13,9	12,8	7,5	15,9	15,9	16,6	17,1
18,0	6,8	8,4	11,5	10,7	6,8	13,5	8,4	11,6	10,5	6,7	13,1	13,1	14,0	14,0
20,0	6,1	7,7	9,5	8,7	6,1	11,1	7,7	9,6	8,8	6,0			11,6	11,6
22,0	5,5	7,1	7,9	7,2	5,5	9,3	7,1	8,1	7,3	5,4			9,8	9,8
24,0	4,9	6,5	6,6	5,9	4,9	7,8	6,5	6,8	6,0	4,9			8,4	8,3
26,0	4,0	5,5	5,5	4,8	4,1		5,7	5,7	5,0	4,2				7,0
28,0	3,0	4,5	4,5	3,9	3,2		4,8	4,8	4,1	3,4				5,9
30,0	2,2	3,7	3,7	3,1	2,5		4,0	4,0	3,4	2,6				5,0
32,0		2,9	2,9	2,4	1,7		3,3	3,3	2,7	2,0				4,3
34,0		2,2	2,2	1,7			2,6	2,6	2,1					
36,0		1,6	1,6				2,1	2,1						
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	2	2	3	2	2	3	2	2	2	2	4	5	5	4
% 1	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +
% 2	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +	0 +	0 +	0 +
% 3	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +	0 +	0 +	46 -
% 4	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +	0 +	0 +	46 -
% 5	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +	0 -	46 -	46 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3	14,3	12,8	12,8

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3	40,3	44,8	44,8
3,0														
3,5														
4,0														
4,5														
5,0		26,1	29,7											
6,0		24,9	27,0	27,1	27,1									
7,0		23,7	24,9	25,2	25,2	25,5	25,5				21,4	22,8		
8,0	30,1	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2	21,2	21,0	21,0
9,0	28,2	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3	19,8	19,8	19,8
10,0	26,5	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5	18,7	18,7	18,7
11,0	25,0	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8	17,5	17,7	17,7
12,0	22,3	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1	16,4	16,8	16,8
13,0	19,9	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4	15,5	15,9	15,9
14,0	17,9	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	17,8	14,7	14,7	15,0	15,0
15,0	16,2	14,6	14,6	15,6	15,6	16,6	16,6	17,2	17,2	16,1	13,9	13,9	14,4	14,4
16,0	14,6	13,8	13,8	15,0	15,0	15,8	15,8	16,0	16,0	14,7	13,2	13,2	13,8	13,8
18,0	12,1	12,3	12,3	13,6	13,6	14,3	14,3	13,4	13,4	12,2	11,9	11,9	12,6	12,6
20,0	10,1	11,2	11,2	12,2	12,2	11,9	11,9	11,4	11,4	10,2	10,9	10,9	11,5	11,5
22,0	8,4	10,0	10,0	10,3	10,3	10,1	10,1	9,7	9,7	8,6	9,8	9,8	10,1	10,1
24,0	7,0	8,5	8,5	8,8	8,8	8,6	8,6	8,2	8,2	7,3	8,7	8,7	8,7	8,7
26,0	5,8	7,3	7,3	7,6	7,6	7,4	7,4	6,9	6,9	6,2	7,5	7,5	7,4	7,4
28,0	4,7	6,3	6,3	6,5	6,5	6,3	6,3	5,8	5,8	5,2	6,4	6,4	6,3	6,3
30,0	3,9			5,6	5,6	5,4	5,4	4,9	4,9	4,3	5,5	5,5	5,4	5,4
32,0	3,1			4,9	4,9	4,6	4,6	4,1	4,1	3,5	4,7	4,7	4,6	4,6
34,0	2,4					3,9	3,9	3,5	3,5	2,8	4,0	4,0	4,0	4,0
36,0	1,8					3,4	3,4	2,9	2,9	2,2	3,5	3,5	3,4	3,4
38,0								2,4	2,4	1,7			2,9	2,9
40,0								1,9	1,9				2,4	2,4
42,0								1,6	1,6				2,0	2,0
44,0														
46,0														
48,0														
50,0														
*** n ***	4	3	4	3	3	3	3	3	3	3	3	3	3	3
1	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +
2	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 +	0 -
3	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 -	46 -	46 +
4	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +
5	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0034< T210.00066

m	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	62,2	66,7			
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0	19,5	19,5		16,5	18,6									
10,0	18,6	18,6	18,5	15,7	17,7	17,3								
11,0	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8						
12,0	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6	13,1				
13,0	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	12,7	12,1			
14,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	12,3	11,8			
15,0	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	11,9	11,5			
16,0	14,1	14,1	14,2	11,9	13,4	13,6	9,1	13,2	12,5	11,5	11,2			
18,0	12,9	12,9	12,0	11,0	12,3	12,2	8,3	11,4	10,4	10,7	10,0			
20,0	11,2	11,2	10,1	9,4	11,2	10,6	7,6	9,6	8,7	9,2	8,4			
22,0	9,5	9,5	8,5	8,6	9,6	9,0	7,0	8,1	7,3	7,8	7,0			
24,0	8,2	8,2	7,2	8,0	8,3	7,7	6,5	6,9	6,1	6,6	5,9			
26,0	7,0	7,0	6,1	7,1	7,1	6,6	5,8	5,8	5,2	5,6	5,0			
28,0	6,0	6,0	5,2	6,1	6,1	5,6	5,0	5,0	4,3	4,8	4,1			
30,0	5,1	5,1	4,4	5,2	5,2	4,8	4,2	4,2	3,6	4,0	3,4			
32,0	4,3	4,3	3,7	4,4	4,4	4,1	3,5	3,5	2,9	3,4	2,8			
34,0	3,6	3,6	3,0	3,7	3,7	3,5	2,9	2,9	2,4	2,8	2,2			
36,0	3,0	3,0	2,4	3,1	3,1	2,9	2,4	2,4	1,8	2,3	1,7			
38,0	2,5	2,5	1,9	2,6	2,6	2,4	1,9	1,9		1,8				
40,0	2,0	2,0		2,1	2,1	1,9								
42,0	1,6	1,6		1,7	1,7									
44,0														
46,0														
48,0														
50,0														
*** n ***	2	2	2	2	2	2	2	2	2	2	2			
1	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	0 -	46 -			
2	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	100 +	100 +			
3	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	100 +	100 +			
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +			
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +			
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +			
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1			

	T	--	12.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	129,5	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	120,1	120,1	103,0	80,3	57,5	118,4	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	111,2	111,3	102,1	80,7	54,8	111,2	96,2	74,8	59,4	38,4	105,7	100,4	78,0	61,6
5,0	102,8	102,9	100,0	81,1	52,2	100,7	93,7	73,4	56,8	36,2	89,3	92,4	76,9	59,3
6,0	85,6	82,4	83,8	80,6	47,2	74,0	76,2	68,8	52,3	32,5	66,5	69,2	70,5	55,4
7,0	69,2	62,9	64,2	65,3	43,7	57,5	59,5	61,1	48,7	29,7	52,1	54,6	56,9	51,6
8,0	52,4	50,3	51,5	52,5	40,4	46,4	48,3	50,0	45,2	27,0	41,9	44,4	46,8	47,3
9,0	40,9	41,0	42,1	43,1	37,3	37,8	39,6	41,3	42,0	25,0	34,3	36,7	38,9	40,7
10,0	32,9	33,4	34,3	35,1	34,9	31,5	33,3	34,9	36,1	23,2	28,6	30,8	32,9	34,6
11,0		27,3	28,2	28,9	29,5	26,6	28,3	29,8	30,8	21,4	24,1	26,3	28,3	29,9
12,0		22,8	23,6	24,3	24,8	22,7	24,0	25,2	26,1	20,0	20,6	22,6	24,5	26,1
13,0		19,3	20,1	20,7	21,3	19,2	20,5	21,6	22,5	18,8	17,7	19,7	21,5	22,9
14,0		16,6	17,3	17,9	18,4	16,4	17,6	18,7	19,6	17,7	15,3	17,3	18,8	20,0
15,0		14,4	15,1	15,6	16,1	14,2	15,3	16,4	17,2	16,7	13,3	15,0	16,4	17,6
16,0						12,3	13,5	14,5	15,3	15,4	11,5	13,1	14,5	15,6
18,0						9,2	10,4	11,5	12,2	12,3	8,5	10,1	11,5	12,5
20,0											6,2	7,7	9,2	10,2
22,0											4,4	5,9	7,3	8,5
24,0											3,1	4,6	5,9	7,0
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	82,2	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	62,6	60,2	65,5	56,7	27,0	59,2	55,7	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	49,8	47,6	52,5	53,0	24,9	47,9	45,5	50,7	37,5	33,8	25,2	43,1
8,0	28,3	28,4	40,3	38,1	43,0	45,3	22,9	39,2	36,8	41,9	34,7	31,7	23,6	36,1
9,0	26,2	26,2	33,3	31,3	35,9	38,0	21,1	32,8	30,6	35,4	32,1	29,7	22,1	30,2
10,0	24,1	24,0	28,1	26,2	30,6	32,6	19,8	27,8	25,7	30,3	29,6	27,8	20,6	25,7
11,0	22,5	22,4	24,0	22,1	26,3	28,3	18,5	23,9	21,9	26,3	26,6	26,2	19,5	22,1
12,0	21,2	21,0	20,6	18,8	22,9	24,8	17,2	20,8	18,8	23,1	23,4	24,7	18,5	19,1
13,0	19,8	19,6	17,8	16,1	20,0	21,9	16,2	18,2	16,3	20,4	20,7	22,1	17,5	16,7
14,0	18,5	18,2	15,5	13,8	17,7	19,5	15,4	16,0	14,1	18,2	18,5	19,8	16,4	14,6
15,0	17,5	17,2	13,6	11,9	15,7	17,4	14,6	14,1	12,3	16,2	16,5	17,9	15,6	12,8
16,0	16,3	15,8	11,9	10,3	14,0	15,5	13,8	12,5	10,7	14,6	14,9	16,2	15,0	11,3
18,0	13,2	12,7	9,2	7,6	11,1	12,4	12,3	9,8	8,1	11,9	12,1	13,2	13,6	8,8
20,0	10,9	10,4	7,0	5,6	8,7	10,1	11,1	7,8	6,1	9,7	9,9	10,9	11,5	6,8
22,0	9,1	8,6	5,2	3,8	6,9	8,3	9,3	6,1	4,4	7,8	8,0	9,1	9,6	5,2
24,0	7,7	7,1	3,8	2,3	5,4	6,8	7,9	4,6	3,1	6,3	6,5	7,6	8,2	3,9
26,0			2,6		4,2	5,6	6,6	3,4	1,8	5,1	5,3	6,3	6,9	2,8
28,0			1,7		3,3	4,6	5,6	2,5		4,1	4,3	5,3	5,9	1,7
30,0								1,6		3,3	3,4	4,4	5,0	
32,0										2,6	2,7	3,7	4,3	
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	45,6	25,5	22,8											
8,0	38,4	23,9	21,2	34,8	32,7	31,3	24,3	21,0						
9,0	32,4	22,6	19,8	29,9	30,8	29,4	23,0	19,8	27,8	28,3	25,0	23,1	19,5	18,6
10,0	27,8	21,4	18,7	25,7	27,6	26,8	21,8	18,7	24,2	25,2	23,7	22,0	18,6	17,7
11,0	24,1	20,2	17,5	22,2	24,1	23,5	20,9	17,7	21,0	22,0	22,3	21,0	17,7	16,9
12,0	21,1	19,1	16,4	19,4	21,3	20,6	19,9	16,8	18,4	19,4	20,2	20,2	16,9	16,1
13,0	18,6	18,2	15,5	17,1	18,9	18,3	18,9	15,9	16,1	17,1	18,0	18,7	16,1	15,4
14,0	16,5	17,4	14,7	15,1	16,8	16,2	18,0	15,0	14,2	15,2	16,0	16,8	15,4	14,7
15,0	14,6	16,6	13,9	13,4	15,1	14,5	16,5	14,4	12,6	13,5	14,4	15,1	14,7	14,0
16,0	13,1	15,8	13,2	11,9	13,6	13,0	15,0	13,8	11,2	12,1	12,9	13,7	14,0	13,4
18,0	10,5	13,5	11,9	9,4	11,1	10,5	12,5	12,6	8,9	9,8	10,5	11,3	12,3	12,1
20,0	8,5	11,2	10,9	7,5	9,1	8,6	10,4	11,1	7,0	7,9	8,6	9,3	10,3	10,5
22,0	6,9	9,4	9,5	5,9	7,5	7,0	8,8	9,4	5,4	6,3	7,0	7,8	8,7	8,8
24,0	5,5	8,0	8,1	4,6	6,2	5,7	7,5	8,0	4,2	5,1	5,8	6,5	7,4	7,5
26,0	4,3	6,7	6,8	3,5	5,1	4,5	6,2	6,7	3,1	4,0	4,7	5,4	6,3	6,4
28,0	3,3	5,7	5,8	2,6	4,1	3,6	5,2	5,7	2,2	3,1	3,8	4,4	5,3	5,5
30,0	2,5	4,8	4,9	1,7	3,2	2,8	4,3	4,8		2,3	3,0	3,6	4,5	4,6
32,0	1,7	4,0	4,1		2,5	2,0	3,6	4,1			2,3	2,9	3,7	3,8
34,0		3,4	3,5		1,8		2,9	3,4			1,6	2,3	3,1	3,2
36,0		2,8	2,9				2,4	2,8				1,7	2,5	2,6
38,0							1,9	2,4					2,0	2,1
40,0								1,9					1,5	1,6
42,0								1,6						
44,0														
46,0														
48,0														
*** n ***	5	3	3	4	4	4	3	3	3	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	23,0	22,7	19,5	18,5	17,3									
11,0	20,3	21,4	18,7	17,7	16,6	19,5	17,8	15,8						
12,0	17,8	18,9	17,9	16,9	15,9	17,5	17,2	15,2	15,9	14,6				
13,0	15,7	16,7	17,1	16,2	15,2	15,4	16,5	14,7	14,8	14,2	13,2	12,1		
14,0	13,9	14,9	16,0	15,6	14,7	13,7	14,7	14,1	13,2	13,7	12,8	11,8	11,0	
15,0	12,3	13,3	14,4	14,7	14,1	12,2	13,2	13,6	11,8	12,8	11,5	11,5	10,7	10,6
16,0	11,0	11,9	13,0	13,5	13,6	10,9	11,8	12,8	10,6	11,6	10,3	11,0	9,8	9,6
18,0	8,7	9,7	10,7	11,1	11,6	8,7	9,6	10,6	8,5	9,5	8,4	9,1	8,0	7,8
20,0	6,9	7,8	8,8	9,2	9,7	7,0	7,9	8,8	6,9	7,9	6,9	7,5	6,6	6,4
22,0	5,4	6,3	7,3	7,7	8,2	5,6	6,5	7,4	5,5	6,5	5,6	6,3	5,3	5,2
24,0	4,2	5,1	6,0	6,4	6,9	4,4	5,3	6,2	4,4	5,4	4,5	5,2	4,3	4,2
26,0	3,1	4,0	5,0	5,4	5,9	3,4	4,3	5,1	3,5	4,4	3,6	4,3	3,5	3,3
28,0	2,2	3,2	4,1	4,5	5,0	2,5	3,5	4,3	2,7	3,6	2,9	3,5	2,7	2,6
30,0		2,4	3,3	3,7	4,2	1,6	2,7	3,5	1,9	2,9	2,2	2,8	2,1	1,9
32,0		1,6	2,6	3,1	3,5		2,0	2,9		2,3		2,2		
34,0			2,0	2,5	2,9			2,3		1,7		1,6		
36,0				1,9	2,4			1,8						
38,0					1,9									
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	52,4	46,5	47,1	39,4	42,5	35,4	15,4	52,4	48,3	49,3	42,8	44,7	37,5	40,6
9,0	40,9	41,0	41,0	37,4	37,8	33,6	14,6	40,9	42,1	42,1	39,4	39,6	35,8	36,7
10,0	32,9	33,4	33,4	31,5	31,5	28,6	13,9	32,9	34,3	34,3	33,3	33,3	30,8	30,8
11,0		27,3	27,3	26,6	26,6	24,1	13,2		28,2	28,2	28,3	28,3	26,3	26,3
12,0		22,8	22,8	22,7	22,7	20,6	12,6		23,6	23,6	24,0	24,0	22,6	22,6
13,0		19,3	19,3	19,2	19,2	17,7	12,0		20,1	20,1	20,5	20,5	19,7	19,7
14,0		16,6	16,6	16,4	16,4	15,3	11,5		17,3	17,3	17,6	17,6	17,3	17,3
15,0		14,4	14,4	14,2	14,2	13,3	11,0		15,1	15,1	15,3	15,3	15,0	15,0
16,0				12,3	12,3	11,5	10,2				13,5	13,5	13,1	13,1
18,0				9,2	9,2	8,5	7,6				10,4	10,4	10,1	10,1
20,0						6,2	5,6						7,7	7,7
22,0						4,4	3,8						5,9	5,9
24,0						3,1	2,3						4,6	4,6
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	52,4	51,1	52,5	44,7	46,7	40,6	43,0	36,5	38,8	33,8	14,7	52,4
9,0	33,1	14,1	40,9	43,1	43,1	41,1	41,3	37,8	38,9	35,4	35,9	32,2	13,8	40,9
10,0	28,1	13,3	32,9	35,1	35,1	34,9	34,9	32,9	32,9	30,6	30,6	27,8	13,0	32,9
11,0	24,0	12,6		28,9	28,9	29,8	29,8	28,3	28,3	26,3	26,3	23,9	12,3	
12,0	20,6	12,0		24,3	24,3	25,2	25,2	24,5	24,5	22,9	22,9	20,8	11,7	
13,0	17,8	11,4		20,7	20,7	21,6	21,6	21,5	21,5	20,0	20,0	18,2	11,1	
14,0	15,5	10,8		17,9	17,9	18,7	18,7	18,8	18,8	17,7	17,7	16,0	10,3	
15,0	13,6	9,6		15,6	15,6	16,4	16,4	16,4	16,4	15,7	15,7	14,1	8,9	
16,0	11,9	8,7				14,5	14,5	14,5	14,5	14,0	14,0	12,5	8,4	
18,0	9,2	7,8				11,5	11,5	11,5	11,5	11,1	11,1	9,8	7,7	
20,0	7,0	6,1						9,2	9,2	8,7	8,7	7,8	6,8	
22,0	5,2	4,4						7,3	7,3	6,9	6,9	6,1	5,2	
24,0	3,8	3,1						5,9	5,9	5,4	5,4	4,6	3,9	
26,0	2,6	1,8								4,2	4,2	3,4	2,8	
28,0	1,7									3,3	3,3	2,5	1,7	
30,0												1,6		
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,0	38,6	42,4	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	40,4	40,7	37,4	38,0	34,6	35,4	31,9	13,8	13,3	17,5
10,0	34,9	34,9	36,1	36,1	34,6	34,6	32,6	32,6	30,3	30,3	27,8	13,0	12,5	16,7
11,0	29,5	29,5	30,8	30,8	29,9	29,9	28,3	28,3	26,3	26,3	24,1	12,3	11,8	16,0
12,0	24,8	24,8	26,1	26,1	26,1	26,1	24,8	24,8	23,1	23,1	21,1	11,6	11,1	15,4
13,0	21,3	21,3	22,5	22,5	22,9	22,9	21,9	21,9	20,4	20,4	18,6	11,0	9,5	14,8
14,0	18,4	18,4	19,6	19,6	20,0	20,0	19,5	19,5	18,2	18,2	16,5	9,3	8,8	14,2
15,0	16,1	16,1	17,2	17,2	17,6	17,6	17,4	17,4	16,2	16,2	14,6	8,8	8,3	13,7
16,0			15,3	15,3	15,6	15,6	15,5	15,5	14,6	14,6	13,1	8,4	7,9	13,2
18,0			12,2	12,2	12,5	12,5	12,4	12,4	11,9	11,9	10,5	7,7	7,2	12,1
20,0					10,2	10,2	10,1	10,1	9,7	9,7	8,5	7,0	6,5	9,9
22,0					8,5	8,5	8,3	8,3	7,8	7,8	6,9	5,9	5,4	8,0
24,0					7,0	7,0	6,8	6,8	6,3	6,3	5,5	4,6	4,2	6,5
26,0							5,6	5,6	5,1	5,1	4,3	3,5	3,1	5,3
28,0							4,6	4,6	4,1	4,1	3,3	2,6	2,2	4,3
30,0									3,3	3,3	2,5	1,7		3,4
32,0									2,6	2,6	1,7			2,7
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	26,8	25,2	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	23,5	22,0	11,4	13,3	22,3	21,4	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	20,6	19,4	10,4	12,6	20,2	18,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	18,3	17,1	9,0	12,0	18,0	16,7	8,9	19,1	11,9	17,1	16,5	8,9	18,8
14,0	11,7	16,2	15,2	8,5	11,4	16,0	14,9	8,4	18,2	11,3	16,0	14,7	8,4	17,7
15,0	11,1	14,5	13,5	8,0	10,8	14,4	13,3	8,0	17,2	10,7	14,4	13,2	7,9	16,7
16,0	10,2	13,0	12,1	7,6	10,0	12,9	11,9	7,5	15,8	9,4	13,0	11,8	7,5	15,4
18,0	8,7	10,5	9,8	6,8	8,4	10,5	9,7	6,8	12,7	8,4	10,7	9,6	6,7	12,3
20,0	8,0	8,6	7,9	6,1	7,7	8,6	7,8	6,1	10,4	7,7	8,8	7,9	6,0	
22,0	7,0	7,0	6,3	5,3	7,0	7,0	6,3	5,4	8,6	7,1	7,3	6,5	5,4	
24,0	5,7	5,7	5,1	4,2	5,8	5,8	5,1	4,4	7,1	6,0	6,0	5,3	4,4	
26,0	4,5	4,5	4,0	3,1	4,7	4,7	4,0	3,4		5,0	5,0	4,3	3,5	
28,0	3,6	3,6	3,1	2,2	3,8	3,8	3,2	2,5		4,1	4,1	3,5	2,7	
30,0	2,8	2,8	2,3		3,0	3,0	2,4	1,6		3,3	3,3	2,7	1,9	
32,0	2,0	2,0			2,3	2,3	1,6			2,6	2,6	2,0		
34,0					1,6	1,6				2,0	2,0			
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	12.0 t	8.89 x 8.30 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	30,8	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	27,6	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	24,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,7	21,3	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	22,1	18,9	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	18,7	15,4
14,0	17,7	18,5	19,8	16,8	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	16,8	14,7
15,0	16,7	17,5	17,9	15,1	14,6	14,6	15,6	15,6	16,6	16,6	16,5	16,5	15,1	13,9
16,0	15,4	16,3	16,2	13,6	13,8	13,8	15,0	15,0	15,8	15,8	15,0	15,0	13,7	13,2
18,0	12,3	13,2	13,2	11,1	12,3	12,3	13,6	13,6	13,5	13,5	12,5	12,5	11,3	11,9
20,0		10,9	10,9	9,1	11,1	11,1	11,5	11,5	11,2	11,2	10,4	10,4	9,3	10,9
22,0		9,1	9,1	7,5	9,3	9,3	9,6	9,6	9,4	9,4	8,8	8,8	7,8	9,5
24,0		7,7	7,6	6,2	7,9	7,9	8,2	8,2	8,0	8,0	7,5	7,5	6,5	8,1
26,0			6,3	5,1	6,6	6,6	6,9	6,9	6,7	6,7	6,2	6,2	5,4	6,8
28,0			5,3	4,1	5,6	5,6	5,9	5,9	5,7	5,7	5,2	5,2	4,4	5,8
30,0			4,4	3,2			5,0	5,0	4,8	4,8	4,3	4,3	3,6	4,9
32,0			3,7	2,5			4,3	4,3	4,0	4,0	3,6	3,6	2,9	4,1
34,0				1,8					3,4	3,4	2,9	2,9	2,3	3,5
36,0									2,8	2,8	2,4	2,4	1,7	2,9
38,0											1,9	1,9		
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	14,7	12,4	14,0	14,1	10,4	13,6	12,8	8,0	11,9
16,0	13,2	13,8	13,8	14,0	14,0	13,5	11,9	13,4	13,6	9,1	12,8	11,6	7,5	11,5
18,0	11,9	12,6	12,6	12,3	12,3	11,1	11,0	12,1	11,6	8,3	10,6	9,5	6,8	10,1
20,0	10,9	11,1	11,1	10,3	10,3	9,2	9,4	10,5	9,7	7,6	8,8	7,9	6,1	8,4
22,0	9,5	9,4	9,4	8,7	8,7	7,7	8,5	8,8	8,2	7,0	7,4	6,5	5,4	7,0
24,0	8,1	8,0	8,0	7,4	7,4	6,4	7,5	7,5	6,9	6,1	6,2	5,4	4,5	5,9
26,0	6,8	6,7	6,7	6,3	6,3	5,4	6,4	6,4	5,9	5,1	5,1	4,4	3,6	4,9
28,0	5,8	5,7	5,7	5,3	5,3	4,5	5,5	5,5	5,0	4,3	4,3	3,6	2,9	4,1
30,0	4,9	4,8	4,8	4,5	4,5	3,7	4,6	4,6	4,2	3,5	3,5	2,9	2,2	3,4
32,0	4,1	4,1	4,1	3,7	3,7	3,1	3,8	3,8	3,5	2,9	2,9	2,3		2,8
34,0	3,5	3,4	3,4	3,1	3,1	2,5	3,2	3,2	2,9	2,3	2,3	1,7		2,2
36,0	2,9	2,8	2,8	2,5	2,5	1,9	2,6	2,6	2,4	1,8	1,8			1,7
38,0		2,4	2,4	2,0	2,0		2,1	2,1	1,9					
40,0		1,9	1,9	1,5	1,5		1,6	1,6						
42,0		1,6	1,6											
44,0														
46,0														
48,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0006< T210.00016

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,0	7,4	4,7											
18,0	9,1	6,7	4,0											
20,0	7,5	6,0	3,3											
22,0	6,3	5,3	2,8											
24,0	5,2	4,3	2,3											
26,0	4,3	3,5	1,8											
28,0	3,5	2,7												
30,0	2,8	2,1												
32,0	2,2													
34,0	1,6													
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	128,0	125,4	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	115,1	115,2	102,1	80,7	54,8	115,0	96,2	74,8	59,4	38,4	105,7	100,4	78,0	61,6
5,0	104,0	104,3	100,1	81,1	52,2	101,4	93,7	73,4	56,8	36,2	89,3	92,4	76,9	59,3
6,0	86,6	82,4	83,8	80,6	47,2	74,0	76,2	68,8	52,3	32,5	66,5	69,2	70,5	55,4
7,0	69,2	62,9	64,2	65,3	43,7	57,5	59,5	61,1	48,7	29,7	52,1	54,6	56,9	51,6
8,0	52,4	50,3	51,5	52,5	40,4	46,6	48,4	50,1	45,2	27,0	42,4	44,7	46,9	47,4
9,0	40,9	41,4	42,3	43,1	37,3	38,5	40,2	41,8	42,0	25,0	35,2	37,4	39,5	41,2
10,0	33,2	33,6	34,5	35,2	34,9	32,5	34,2	35,7	36,7	23,2	29,7	31,8	33,8	35,4
11,0		27,9	28,7	29,4	29,9	27,7	29,1	30,2	31,1	21,4	25,4	27,4	29,3	30,8
12,0		23,6	24,3	25,0	25,5	23,5	24,7	25,9	26,7	20,0	21,8	23,8	25,7	27,1
13,0		20,2	20,9	21,5	22,0	20,1	21,3	22,4	23,2	18,8	19,0	20,9	22,4	23,6
14,0		17,5	18,2	18,8	19,3	17,3	18,5	19,5	20,3	17,7	16,6	18,2	19,6	20,7
15,0		15,3	16,0	16,5	17,0	15,1	16,2	17,2	18,0	16,7	14,4	15,9	17,3	18,4
16,0						13,2	14,3	15,3	16,1	15,9	12,6	14,0	15,3	16,4
18,0						10,2	11,4	12,3	13,0	13,1	9,5	11,0	12,3	13,3
20,0											7,1	8,6	10,0	11,0
22,0											5,3	6,8	8,1	9,2
24,0											3,9	5,4	6,7	7,8
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	82,2	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	62,6	60,2	65,5	56,7	27,0	59,4	55,7	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	49,8	47,7	52,5	53,0	24,9	48,0	45,7	50,7	37,5	33,8	25,2	44,1
8,0	28,3	28,4	40,9	38,8	43,4	45,5	22,9	39,8	37,6	42,3	34,7	31,7	23,6	36,9
9,0	26,2	26,2	34,2	32,3	36,6	38,6	21,1	33,7	31,6	36,1	32,1	29,7	22,1	31,3
10,0	24,1	24,0	29,2	27,4	31,5	33,5	19,8	28,9	26,9	31,3	29,6	27,8	20,6	26,8
11,0	22,5	22,4	25,2	23,4	27,4	29,3	18,5	25,1	23,2	27,3	27,6	26,2	19,5	23,3
12,0	21,2	21,0	21,8	20,1	24,0	25,8	17,2	22,0	20,1	24,2	24,5	24,9	18,5	20,4
13,0	19,8	19,6	19,1	17,4	21,2	23,0	16,2	19,4	17,5	21,5	21,8	23,0	17,5	18,0
14,0	18,5	18,2	16,8	15,1	18,9	20,5	15,4	17,2	15,4	19,3	19,6	20,9	16,4	15,8
15,0	17,5	17,2	14,8	13,2	16,8	18,2	14,6	15,3	13,5	17,3	17,6	18,9	15,6	14,0
16,0	16,6	16,3	13,1	11,5	14,9	16,3	13,8	13,6	11,9	15,7	16,0	17,1	15,0	12,5
18,0	14,0	13,5	10,3	8,8	11,9	13,2	12,3	10,9	9,2	12,8	13,0	14,0	13,6	9,9
20,0	11,7	11,1	7,9	6,5	9,6	10,9	11,2	8,8	7,1	10,5	10,7	11,6	12,2	7,8
22,0	9,9	9,4	6,0	4,7	7,7	9,0	10,0	6,9	5,5	8,6	8,8	9,8	10,3	6,2
24,0	8,4	7,9	4,6	3,2	6,2	7,5	8,6	5,4	4,0	7,0	7,3	8,3	8,8	4,8
26,0			3,4	2,0	4,9	6,3	7,3	4,2	2,8	5,8	6,0	7,0	7,6	3,6
28,0			2,4		4,0	5,3	6,3	3,2	1,6	4,7	4,9	5,9	6,5	2,6
30,0								2,3		3,9	4,1	5,1	5,6	1,6
32,0								1,6		3,2	3,3	4,3	4,9	
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	46,5	25,5	22,8											
8,0	39,0	23,9	21,2	36,1	32,7	31,3	24,3	21,0						
9,0	33,3	22,6	19,8	30,9	31,0	29,4	23,0	19,8	29,2	28,3	25,0	23,1	19,5	18,6
10,0	28,8	21,4	18,7	26,8	28,5	27,4	21,8	18,7	25,4	26,4	23,7	22,0	18,6	17,7
11,0	25,2	20,2	17,5	23,4	25,2	24,6	20,9	17,7	22,2	23,2	22,4	21,0	17,7	16,9
12,0	22,2	19,1	16,4	20,6	22,4	21,8	19,9	16,8	19,6	20,5	21,1	20,2	16,9	16,1
13,0	19,8	18,2	15,5	18,3	20,0	19,4	18,9	15,9	17,3	18,3	19,1	19,3	16,1	15,4
14,0	17,6	17,4	14,7	16,2	17,9	17,4	18,0	15,0	15,4	16,3	17,1	17,9	15,4	14,7
15,0	15,8	16,6	13,9	14,6	16,2	15,7	17,2	14,4	13,7	14,7	15,4	16,2	14,7	14,0
16,0	14,2	15,8	13,2	13,0	14,7	14,1	16,0	13,8	12,3	13,2	14,0	14,7	14,1	13,4
18,0	11,6	14,3	11,9	10,5	12,1	11,6	13,4	12,6	9,9	10,8	11,5	12,3	12,9	12,3
20,0	9,5	12,0	10,9	8,5	10,1	9,5	11,4	11,5	8,0	8,8	9,6	10,3	11,2	11,2
22,0	7,8	10,1	9,8	6,9	8,4	7,9	9,7	10,2	6,4	7,2	8,0	8,7	9,5	9,6
24,0	6,3	8,6	8,7	5,5	7,1	6,5	8,2	8,7	5,1	5,9	6,6	7,3	8,2	8,3
26,0	5,1	7,4	7,5	4,4	5,8	5,4	6,9	7,4	4,0	4,8	5,5	6,2	7,0	7,1
28,0	4,0	6,3	6,4	3,4	4,8	4,3	5,8	6,3	3,0	3,9	4,6	5,2	6,0	6,1
30,0	3,1	5,4	5,5	2,5	3,9	3,4	4,9	5,4	2,2	3,0	3,7	4,3	5,1	5,2
32,0	2,4	4,6	4,7	1,7	3,1	2,6	4,1	4,6		2,3	2,9	3,5	4,3	4,4
34,0	1,8	3,9	4,0		2,4	2,0	3,5	4,0		1,6	2,2	2,8	3,6	3,7
36,0		3,4	3,5		1,9		2,9	3,4			1,6	2,2	3,0	3,1
38,0							2,4	2,9				1,7	2,5	2,6
40,0							1,9	2,4					2,0	2,1
42,0							1,6	2,0					1,6	1,7
44,0														
46,0														
48,0														
50,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,5	22,7	19,5	18,5	17,3									
11,0	21,5	21,7	18,7	17,7	16,6	19,6	17,8	15,8						
12,0	19,0	20,0	17,9	16,9	15,9	18,5	17,2	15,2	16,0	14,6				
13,0	16,9	17,9	17,1	16,2	15,2	16,5	16,6	14,7	15,5	14,2	13,2	12,1		
14,0	15,1	16,0	16,5	15,6	14,7	14,7	15,7	14,1	14,2	13,7	12,9	11,8	11,0	
15,0	13,5	14,4	15,4	15,0	14,1	13,2	14,1	13,7	12,8	13,3	12,4	11,5	10,8	10,6
16,0	12,1	13,0	14,0	14,3	13,6	11,8	12,8	13,2	11,5	12,5	11,3	11,2	10,5	10,4
18,0	9,8	10,7	11,6	12,0	12,2	9,6	10,6	11,5	9,4	10,4	9,3	10,0	8,9	8,7
20,0	7,9	8,8	9,7	10,1	10,6	7,9	8,8	9,7	7,7	8,7	7,7	8,4	7,4	7,2
22,0	6,3	7,2	8,1	8,5	9,0	6,4	7,3	8,2	6,4	7,3	6,4	7,1	6,1	6,0
24,0	5,1	5,9	6,8	7,2	7,7	5,2	6,1	6,9	5,2	6,2	5,3	5,9	5,1	4,9
26,0	4,0	4,9	5,7	6,1	6,6	4,1	5,0	5,9	4,2	5,2	4,3	5,0	4,2	4,0
28,0	3,0	3,9	4,8	5,2	5,7	3,3	4,2	5,0	3,4	4,3	3,5	4,1	3,4	3,2
30,0	2,2	3,1	4,0	4,4	4,9	2,5	3,4	4,2	2,6	3,6	2,8	3,4	2,7	2,6
32,0		2,4	3,3	3,7	4,1	1,7	2,7	3,5	2,0	2,9	2,2	2,8	2,1	2,0
34,0		1,7	2,7	3,0	3,5		2,1	2,9		2,4	1,5	2,2		
36,0			2,1	2,4	2,9		1,5	2,4		1,8		1,8		
38,0				1,9	2,4			1,9						
40,0					1,9									
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	52,4	46,5	47,1	39,4	42,7	35,4	15,4	52,4	48,3	49,3	42,8	44,8	37,5	40,7
9,0	40,9	41,4	41,4	38,0	38,5	33,9	14,6	40,9	42,3	42,3	40,0	40,2	36,1	37,4
10,0	33,2	33,6	33,6	32,5	32,5	29,7	13,9	33,2	34,5	34,5	34,2	34,2	31,8	31,8
11,0		27,9	27,9	27,7	27,7	25,4	13,2		28,7	28,7	29,1	29,1	27,4	27,4
12,0		23,6	23,6	23,5	23,5	21,8	12,6		24,3	24,3	24,7	24,7	23,8	23,8
13,0		20,2	20,2	20,1	20,1	19,0	12,0		20,9	20,9	21,3	21,3	20,9	20,9
14,0		17,5	17,5	17,3	17,3	16,6	11,5		18,2	18,2	18,5	18,5	18,2	18,2
15,0		15,3	15,3	15,1	15,1	14,4	11,0		16,0	16,0	16,2	16,2	15,9	15,9
16,0				13,2	13,2	12,6	10,6				14,3	14,3	14,0	14,0
18,0				10,2	10,2	9,5	8,6				11,4	11,4	11,0	11,0
20,0						7,1	6,5						8,6	8,6
22,0						5,3	4,7						6,8	6,8
24,0						3,9	3,2						5,4	5,4
26,0							2,0							
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	52,4	51,1	52,5	44,7	46,8	40,6	43,1	36,5	38,8	33,8	14,7	52,4
9,0	33,3	14,1	40,9	43,1	43,1	41,6	41,8	38,1	39,5	35,6	36,6	32,8	13,8	40,9
10,0	29,2	13,3	33,2	35,2	35,2	35,7	35,7	33,8	33,8	31,5	31,5	28,9	13,0	33,2
11,0	25,2	12,6		29,4	29,4	30,2	30,2	29,3	29,3	27,4	27,4	25,1	12,3	
12,0	21,8	12,0		25,0	25,0	25,9	25,9	25,7	25,7	24,0	24,0	22,0	11,7	
13,0	19,1	11,4		21,5	21,5	22,4	22,4	22,4	22,4	21,2	21,2	19,4	11,1	
14,0	16,8	10,8		18,8	18,8	19,5	19,5	19,6	19,6	18,9	18,9	17,2	10,3	
15,0	14,8	9,6		16,5	16,5	17,2	17,2	17,3	17,3	16,8	16,8	15,3	8,9	
16,0	13,1	8,7				15,3	15,3	15,3	15,3	14,9	14,9	13,6	8,4	
18,0	10,3	8,0				12,3	12,3	12,3	12,3	11,9	11,9	10,9	7,7	
20,0	7,9	7,1						10,0	10,0	9,6	9,6	8,8	7,1	
22,0	6,0	5,5						8,1	8,1	7,7	7,7	6,9	6,2	
24,0	4,6	4,0						6,7	6,7	6,2	6,2	5,4	4,8	
26,0	3,4	2,8								4,9	4,9	4,2	3,6	
28,0	2,4	1,6								4,0	4,0	3,2	2,6	
30,0												2,3	1,6	
32,0												1,6		
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7

%														
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T --	12.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,0	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	40,6	41,2	37,6	38,6	35,2	36,0	32,5	13,8	13,3	17,5
10,0	34,9	34,9	36,7	36,7	35,4	35,4	33,5	33,5	31,3	31,3	28,8	13,0	12,5	16,7
11,0	29,9	29,9	31,1	31,1	30,8	30,8	29,3	29,3	27,3	27,3	25,2	12,3	11,8	16,0
12,0	25,5	25,5	26,7	26,7	27,1	27,1	25,8	25,8	24,2	24,2	22,2	11,6	11,1	15,4
13,0	22,0	22,0	23,2	23,2	23,6	23,6	23,0	23,0	21,5	21,5	19,8	11,0	9,5	14,8
14,0	19,3	19,3	20,3	20,3	20,7	20,7	20,5	20,5	19,3	19,3	17,6	9,3	8,8	14,2
15,0	17,0	17,0	18,0	18,0	18,4	18,4	18,2	18,2	17,3	17,3	15,8	8,8	8,3	13,7
16,0			16,1	16,1	16,4	16,4	16,3	16,3	15,7	15,7	14,2	8,4	7,9	13,2
18,0			13,0	13,0	13,3	13,3	13,2	13,2	12,8	12,8	11,6	7,7	7,2	12,4
20,0					11,0	11,0	10,9	10,9	10,5	10,5	9,5	7,0	6,5	10,7
22,0					9,2	9,2	9,0	9,0	8,6	8,6	7,8	6,5	5,9	8,8
24,0					7,8	7,8	7,5	7,5	7,0	7,0	6,3	5,5	5,1	7,3
26,0							6,3	6,3	5,8	5,8	5,1	4,4	4,0	6,0
28,0							5,3	5,3	4,7	4,7	4,0	3,4	3,0	4,9
30,0									3,9	3,9	3,1	2,5	2,2	4,1
32,0									3,2	3,2	2,4	1,7		3,3
34,0											1,8			
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,4	26,4	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	24,6	23,2	11,4	13,3	22,4	21,7	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	21,8	20,5	10,4	12,6	21,1	20,0	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	19,4	18,3	9,0	12,0	19,1	17,9	8,9	19,1	11,9	17,1	16,6	8,9	18,8
14,0	11,7	17,4	16,3	8,5	11,4	17,1	16,0	8,4	18,2	11,3	16,5	15,7	8,4	17,7
15,0	11,1	15,7	14,7	8,0	10,8	15,4	14,4	8,0	17,2	10,7	15,4	14,1	7,9	16,7
16,0	10,2	14,1	13,2	7,6	10,0	14,0	13,0	7,5	16,3	9,4	14,0	12,8	7,5	15,9
18,0	8,7	11,6	10,8	6,8	8,4	11,5	10,7	6,8	13,5	8,4	11,6	10,6	6,7	13,1
20,0	8,0	9,5	8,8	6,1	7,7	9,6	8,8	6,1	11,1	7,7	9,7	8,8	6,0	
22,0	7,4	7,9	7,2	5,5	7,1	8,0	7,2	5,5	9,4	7,1	8,1	7,3	5,4	
24,0	6,5	6,5	5,9	4,9	6,5	6,6	5,9	4,9	7,9	6,5	6,8	6,1	4,9	
26,0	5,4	5,4	4,8	4,0	5,5	5,5	4,9	4,1		5,7	5,7	5,0	4,2	
28,0	4,3	4,3	3,9	3,0	4,6	4,6	3,9	3,3		4,8	4,8	4,2	3,4	
30,0	3,4	3,4	3,0	2,2	3,7	3,7	3,1	2,5		4,0	4,0	3,4	2,6	
32,0	2,6	2,6	2,3		2,9	2,9	2,4	1,7		3,3	3,3	2,7	2,0	
34,0	2,0	2,0	1,6		2,2	2,2	1,7			2,7	2,7	2,1		
36,0					1,6	1,6				2,1	2,1	1,5		
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	28,5	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	25,2	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	22,4	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,0	20,0	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	20,9	17,9	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	17,9	14,7
15,0	16,7	17,5	18,9	16,2	14,6	14,6	15,6	15,6	16,6	16,6	17,2	17,2	16,2	13,9
16,0	15,9	16,6	17,1	14,7	13,8	13,8	15,0	15,0	15,8	15,8	16,0	16,0	14,7	13,2
18,0	13,1	14,0	14,0	12,1	12,3	12,3	13,6	13,6	14,3	14,3	13,4	13,4	12,3	11,9
20,0		11,7	11,6	10,1	11,2	11,2	12,2	12,2	12,0	12,0	11,4	11,4	10,3	10,9
22,0		9,9	9,8	8,4	10,0	10,0	10,3	10,3	10,1	10,1	9,7	9,7	8,7	9,8
24,0		8,4	8,3	7,1	8,6	8,6	8,8	8,8	8,6	8,6	8,2	8,2	7,3	8,7
26,0			7,0	5,8	7,3	7,3	7,6	7,6	7,4	7,4	6,9	6,9	6,2	7,5
28,0			5,9	4,8	6,3	6,3	6,5	6,5	6,3	6,3	5,8	5,8	5,2	6,4
30,0			5,1	3,9			5,6	5,6	5,4	5,4	4,9	4,9	4,3	5,5
32,0			4,3	3,1			4,9	4,9	4,6	4,6	4,1	4,1	3,5	4,7
34,0				2,4					3,9	3,9	3,5	3,5	2,8	4,0
36,0				1,9					3,4	3,4	2,9	2,9	2,2	3,5
38,0											2,4	2,4	1,7	
40,0											1,9	1,9		
42,0											1,6	1,6		
44,0														
46,0														
48,0														
50,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3

%	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T --	12.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,3	11,9	13,4	13,6	9,1	13,2	12,5	7,5	11,5
18,0	11,9	12,6	12,6	12,9	12,9	12,0	11,0	12,3	12,2	8,3	11,5	10,4	6,8	10,7
20,0	10,9	11,5	11,5	11,2	11,2	10,1	9,4	11,2	10,6	7,6	9,7	8,7	6,1	9,2
22,0	9,8	10,2	10,2	9,5	9,5	8,5	8,6	9,6	9,0	7,0	8,2	7,3	5,5	7,8
24,0	8,7	8,7	8,7	8,2	8,2	7,2	8,0	8,3	7,7	6,5	6,9	6,2	4,9	6,6
26,0	7,5	7,4	7,4	7,0	7,0	6,1	7,1	7,1	6,6	5,9	5,9	5,2	4,3	5,6
28,0	6,4	6,3	6,3	6,0	6,0	5,2	6,1	6,1	5,7	5,0	5,0	4,3	3,5	4,8
30,0	5,5	5,4	5,4	5,1	5,1	4,4	5,2	5,2	4,9	4,2	4,2	3,6	2,8	4,0
32,0	4,7	4,6	4,6	4,3	4,3	3,7	4,4	4,4	4,1	3,5	3,5	2,9	2,2	3,4
34,0	4,0	4,0	4,0	3,6	3,6	3,0	3,7	3,7	3,5	2,9	2,9	2,4	1,5	2,8
36,0	3,5	3,4	3,4	3,0	3,0	2,4	3,1	3,1	2,9	2,4	2,4	1,8		2,3
38,0		2,9	2,9	2,5	2,5	1,9	2,6	2,6	2,4	1,9	1,9			1,8
40,0		2,4	2,4	2,0	2,0		2,1	2,1	1,9					
42,0		2,0	2,0	1,6	1,6		1,7	1,7						
44,0														
46,0														
48,0														
50,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0027< T210.00056

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,0	6,7	4,0											
20,0	8,4	6,0	3,3											
22,0	7,1	5,4	2,8											
24,0	5,9	4,8	2,3											
26,0	5,0	4,2	1,8											
28,0	4,1	3,4												
30,0	3,4	2,7												
32,0	2,8	2,1												
34,0	2,2													
36,0	1,8													
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	12.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0015< T210.00035

m	13,2	17,7	17,7	22,2	22,2	22,2	26,8	26,8	26,8	26,8	31,3	31,3	31,3	35,8
6,0	24,3													
7,0	19,3													
8,0	15,4	16,0	16,5											
9,0	12,3	13,2	13,8	13,2	14,1	14,2	12,4							
10,0	9,8	11,1	11,6	11,1	12,0	12,1	10,5				9,4			
11,0		9,3	9,8	9,4	10,3	10,4	8,8	10,1	10,9	10,3	7,9	9,4		6,6
12,0		7,7	8,2	8,0	8,8	9,0	7,5	8,7	9,5	8,9	6,6	8,1	9,4	5,3
13,0		6,3	6,8	6,8	7,6	7,8	6,3	7,5	8,4	7,8	5,5	7,0	8,2	4,3
14,0		5,2	5,6	5,8	6,6	6,7	5,3	6,5	7,4	6,7	4,5	6,0	7,3	3,1
15,0		4,2	4,7	4,9	5,6	5,7	4,5	5,6	6,5	5,9	3,6	5,1	6,4	2,1
16,0				4,0	4,8	4,9	3,7	4,9	5,7	5,1	2,6	4,4	5,6	
18,0				2,5	3,4	3,5	2,0	3,6	4,4	3,8		3,1	4,4	
20,0								2,4	3,3	2,6		1,7	3,4	
22,0									2,3	1,5			2,4	
24,0									1,6					
26,0														
28,0														
30,0														
*** n ***	3	2	2	2	2	2	2	2	2	2	1	1	2	1

%														
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	46 +
3	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	46 +
4	0 +	0 +	0 +	46 +	0 +	0 +	46 +	46 +	0 +	0 +	46 +	46 +	0 +	46 +
5	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +
6	0 +	0 +	46 +	0 +	46 +	92 +	0 +	46 +	92 +	46 +	0 +	46 +	92 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T --	22.0 t	8.89 x 2.70 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0015< T210.00035

m	35,8	35,8	35,8	40,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8
6,0					24,3									
7,0					19,3									
8,0					15,4		16,0							
9,0					12,3	13,2	13,2		13,2		12,4			
10,0					9,8	11,1	11,1	11,1	11,1		10,5		9,4	
11,0						9,3	9,3	9,4	9,4	8,8	8,8	7,9	7,9	
12,0	7,2					7,7	7,7	8,0	8,0	7,5	7,5	6,6	6,6	5,3
13,0	6,1	7,6	8,2			6,3	6,3	6,8	6,8	6,3	6,3	5,5	5,5	4,3
14,0	5,2	6,6	7,3	6,8		5,2	5,2	5,8	5,8	5,3	5,3	4,5	4,5	3,1
15,0	4,4	5,8	6,5	6,0		4,2	4,2	4,9	4,9	4,5	4,5	3,6	3,6	2,1
16,0	3,6	5,1	5,7	5,3				4,0	4,0	3,7	3,7	2,6	2,6	
18,0	2,1	3,8	4,5	4,1				2,5	2,5	2,0	2,0			
20,0		2,8	3,5	3,2										
22,0		1,7	2,6	2,2										
24,0			1,7											
26,0														
28,0														
30,0														
*** n ***	1	1	1	1	3	2	2	2	2	2	2	1	1	1
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
% 2	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
% 3	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
% 4	46 +	46 +	46 +	92 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 +	92 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	12,8	12,8	12,8	11,1	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8

	T	--	22.0 t	8.89 x 2.70 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0015< T210.00035

m	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	26,8	22,2	22,2	26,8
6,0	24,3													
7,0	19,3													
8,0	15,4		16,5											
9,0	12,3	13,8	13,8		14,1								14,2	
10,0	9,8	11,6	11,6	12,0	12,0								12,1	
11,0		9,8	9,8	10,3	10,3		10,1		9,4			10,4	10,4	
12,0		8,2	8,2	8,8	8,8	8,7	8,7		8,1		8,9	9,0	9,0	9,5
13,0		6,8	6,8	7,6	7,6	7,5	7,5	7,0	7,0	6,1	7,8	7,8	7,8	8,4
14,0		5,6	5,6	6,6	6,6	6,5	6,5	6,0	6,0	5,2	6,7	6,7	6,7	7,4
15,0		4,7	4,7	5,6	5,6	5,6	5,6	5,1	5,1	4,4	5,9	5,7	5,7	6,5
16,0				4,8	4,8	4,9	4,9	4,4	4,4	3,6	5,1	4,9	4,9	5,7
18,0				3,4	3,4	3,6	3,6	3,1	3,1	2,1	3,8	3,5	3,5	4,4
20,0						2,4	2,4	1,7	1,7		2,6			3,3
22,0											1,5			2,3
24,0														1,6
26,0														
28,0														
30,0														
*** n ***	3	2	2	2	2	2	2	1	1	1	1	2	2	2
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +
3	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 +	0 +
4	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	0 +	0 -	46 -
% 6	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	14,3	14,3	12,8

	T	--	22.0 t	8.89 x 2.70 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0015< T210.00035

m	35,8	31,3	31,3	35,8	40,3									
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			9,4											
13,0			8,2											
14,0		7,3	7,3	7,3										
15,0	5,8	6,4	6,4	6,5										
16,0	5,1	5,6	5,6	5,7	5,3									
18,0	3,8	4,4	4,4	4,5	4,1									
20,0	2,8	3,4	3,4	3,5	3,2									
22,0	1,7	2,4	2,4	2,6	2,2									
24,0				1,7										
26,0														
28,0														
30,0														
*** n ***	1	1	2	1	1									
1	0 +	0 +	0 +	0 +	0 +									
2	0 +	0 +	0 +	0 +	0 +									
3	46 -	0 +	0 +	0 +	0 +									
4	46 -	0 +	0 -	46 -	92 -									
5	46 +	92 -	92 +	92 +	92 +									
% 6	92 +	92 +	92 +	92 +	92 +									
m/s	12,8	12,8	12,8	12,8	11,1									

	T	--	22.0 t	8.89 x 2.70 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0040< T210.00075

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	84,8	54,7	55,8	56,8	57,6	38,8	40,5	42,1	43,2	43,4				
3,5	76,5	50,4	51,6	52,5	53,3	36,3	37,9	39,5	40,6	40,8			30,6	
4,0	69,4	46,7	47,9	48,8	49,5	34,0	35,6	37,1	38,2	38,4	25,2	27,1	29,0	30,5
4,5	63,5	43,5	44,6	45,5	46,2	31,9	33,5	35,0	36,1	36,3	23,7	25,7	27,5	29,0
5,0	58,6	40,7	41,8	42,6	43,4	30,1	31,7	33,1	34,2	34,4	22,4	24,4	26,2	27,7
6,0	50,7	35,8	36,9	37,7	38,4	26,8	28,4	29,8	30,8	31,0	20,1	22,0	23,8	25,2
7,0	44,8	32,0	33,0	33,8	34,5	24,1	25,6	27,0	28,0	28,2	18,1	20,0	21,7	23,1
8,0	40,4	28,8	29,8	30,6	31,2	21,8	23,3	24,7	25,7	25,9	16,4	18,2	20,0	21,3
9,0	37,2	26,2	27,1	27,9	28,6	19,8	21,3	22,6	23,7	23,8	14,9	16,7	18,4	19,8
10,0	35,3	24,0	24,9	25,7	26,4	18,2	19,6	20,9	21,9	22,1	13,5	15,3	17,0	18,4
11,0		22,2	23,1	23,9	24,5	16,7	18,1	19,4	20,4	20,5	12,4	14,1	15,8	17,1
12,0		20,7	21,6	22,4	23,0	15,4	16,8	18,1	19,0	19,2	11,3	13,0	14,7	16,0
13,0		19,6	20,5	21,2	21,8	14,3	15,7	16,9	17,9	18,0	10,4	12,1	13,8	15,1
14,0		18,8	19,7	20,5	21,1	13,3	14,7	15,9	16,9	17,0	9,5	11,3	12,9	14,2
15,0		18,7	19,6	20,3	20,9	12,5	13,9	15,1	16,0	16,2	8,8	10,5	12,1	13,4
16,0						11,8	13,1	14,4	15,3	15,4	8,1	9,8	11,4	12,7
18,0						10,9	12,2	13,4	14,3	14,4	7,0	8,7	10,3	11,5
20,0											6,2	7,8	9,4	10,6
22,0											5,6	7,3	8,8	10,0
24,0											5,6	7,2	8,7	10,0
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
*** n ***	9	6	6	6	6	4	5	5	5	5	3	3	3	4
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	22.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0040< T210.00075

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	31,5	30,8												
4,5	30,0	29,3												
5,0	28,6	27,9	18,7	17,1	20,7	22,5	24,0							
6,0	26,2	25,5	16,9	15,3	18,9	20,6	22,1	14,8	13,1	16,8	17,1	18,4	19,1	
7,0	24,1	23,4	15,3	13,8	17,3	19,0	20,5	13,5	11,8	15,5	15,8	17,1	17,8	10,6
8,0	22,3	21,6	14,0	12,4	15,9	17,6	19,0	12,4	10,7	14,4	14,7	15,9	16,7	9,7
9,0	20,7	20,0	12,7	11,2	14,7	16,4	17,8	11,4	9,7	13,4	13,6	14,9	15,6	8,9
10,0	19,3	18,6	11,7	10,2	13,6	15,2	16,6	10,5	8,8	12,4	12,7	13,9	14,7	8,1
11,0	18,1	17,4	10,7	9,2	12,6	14,2	15,6	9,6	8,0	11,6	11,9	13,1	13,8	7,4
12,0	16,9	16,3	9,8	8,3	11,7	13,3	14,7	8,9	7,3	10,8	11,1	12,3	13,1	6,8
13,0	16,0	15,3	9,0	7,5	10,9	12,5	13,9	8,2	6,6	10,1	10,4	11,6	12,3	6,2
14,0	15,1	14,4	8,3	6,8	10,2	11,7	13,1	7,6	6,0	9,5	9,8	11,0	11,7	5,7
15,0	14,3	13,6	7,6	6,2	9,5	11,1	12,4	7,0	5,4	8,9	9,2	10,4	11,1	5,2
16,0	13,6	12,9	7,0	5,6	8,9	10,4	11,8	6,5	4,9	8,4	8,6	9,8	10,5	4,7
18,0	12,4	11,7	6,0	4,5	7,8	9,4	10,7	5,6	4,0	7,4	7,7	8,9	9,6	3,9
20,0	11,5	10,8	5,2	3,7	7,0	8,5	9,8	4,8	3,2	6,6	6,9	8,0	8,7	3,1
22,0	10,9	10,2	4,5	3,0	6,2	7,8	9,0	4,1	2,4	5,9	6,2	7,3	8,0	2,4
24,0	10,8	10,1	3,9	2,4	5,7	7,2	8,4	3,5	1,7	5,3	5,6	6,7	7,4	1,7
26,0			3,6	2,0	5,3	6,8	8,0	3,1		4,9	5,1	6,2	6,9	
28,0			3,5	2,0	5,3	6,8	7,9	2,7		4,5	4,7	5,8	6,5	
30,0								2,5		4,2	4,4	5,6	6,2	
32,0								2,4		4,2	4,4	5,5	6,1	
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
*** n ***	4	4	2	2	3	3	3	2	2	2	2	2	2	2
% 1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
% 2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
% 3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
% 4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	22.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0040< T210.00075

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	13,2	17,7	17,7
3,0												52,1	47,1	47,2
3,5												52,9	46,9	47,2
4,0												53,6	46,4	46,6
4,5												54,2	43,5	43,5
5,0												54,9	40,7	40,7
6,0												50,7	35,8	35,8
7,0	12,3	15,1	15,3									44,8	32,0	32,0
8,0	11,3	14,2	14,3	9,0	10,5	10,0	11,8	12,4				40,4	28,8	28,8
9,0	10,5	13,3	13,4	8,2	9,8	9,3	11,1	11,7	8,9	9,9	10,0	37,2	26,2	26,2
10,0	9,7	12,5	12,6	7,6	9,1	8,6	10,4	11,0	8,3	9,3	9,4	35,3	24,0	24,0
11,0	9,0	11,8	11,9	7,0	8,5	8,0	9,8	10,4	7,8	8,8	8,9		22,2	22,2
12,0	8,4	11,1	11,3	6,4	8,0	7,4	9,2	9,8	7,3	8,3	8,4		20,7	20,7
13,0	7,8	10,5	10,7	5,9	7,4	6,9	8,7	9,3	6,9	7,8	7,9		19,6	19,6
14,0	7,3	10,0	10,1	5,5	7,0	6,4	8,2	8,8	6,4	7,4	7,5		18,8	18,8
15,0	6,7	9,4	9,6	5,0	6,5	6,0	7,8	8,3	6,0	7,0	7,1		18,7	18,7
16,0	6,3	9,0	9,1	4,6	6,1	5,6	7,3	7,9	5,7	6,6	6,7			
18,0	5,4	8,1	8,2	3,8	5,3	4,8	6,6	7,1	5,0	5,9	6,0			
20,0	4,7	7,3	7,4	3,2	4,7	4,2	5,9	6,5	4,4	5,3	5,4			
22,0	4,1	6,7	6,8	2,5	4,1	3,6	5,3	5,9	3,8	4,8	4,9			
24,0	3,5	6,1	6,2	1,9	3,6	3,1	4,8	5,3	3,4	4,3	4,4			
26,0	3,1	5,6	5,7		3,1	2,6	4,3	4,9	2,9	3,8	4,0			
28,0	2,7	5,2	5,3		2,7	2,2	3,9	4,5	2,6	3,5	3,6			
30,0	2,3	4,8	4,9		2,4	1,7	3,6	4,1	2,2	3,1	3,2			
32,0	2,1	4,5	4,6		2,1		3,2	3,8	1,9	2,8	2,9			
34,0	1,9	4,3	4,4		1,8		3,0	3,5	1,5	2,5	2,6			
36,0	1,8	4,3	4,4		1,5		2,8	3,3		2,3	2,4			
38,0							2,6	3,2		2,1	2,2			
40,0							2,6	3,1		1,9	2,0			
42,0							2,6	3,1		1,8	1,9			
44,0										1,7	1,8			
46,0										1,7	1,8			
*** n ***	2	2	2	1	2	1	2	2	1	1	1	6	5	5
% 1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	0 +
% 2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	0 +	0 +	0 +	0 -
% 3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	0 -	46 -	46 +
% 4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	92 +	92 +	0 +	0 +	0 +
% 5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	0 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	14,3	14,3

	T	--	22.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0040< T210.00075

m	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	35,8	13,2
3,0	38,8	38,8			53,8	49,0	49,3	40,5	40,5					55,3
3,5	36,3	36,3			54,6	48,7	49,3	37,9	37,9					56,1
4,0	34,0	34,0	25,2		55,4	47,9	47,9	35,6	35,6	27,1	27,1			56,9
4,5	31,9	31,9	23,7		56,0	44,6	44,6	33,5	33,5	25,7	25,7			57,5
5,0	30,1	30,1	22,4	17,1	56,5	41,8	41,8	31,7	31,7	24,4	24,4	18,7		57,5
6,0	26,8	26,8	20,1	15,3	50,7	36,9	36,9	28,4	28,4	22,0	22,0	16,9	13,1	50,7
7,0	24,1	24,1	18,1	13,8	44,8	33,0	33,0	25,6	25,6	20,0	20,0	15,3	11,8	44,8
8,0	21,8	21,8	16,4	12,4	40,4	29,8	29,8	23,3	23,3	18,2	18,2	14,0	10,7	40,4
9,0	19,8	19,8	14,9	11,2	37,2	27,1	27,1	21,3	21,3	16,7	16,7	12,7	9,7	37,2
10,0	18,2	18,2	13,5	10,2	35,3	24,9	24,9	19,6	19,6	15,3	15,3	11,7	8,8	35,3
11,0	16,7	16,7	12,4	9,2		23,1	23,1	18,1	18,1	14,1	14,1	10,7	8,0	
12,0	15,4	15,4	11,3	8,3		21,6	21,6	16,8	16,8	13,0	13,0	9,8	7,3	
13,0	14,3	14,3	10,4	7,5		20,5	20,5	15,7	15,7	12,1	12,1	9,0	6,6	
14,0	13,3	13,3	9,5	6,8		19,7	19,7	14,7	14,7	11,3	11,3	8,3	6,0	
15,0	12,5	12,5	8,8	6,2		19,6	19,6	13,9	13,9	10,5	10,5	7,6	5,4	
16,0	11,8	11,8	8,1	5,6				13,1	13,1	9,8	9,8	7,0	4,9	
18,0	10,9	10,9	7,0	4,5				12,2	12,2	8,7	8,7	6,0	4,0	
20,0			6,2	3,7						7,8	7,8	5,2	3,2	
22,0			5,6	3,0						7,3	7,3	4,5	2,4	
24,0			5,6	2,4						7,2	7,2	3,9	1,7	
26,0				2,0								3,6		
28,0				2,0								3,5		
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
*** n ***	4	4	3	2	6	5	5	5	5	3	3	2	2	6
% 1	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
% 2	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
% 3	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
% 4	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3

	T	--	22.0 t	8.89 x 2.70 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0040< T210.00075

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2	17,7	17,7	22,2
3,0	51,8	52,6	42,1	42,1							56,5	53,1	54,1	43,2
3,5	51,6	52,0	39,5	39,5	30,6	30,6					57,3	52,6	53,1	40,6
4,0	48,8	48,8	37,1	37,1	29,0	29,0					58,2	49,5	49,5	38,2
4,5	45,5	45,5	35,0	35,0	27,5	27,5					58,9	46,2	46,2	36,1
5,0	42,6	42,6	33,1	33,1	26,2	26,2	20,7	20,7			58,6	43,4	43,4	34,2
6,0	37,7	37,7	29,8	29,8	23,8	23,8	18,9	18,9	14,8		50,7	38,4	38,4	30,8
7,0	33,8	33,8	27,0	27,0	21,7	21,7	17,3	17,3	13,5	10,6	44,8	34,5	34,5	28,0
8,0	30,6	30,6	24,7	24,7	20,0	20,0	15,9	15,9	12,4	9,7	40,4	31,2	31,2	25,7
9,0	27,9	27,9	22,6	22,6	18,4	18,4	14,7	14,7	11,4	8,9	37,2	28,6	28,6	23,7
10,0	25,7	25,7	20,9	20,9	17,0	17,0	13,6	13,6	10,5	8,1	35,3	26,4	26,4	21,9
11,0	23,9	23,9	19,4	19,4	15,8	15,8	12,6	12,6	9,6	7,4		24,5	24,5	20,4
12,0	22,4	22,4	18,1	18,1	14,7	14,7	11,7	11,7	8,9	6,8		23,0	23,0	19,0
13,0	21,2	21,2	16,9	16,9	13,8	13,8	10,9	10,9	8,2	6,2		21,8	21,8	17,9
14,0	20,5	20,5	15,9	15,9	12,9	12,9	10,2	10,2	7,6	5,7		21,1	21,1	16,9
15,0	20,3	20,3	15,1	15,1	12,1	12,1	9,5	9,5	7,0	5,2		20,9	20,9	16,0
16,0			14,4	14,4	11,4	11,4	8,9	8,9	6,5	4,7				15,3
18,0			13,4	13,4	10,3	10,3	7,8	7,8	5,6	3,9				14,3
20,0					9,4	9,4	7,0	7,0	4,8	3,1				
22,0					8,8	8,8	6,2	6,2	4,1	2,4				
24,0					8,7	8,7	5,7	5,7	3,5	1,7				
26,0							5,3	5,3	3,1					
28,0							5,3	5,3	2,7					
30,0									2,5					
32,0									2,4					
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
*** n ***	6	6	5	5	3	3	3	3	2	2	6	6	6	5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +
3	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
4	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
5	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3	14,3	14,3	14,3

	T	--	22.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0040< T210.00075

m	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	35,8	44,8	26,8	22,2	22,2
3,0	43,2												33,1	43,4
3,5	40,6												32,5	40,8
4,0	38,2	30,5	30,5									28,2	31,8	38,4
4,5	36,1	29,0	29,0									27,6	31,2	36,3
5,0	34,2	27,7	27,7	22,5	22,5							26,9	29,4	34,4
6,0	30,8	25,2	25,2	20,6	20,6	16,8	16,8			17,1		25,5	28,4	31,0
7,0	28,0	23,1	23,1	19,0	19,0	15,5	15,5	12,3		15,8		23,4	27,5	28,2
8,0	25,7	21,3	21,3	17,6	17,6	14,4	14,4	11,3	9,0	14,7	10,0	21,6	25,9	25,9
9,0	23,7	19,8	19,8	16,4	16,4	13,4	13,4	10,5	8,2	13,6	9,3	20,0	23,8	23,8
10,0	21,9	18,4	18,4	15,2	15,2	12,4	12,4	9,7	7,6	12,7	8,6	18,6	22,1	22,1
11,0	20,4	17,1	17,1	14,2	14,2	11,6	11,6	9,0	7,0	11,9	8,0	17,4	20,5	20,5
12,0	19,0	16,0	16,0	13,3	13,3	10,8	10,8	8,4	6,4	11,1	7,4	16,3	19,2	19,2
13,0	17,9	15,1	15,1	12,5	12,5	10,1	10,1	7,8	5,9	10,4	6,9	15,3	18,0	18,0
14,0	16,9	14,2	14,2	11,7	11,7	9,5	9,5	7,3	5,5	9,8	6,4	14,4	17,0	17,0
15,0	16,0	13,4	13,4	11,1	11,1	8,9	8,9	6,7	5,0	9,2	6,0	13,6	16,2	16,2
16,0	15,3	12,7	12,7	10,4	10,4	8,4	8,4	6,3	4,6	8,6	5,6	12,9	15,4	15,4
18,0	14,3	11,5	11,5	9,4	9,4	7,4	7,4	5,4	3,8	7,7	4,8	11,7	14,4	14,4
20,0		10,6	10,6	8,5	8,5	6,6	6,6	4,7	3,2	6,9	4,2	10,8		
22,0		10,0	10,0	7,8	7,8	5,9	5,9	4,1	2,5	6,2	3,6	10,2		
24,0		10,0	10,0	7,2	7,2	5,3	5,3	3,5	1,9	5,6	3,1	10,1		
26,0				6,8	6,8	4,9	4,9	3,1		5,1	2,6			
28,0				6,8	6,8	4,5	4,5	2,7		4,7	2,2			
30,0						4,2	4,2	2,3		4,4	1,7			
32,0						4,2	4,2	2,1		4,4				
34,0								1,9						
36,0								1,8						
38,0														
40,0														
42,0														
44,0														
46,0														
*** n ***	5	4	4	3	3	2	2	2	1	2	1	3	4	5
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +
% 2	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	92 -	0 +	0 +	0 +
% 3	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	92 -	92 +	0 +	0 +	0 +
% 4	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +
% 5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	0 +	0 -
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
m/s	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	12,8	11,1	12,8	14,3	14,3

	T	--	22.0 t	8.89 x 2.70 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0040< T210.00075

m	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3	40,3
3,0														
3,5														
4,0	31,5													
4,5	30,0													
5,0	28,6			24,0	24,0									
6,0	26,2	18,4		22,1	22,1	19,1	19,1							
7,0	24,1	17,1		20,5	20,5	17,8	17,8	15,1	15,1				15,3	15,3
8,0	22,3	15,9	10,5	19,0	19,0	16,7	16,7	14,2	14,2	11,8	11,8		14,3	14,3
9,0	20,7	14,9	9,8	17,8	17,8	15,6	15,6	13,3	13,3	11,1	11,1	8,9	13,4	13,4
10,0	19,3	13,9	9,1	16,6	16,6	14,7	14,7	12,5	12,5	10,4	10,4	8,3	12,6	12,6
11,0	18,1	13,1	8,5	15,6	15,6	13,8	13,8	11,8	11,8	9,8	9,8	7,8	11,9	11,9
12,0	16,9	12,3	8,0	14,7	14,7	13,1	13,1	11,1	11,1	9,2	9,2	7,3	11,3	11,3
13,0	16,0	11,6	7,4	13,9	13,9	12,3	12,3	10,5	10,5	8,7	8,7	6,9	10,7	10,7
14,0	15,1	11,0	7,0	13,1	13,1	11,7	11,7	10,0	10,0	8,2	8,2	6,4	10,1	10,1
15,0	14,3	10,4	6,5	12,4	12,4	11,1	11,1	9,4	9,4	7,8	7,8	6,0	9,6	9,6
16,0	13,6	9,8	6,1	11,8	11,8	10,5	10,5	9,0	9,0	7,3	7,3	5,7	9,1	9,1
18,0	12,4	8,9	5,3	10,7	10,7	9,6	9,6	8,1	8,1	6,6	6,6	5,0	8,2	8,2
20,0	11,5	8,0	4,7	9,8	9,8	8,7	8,7	7,3	7,3	5,9	5,9	4,4	7,4	7,4
22,0	10,9	7,3	4,1	9,0	9,0	8,0	8,0	6,7	6,7	5,3	5,3	3,8	6,8	6,8
24,0	10,8	6,7	3,6	8,4	8,4	7,4	7,4	6,1	6,1	4,8	4,8	3,4	6,2	6,2
26,0		6,2	3,1	8,0	8,0	6,9	6,9	5,6	5,6	4,3	4,3	2,9	5,7	5,7
28,0		5,8	2,7	7,9	7,9	6,5	6,5	5,2	5,2	3,9	3,9	2,6	5,3	5,3
30,0		5,6	2,4			6,2	6,2	4,8	4,8	3,6	3,6	2,2	4,9	4,9
32,0		5,5	2,1			6,1	6,1	4,5	4,5	3,2	3,2	1,9	4,6	4,6
34,0			1,8					4,3	4,3	3,0	3,0	1,5	4,4	4,4
36,0			1,5					4,3	4,3	2,8	2,8		4,4	4,4
38,0										2,6	2,6			
40,0										2,6	2,6			
42,0										2,6	2,6			
44,0														
46,0														
*** n ***	4	2	2	3	3	2	2	2	2	2	2	1	2	2
1	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +
2	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +
3	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 -
4	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
5	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0040< T210.00075

m	44,8	44,8	49,3	49,3										
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0	12,4	12,4												
9,0	11,7	11,7	9,9	10,0										
10,0	11,0	11,0	9,3	9,4										
11,0	10,4	10,4	8,8	8,9										
12,0	9,8	9,8	8,3	8,4										
13,0	9,3	9,3	7,8	7,9										
14,0	8,8	8,8	7,4	7,5										
15,0	8,3	8,3	7,0	7,1										
16,0	7,9	7,9	6,6	6,7										
18,0	7,1	7,1	5,9	6,0										
20,0	6,5	6,5	5,3	5,4										
22,0	5,9	5,9	4,8	4,9										
24,0	5,3	5,3	4,3	4,4										
26,0	4,9	4,9	3,8	4,0										
28,0	4,5	4,5	3,5	3,6										
30,0	4,1	4,1	3,1	3,2										
32,0	3,8	3,8	2,8	2,9										
34,0	3,5	3,5	2,5	2,6										
36,0	3,3	3,3	2,3	2,4										
38,0	3,2	3,2	2,1	2,2										
40,0	3,1	3,1	1,9	2,0										
42,0	3,1	3,1	1,8	1,9										
44,0			1,7	1,8										
46,0			1,7	1,8										
* n *	2	2	1	1										
% 1	0 +	0 +	0 +	0 +										
% 2	0 +	0 -	46 -	0 +										
% 3	46 -	46 +	46 +	92 -										
% 4	92 +	92 +	92 +	92 +										
% 5	92 +	92 +	92 +	92 +										
% 6	92 +	92 +	92 +	92 +										
m/s	11,1	11,1	11,1	11,1										

	T	--	22.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	125,3	116,2	101,5	79,0	64,9	106,7	100,3	77,1	68,4	46,2				
3,5	114,1	113,1	102,3	79,7	61,1	102,9	99,9	77,3	64,9	43,1			77,2	
4,0	104,4	100,0	100,4	80,3	57,5	87,7	90,0	76,2	62,0	40,7	75,2	78,0	76,5	64,2
4,5	93,8	82,7	84,1	80,7	54,8	73,6	75,7	74,8	59,4	38,4	65,4	68,1	70,5	61,6
5,0	78,7	70,7	72,0	73,0	52,2	63,3	65,3	67,1	56,8	36,2	56,6	59,1	61,4	59,3
6,0	58,4	53,3	54,5	55,5	47,2	48,6	50,4	52,1	52,2	32,5	43,9	46,2	48,3	50,1
7,0	45,4	42,2	43,3	44,1	43,7	38,8	40,5	42,1	43,2	29,7	35,2	37,3	39,3	41,0
8,0	35,2	34,4	35,4	36,3	37,0	31,9	33,5	35,0	36,1	27,0	29,0	31,0	32,9	34,5
9,0	28,2	28,6	29,4	30,1	30,6	26,6	28,2	29,6	30,6	25,0	24,2	26,1	28,0	29,5
10,0	23,2	23,6	24,3	24,9	25,4	22,5	24,0	25,4	26,4	23,2	20,4	22,3	24,1	25,6
11,0		19,7	20,5	21,0	21,5	19,2	20,7	21,8	22,6	21,4	17,4	19,2	20,9	22,4
12,0		16,7	17,4	18,0	18,5	16,6	17,7	18,8	19,5	19,5	14,8	16,6	18,3	19,7
13,0		14,3	15,0	15,5	16,0	14,2	15,3	16,3	17,0	17,2	12,8	14,5	16,2	17,4
14,0		12,4	13,0	13,5	14,0	12,2	13,3	14,2	15,0	15,1	11,0	12,7	14,3	15,3
15,0		10,6	11,3	11,9	12,3	10,4	11,6	12,5	13,3	13,4	9,5	11,2	12,6	13,6
16,0						9,0	10,1	11,1	11,8	11,9	8,2	9,8	11,1	12,1
18,0						6,6	7,7	8,7	9,5	9,6	5,9	7,4	8,7	9,8
20,0											4,1	5,5	6,9	7,9
22,0											2,7	4,1	5,4	6,5
24,0											1,5	3,0	4,3	5,3
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	14	13	11	9	7	11	11	8	8	5	9	10	8	7

%														
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	22.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	52,4	50,2	55,0	57,3	29,7							
6,0	34,0	34,3	42,0	40,0	44,4	46,5	27,0	40,0	37,9	42,5	41,0	36,5	27,1	
7,0	30,7	30,8	34,1	32,2	36,4	38,4	24,9	33,3	31,3	35,6	36,0	33,8	25,2	30,4
8,0	28,3	28,4	28,3	26,5	30,5	32,4	22,9	27,8	25,9	30,1	30,4	31,7	23,6	25,7
9,0	26,2	26,2	23,8	22,1	25,9	27,7	21,1	23,7	21,8	25,9	26,2	27,6	22,1	21,9
10,0	24,1	24,0	20,3	18,7	22,4	24,2	19,8	20,3	18,5	22,5	22,8	24,1	20,6	18,8
11,0	22,5	22,3	17,4	15,8	19,5	21,2	18,5	17,6	15,8	19,7	20,0	21,3	19,5	16,2
12,0	20,6	20,0	15,0	13,5	17,0	18,7	17,2	15,3	13,6	17,4	17,7	19,0	18,5	14,1
13,0	18,1	17,6	13,0	11,5	15,0	16,6	16,2	13,4	11,8	15,5	15,7	17,0	17,5	12,3
14,0	16,0	15,5	11,3	9,8	13,2	14,9	15,4	11,8	10,1	13,8	14,1	15,3	16,0	10,7
15,0	14,3	13,8	9,8	8,3	11,7	13,3	14,4	10,4	8,7	12,3	12,6	13,8	14,6	9,3
16,0	12,8	12,3	8,5	7,1	10,4	12,0	13,0	9,1	7,5	11,1	11,3	12,5	13,3	8,1
18,0	10,4	9,9	6,5	5,0	8,3	9,6	10,7	7,1	5,5	9,0	9,2	10,4	11,0	6,2
20,0	8,6	8,1	4,8	3,3	6,4	7,8	8,8	5,4	3,8	7,3	7,5	8,6	9,1	4,6
22,0	7,1	6,6	3,4	1,7	5,0	6,3	7,4	4,1	2,4	5,8	6,1	7,1	7,7	3,3
24,0	6,0	5,4	2,1		3,8	5,1	6,1	3,0		4,6	4,8	5,8	6,4	2,0
26,0					2,8	4,1	5,1	1,9		3,6	3,8	4,8	5,4	
28,0					2,0	3,3	4,3			2,8	3,0	3,9	4,5	
30,0										2,1	2,3	3,2	3,8	
32,0											1,7	2,6	3,2	
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	5	5	7	6	7	7	4	5	5	5	5	4	3	4
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	22.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	32,4	25,5	22,8											
8,0	27,6	23,9	21,2	25,4	27,2	26,6	24,3	21,0						
9,0	23,7	22,6	19,8	21,9	23,7	23,1	23,0	19,8	20,5	21,5	22,3	23,1	19,5	18,6
10,0	20,6	21,4	18,7	19,0	20,7	20,1	21,7	18,7	17,9	18,8	19,6	20,4	18,6	17,7
11,0	18,0	20,2	17,5	16,5	18,2	17,6	19,6	17,7	15,6	16,5	17,3	18,0	17,7	16,9
12,0	15,8	18,7	16,4	14,5	16,1	15,6	17,5	16,8	13,6	14,6	15,3	16,0	16,8	16,1
13,0	14,0	16,9	15,5	12,7	14,3	13,8	15,7	15,9	12,0	12,9	13,6	14,3	15,4	15,4
14,0	12,4	15,2	14,7	11,2	12,8	12,3	14,1	14,7	10,5	11,4	12,2	12,9	13,9	14,0
15,0	11,0	13,8	13,9	9,9	11,5	11,0	12,8	13,4	9,3	10,2	10,9	11,6	12,6	12,7
16,0	9,8	12,6	12,7	8,8	10,3	9,8	11,6	12,2	8,2	9,1	9,8	10,5	11,5	11,6
18,0	7,8	10,5	10,6	6,8	8,4	7,8	9,6	10,2	6,3	7,2	7,9	8,6	9,5	9,7
20,0	6,1	8,8	8,9	5,3	6,8	6,3	8,0	8,6	4,8	5,7	6,3	7,0	8,0	8,1
22,0	4,8	7,4	7,5	4,0	5,5	5,0	6,7	7,3	3,6	4,4	5,1	5,7	6,7	6,8
24,0	3,8	6,2	6,3	2,9	4,4	3,9	5,6	6,2	2,5	3,4	4,0	4,7	5,6	5,7
26,0	2,8	5,2	5,3	1,8	3,5	3,0	4,7	5,2		2,5	3,1	3,8	4,7	4,8
28,0	2,0	4,3	4,4		2,7	2,2	3,8	4,3			2,3	3,0	3,9	4,0
30,0		3,6	3,6		2,0		3,1	3,6				2,3	3,2	3,4
32,0		2,9	3,0				2,5	3,0				1,7	2,6	2,7
34,0		2,4	2,5				1,9	2,4					2,1	2,2
36,0		1,9	2,0					1,9						1,6
38,0								1,5						
40,0														
42,0														
*** n ***	4	3	3	3	3	3	3	3	3	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	17,2	18,2	19,3	18,5	17,3									
11,0	15,1	16,1	17,2	17,5	16,6	14,9	16,0	15,8						
12,0	13,3	14,2	15,3	15,7	15,8	13,2	14,2	15,1	12,7	13,7				
13,0	11,7	12,6	13,7	14,1	14,7	11,7	12,6	13,5	11,3	12,3	11,0	11,7		
14,0	10,3	11,3	12,3	12,7	13,3	10,3	11,3	12,2	10,0	11,0	9,8	10,5	9,3	
15,0	9,1	10,0	11,0	11,5	12,0	9,2	10,1	11,0	8,9	9,9	8,8	9,4	8,3	8,1
16,0	8,0	9,0	9,9	10,4	10,9	8,1	9,1	9,9	8,0	8,9	7,9	8,5	7,4	7,3
18,0	6,3	7,2	8,1	8,6	9,1	6,4	7,3	8,2	6,3	7,3	6,3	7,0	6,0	5,8
20,0	4,8	5,7	6,6	7,0	7,6	5,0	5,9	6,8	5,0	6,0	5,1	5,7	4,8	4,7
22,0	3,6	4,4	5,4	5,8	6,3	3,8	4,8	5,6	3,9	4,9	4,0	4,6	3,8	3,7
24,0	2,5	3,4	4,3	4,8	5,3	2,8	3,7	4,6	3,0	3,9	3,1	3,7	3,0	2,8
26,0		2,5	3,5	3,9	4,4	1,7	2,9	3,8	2,1	3,1	2,4	3,0	2,2	2,0
28,0		1,6	2,7	3,1	3,6		2,1	3,0		2,4		2,3		
30,0			2,0	2,4	3,0			2,4		1,7		1,6		
32,0				1,8	2,4			1,7						
34,0					1,8									
36,0														
38,0														
40,0														
42,0														
*** n ***	2	2	2	2	2	2	2	2	2	2	2	2	1	1
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,5	46,5	47,1	41,5	42,8	36,7	17,3	58,2	48,3	49,2	43,6	45,2	38,8	41,7
7,0	45,4	42,2	42,2	38,7	38,7	35,2	16,3	45,4	43,3	43,3	40,4	40,5	37,3	37,3
8,0	35,2	34,4	34,4	31,9	31,9	29,0	15,4	35,2	35,4	35,4	33,5	33,5	31,0	31,0
9,0	28,2	28,6	28,6	26,6	26,6	24,2	14,6	28,2	29,4	29,4	28,2	28,2	26,1	26,1
10,0	23,2	23,6	23,6	22,5	22,5	20,4	13,9	23,2	24,3	24,3	24,0	24,0	22,3	22,3
11,0		19,7	19,7	19,2	19,2	17,4	13,2		20,5	20,5	20,7	20,7	19,2	19,2
12,0		16,7	16,7	16,6	16,6	14,8	12,6		17,4	17,4	17,7	17,7	16,6	16,6
13,0		14,3	14,3	14,2	14,2	12,8	11,4		15,0	15,0	15,3	15,3	14,5	14,5
14,0		12,4	12,4	12,2	12,2	11,0	9,8		13,0	13,0	13,3	13,3	12,7	12,7
15,0		10,6	10,6	10,4	10,4	9,5	8,3		11,3	11,3	11,6	11,6	11,2	11,2
16,0				9,0	9,0	8,2	7,1				10,1	10,1	9,8	9,8
18,0				6,6	6,6	5,9	5,0				7,7	7,7	7,4	7,4
20,0						4,1	3,3						5,5	5,5
22,0						2,7	1,7						4,1	4,1
24,0						1,5							3,0	3,0
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	6	5	5	5	5	4	2	6	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	58,4	50,9	52,0	45,5	47,4	42,2	44,1	38,1	41,2	35,5		58,4
7,0	34,1	15,8	45,4	44,1	44,1	41,9	42,0	39,3	39,3	36,4	36,4	33,3	15,6	45,4
8,0	28,3	14,9	35,2	36,3	36,3	35,0	35,0	32,9	32,9	30,5	30,5	27,8	14,7	35,2
9,0	23,8	14,1	28,2	30,1	30,1	29,6	29,6	28,0	28,0	25,9	25,9	23,7	13,8	28,2
10,0	20,3	13,3	23,2	24,9	24,9	25,4	25,4	24,1	24,1	22,4	22,4	20,3	13,0	23,2
11,0	17,4	12,6		21,0	21,0	21,8	21,8	20,9	20,9	19,5	19,5	17,6	12,3	
12,0	15,0	12,0		18,0	18,0	18,8	18,8	18,3	18,3	17,0	17,0	15,3	11,7	
13,0	13,0	11,4		15,5	15,5	16,3	16,3	16,2	16,2	15,0	15,0	13,4	11,1	
14,0	11,3	10,1		13,5	13,5	14,2	14,2	14,3	14,3	13,2	13,2	11,8	10,3	
15,0	9,8	8,7		11,9	11,9	12,5	12,5	12,6	12,6	11,7	11,7	10,4	8,9	
16,0	8,5	7,5				11,1	11,1	11,1	11,1	10,4	10,4	9,1	8,0	
18,0	6,5	5,5				8,7	8,7	8,7	8,7	8,3	8,3	7,1	6,2	
20,0	4,8	3,8						6,9	6,9	6,4	6,4	5,4	4,6	
22,0	3,4	2,4						5,4	5,4	5,0	5,0	4,1	3,3	
24,0	2,1							4,3	4,3	3,8	3,8	3,0	2,0	
26,0										2,8	2,8	1,9		
28,0										2,0	2,0			
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	4	2	6	6	6	5	5	5	5	4	5	4	2	7

%														
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T --	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	43,1	43,2	41,0	41,0	38,4	38,4	35,6	35,6	32,4			19,3
8,0	37,0	37,0	36,1	36,1	34,5	34,5	32,4	32,4	30,1	30,1	27,6	14,6		18,3
9,0	30,6	30,6	30,6	30,6	29,5	29,5	27,7	27,7	25,9	25,9	23,7	13,8	13,3	17,5
10,0	25,4	25,4	26,4	26,4	25,6	25,6	24,2	24,2	22,5	22,5	20,6	13,0	12,5	16,7
11,0	21,5	21,5	22,6	22,6	22,4	22,4	21,2	21,2	19,7	19,7	18,0	12,3	11,8	16,0
12,0	18,5	18,5	19,5	19,5	19,7	19,7	18,7	18,7	17,4	17,4	15,8	11,6	11,1	15,4
13,0	16,0	16,0	17,0	17,0	17,4	17,4	16,6	16,6	15,5	15,5	14,0	11,0	9,5	14,8
14,0	14,0	14,0	15,0	15,0	15,3	15,3	14,9	14,9	13,8	13,8	12,4	9,3	8,8	13,9
15,0	12,3	12,3	13,3	13,3	13,6	13,6	13,3	13,3	12,3	12,3	11,0	8,8	8,3	12,6
16,0			11,8	11,8	12,1	12,1	12,0	12,0	11,1	11,1	9,8	8,3	7,8	11,3
18,0			9,5	9,5	9,8	9,8	9,6	9,6	9,0	9,0	7,8	6,8	6,3	9,2
20,0					7,9	7,9	7,8	7,8	7,3	7,3	6,1	5,3	4,8	7,5
22,0					6,5	6,5	6,3	6,3	5,8	5,8	4,8	4,0	3,6	6,1
24,0					5,3	5,3	5,1	5,1	4,6	4,6	3,8	2,9	2,5	4,8
26,0							4,1	4,1	3,6	3,6	2,8	1,8		3,8
28,0							3,3	3,3	2,8	2,8	2,0			3,0
30,0									2,1	2,1				2,3
32,0														1,7
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	26,6							23,8					26,6
9,0	15,1	23,1	21,5		14,8	22,3			22,9					25,0
10,0	14,3	20,1	18,8	12,2	14,0	19,6	18,2		22,2	13,9	19,3			23,2
11,0	13,5	17,6	16,5	11,4	13,3	17,3	16,1	11,4	21,5	13,2	17,2	16,0		21,4
12,0	12,9	15,6	14,6	10,4	12,6	15,3	14,2	10,5	20,0	12,5	15,3	14,2	10,4	19,5
13,0	12,2	13,8	12,9	9,0	12,0	13,6	12,6	8,9	17,6	11,9	13,7	12,6	8,9	17,2
14,0	11,7	12,3	11,4	8,5	11,4	12,2	11,3	8,4	15,5	11,3	12,3	11,3	8,4	15,1
15,0	10,8	11,0	10,2	8,0	10,7	10,9	10,0	8,0	13,8	10,7	11,0	10,1	7,9	13,4
16,0	9,8	9,8	9,1	7,6	9,8	9,8	9,0	7,5	12,3	9,4	9,9	9,1	7,5	11,9
18,0	7,8	7,8	7,2	6,3	7,9	7,9	7,2	6,4	9,9	8,0	8,1	7,3	6,3	9,6
20,0	6,3	6,3	5,7	4,8	6,3	6,3	5,7	5,0	8,1	6,6	6,6	5,9	5,0	
22,0	5,0	5,0	4,4	3,6	5,1	5,1	4,4	3,8	6,6	5,4	5,4	4,8	3,9	
24,0	3,9	3,9	3,4	2,5	4,0	4,0	3,4	2,8	5,4	4,3	4,3	3,7	3,0	
26,0	3,0	3,0	2,5		3,1	3,1	2,5	1,7		3,5	3,5	2,9	2,1	
28,0	2,2	2,2			2,3	2,3	1,6			2,7	2,7	2,1		
30,0										2,0	2,0			
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
*** n ***	2	3	3	2	2	3	2	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	27,2	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	27,6	23,7	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	24,1	20,7	19,8	19,8	20,6	20,6	21,4	21,4	21,7	21,7	20,4	17,5
11,0	21,4	22,5	21,3	18,2	18,5	18,5	19,5	19,5	20,2	20,2	19,6	19,6	18,0	16,8
12,0	19,5	20,6	19,0	16,1	17,2	17,2	18,5	18,5	18,7	18,7	17,5	17,5	16,0	16,1
13,0	17,2	18,1	17,0	14,3	16,2	16,2	17,5	17,5	16,9	16,9	15,7	15,7	14,3	15,4
14,0	15,1	16,0	15,3	12,8	15,4	15,4	16,0	16,0	15,2	15,2	14,1	14,1	12,9	14,7
15,0	13,4	14,3	13,8	11,5	14,4	14,4	14,6	14,6	13,8	13,8	12,8	12,8	11,6	13,9
16,0	11,9	12,8	12,5	10,3	13,0	13,0	13,3	13,3	12,6	12,6	11,6	11,6	10,5	12,7
18,0	9,6	10,4	10,4	8,4	10,7	10,7	11,0	11,0	10,5	10,5	9,6	9,6	8,6	10,6
20,0		8,6	8,6	6,8	8,8	8,8	9,1	9,1	8,8	8,8	8,0	8,0	7,0	8,9
22,0		7,1	7,1	5,5	7,4	7,4	7,7	7,7	7,4	7,4	6,7	6,7	5,7	7,5
24,0		6,0	5,8	4,4	6,1	6,1	6,4	6,4	6,2	6,2	5,6	5,6	4,7	6,3
26,0			4,8	3,5	5,1	5,1	5,4	5,4	5,2	5,2	4,7	4,7	3,8	5,3
28,0			3,9	2,7	4,3	4,3	4,5	4,5	4,3	4,3	3,8	3,8	3,0	4,4
30,0			3,2	2,0			3,8	3,8	3,6	3,6	3,1	3,1	2,3	3,6
32,0			2,6				3,2	3,2	2,9	2,9	2,5	2,5	1,7	3,0
34,0									2,4	2,4	1,9	1,9		2,5
36,0									1,9	1,9				2,0
38,0														
40,0														
42,0														
*** n ***	5	5	4	3	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,5	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,8	16,8	15,7	14,2	16,1	15,8	12,4	15,1	13,7		13,1
13,0	15,5	15,9	15,9	15,4	15,4	14,1	13,6	15,4	14,7	11,8	13,5	12,3	8,9	12,6
14,0	14,7	14,7	14,7	13,9	13,9	12,7	13,0	14,0	13,3	11,2	12,2	11,0	8,4	11,6
15,0	13,9	13,4	13,4	12,6	12,6	11,5	12,4	12,7	12,0	10,4	11,0	9,9	8,0	10,5
16,0	12,7	12,2	12,2	11,5	11,5	10,4	11,6	11,6	10,9	9,1	9,9	8,9	7,5	9,5
18,0	10,6	10,2	10,2	9,5	9,5	8,6	9,7	9,7	9,1	8,2	8,2	7,3	6,3	7,8
20,0	8,9	8,6	8,6	8,0	8,0	7,0	8,1	8,1	7,6	6,8	6,8	6,0	5,1	6,4
22,0	7,5	7,3	7,3	6,7	6,7	5,8	6,8	6,8	6,3	5,6	5,6	4,9	4,0	5,3
24,0	6,3	6,2	6,2	5,6	5,6	4,8	5,7	5,7	5,3	4,6	4,6	3,9	3,1	4,4
26,0	5,3	5,2	5,2	4,7	4,7	3,9	4,8	4,8	4,4	3,8	3,8	3,1	2,4	3,6
28,0	4,4	4,3	4,3	3,9	3,9	3,1	4,0	4,0	3,6	3,0	3,0	2,4		2,9
30,0	3,6	3,6	3,6	3,2	3,2	2,4	3,4	3,4	3,0	2,4	2,4	1,7		2,3
32,0	3,0	3,0	3,0	2,6	2,6	1,8	2,7	2,7	2,4	1,7	1,7			1,6
34,0	2,5	2,4	2,4	2,1	2,1		2,2	2,2	1,8					
36,0	2,0	1,9	1,9				1,6	1,6						
38,0		1,5	1,5											
40,0														
42,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
% 1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
% 2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
% 3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0012< T210.00025

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	11,7													
14,0	10,5	8,3												
15,0	9,4	7,9	5,1											
16,0	8,5	7,4	4,7											
18,0	7,0	6,0	4,0											
20,0	5,7	4,8	3,3											
22,0	4,6	3,8	2,8											
24,0	3,7	3,0	2,3											
26,0	3,0	2,2	1,8											
28,0	2,3													
30,0	1,6													
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	127,8	125,8	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	119,1	119,3	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	109,2	101,5	78,0	61,6
5,0	108,4	108,7	101,0	81,1	52,2	108,3	93,7	73,4	56,8	36,2	101,5	99,8	76,9	59,3
6,0	90,3	90,6	91,1	81,3	47,2	90,2	87,2	68,8	52,3	32,5	82,6	85,3	71,6	55,4
7,0	77,2	77,2	77,8	74,5	43,7	71,6	73,5	62,2	48,7	29,7	65,2	67,7	66,4	51,6
8,0	64,8	62,9	64,1	65,0	40,4	58,4	60,2	56,1	45,2	27,0	53,5	55,9	58,0	47,7
9,0	51,1	51,5	52,5	53,2	37,3	48,6	50,4	51,5	42,0	25,0	44,9	47,1	49,2	43,9
10,0	41,7	42,2	43,0	43,7	35,1	41,4	43,0	44,4	39,0	23,2	38,3	40,4	42,4	40,3
11,0		35,3	36,1	36,8	32,8	35,1	36,5	37,6	36,0	21,4	33,0	35,1	37,0	37,5
12,0		30,1	30,8	31,5	31,2	30,0	31,2	32,4	33,0	20,0	28,8	30,7	32,4	33,6
13,0		26,0	26,7	27,3	27,9	25,9	27,1	28,2	29,0	18,8	25,2	26,8	28,2	29,4
14,0		22,7	23,4	24,0	24,5	22,6	23,8	24,8	25,6	17,7	22,0	23,5	24,9	26,0
15,0		20,1	20,7	21,3	21,8	19,9	21,0	22,0	22,8	16,7	19,2	20,7	22,0	23,1
16,0						17,6	18,7	19,7	20,5	15,9	17,0	18,4	19,7	20,8
18,0						14,1	15,1	16,1	16,8	14,4	13,4	14,8	16,1	17,1
20,0											10,6	12,1	13,3	14,3
22,0											8,5	9,9	11,2	12,2
24,0											6,8	8,2	9,5	10,5
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	77,6	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	69,4	65,1	72,4	56,7	27,0	57,3	54,8	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	61,8	59,1	64,6	53,3	24,9	52,5	50,1	54,6	37,5	33,8	25,2	43,2
8,0	28,3	28,4	51,4	49,4	54,0	50,0	22,9	48,3	46,0	51,0	34,7	31,7	23,6	40,0
9,0	26,2	26,2	43,5	41,6	45,9	46,7	21,1	42,5	40,5	45,0	32,1	29,7	22,1	37,3
10,0	24,1	24,0	37,5	35,6	39,8	41,7	19,8	36,8	34,8	39,1	29,6	27,8	20,6	34,4
11,0	22,5	22,4	32,5	30,8	34,8	36,6	18,5	32,2	30,3	34,5	27,7	26,2	19,5	30,2
12,0	21,2	21,0	28,5	26,8	30,7	32,5	17,2	28,4	26,6	30,6	26,0	24,9	18,5	26,6
13,0	19,8	19,6	25,2	23,6	27,3	29,1	16,2	25,3	23,5	27,5	24,3	23,6	17,5	23,7
14,0	18,5	18,2	22,5	20,8	24,4	25,9	15,4	22,7	20,9	24,8	22,7	22,3	16,4	21,2
15,0	17,5	17,2	20,0	18,5	21,7	23,0	14,6	20,4	18,6	22,5	21,4	21,3	15,6	19,0
16,0	16,6	16,3	17,8	16,4	19,3	20,7	13,8	18,4	16,7	20,3	20,2	20,4	15,0	17,1
18,0	14,9	14,6	14,2	12,9	15,7	17,0	12,3	15,0	13,5	16,6	16,8	17,8	13,6	14,0
20,0	13,7	13,3	11,4	10,1	12,9	14,2	11,2	12,3	10,9	13,8	14,0	14,9	12,4	11,5
22,0	12,6	12,2	9,2	7,9	10,8	12,0	10,1	10,1	8,6	11,6	11,8	12,7	11,3	9,5
24,0	11,1	10,6	7,4	6,1	9,0	10,3	9,3	8,3	6,8	9,9	10,1	11,0	10,3	7,7
26,0			6,0	4,6	7,5	8,9	8,6	6,8	5,4	8,4	8,6	9,5	9,5	6,2
28,0			4,8	3,5	6,3	7,6	8,0	5,6	4,1	7,1	7,3	8,3	8,8	5,0
30,0								4,5	3,1	6,1	6,3	7,3	7,8	3,9
32,0								3,7	2,3	5,2	5,4	6,3	6,9	3,0
34,0														2,3
36,0														1,6
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	9	8	8	7	4	7	6	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	45,5	25,5	22,8											
8,0	42,3	23,9	21,2	35,6	32,7	31,3	24,3	21,0						
9,0	39,5	22,6	19,8	33,4	31,0	29,4	23,0	19,8	29,0	28,3	25,0	23,1	19,5	18,6
10,0	36,4	21,4	18,7	31,4	29,4	27,6	21,8	18,7	27,3	27,0	23,7	22,0	18,6	17,7
11,0	32,1	20,2	17,5	29,6	28,1	26,0	20,9	17,7	25,8	25,7	22,4	21,0	17,7	16,9
12,0	28,5	19,1	16,4	26,7	26,9	24,6	19,9	16,8	24,4	24,5	21,3	20,2	16,9	16,1
13,0	25,6	18,2	15,5	23,9	25,3	23,1	18,9	15,9	22,7	23,4	20,3	19,3	16,1	15,4
14,0	23,0	17,4	14,7	21,5	23,1	21,7	18,0	15,0	20,5	21,4	19,2	18,5	15,4	14,7
15,0	20,8	16,6	13,9	19,4	21,1	20,3	17,3	14,4	18,5	19,4	18,2	17,8	14,7	14,0
16,0	18,9	15,8	13,2	17,6	19,3	18,7	16,6	13,8	16,8	17,7	17,3	17,1	14,1	13,4
18,0	15,7	14,6	11,9	14,6	16,2	15,6	15,3	12,6	13,9	14,8	15,4	15,8	13,1	12,3
20,0	13,1	13,5	10,9	12,2	13,7	13,2	14,2	11,5	11,6	12,4	13,1	13,8	12,1	11,2
22,0	11,0	12,4	9,8	10,2	11,7	11,2	12,7	10,7	9,7	10,5	11,2	11,8	11,2	10,2
24,0	9,2	11,3	9,0	8,6	9,9	9,5	10,9	9,8	8,1	8,9	9,6	10,2	10,5	9,5
26,0	7,7	9,8	8,3	7,1	8,4	7,9	9,4	9,0	6,7	7,6	8,2	8,8	9,6	8,7
28,0	6,4	8,6	7,7	5,8	7,1	6,7	8,2	8,4	5,6	6,4	7,0	7,6	8,4	8,0
30,0	5,3	7,6	7,2	4,8	6,1	5,6	7,1	7,6	4,6	5,3	5,9	6,5	7,3	7,3
32,0	4,4	6,7	6,7	3,8	5,1	4,7	6,2	6,7	3,7	4,4	5,0	5,5	6,3	6,4
34,0	3,7	5,9	5,9	3,1	4,3	3,9	5,4	5,9	2,9	3,6	4,2	4,7	5,5	5,6
36,0	3,0	5,2	5,3	2,4	3,7	3,2	4,7	5,2	2,2	2,9	3,5	4,0	4,8	4,9
38,0				1,8	3,1	2,6	4,1	4,6	1,5	2,3	2,8	3,4	4,2	4,3
40,0					2,5	2,1	3,5	4,0		1,7	2,3	2,9	3,6	3,7
42,0					2,1	1,7	3,1	3,6			1,8	2,4	3,1	3,2
44,0												2,0	2,7	2,8
46,0												1,6	2,3	2,4
48,0														
50,0														
52,0														
*** n ***	5	3	3	4	4	4	3	3	3	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,4	22,7	19,5	18,5	17,3									
11,0	23,1	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	21,9	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	20,9	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	19,7	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	18,1	18,4	15,8	15,0	14,1	17,3	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	16,4	17,2	15,2	14,4	13,6	16,0	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	13,6	14,5	14,0	13,3	12,5	13,3	13,9	12,3	13,0	12,2	11,7	10,5	9,9	9,8
20,0	11,3	12,2	12,8	12,5	11,5	11,2	12,1	11,5	11,0	11,5	10,8	9,9	9,4	9,3
22,0	9,5	10,3	11,2	11,5	10,6	9,4	10,3	10,7	9,3	10,2	9,3	9,2	8,9	8,7
24,0	7,9	8,7	9,6	10,0	9,8	7,9	8,8	9,6	7,9	8,9	7,9	8,5	7,7	7,5
26,0	6,7	7,5	8,3	8,7	9,1	6,7	7,6	8,4	6,7	7,7	6,8	7,4	6,6	6,4
28,0	5,6	6,4	7,2	7,6	8,1	5,6	6,5	7,3	5,7	6,6	5,8	6,4	5,6	5,5
30,0	4,6	5,4	6,2	6,6	7,1	4,7	5,6	6,4	4,8	5,7	5,0	5,6	4,8	4,7
32,0	3,8	4,6	5,4	5,7	6,2	3,9	4,8	5,6	4,0	5,0	4,2	4,8	4,1	3,9
34,0	3,0	3,8	4,6	4,9	5,4	3,2	4,1	4,9	3,3	4,3	3,5	4,1	3,4	3,3
36,0	2,3	3,1	3,9	4,2	4,7	2,6	3,5	4,2	2,7	3,7	3,0	3,5	2,9	2,7
38,0	1,7	2,5	3,2	3,6	4,0	2,0	2,9	3,6	2,2	3,1	2,4	3,0	2,4	2,2
40,0		1,9	2,7	3,0	3,5		2,3	3,1	1,7	2,6	2,0	2,6	1,9	1,8
42,0			2,2	2,5	3,0		1,8	2,6		2,2	1,5	2,1		
44,0			1,7	2,1	2,6			2,1		1,8		1,7		
46,0				1,7	2,2			1,7						
48,0					1,8									
50,0														
52,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	64,0	46,5	47,1	39,4	42,7	35,4	15,4	64,8	48,3	49,3	42,8	45,0	37,5	40,7
9,0	51,1	46,5	47,1	39,2	42,7	34,8	14,6	51,1	48,3	49,2	42,5	45,0	37,0	39,3
10,0	41,7	42,2	42,2	39,1	41,2	34,4	13,9	41,7	43,0	43,0	41,6	43,0	36,5	38,6
11,0		35,3	35,3	35,1	35,1	32,6	13,2		36,1	36,1	36,5	36,5	34,6	35,1
12,0		30,1	30,1	30,0	30,0	28,8	12,6		30,8	30,8	31,2	31,2	30,7	30,7
13,0		26,0	26,0	25,9	25,9	25,2	12,0		26,7	26,7	27,1	27,1	26,8	26,8
14,0		22,7	22,7	22,6	22,6	22,0	11,5		23,4	23,4	23,8	23,8	23,5	23,5
15,0		20,1	20,1	19,9	19,9	19,2	11,0		20,7	20,7	21,0	21,0	20,7	20,7
16,0				17,6	17,6	17,0	10,6				18,7	18,7	18,4	18,4
18,0				14,1	14,1	13,4	8,7				15,1	15,1	14,8	14,8
20,0						10,6	8,2						12,1	12,1
22,0						8,5	7,7						9,9	9,9
24,0						6,8	6,1						8,2	8,2
26,0							4,6							
28,0							3,5							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	64,8	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	64,8
9,0	33,6	14,1	51,1	51,0	52,3	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	51,1
10,0	33,0	13,3	41,7	43,7	43,7	43,2	44,4	38,5	41,4	35,2	37,8	32,2	13,0	41,7
11,0	31,6	12,6		36,8	36,8	37,6	37,6	36,6	37,0	33,7	34,8	31,4	12,3	
12,0	28,5	12,0		31,5	31,5	32,4	32,4	32,4	32,4	30,7	30,7	28,4	11,7	
13,0	25,2	11,4		27,3	27,3	28,2	28,2	28,2	28,2	27,3	27,3	25,3	11,1	
14,0	22,5	10,8		24,0	24,0	24,8	24,8	24,9	24,9	24,4	24,4	22,7	10,3	
15,0	20,0	9,6		21,3	21,3	22,0	22,0	22,0	22,0	21,7	21,7	20,4	8,9	
16,0	17,8	8,7				19,7	19,7	19,7	19,7	19,3	19,3	18,4	8,4	
18,0	14,2	8,0				16,1	16,1	16,1	16,1	15,7	15,7	15,0	7,7	
20,0	11,4	7,4						13,3	13,3	12,9	12,9	12,3	7,1	
22,0	9,2	6,9						11,2	11,2	10,8	10,8	10,1	6,5	
24,0	7,4	6,5						9,5	9,5	9,0	9,0	8,3	6,1	
26,0	6,0	5,4								7,5	7,5	6,8	5,6	
28,0	4,8	4,1								6,3	6,3	5,6	5,0	
30,0		3,1										4,5	3,9	
32,0		2,3										3,7	3,0	
34,0													2,3	
36,0													1,6	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	40,4	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	35,7	36,6	33,6	34,5	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,0	33,0	33,6	33,6	32,5	32,5	30,6	30,6	28,5	11,6	11,1	15,4
13,0	27,9	27,9	29,0	29,0	29,4	29,4	29,1	29,1	27,5	27,5	25,6	11,0	9,5	14,8
14,0	24,5	24,5	25,6	25,6	26,0	26,0	25,9	25,9	24,8	24,8	23,0	9,3	8,8	14,2
15,0	21,8	21,8	22,8	22,8	23,1	23,1	23,0	23,0	22,5	22,5	20,8	8,8	8,3	13,7
16,0			20,5	20,5	20,8	20,8	20,7	20,7	20,3	20,3	18,9	8,4	7,9	13,2
18,0			16,8	16,8	17,1	17,1	17,0	17,0	16,6	16,6	15,7	7,7	7,2	12,4
20,0					14,3	14,3	14,2	14,2	13,8	13,8	13,1	7,0	6,5	11,6
22,0					12,2	12,2	12,0	12,0	11,6	11,6	11,0	6,5	5,9	11,0
24,0					10,5	10,5	10,3	10,3	9,9	9,9	9,2	6,0	5,4	9,6
26,0							8,9	8,9	8,4	8,4	7,7	5,5	4,9	8,6
28,0							7,6	7,6	7,1	7,1	6,4	5,1	4,5	7,3
30,0									6,1	6,1	5,3	4,7	4,1	6,3
32,0									5,2	5,2	4,4	3,8	3,6	5,4
34,0											3,7	3,1	2,9	
36,0											3,0	2,4	2,2	
38,0												1,8	1,5	
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	21,4	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,3	19,4	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	18,7	17,7	7,6	10,0	17,3	17,2	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	15,6	14,8	6,8	8,4	15,4	14,5	6,8	14,6	8,4	14,0	13,9	6,7	14,4
20,0	8,0	13,2	12,4	6,1	7,7	13,1	12,2	6,1	13,3	7,7	12,8	12,1	6,0	
22,0	7,4	11,2	10,5	5,5	7,1	11,2	10,3	5,5	12,2	7,1	11,2	10,3	5,4	
24,0	6,9	9,5	8,9	5,0	6,6	9,6	8,7	4,9	10,6	6,5	9,6	8,8	4,9	
26,0	6,5	7,9	7,6	4,5	6,1	8,2	7,5	4,4		6,0	8,3	7,6	4,4	
28,0	6,0	6,7	6,4	4,0	5,7	7,0	6,4	4,0		5,6	7,2	6,5	3,9	
30,0	5,6	5,6	5,3	3,6	5,3	5,9	5,4	3,6		5,2	6,2	5,6	3,5	
32,0	4,7	4,7	4,4	3,3	4,9	5,0	4,6	3,2		4,8	5,4	4,8	3,1	
34,0	3,9	3,9	3,6	2,9	4,2	4,2	3,8	2,8		4,5	4,6	4,1	2,8	
36,0	3,2	3,2	2,9	2,3	3,5	3,5	3,1	2,5		3,9	3,9	3,5	2,5	
38,0	2,6	2,6	2,3	1,7	2,8	2,8	2,5	2,0		3,2	3,2	2,9	2,2	
40,0	2,1	2,1	1,7		2,3	2,3	1,9			2,7	2,7	2,3	1,7	
42,0	1,7	1,7			1,8	1,8				2,2	2,2	1,8		
44,0										1,7	1,7			
46,0														
48,0														
50,0														
52,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,3	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	23,1	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	21,1	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	19,3	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	17,8	16,2	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,8	11,9
20,0		13,7	14,9	13,7	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	13,8	10,9
22,0		12,6	12,7	11,7	10,1	10,1	11,3	11,3	12,4	12,4	12,7	12,7	11,8	9,8
24,0		11,1	11,0	9,9	9,3	9,3	10,3	10,3	11,3	11,3	10,9	10,9	10,2	9,0
26,0			9,5	8,4	8,6	8,6	9,5	9,5	9,8	9,8	9,4	9,4	8,8	8,3
28,0			8,3	7,1	8,0	8,0	8,8	8,8	8,6	8,6	8,2	8,2	7,6	7,7
30,0			7,3	6,1			7,8	7,8	7,6	7,6	7,1	7,1	6,5	7,2
32,0			6,3	5,1			6,9	6,9	6,7	6,7	6,2	6,2	5,5	6,7
34,0				4,3					5,9	5,9	5,4	5,4	4,7	5,9
36,0				3,7					5,2	5,2	4,7	4,7	4,0	5,3
38,0				3,1							4,1	4,1	3,4	
40,0				2,5							3,5	3,5	2,9	
42,0				2,1							3,1	3,1	2,4	
44,0													2,0	
46,0													1,6	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3

%	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T --	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,5	8,6	10,2	10,6	7,0	10,7	10,2	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,0	8,0	9,5	9,8	6,5	9,6	8,9	4,9	8,6
26,0	8,3	9,0	9,0	9,6	9,6	8,7	7,6	8,7	9,1	6,0	8,4	7,7	4,4	8,0
28,0	7,7	8,4	8,4	8,4	8,4	7,6	7,1	8,0	8,1	5,5	7,3	6,6	4,0	7,1
30,0	7,2	7,6	7,6	7,3	7,3	6,6	6,7	7,3	7,1	5,1	6,4	5,7	3,6	6,2
32,0	6,7	6,7	6,7	6,3	6,3	5,7	6,3	6,4	6,2	4,8	5,6	5,0	3,2	5,4
34,0	5,9	5,9	5,9	5,5	5,5	4,9	5,6	5,6	5,4	4,4	4,9	4,3	2,9	4,7
36,0	5,3	5,2	5,2	4,8	4,8	4,2	4,9	4,9	4,7	4,1	4,2	3,7	2,6	4,1
38,0		4,6	4,6	4,2	4,2	3,6	4,3	4,3	4,0	3,6	3,6	3,1	2,3	3,6
40,0		4,0	4,0	3,6	3,6	3,0	3,7	3,7	3,5	3,1	3,1	2,6	2,0	3,1
42,0		3,6	3,6	3,1	3,1	2,5	3,2	3,2	3,0	2,6	2,6	2,2	1,5	2,6
44,0				2,7	2,7	2,1	2,8	2,8	2,6	2,1	2,1	1,8		2,2
46,0				2,3	2,3	1,7	2,4	2,4	2,2	1,7	1,7			1,8
48,0									1,8					
50,0														
52,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0033< T210.00065

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,5	4,8	2,3											
26,0	7,4	4,3	1,8											
28,0	6,4	3,9												
30,0	5,6	3,4												
32,0	4,8	3,1												
34,0	4,1	2,7												
36,0	3,5	2,4												
38,0	3,0	2,1												
40,0	2,6	1,9												
42,0	2,1													
44,0	1,7													
46,0														
48,0														
50,0														
52,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	22.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	130,0	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	121,1	121,1	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	112,2	112,2	102,1	80,7	54,8	112,1	96,2	74,8	59,4	38,4	110,2	101,5	78,0	61,6
5,0	104,5	104,5	100,9	81,1	52,2	104,4	93,7	73,4	56,8	36,2	104,0	99,8	76,9	59,3
6,0	90,2	90,4	91,0	81,3	47,2	90,1	87,2	68,8	52,3	32,5	82,8	85,5	71,6	55,4
7,0	76,2	76,4	77,1	74,5	43,7	71,8	73,7	62,2	48,7	29,7	65,4	67,8	66,4	51,6
8,0	64,1	63,0	64,2	65,2	40,4	58,5	60,4	56,1	45,2	27,0	53,6	56,0	58,1	47,7
9,0	51,2	51,7	52,6	53,3	37,3	48,7	50,5	51,6	42,0	25,0	45,0	47,2	49,3	43,9
10,0	41,8	42,2	43,1	43,8	35,1	41,5	43,1	44,5	39,0	23,2	38,3	40,5	42,4	40,3
11,0		35,4	36,2	36,8	32,8	35,2	36,5	37,7	36,0	21,4	32,8	35,0	36,9	37,5
12,0		30,1	30,9	31,5	31,2	30,1	31,3	32,4	33,0	20,0	28,4	30,4	32,4	33,6
13,0		25,9	26,7	27,3	27,8	25,8	27,1	28,2	29,0	18,8	24,8	26,7	28,2	29,4
14,0		22,5	23,2	23,8	24,3	22,3	23,5	24,6	25,5	17,7	21,7	23,3	24,7	25,9
15,0		19,7	20,4	21,0	21,5	19,5	20,7	21,8	22,6	16,7	18,9	20,4	21,8	22,9
16,0						17,2	18,4	19,4	20,2	15,9	16,6	18,0	19,4	20,5
18,0						13,6	14,7	15,7	16,4	14,4	12,9	14,4	15,7	16,7
20,0											10,1	11,6	12,9	13,9
22,0											7,9	9,4	10,7	11,7
24,0											6,2	7,7	9,0	10,1
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	22.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	77,7	65,1	75,8	56,7	27,0	70,7	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	62,3	59,2	65,0	53,3	24,9	59,9	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	51,6	49,5	54,1	50,0	22,9	49,9	47,8	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	43,6	41,6	45,9	46,8	21,1	42,6	40,6	45,1	32,1	29,7	22,1	39,8
10,0	24,1	24,0	37,4	35,6	39,8	41,8	19,8	36,8	34,7	39,2	29,6	27,8	20,6	34,3
11,0	22,5	22,4	32,3	30,5	34,7	36,6	18,5	31,9	29,9	34,3	27,7	26,2	19,5	29,8
12,0	21,2	21,0	28,2	26,4	30,4	32,3	17,2	28,1	26,1	30,4	26,0	24,9	18,5	26,2
13,0	19,8	19,6	24,7	23,0	26,9	28,8	16,2	24,8	22,9	27,1	24,3	23,6	17,5	23,2
14,0	18,5	18,2	21,9	20,2	24,0	25,7	15,4	22,1	20,3	24,3	22,7	22,3	16,4	20,6
15,0	17,5	17,2	19,5	17,8	21,4	22,8	14,6	19,8	18,0	21,9	21,4	21,3	15,6	18,4
16,0	16,6	16,3	17,4	15,7	19,0	20,4	13,8	17,8	16,0	19,9	20,0	20,4	15,0	16,5
18,0	14,9	14,6	13,7	12,4	15,3	16,6	12,3	14,5	12,8	16,2	16,4	17,4	13,6	13,4
20,0	13,7	13,3	10,9	9,5	12,5	13,8	11,2	11,8	10,3	13,4	13,6	14,5	12,4	10,9
22,0	12,4	11,9	8,7	7,3	10,3	11,6	10,1	9,6	8,1	11,2	11,4	12,3	11,3	8,9
24,0	10,7	10,2	6,9	5,5	8,5	9,8	9,3	7,8	6,3	9,4	9,6	10,6	10,3	7,2
26,0			5,5	4,1	7,1	8,4	8,6	6,3	4,8	7,9	8,1	9,1	9,5	5,7
28,0			4,3	2,9	5,9	7,2	8,0	5,1	3,6	6,7	6,9	7,9	8,4	4,5
30,0								4,1	2,6	5,7	5,8	6,8	7,4	3,5
32,0								3,2	1,8	4,8	5,0	5,9	6,5	2,6
34,0														1,8
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	22.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	48,8	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	41,9	22,6	19,8	37,2	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	36,4	21,4	18,7	34,0	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	31,8	20,2	17,5	29,7	28,1	26,0	20,9	17,7	27,9	25,7	22,4	21,0	17,7	16,9
12,0	28,1	19,1	16,4	26,3	26,9	24,6	19,9	16,8	25,0	24,5	21,3	20,2	16,9	16,1
13,0	25,1	18,2	15,5	23,4	25,1	23,1	18,9	15,9	22,2	23,1	20,3	19,3	16,1	15,4
14,0	22,5	17,4	14,7	20,9	22,6	21,7	18,0	15,0	19,9	20,9	19,2	18,5	15,4	14,7
15,0	20,2	16,6	13,9	18,8	20,6	19,9	17,3	14,4	17,9	18,8	18,2	17,8	14,7	14,0
16,0	18,3	15,8	13,2	17,0	18,7	18,1	16,6	13,8	16,2	17,1	17,2	17,1	14,1	13,4
18,0	15,1	14,6	11,9	13,9	15,6	15,0	15,3	12,6	13,3	14,2	14,9	15,5	13,1	12,3
20,0	12,6	13,5	10,9	11,5	13,1	12,6	14,1	11,5	10,9	11,8	12,6	13,3	12,1	11,2
22,0	10,5	12,4	9,8	9,6	11,2	10,6	12,3	10,7	9,0	9,9	10,6	11,3	11,2	10,2
24,0	8,7	10,9	9,0	8,0	9,5	9,0	10,5	9,8	7,5	8,3	9,0	9,7	10,4	9,5
26,0	7,2	9,4	8,3	6,6	7,9	7,5	9,0	9,0	6,2	7,0	7,7	8,3	9,2	8,7
28,0	5,9	8,2	7,7	5,3	6,7	6,2	7,8	8,3	5,0	5,9	6,5	7,1	8,0	8,0
30,0	4,9	7,2	7,2	4,3	5,6	5,2	6,7	7,2	4,1	4,8	5,5	6,1	6,9	7,0
32,0	4,0	6,3	6,4	3,4	4,7	4,3	5,8	6,3	3,2	3,9	4,5	5,1	5,9	6,1
34,0	3,3	5,5	5,6	2,6	3,9	3,5	5,0	5,5	2,4	3,2	3,7	4,3	5,1	5,2
36,0	2,6	4,8	4,9	2,0	3,3	2,8	4,3	4,8	1,8	2,5	3,1	3,7	4,4	4,5
38,0					2,7	2,2	3,7	4,2		1,9	2,5	3,0	3,8	3,9
40,0					2,2	1,7	3,2	3,7			1,9	2,5	3,3	3,4
42,0					1,7		2,7	3,2				2,0	2,8	2,9
44,0												1,6	2,4	2,5
46,0													2,0	2,1
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,1	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	21,7	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	19,4	19,2	16,5	15,6	14,7	17,9	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	17,5	18,2	15,8	15,0	14,1	17,0	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	15,8	16,8	15,2	14,4	13,6	15,4	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	13,0	13,9	14,0	13,3	12,5	12,7	13,7	12,3	12,4	12,2	11,7	10,5	9,9	9,8
20,0	10,8	11,6	12,5	12,5	11,5	10,6	11,6	11,5	10,4	11,3	10,3	9,9	9,4	9,3
22,0	8,9	9,8	10,7	11,1	10,6	8,8	9,8	10,5	8,8	9,8	8,7	9,1	8,4	8,2
24,0	7,4	8,2	9,1	9,5	9,7	7,4	8,3	9,2	7,4	8,4	7,4	8,1	7,2	7,0
26,0	6,1	7,0	7,8	8,2	8,7	6,2	7,1	7,9	6,2	7,2	6,3	6,9	6,1	5,9
28,0	5,0	5,9	6,7	7,1	7,6	5,1	6,0	6,9	5,2	6,2	5,3	6,0	5,2	5,0
30,0	4,1	4,9	5,8	6,2	6,6	4,2	5,1	6,0	4,3	5,3	4,5	5,1	4,3	4,2
32,0	3,3	4,1	5,0	5,3	5,8	3,5	4,3	5,2	3,6	4,5	3,8	4,4	3,6	3,5
34,0	2,5	3,4	4,2	4,5	5,0	2,8	3,6	4,5	2,9	3,9	3,1	3,7	3,0	2,9
36,0	1,9	2,7	3,5	3,8	4,3	2,1	3,0	3,8	2,3	3,3	2,6	3,1	2,5	2,3
38,0		2,1	2,9	3,2	3,7	1,5	2,5	3,3	1,8	2,7	2,0	2,6	2,0	1,9
40,0		1,5	2,3	2,7	3,1		2,0	2,7		2,3	1,6	2,2		
42,0			1,8	2,2	2,7			2,2		1,8		1,8		
44,0				1,8	2,2			1,8						
46,0					1,8									
48,0														
50,0														
52,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	64,1	46,5	47,1	39,4	42,7	35,4	15,4	64,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	51,2	46,5	47,1	39,2	42,7	34,8	14,6	51,2	48,3	49,2	42,5	45,0	37,0	39,3
10,0	41,8	42,2	42,2	39,1	41,3	34,4	13,9	41,8	43,1	43,1	41,7	43,1	36,5	38,6
11,0		35,4	35,4	35,2	35,2	32,4	13,2		36,2	36,2	36,5	36,5	34,5	35,0
12,0		30,1	30,1	30,1	30,1	28,4	12,6		30,9	30,9	31,3	31,3	30,4	30,4
13,0		25,9	25,9	25,8	25,8	24,8	12,0		26,7	26,7	27,1	27,1	26,7	26,7
14,0		22,5	22,5	22,3	22,3	21,7	11,5		23,2	23,2	23,5	23,5	23,3	23,3
15,0		19,7	19,7	19,5	19,5	18,9	11,0		20,4	20,4	20,7	20,7	20,4	20,4
16,0				17,2	17,2	16,6	10,6				18,4	18,4	18,0	18,0
18,0				13,6	13,6	12,9	8,7				14,7	14,7	14,4	14,4
20,0						10,1	8,2						11,6	11,6
22,0						7,9	7,3						9,4	9,4
24,0						6,2	5,5						7,7	7,7
26,0							4,1							
28,0							2,9							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	22.0 t	8.89 x 8.30 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	64,1	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	64,1
9,0	33,6	14,1	51,2	51,0	52,3	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	51,2
10,0	33,0	13,3	41,8	43,8	43,8	43,3	44,5	38,5	41,4	35,2	37,8	32,2	13,0	41,8
11,0	31,4	12,6		36,8	36,8	37,7	37,7	36,5	36,9	33,6	34,7	31,4	12,3	
12,0	28,2	12,0		31,5	31,5	32,4	32,4	32,4	32,4	30,4	30,4	28,0	11,7	
13,0	24,7	11,4		27,3	27,3	28,2	28,2	28,2	28,2	26,9	26,9	24,8	11,1	
14,0	21,9	10,8		23,8	23,8	24,6	24,6	24,7	24,7	24,0	24,0	22,1	10,3	
15,0	19,5	9,6		21,0	21,0	21,8	21,8	21,8	21,8	21,4	21,4	19,8	8,9	
16,0	17,4	8,7				19,4	19,4	19,4	19,4	19,0	19,0	17,8	8,4	
18,0	13,7	8,0				15,7	15,7	15,7	15,7	15,3	15,3	14,5	7,7	
20,0	10,9	7,4						12,9	12,9	12,5	12,5	11,8	7,1	
22,0	8,7	6,9						10,7	10,7	10,3	10,3	9,6	6,5	
24,0	6,9	6,2						9,0	9,0	8,5	8,5	7,8	6,1	
26,0	5,5	4,8								7,1	7,1	6,3	5,6	
28,0	4,3	3,6								5,9	5,9	5,1	4,5	
30,0		2,6										4,1	3,5	
32,0		1,8										3,2	2,6	
34,0													1,8	
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	40,4	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	35,6	36,6	33,6	34,3	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,0	33,0	33,6	33,6	32,3	32,3	30,3	30,4	28,1	11,6	11,1	15,4
13,0	27,8	27,8	29,0	29,0	29,4	29,4	28,8	28,8	27,1	27,1	25,1	11,0	9,5	14,8
14,0	24,3	24,3	25,5	25,5	25,9	25,9	25,7	25,7	24,3	24,3	22,5	9,3	8,8	14,2
15,0	21,5	21,5	22,6	22,6	22,9	22,9	22,8	22,8	21,9	21,9	20,2	8,8	8,3	13,7
16,0			20,2	20,2	20,5	20,5	20,4	20,4	19,9	19,9	18,3	8,4	7,9	13,2
18,0			16,4	16,4	16,7	16,7	16,6	16,6	16,2	16,2	15,1	7,7	7,2	12,4
20,0					13,9	13,9	13,8	13,8	13,4	13,4	12,6	7,0	6,5	11,6
22,0					11,7	11,7	11,6	11,6	11,2	11,2	10,5	6,5	5,9	11,0
24,0					10,1	10,1	9,8	9,8	9,4	9,4	8,7	6,0	5,4	9,5
26,0							8,4	8,4	7,9	7,9	7,2	5,5	4,9	8,1
28,0							7,2	7,2	6,7	6,7	5,9	5,1	4,5	6,9
30,0									5,7	5,7	4,9	4,3	4,0	5,8
32,0									4,8	4,8	4,0	3,4	3,2	5,0
34,0											3,3	2,6	2,4	
36,0											2,6	2,0	1,8	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3

%	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	22.0 t	8.89 x 8.30 m	360°	

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,1	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	20,9	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	19,9	18,8	8,0	10,8	18,2	18,2	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	18,1	17,1	7,6	10,0	17,2	16,8	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	15,0	14,2	6,8	8,4	14,9	13,9	6,8	14,6	8,4	14,0	13,7	6,7	14,4
20,0	8,0	12,6	11,8	6,1	7,7	12,6	11,6	6,1	13,3	7,7	12,5	11,6	6,0	
22,0	7,4	10,6	9,9	5,5	7,1	10,6	9,8	5,5	11,9	7,1	10,7	9,8	5,4	
24,0	6,9	9,0	8,3	5,0	6,6	9,0	8,2	4,9	10,2	6,5	9,1	8,3	4,9	
26,0	6,5	7,5	7,0	4,5	6,1	7,7	7,0	4,4		6,0	7,8	7,1	4,4	
28,0	6,0	6,2	5,9	4,0	5,7	6,5	5,9	4,0		5,6	6,7	6,0	3,9	
30,0	5,2	5,2	4,8	3,6	5,3	5,5	4,9	3,6		5,2	5,8	5,1	3,5	
32,0	4,3	4,3	3,9	3,2	4,5	4,5	4,1	3,2		4,8	5,0	4,3	3,1	
34,0	3,5	3,5	3,2	2,5	3,7	3,7	3,4	2,7		4,2	4,2	3,6	2,8	
36,0	2,8	2,8	2,5	1,9	3,1	3,1	2,7	2,1		3,5	3,5	3,0	2,3	
38,0	2,2	2,2	1,9		2,5	2,5	2,1	1,5		2,9	2,9	2,5	1,8	
40,0	1,7	1,7			1,9	1,9	1,5			2,3	2,3	2,0		
42,0										1,8	1,8			
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,1	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	22,6	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	20,6	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	18,7	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	17,4	15,6	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,5	11,9
20,0		13,7	14,5	13,1	11,2	11,2	12,4	12,4	13,5	13,5	14,1	14,1	13,3	10,9
22,0		12,4	12,3	11,2	10,1	10,1	11,3	11,3	12,4	12,4	12,3	12,3	11,3	9,8
24,0		10,7	10,6	9,5	9,3	9,3	10,3	10,3	10,9	10,9	10,5	10,5	9,7	9,0
26,0			9,1	7,9	8,6	8,6	9,5	9,5	9,4	9,4	9,0	9,0	8,3	8,3
28,0			7,9	6,7	8,0	8,0	8,4	8,4	8,2	8,2	7,8	7,8	7,1	7,7
30,0			6,8	5,6			7,4	7,4	7,2	7,2	6,7	6,7	6,1	7,2
32,0			5,9	4,7			6,5	6,5	6,3	6,3	5,8	5,8	5,1	6,4
34,0				3,9					5,5	5,5	5,0	5,0	4,3	5,6
36,0				3,3					4,8	4,8	4,3	4,3	3,7	4,9
38,0				2,7							3,7	3,7	3,0	
40,0				2,2							3,2	3,2	2,5	
42,0				1,7							2,7	2,7	2,0	
44,0													1,6	
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,3	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,1	8,6	10,2	10,6	7,0	10,5	9,8	5,5	9,2
24,0	9,0	9,8	9,8	10,4	10,4	9,5	8,0	9,5	9,7	6,5	9,2	8,4	4,9	8,6
26,0	8,3	9,0	9,0	9,2	9,2	8,2	7,6	8,7	8,7	6,0	7,9	7,2	4,4	7,7
28,0	7,7	8,3	8,3	8,0	8,0	7,1	7,1	8,0	7,6	5,5	6,9	6,2	4,0	6,6
30,0	7,2	7,2	7,2	6,9	6,9	6,2	6,7	7,0	6,6	5,1	6,0	5,3	3,6	5,8
32,0	6,4	6,3	6,3	5,9	5,9	5,3	6,1	6,1	5,8	4,8	5,2	4,5	3,2	5,0
34,0	5,6	5,5	5,5	5,1	5,1	4,5	5,2	5,2	5,0	4,4	4,5	3,9	2,9	4,3
36,0	4,9	4,8	4,8	4,4	4,4	3,8	4,5	4,5	4,3	3,8	3,8	3,3	2,5	3,7
38,0		4,2	4,2	3,8	3,8	3,2	3,9	3,9	3,7	3,3	3,3	2,7	2,0	3,2
40,0		3,7	3,7	3,3	3,3	2,7	3,4	3,4	3,1	2,7	2,7	2,3	1,6	2,7
42,0		3,2	3,2	2,8	2,8	2,2	2,9	2,9	2,7	2,2	2,2	1,8		2,3
44,0				2,4	2,4	1,8	2,5	2,5	2,2	1,8	1,8			1,8
46,0				2,0	2,0		2,1	2,1	1,8					
48,0														
50,0														
52,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2

%														
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0005< T210.00015

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,1	5,4	2,8											
24,0	8,1	4,8	2,3											
26,0	6,9	4,3	1,8											
28,0	6,0	3,9												
30,0	5,1	3,4												
32,0	4,4	3,1												
34,0	3,7	2,7												
36,0	3,1	2,4												
38,0	2,6	2,0												
40,0	2,2													
42,0	1,8													
44,0														
46,0														
48,0														
50,0														
52,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	131,8	126,4	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	119,9	120,0	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	108,4	108,7	101,0	81,1	52,2	108,3	93,7	73,4	56,8	36,2	106,6	99,8	76,9	59,3
6,0	90,3	90,6	91,1	81,3	47,2	90,2	87,2	68,8	52,3	32,5	82,8	85,5	71,6	55,4
7,0	77,2	77,2	77,8	74,5	43,7	71,8	73,7	62,2	48,7	29,7	65,4	67,8	66,4	51,6
8,0	65,0	63,0	64,2	65,2	40,4	58,5	60,4	56,1	45,2	27,0	53,6	56,0	58,1	47,7
9,0	51,2	51,7	52,6	53,3	37,3	48,7	50,5	51,6	42,0	25,0	45,0	47,2	49,3	43,9
10,0	41,8	42,2	43,1	43,8	35,1	41,5	43,1	44,5	39,0	23,2	38,4	40,5	42,4	40,3
11,0		35,4	36,2	36,8	32,8	35,2	36,5	37,7	36,0	21,4	33,1	35,1	37,0	37,5
12,0		30,1	30,9	31,5	31,2	30,1	31,3	32,4	33,0	20,0	28,8	30,8	32,4	33,6
13,0		26,1	26,8	27,4	27,9	25,9	27,1	28,2	29,1	18,8	25,3	26,8	28,3	29,5
14,0		22,8	23,5	24,1	24,6	22,6	23,8	24,8	25,6	17,7	22,0	23,5	24,9	26,0
15,0		20,1	20,8	21,3	21,8	19,9	21,1	22,1	22,8	16,7	19,3	20,7	22,1	23,2
16,0						17,7	18,8	19,8	20,5	15,9	17,0	18,5	19,8	20,9
18,0						14,1	15,2	16,1	16,8	14,4	13,5	14,8	16,1	17,1
20,0											10,7	12,1	13,4	14,4
22,0											8,5	10,0	11,2	12,2
24,0											6,8	8,2	9,5	10,5
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	77,7	65,1	75,8	56,7	27,0	70,7	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	62,3	59,2	65,0	53,3	24,9	59,9	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	51,6	49,5	54,1	50,0	22,9	49,9	47,8	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	43,6	41,6	45,9	46,8	21,1	42,6	40,6	45,1	32,1	29,7	22,1	39,8
10,0	24,1	24,0	37,5	35,7	39,8	41,8	19,8	36,9	34,9	39,2	29,6	27,8	20,6	34,5
11,0	22,5	22,4	32,6	30,8	34,8	36,7	18,5	32,2	30,3	34,5	27,7	26,2	19,5	30,2
12,0	21,2	21,0	28,6	26,9	30,8	32,6	17,2	28,5	26,6	30,7	26,0	24,9	18,5	26,7
13,0	19,8	19,6	25,3	23,6	27,4	29,1	16,2	25,4	23,5	27,5	24,3	23,6	17,5	23,8
14,0	18,5	18,2	22,5	20,9	24,4	25,9	15,4	22,7	20,9	24,8	22,7	22,3	16,4	21,2
15,0	17,5	17,2	20,1	18,5	21,7	23,1	14,6	20,4	18,7	22,5	21,4	21,3	15,6	19,0
16,0	16,6	16,3	17,8	16,5	19,4	20,7	13,8	18,5	16,7	20,3	20,2	20,4	15,0	17,2
18,0	14,9	14,6	14,2	13,0	15,7	17,0	12,3	15,1	13,5	16,6	16,8	17,8	13,6	14,1
20,0	13,7	13,3	11,5	10,1	13,0	14,2	11,2	12,3	10,9	13,8	14,0	15,0	12,4	11,6
22,0	12,6	12,2	9,2	7,9	10,8	12,0	10,1	10,1	8,6	11,6	11,8	12,8	11,3	9,5
24,0	11,1	10,6	7,4	6,1	9,0	10,3	9,3	8,3	6,8	9,9	10,1	11,0	10,3	7,7
26,0			6,0	4,7	7,5	8,9	8,6	6,8	5,4	8,4	8,6	9,5	9,5	6,2
28,0			4,8	3,5	6,4	7,7	8,0	5,6	4,2	7,1	7,3	8,3	8,8	5,0
30,0								4,5	3,1	6,1	6,3	7,3	7,8	3,9
32,0								3,7	2,3	5,2	5,4	6,4	6,9	3,0
34,0														2,3
36,0														1,6
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	48,8	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	41,9	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	36,5	21,4	18,7	34,2	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	32,1	20,2	17,5	30,1	28,1	26,0	20,9	17,7	28,1	25,7	22,4	21,0	17,7	16,9
12,0	28,6	19,1	16,4	26,8	26,9	24,6	19,9	16,8	25,5	24,5	21,3	20,2	16,9	16,1
13,0	25,6	18,2	15,5	23,9	25,4	23,1	18,9	15,9	22,8	23,4	20,3	19,3	16,1	15,4
14,0	23,0	17,4	14,7	21,5	23,2	21,7	18,0	15,0	20,5	21,5	19,2	18,5	15,4	14,7
15,0	20,8	16,6	13,9	19,5	21,1	20,3	17,3	14,4	18,5	19,5	18,2	17,8	14,7	14,0
16,0	18,9	15,8	13,2	17,6	19,3	18,7	16,6	13,8	16,8	17,8	17,3	17,1	14,1	13,4
18,0	15,8	14,6	11,9	14,6	16,2	15,7	15,3	12,6	13,9	14,8	15,4	15,8	13,1	12,3
20,0	13,1	13,5	10,9	12,2	13,8	13,2	14,2	11,5	11,6	12,5	13,1	13,8	12,1	11,2
22,0	11,0	12,4	9,8	10,2	11,7	11,3	12,7	10,7	9,7	10,5	11,2	11,8	11,2	10,2
24,0	9,2	11,3	9,0	8,6	9,9	9,5	10,9	9,8	8,1	8,9	9,6	10,2	10,5	9,5
26,0	7,7	9,9	8,3	7,1	8,4	8,0	9,4	9,0	6,8	7,6	8,2	8,8	9,6	8,7
28,0	6,4	8,6	7,7	5,8	7,2	6,7	8,2	8,4	5,6	6,4	7,0	7,6	8,4	8,0
30,0	5,4	7,6	7,2	4,8	6,1	5,6	7,1	7,6	4,6	5,3	5,9	6,5	7,3	7,4
32,0	4,5	6,7	6,7	3,9	5,2	4,7	6,2	6,7	3,7	4,4	5,0	5,6	6,4	6,5
34,0	3,7	5,9	6,0	3,1	4,4	3,9	5,4	5,9	2,9	3,6	4,2	4,7	5,5	5,6
36,0	3,0	5,2	5,3	2,4	3,7	3,2	4,7	5,2	2,2	2,9	3,5	4,0	4,8	4,9
38,0				1,8	3,1	2,6	4,1	4,6	1,6	2,3	2,9	3,4	4,2	4,3
40,0					2,5	2,1	3,5	4,0		1,7	2,3	2,9	3,6	3,7
42,0					2,1	1,7	3,1	3,6			1,8	2,4	3,1	3,2
44,0												2,0	2,7	2,8
46,0												1,6	2,3	2,4
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,0	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	20,1	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	18,2	18,4	15,8	15,0	14,1	17,3	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	16,5	17,2	15,2	14,4	13,6	16,0	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	13,6	14,5	14,0	13,3	12,5	13,3	13,9	12,3	13,0	12,2	11,7	10,5	9,9	9,8
20,0	11,4	12,2	12,8	12,5	11,5	11,2	12,1	11,5	11,0	11,5	10,8	9,9	9,4	9,3
22,0	9,5	10,3	11,2	11,5	10,6	9,4	10,3	10,7	9,3	10,2	9,3	9,2	8,9	8,7
24,0	8,0	8,8	9,6	10,0	9,8	7,9	8,8	9,7	7,9	8,9	7,9	8,5	7,7	7,5
26,0	6,7	7,5	8,3	8,7	9,1	6,7	7,6	8,4	6,7	7,7	6,8	7,4	6,6	6,4
28,0	5,6	6,4	7,2	7,6	8,1	5,6	6,5	7,4	5,7	6,6	5,8	6,4	5,6	5,5
30,0	4,6	5,4	6,3	6,7	7,1	4,7	5,6	6,4	4,8	5,7	5,0	5,6	4,8	4,7
32,0	3,8	4,6	5,4	5,8	6,2	3,9	4,8	5,6	4,0	5,0	4,2	4,8	4,1	4,0
34,0	3,0	3,8	4,6	5,0	5,4	3,2	4,1	4,9	3,4	4,3	3,6	4,2	3,4	3,3
36,0	2,3	3,1	3,9	4,2	4,7	2,6	3,5	4,2	2,8	3,7	3,0	3,6	2,9	2,8
38,0	1,7	2,5	3,2	3,6	4,1	2,0	2,9	3,6	2,2	3,1	2,4	3,0	2,4	2,3
40,0		1,9	2,7	3,1	3,5		2,3	3,1	1,7	2,6	2,0	2,6	1,9	1,8
42,0			2,2	2,6	3,0		1,8	2,6		2,2	1,5	2,1		
44,0			1,8	2,1	2,6			2,1		1,8		1,7		
46,0				1,7	2,2			1,7						
48,0					1,8									
50,0														
52,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	64,1	46,5	47,1	39,4	42,7	35,4	15,4	65,0	48,3	49,3	42,8	45,0	37,5	40,7
9,0	51,2	46,5	47,1	39,2	42,7	34,8	14,6	51,2	48,3	49,2	42,5	45,0	37,0	39,3
10,0	41,8	42,2	42,2	39,1	41,3	34,4	13,9	41,8	43,1	43,1	41,7	43,1	36,5	38,6
11,0		35,4	35,4	35,2	35,2	32,6	13,2		36,2	36,2	36,5	36,5	34,7	35,1
12,0		30,1	30,1	30,1	30,1	28,8	12,6		30,9	30,9	31,3	31,3	30,8	30,8
13,0		26,1	26,1	25,9	25,9	25,3	12,0		26,8	26,8	27,1	27,1	26,8	26,8
14,0		22,8	22,8	22,6	22,6	22,0	11,5		23,5	23,5	23,8	23,8	23,5	23,5
15,0		20,1	20,1	19,9	19,9	19,3	11,0		20,8	20,8	21,1	21,1	20,7	20,7
16,0				17,7	17,7	17,0	10,6				18,8	18,8	18,5	18,5
18,0				14,1	14,1	13,5	8,7				15,2	15,2	14,8	14,8
20,0						10,7	8,2						12,1	12,1
22,0						8,5	7,7						10,0	10,0
24,0						6,8	6,1						8,2	8,2
26,0							4,7							
28,0							3,5							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	65,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	65,0
9,0	33,6	14,1	51,2	51,0	52,3	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	51,2
10,0	33,0	13,3	41,8	43,8	43,8	43,3	44,5	38,5	41,4	35,2	37,8	32,2	13,0	41,8
11,0	31,6	12,6		36,8	36,8	37,7	37,7	36,6	37,0	33,8	34,8	31,4	12,3	
12,0	28,6	12,0		31,5	31,5	32,4	32,4	32,4	32,4	30,8	30,8	28,4	11,7	
13,0	25,3	11,4		27,4	27,4	28,2	28,2	28,3	28,3	27,4	27,4	25,4	11,1	
14,0	22,5	10,8		24,1	24,1	24,8	24,8	24,9	24,9	24,4	24,4	22,7	10,3	
15,0	20,1	9,6		21,3	21,3	22,1	22,1	22,1	22,1	21,7	21,7	20,4	8,9	
16,0	17,8	8,7				19,8	19,8	19,8	19,8	19,4	19,4	18,5	8,4	
18,0	14,2	8,0				16,1	16,1	16,1	16,1	15,7	15,7	15,1	7,7	
20,0	11,5	7,4						13,4	13,4	13,0	13,0	12,3	7,1	
22,0	9,2	6,9						11,2	11,2	10,8	10,8	10,1	6,5	
24,0	7,4	6,5						9,5	9,5	9,0	9,0	8,3	6,1	
26,0	6,0	5,4								7,5	7,5	6,8	5,6	
28,0	4,8	4,2								6,4	6,4	5,6	5,0	
30,0		3,1										4,5	3,9	
32,0		2,3										3,7	3,0	
34,0													2,3	
36,0													1,6	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	40,4	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	35,7	36,7	33,6	34,5	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,0	33,0	33,6	33,6	32,6	32,6	30,6	30,7	28,6	11,6	11,1	15,4
13,0	27,9	27,9	29,1	29,1	29,5	29,5	29,1	29,1	27,5	27,5	25,6	11,0	9,5	14,8
14,0	24,6	24,6	25,6	25,6	26,0	26,0	25,9	25,9	24,8	24,8	23,0	9,3	8,8	14,2
15,0	21,8	21,8	22,8	22,8	23,2	23,2	23,1	23,1	22,5	22,5	20,8	8,8	8,3	13,7
16,0			20,5	20,5	20,9	20,9	20,7	20,7	20,3	20,3	18,9	8,4	7,9	13,2
18,0			16,8	16,8	17,1	17,1	17,0	17,0	16,6	16,6	15,8	7,7	7,2	12,4
20,0					14,4	14,4	14,2	14,2	13,8	13,8	13,1	7,0	6,5	11,6
22,0					12,2	12,2	12,0	12,0	11,6	11,6	11,0	6,5	5,9	11,0
24,0					10,5	10,5	10,3	10,3	9,9	9,9	9,2	6,0	5,4	9,6
26,0							8,9	8,9	8,4	8,4	7,7	5,5	4,9	8,6
28,0							7,7	7,7	7,1	7,1	6,4	5,1	4,5	7,3
30,0									6,1	6,1	5,4	4,7	4,1	6,3
32,0									5,2	5,2	4,5	3,9	3,6	5,4
34,0											3,7	3,1	2,9	
36,0											3,0	2,4	2,2	
38,0												1,8	1,6	
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	21,5	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,3	19,5	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	18,7	17,8	7,6	10,0	17,3	17,2	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	15,7	14,8	6,8	8,4	15,4	14,5	6,8	14,6	8,4	14,0	13,9	6,7	14,4
20,0	8,0	13,2	12,5	6,1	7,7	13,1	12,2	6,1	13,3	7,7	12,8	12,1	6,0	
22,0	7,4	11,3	10,5	5,5	7,1	11,2	10,3	5,5	12,2	7,1	11,2	10,3	5,4	
24,0	6,9	9,5	8,9	5,0	6,6	9,6	8,8	4,9	10,6	6,5	9,6	8,8	4,9	
26,0	6,5	8,0	7,6	4,5	6,1	8,2	7,5	4,4		6,0	8,3	7,6	4,4	
28,0	6,0	6,7	6,4	4,0	5,7	7,0	6,4	4,0		5,6	7,2	6,5	3,9	
30,0	5,6	5,6	5,3	3,6	5,3	5,9	5,4	3,6		5,2	6,3	5,6	3,5	
32,0	4,7	4,7	4,4	3,3	4,9	5,0	4,6	3,2		4,8	5,4	4,8	3,1	
34,0	3,9	3,9	3,6	2,9	4,2	4,2	3,8	2,8		4,5	4,6	4,1	2,8	
36,0	3,2	3,2	2,9	2,3	3,5	3,5	3,1	2,5		3,9	3,9	3,5	2,5	
38,0	2,6	2,6	2,3	1,7	2,9	2,9	2,5	2,0		3,2	3,2	2,9	2,2	
40,0	2,1	2,1	1,7		2,3	2,3	1,9			2,7	2,7	2,3	1,7	
42,0	1,7	1,7			1,8	1,8				2,2	2,2	1,8		
44,0										1,8	1,8			
46,0														
48,0														
50,0														
52,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,4	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	23,2	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	21,1	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	19,3	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	17,8	16,2	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,8	11,9
20,0		13,7	15,0	13,8	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	13,8	10,9
22,0		12,6	12,8	11,7	10,1	10,1	11,3	11,3	12,4	12,4	12,7	12,7	11,8	9,8
24,0		11,1	11,0	9,9	9,3	9,3	10,3	10,3	11,3	11,3	10,9	10,9	10,2	9,0
26,0			9,5	8,4	8,6	8,6	9,5	9,5	9,9	9,9	9,4	9,4	8,8	8,3
28,0			8,3	7,2	8,0	8,0	8,8	8,8	8,6	8,6	8,2	8,2	7,6	7,7
30,0			7,3	6,1			7,8	7,8	7,6	7,6	7,1	7,1	6,5	7,2
32,0			6,4	5,2			6,9	6,9	6,7	6,7	6,2	6,2	5,6	6,7
34,0				4,4					5,9	5,9	5,4	5,4	4,7	6,0
36,0				3,7					5,2	5,2	4,7	4,7	4,0	5,3
38,0				3,1							4,1	4,1	3,4	
40,0				2,5							3,5	3,5	2,9	
42,0				2,1							3,1	3,1	2,4	
44,0													2,0	
46,0													1,6	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3

%	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,5	8,6	10,2	10,6	7,0	10,7	10,2	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,0	8,0	9,5	9,8	6,5	9,7	8,9	4,9	8,6
26,0	8,3	9,0	9,0	9,6	9,6	8,7	7,6	8,7	9,1	6,0	8,4	7,7	4,4	8,0
28,0	7,7	8,4	8,4	8,4	8,4	7,6	7,1	8,0	8,1	5,5	7,4	6,6	4,0	7,1
30,0	7,2	7,6	7,6	7,3	7,3	6,7	6,7	7,4	7,1	5,1	6,4	5,7	3,6	6,2
32,0	6,7	6,7	6,7	6,4	6,4	5,8	6,3	6,5	6,2	4,8	5,6	5,0	3,2	5,4
34,0	6,0	5,9	5,9	5,5	5,5	5,0	5,6	5,6	5,4	4,4	4,9	4,3	2,9	4,7
36,0	5,3	5,2	5,2	4,8	4,8	4,2	4,9	4,9	4,7	4,1	4,2	3,7	2,6	4,1
38,0		4,6	4,6	4,2	4,2	3,6	4,3	4,3	4,1	3,6	3,6	3,1	2,3	3,6
40,0		4,0	4,0	3,6	3,6	3,1	3,7	3,7	3,5	3,1	3,1	2,6	2,0	3,1
42,0		3,6	3,6	3,1	3,1	2,6	3,2	3,2	3,0	2,6	2,6	2,2	1,5	2,6
44,0				2,7	2,7	2,1	2,8	2,8	2,6	2,1	2,1	1,8		2,2
46,0				2,3	2,3	1,7	2,4	2,4	2,2	1,7	1,7			1,8
48,0									1,8					
50,0														
52,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0026< T210.00055

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,5	4,8	2,3											
26,0	7,4	4,3	1,8											
28,0	6,4	3,9												
30,0	5,6	3,4												
32,0	4,8	3,1												
34,0	4,2	2,7												
36,0	3,6	2,4												
38,0	3,0	2,1												
40,0	2,6	1,9												
42,0	2,1													
44,0	1,7													
46,0														
48,0														
50,0														
52,0														
* n *	2	1	1											
1	46 -	92 -	100 -											
2	100 +	100 +	100 +											
3	100 +	100 +	100 +											
4	100 +	100 +	100 +											
5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	22.0 t	8.89 x 8.30 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0039< T210.00074

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	102,8	66,9	68,0	69,0	64,9	48,1	49,8	51,4	52,5	46,2				
3,5	92,8	61,8	63,0	63,9	61,1	45,1	46,8	48,3	49,4	43,1			37,8	
4,0	84,5	57,5	58,6	59,5	57,5	42,4	44,0	45,5	46,6	40,7	32,1	34,0	35,9	37,4
4,5	77,5	53,6	54,7	55,6	54,8	39,9	41,5	43,0	44,1	38,4	30,4	32,3	34,2	35,7
5,0	71,7	50,3	51,4	52,2	52,2	37,7	39,3	40,8	41,8	36,2	28,8	30,7	32,6	34,0
6,0	62,3	44,5	45,6	46,4	47,1	33,9	35,4	36,8	37,9	32,5	26,1	27,9	29,7	31,2
7,0	55,3	39,9	40,9	41,8	42,5	30,6	32,2	33,6	34,6	29,7	23,7	25,5	27,3	28,7
8,0	50,0	36,2	37,2	38,0	38,6	27,9	29,4	30,8	31,8	27,0	21,6	23,5	25,2	26,6
9,0	46,2	33,1	34,0	34,8	35,5	25,6	27,1	28,4	29,4	25,0	19,8	21,6	23,4	24,7
10,0	44,0	30,5	31,4	32,2	32,8	23,6	25,0	26,3	27,3	23,2	18,3	20,0	21,7	23,1
11,0		28,3	29,3	30,0	30,7	21,8	23,2	24,5	25,5	21,4	16,9	18,6	20,3	21,6
12,0		26,6	27,5	28,3	28,9	20,3	21,7	23,0	24,0	20,0	15,6	17,3	19,0	20,3
13,0		25,2	26,1	26,9	27,5	19,0	20,4	21,6	22,6	18,8	14,5	16,2	17,9	19,2
14,0		24,4	25,2	26,0	26,6	17,8	19,2	20,5	21,4	17,7	13,5	15,2	16,8	18,2
15,0		24,2	25,1	25,8	26,3	16,8	18,2	19,4	20,4	16,7	12,6	14,3	15,9	17,2
16,0						16,0	17,4	18,6	19,5	15,9	11,8	13,5	15,1	16,4
18,0						14,9	16,2	17,4	18,4	14,4	10,5	12,1	13,7	15,0
20,0											9,5	11,1	12,7	13,9
22,0											8,8	10,5	12,0	13,2
24,0											8,7	10,4	11,9	13,0
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	11	7	8	8	7	5	6	6	6	5	4	4	4	4
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	32.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0039< T210.00074

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	38,4	37,7												
4,5	36,7	35,9												
5,0	35,0	34,3	24,2	22,6	26,2	28,0	29,5							
6,0	32,1	31,4	22,1	20,5	24,1	25,8	27,0	19,3	17,6	21,3	21,6	22,9	23,7	
7,0	29,7	29,0	20,2	18,6	22,2	23,9	24,9	17,8	16,2	19,9	20,1	21,4	22,2	14,5
8,0	27,5	26,8	18,6	17,0	20,6	22,2	22,9	16,5	14,8	18,5	18,8	20,0	20,8	13,4
9,0	25,7	25,0	17,1	15,6	19,1	20,7	21,1	15,3	13,7	17,3	17,6	18,8	19,6	12,4
10,0	24,0	23,3	15,9	14,3	17,8	19,4	19,8	14,2	12,6	16,2	16,5	17,7	18,5	11,5
11,0	22,5	21,9	14,7	13,2	16,6	18,2	18,5	13,3	11,6	15,2	15,5	16,7	17,5	10,7
12,0	21,2	20,6	13,7	12,2	15,6	17,2	17,2	12,4	10,8	14,3	14,6	15,8	16,5	10,0
13,0	19,8	19,4	12,7	11,2	14,6	16,2	16,2	11,6	10,0	13,5	13,8	15,0	15,7	9,3
14,0	18,5	18,2	11,8	10,4	13,7	15,3	15,4	10,8	9,2	12,7	13,0	14,2	14,9	8,6
15,0	17,5	17,2	11,1	9,6	12,9	14,5	14,6	10,2	8,6	12,1	12,3	13,5	14,2	8,0
16,0	16,6	16,3	10,4	8,9	12,2	13,8	13,8	9,5	7,9	11,4	11,7	12,9	13,6	7,5
18,0	14,9	14,6	9,1	7,7	11,0	12,5	12,3	8,4	6,8	10,3	10,5	11,7	12,4	6,5
20,0	13,7	13,3	8,1	6,6	9,9	11,4	11,2	7,5	5,9	9,3	9,6	10,7	11,4	5,6
22,0	12,6	12,2	7,3	5,8	9,1	10,6	10,1	6,7	5,1	8,5	8,7	9,9	10,6	4,9
24,0	11,8	11,5	6,6	5,2	8,4	9,9	9,3	6,0	4,4	7,8	8,0	9,2	9,9	4,3
26,0			6,2	4,7	8,0	9,5	8,6	5,4	3,9	7,2	7,5	8,6	9,3	3,7
28,0			6,1	4,6	7,9	9,4	8,0	5,0	3,4	6,8	7,0	8,1	8,8	3,2
30,0								4,7	3,1	6,5	6,7	7,8	8,2	2,8
32,0								4,6	3,0	6,4	6,6	7,7	7,7	2,5
34,0														2,2
36,0														2,2
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	4	4	3	3	3	3	4	3	2	3	3	3	3	2
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	32.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0039< T210.00074

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	13,2	17,7	17,7
3,0												52,1	47,1	47,2
3,5												52,9	46,9	47,2
4,0												53,6	46,7	47,1
4,5												54,2	46,6	47,1
5,0												54,9	46,5	47,1
6,0												56,8	44,5	44,5
7,0	16,2	19,0	19,1									55,3	39,9	39,9
8,0	15,1	17,9	18,0	12,4	13,9	13,4	15,2	15,8				50,0	36,2	36,2
9,0	14,1	16,9	17,0	11,5	13,1	12,5	14,4	14,9	11,9	12,9	13,0	46,2	33,1	33,1
10,0	13,2	16,0	16,1	10,8	12,3	11,8	13,6	14,2	11,3	12,2	12,4	44,0	30,5	30,5
11,0	12,3	15,1	15,2	10,0	11,6	11,0	12,8	13,4	10,6	11,6	11,7		28,3	28,3
12,0	11,6	14,3	14,4	9,4	10,9	10,4	12,2	12,7	10,1	11,0	11,1		26,6	26,6
13,0	10,9	13,6	13,7	8,8	10,3	9,8	11,5	12,1	9,5	10,5	10,6		25,2	25,2
14,0	10,2	12,9	13,1	8,2	9,7	9,2	11,0	11,5	9,0	9,9	10,1		24,4	24,4
15,0	9,6	12,3	12,4	7,7	9,2	8,7	10,4	11,0	8,5	9,5	9,6		24,2	24,2
16,0	9,1	11,8	11,9	7,2	8,7	8,2	9,9	10,5	8,1	9,0	9,2			
18,0	8,1	10,7	10,8	6,3	7,8	7,3	9,0	9,6	7,3	8,2	8,3			
20,0	7,2	9,8	10,0	5,5	7,0	6,5	8,2	8,8	6,6	7,5	7,6			
22,0	6,5	9,1	9,2	4,8	6,3	5,8	7,5	8,1	5,9	6,9	7,0			
24,0	5,8	8,4	8,5	4,2	5,7	5,2	6,9	7,5	5,4	6,3	6,4			
26,0	5,3	7,8	7,9	3,7	5,2	4,7	6,4	6,9	4,9	5,8	5,9			
28,0	4,8	7,3	7,4	3,2	4,7	4,2	5,9	6,4	4,4	5,3	5,4			
30,0	4,4	6,9	7,0	2,8	4,3	3,8	5,5	6,0	4,0	4,9	5,0			
32,0	4,0	6,5	6,6	2,5	3,9	3,4	5,1	5,6	3,7	4,5	4,7			
34,0	3,8	6,3	6,3	2,2	3,6	3,1	4,8	5,3	3,3	4,2	4,3			
36,0	3,8	6,2	6,0	1,9	3,4	2,9	4,5	5,1	3,1	3,9	4,0			
38,0				1,7	3,2	2,7	4,3	4,9	2,8	3,7	3,8			
40,0				1,7	3,1	2,6	4,3	4,8	2,6	3,5	3,6			
42,0				1,7	3,1	2,6	4,3	4,8	2,5	3,3	3,4			
44,0									2,4	3,2	3,4			
46,0									2,4	3,2	3,4			
48,0														
*** n ***	2	2	2	2	2	2	2	2	2	2	2	6	5	5
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	0 +	0 +	0 +	0 -
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	0 -	46 -	46 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	92 +	92 +	0 +	0 +	0 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	0 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	14,3	14,3

	T	--	32.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0039< T210.00074

m	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	35,8	13,2
3,0	43,6	43,9			53,8	49,0	49,3	45,7	46,3					55,3
3,5	43,2	43,7			54,6	48,7	49,3	45,3	45,9					56,1
4,0	42,1	42,4	32,1		55,4	48,6	49,3	44,0	44,0	34,0	34,0			56,9
4,5	39,9	39,9	30,4		56,0	48,4	49,3	41,5	41,5	32,3	32,3			57,5
5,0	37,7	37,7	28,8	18,4	56,7	48,4	49,2	39,3	39,3	30,7	30,7	24,2		58,3
6,0	33,9	33,9	26,1	17,3	58,6	45,6	45,6	35,4	35,4	27,9	27,9	22,1	16,8	61,2
7,0	30,6	30,6	23,7	16,3	55,3	40,9	40,9	32,2	32,2	25,5	25,5	20,2	15,8	55,3
8,0	27,9	27,9	21,6	15,4	50,0	37,2	37,2	29,4	29,4	23,5	23,5	18,6	14,8	50,0
9,0	25,6	25,6	19,8	14,6	46,2	34,0	34,0	27,1	27,1	21,6	21,6	17,1	13,7	46,2
10,0	23,6	23,6	18,3	13,9	44,0	31,4	31,4	25,0	25,0	20,0	20,0	15,9	12,6	44,0
11,0	21,8	21,8	16,9	13,1		29,3	29,3	23,2	23,2	18,6	18,6	14,7	11,6	
12,0	20,3	20,3	15,6	12,2		27,5	27,5	21,7	21,7	17,3	17,3	13,7	10,8	
13,0	19,0	19,0	14,5	11,2		26,1	26,1	20,4	20,4	16,2	16,2	12,7	10,0	
14,0	17,8	17,8	13,5	10,4		25,2	25,2	19,2	19,2	15,2	15,2	11,8	9,2	
15,0	16,8	16,8	12,6	9,6		25,1	25,1	18,2	18,2	14,3	14,3	11,1	8,6	
16,0	16,0	16,0	11,8	8,9				17,4	17,4	13,5	13,5	10,4	7,9	
18,0	14,9	14,9	10,5	7,7				16,2	16,2	12,1	12,1	9,1	6,8	
20,0			9,5	6,6						11,1	11,1	8,1	5,9	
22,0			8,8	5,8						10,5	10,5	7,3	5,1	
24,0			8,7	5,2						10,4	10,4	6,6	4,4	
26,0				4,7								6,2	3,9	
28,0				4,6								6,1	3,4	
30,0													3,1	
32,0													3,0	
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	5	5	4	2	6	5	5	5	5	4	4	3	2	7

%														
1	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3

	T	--	32.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0039< T210.00074

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2	17,7	17,7	22,2
3,0	51,8	52,6	47,7	48,5							56,5	53,1	54,1	49,2
3,5	51,6	52,6	47,2	47,9	37,8	37,8					57,3	52,9	54,1	48,6
4,0	51,4	52,5	45,5	45,5	35,9	35,9					58,2	52,7	54,1	46,6
4,5	51,3	52,5	43,0	43,0	34,2	34,2					59,0	52,6	54,0	44,1
5,0	50,8	51,5	40,8	40,8	32,6	32,6	26,2	26,2			60,8	51,7	52,2	41,8
6,0	46,4	46,4	36,8	36,8	29,7	29,7	24,1	24,1	19,3		62,3	47,1	47,1	37,9
7,0	41,8	41,8	33,6	33,6	27,3	27,3	22,2	22,2	17,8	14,5	55,3	42,5	42,5	34,6
8,0	38,0	38,0	30,8	30,8	25,2	25,2	20,6	20,6	16,5	13,4	50,0	38,6	38,6	31,8
9,0	34,8	34,8	28,4	28,4	23,4	23,4	19,1	19,1	15,3	12,4	46,2	35,5	35,5	29,4
10,0	32,2	32,2	26,3	26,3	21,7	21,7	17,8	17,8	14,2	11,5	44,0	32,8	32,8	27,3
11,0	30,0	30,0	24,5	24,5	20,3	20,3	16,6	16,6	13,3	10,7		30,7	30,7	25,5
12,0	28,3	28,3	23,0	23,0	19,0	19,0	15,6	15,6	12,4	10,0		28,9	28,9	24,0
13,0	26,9	26,9	21,6	21,6	17,9	17,9	14,6	14,6	11,6	9,3		27,5	27,5	22,6
14,0	26,0	26,0	20,5	20,5	16,8	16,8	13,7	13,7	10,8	8,6		26,6	26,6	21,4
15,0	25,8	25,8	19,4	19,4	15,9	15,9	12,9	12,9	10,2	8,0		26,3	26,3	20,4
16,0			18,6	18,6	15,1	15,1	12,2	12,2	9,5	7,5				19,5
18,0			17,4	17,4	13,7	13,7	11,0	11,0	8,4	6,5				18,4
20,0					12,7	12,7	9,9	9,9	7,5	5,6				
22,0					12,0	12,0	9,1	9,1	6,7	4,9				
24,0					11,9	11,9	8,4	8,4	6,0	4,3				
26,0							8,0	8,0	5,4	3,7				
28,0							7,9	7,9	5,0	3,2				
30,0									4,7	2,8				
32,0									4,6	2,5				
34,0										2,2				
36,0										2,2				
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	6	6	5	5	4	4	3	3	3	2	7	6	6	5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +
3	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
4	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +
5	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3	14,3	14,3	14,3

	T	--	32.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0039< T210.00074

m	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	35,8	44,8	26,8	22,2	22,2
3,0	51,7												33,1	46,2
3,5	49,4												32,5	43,1
4,0	46,6	37,4	37,4									28,2	31,8	40,7
4,5	44,1	35,7	35,7									27,6	31,2	38,4
5,0	41,8	34,0	34,0	28,0	28,0							26,9	29,4	36,2
6,0	37,9	31,2	31,2	25,8	25,8	21,3	21,3			21,6		25,8	28,4	32,5
7,0	34,6	28,7	28,7	23,9	23,9	19,9	19,9	16,2		19,3		24,7	27,5	29,7
8,0	31,8	26,6	26,6	22,2	22,2	18,5	18,5	15,1	12,4	18,3	13,4	23,8	26,6	27,0
9,0	29,4	24,7	24,7	20,7	20,7	17,3	17,3	14,1	11,5	17,5	12,5	22,9	25,0	25,0
10,0	27,3	23,1	23,1	19,4	19,4	16,2	16,2	13,2	10,8	16,5	11,8	22,2	23,2	23,2
11,0	25,5	21,6	21,6	18,2	18,2	15,2	15,2	12,3	10,0	15,5	11,0	21,5	21,4	21,4
12,0	24,0	20,3	20,3	17,2	17,2	14,3	14,3	11,6	9,4	14,6	10,4	20,6	20,0	20,0
13,0	22,6	19,2	19,2	16,2	16,2	13,5	13,5	10,9	8,8	13,8	9,8	19,1	18,8	18,8
14,0	21,4	18,2	18,2	15,3	15,3	12,7	12,7	10,2	8,2	13,0	9,2	18,2	17,7	17,7
15,0	20,4	17,2	17,2	14,5	14,5	12,1	12,1	9,6	7,7	12,3	8,7	17,2	16,7	16,7
16,0	19,5	16,4	16,4	13,8	13,8	11,4	11,4	9,1	7,2	11,7	8,2	16,3	15,9	15,9
18,0	18,4	15,0	15,0	12,5	12,5	10,3	10,3	8,1	6,3	10,5	7,3	14,6	14,4	14,4
20,0		13,9	13,9	11,4	11,4	9,3	9,3	7,2	5,5	9,6	6,5	13,3		
22,0		13,2	13,2	10,6	10,6	8,5	8,5	6,5	4,8	8,7	5,8	12,2		
24,0		13,0	13,0	9,9	9,9	7,8	7,8	5,8	4,2	8,0	5,2	11,5		
26,0				9,5	9,5	7,2	7,2	5,3	3,7	7,5	4,7			
28,0				9,4	9,4	6,8	6,8	4,8	3,2	7,0	4,2			
30,0						6,5	6,5	4,4	2,8	6,7	3,8			
32,0						6,4	6,4	4,0	2,5	6,6	3,4			
34,0								3,8	2,2		3,1			
36,0								3,8	1,9		2,9			
38,0									1,7		2,7			
40,0									1,7		2,6			
42,0											2,1			
44,0														
46,0														
48,0														
*** n ***	6	4	4	3	3	3	3	2	2	3	2	3	4	5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	92 -	0 +	0 +	0 +
3	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	92 -	92 +	0 +	0 +	0 +
4	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	0 +	0 -
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
m/s	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	12,8	11,1	12,8	14,3	14,3

	T	--	32.0 t	8.89 x 2.70 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0039< T210.00074

m	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3	40,3
3,0														
3,5														
4,0	38,4													
4,5	36,7													
5,0	35,0			26,1	29,5									
6,0	32,1	22,9		24,9	27,0	23,7	23,7							
7,0	29,7	21,4		23,7	24,9	22,2	22,2	19,0	19,0				19,1	19,1
8,0	27,5	20,0	13,9	22,7	22,9	20,8	20,8	17,9	17,9	15,2	15,2		18,0	18,0
9,0	25,7	18,8	13,1	21,1	21,1	19,6	19,6	16,9	16,9	14,4	14,4	11,9	17,0	17,0
10,0	24,0	17,7	12,3	19,8	19,8	18,5	18,5	16,0	16,0	13,6	13,6	11,3	16,1	16,1
11,0	22,5	16,7	11,6	18,5	18,5	17,5	17,5	15,1	15,1	12,8	12,8	10,6	15,2	15,2
12,0	21,2	15,8	10,9	17,2	17,2	16,5	16,5	14,3	14,3	12,2	12,2	10,1	14,4	14,4
13,0	19,8	15,0	10,3	16,2	16,2	15,7	15,7	13,6	13,6	11,5	11,5	9,5	13,7	13,7
14,0	18,5	14,2	9,7	15,4	15,4	14,9	14,9	12,9	12,9	11,0	11,0	9,0	13,1	13,1
15,0	17,5	13,5	9,2	14,6	14,6	14,2	14,2	12,3	12,3	10,4	10,4	8,5	12,4	12,4
16,0	16,6	12,9	8,7	13,8	13,8	13,6	13,6	11,8	11,8	9,9	9,9	8,1	11,9	11,9
18,0	14,9	11,7	7,8	12,3	12,3	12,4	12,4	10,7	10,7	9,0	9,0	7,3	10,8	10,8
20,0	13,7	10,7	7,0	11,2	11,2	11,4	11,4	9,8	9,8	8,2	8,2	6,6	10,0	10,0
22,0	12,6	9,9	6,3	10,1	10,1	10,6	10,6	9,1	9,1	7,5	7,5	5,9	9,2	9,2
24,0	11,8	9,2	5,7	9,3	9,3	9,9	9,9	8,4	8,4	6,9	6,9	5,4	8,5	8,5
26,0		8,6	5,2	8,6	8,6	9,3	9,3	7,8	7,8	6,4	6,4	4,9	7,9	7,9
28,0		8,1	4,7	8,0	8,0	8,8	8,8	7,3	7,3	5,9	5,9	4,4	7,4	7,4
30,0		7,8	4,3			8,2	8,2	6,9	6,9	5,5	5,5	4,0	7,0	7,0
32,0		7,7	3,9			7,7	7,7	6,5	6,5	5,1	5,1	3,7	6,6	6,6
34,0			3,6					6,3	6,3	4,8	4,8	3,3	6,3	6,3
36,0			3,4					6,2	6,2	4,5	4,5	3,1	6,0	6,0
38,0			3,2							4,3	4,3	2,8		
40,0			3,1							4,3	4,3	2,6		
42,0			3,1							4,3	4,3	2,5		
44,0												2,4		
46,0												2,4		
48,0														
*** n ***	4	3	2	3	4	3	3	2	2	2	2	2	2	2
1	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +
2	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +
3	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 -
4	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
5	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0039< T210.00074

m	44,8	44,8	49,3	49,3										
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0	15,8	15,8												
9,0	14,9	14,9	12,9	13,0										
10,0	14,2	14,2	12,2	12,4										
11,0	13,4	13,4	11,6	11,7										
12,0	12,7	12,7	11,0	11,1										
13,0	12,1	12,1	10,5	10,6										
14,0	11,5	11,5	9,9	10,1										
15,0	11,0	11,0	9,5	9,6										
16,0	10,5	10,5	9,0	9,2										
18,0	9,6	9,6	8,2	8,3										
20,0	8,8	8,8	7,5	7,6										
22,0	8,1	8,1	6,9	7,0										
24,0	7,5	7,5	6,3	6,4										
26,0	6,9	6,9	5,8	5,9										
28,0	6,4	6,4	5,3	5,4										
30,0	6,0	6,0	4,9	5,0										
32,0	5,6	5,6	4,5	4,7										
34,0	5,3	5,3	4,2	4,3										
36,0	5,1	5,1	3,9	4,0										
38,0	4,9	4,9	3,7	3,8										
40,0	4,8	4,8	3,5	3,6										
42,0	4,8	4,8	3,3	3,4										
44,0			3,2	3,4										
46,0			3,2	3,0										
48,0														
* n *	2	2	2	2										
% 1	0 +	0 +	0 +	0 +										
% 2	0 +	0 -	46 -	0 +										
% 3	46 -	46 +	46 +	92 -										
% 4	92 +	92 +	92 +	92 +										
% 5	92 +	92 +	92 +	92 +										
% 6	92 +	92 +	92 +	92 +										
m/s	11,1	11,1	11,1	11,1										

	T	--	32.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	118,2	106,7	101,5	79,0	64,9	97,8	94,3	77,1	68,4	46,2				
3,5	114,4	105,8	102,3	79,7	61,1	97,4	93,6	77,3	64,9	43,1			77,2	
4,0	106,0	104,4	102,6	80,3	57,5	97,1	93,0	76,2	62,0	40,7	92,2	93,1	77,6	64,2
4,5	97,6	97,6	98,1	80,7	54,8	91,1	92,5	74,8	59,4	38,4	81,4	84,0	78,0	61,6
5,0	90,4	87,7	88,6	81,0	52,2	78,8	80,8	73,4	56,8	36,2	70,9	73,4	74,7	59,3
6,0	72,9	66,7	67,9	68,8	47,2	61,0	62,8	64,5	52,3	32,5	55,6	57,8	60,0	55,4
7,0	56,7	53,2	54,3	55,2	43,7	49,2	50,9	52,5	48,7	29,7	45,0	47,1	49,2	50,8
8,0	44,3	43,8	44,9	45,7	40,4	40,9	42,5	43,9	44,5	27,0	37,5	39,5	41,4	43,0
9,0	35,9	36,2	37,0	37,7	37,3	34,4	36,0	37,4	38,5	25,0	31,7	33,7	35,5	37,0
10,0	29,8	30,1	30,9	31,5	32,0	29,5	31,0	32,3	33,2	23,2	27,1	29,0	30,8	32,3
11,0		25,5	26,2	26,8	27,3	25,4	26,5	27,6	28,4	21,4	23,4	25,3	27,0	28,4
12,0		21,9	22,6	23,1	23,6	21,8	22,9	23,9	24,7	20,0	20,4	22,2	23,9	25,0
13,0		19,0	19,6	20,2	20,6	18,8	19,9	20,9	21,7	18,8	17,9	19,6	21,0	22,0
14,0		16,6	17,2	17,8	18,2	16,4	17,5	18,5	19,2	17,7	15,7	17,2	18,5	19,6
15,0		14,6	15,3	15,8	16,2	14,4	15,5	16,4	17,2	16,7	13,8	15,2	16,4	17,5
16,0						12,8	13,8	14,7	15,4	15,5	12,1	13,5	14,7	15,7
18,0						9,9	11,1	11,9	12,6	12,7	9,2	10,7	11,9	12,9
20,0											7,0	8,5	9,8	10,8
22,0											5,3	6,7	8,0	9,1
24,0											4,0	5,4	6,6	7,7
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	13	11	11	9	7	10	10	8	8	5	11	10	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	32.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	64,6	62,5	67,3	60,6	29,7							
6,0	34,0	34,3	52,9	51,0	55,4	56,0	27,0	49,5	47,4	52,0	41,0	36,5	27,1	
7,0	30,7	30,8	43,4	41,6	45,7	47,7	24,9	42,1	40,1	44,5	37,5	33,8	25,2	38,2
8,0	28,3	28,4	36,4	34,6	38,6	40,5	22,9	35,6	33,7	37,9	34,7	31,7	23,6	33,2
9,0	26,2	26,2	31,0	29,3	33,1	34,9	21,1	30,6	28,8	32,8	32,1	29,7	22,1	28,5
10,0	24,1	24,0	26,8	25,1	28,9	30,6	19,8	26,6	24,8	28,7	29,0	27,8	20,6	24,8
11,0	22,5	22,4	23,3	21,7	25,3	27,1	18,5	23,3	21,5	25,4	25,7	26,2	19,5	21,7
12,0	21,2	21,0	20,4	18,8	22,4	24,1	17,2	20,6	18,8	22,6	22,9	24,1	18,5	19,1
13,0	19,8	19,6	18,0	16,4	19,9	21,6	16,2	18,3	16,6	20,3	20,6	21,8	17,5	17,0
14,0	18,5	18,2	15,9	14,4	17,8	19,4	15,4	16,3	14,6	18,3	18,6	19,8	16,4	15,1
15,0	17,5	17,2	14,1	12,6	16,0	17,3	14,6	14,6	12,9	16,5	16,8	18,0	15,6	13,4
16,0	16,4	15,9	12,6	11,1	14,3	15,6	13,8	13,1	11,4	15,0	15,3	16,4	15,0	12,0
18,0	13,6	13,1	10,0	8,6	11,6	12,8	12,3	10,6	9,0	12,4	12,6	13,5	13,6	9,6
20,0	11,4	10,9	7,8	6,5	9,4	10,6	11,2	8,6	7,0	10,2	10,4	11,3	11,9	7,7
22,0	9,7	9,2	6,0	4,7	7,6	8,9	9,9	6,9	5,4	8,5	8,7	9,6	10,1	6,1
24,0	8,3	7,8	4,6	3,3	6,2	7,5	8,5	5,4	4,1	7,0	7,2	8,2	8,7	4,8
26,0			3,5	2,2	5,0	6,3	7,3	4,3	2,9	5,8	6,0	7,0	7,6	3,7
28,0			2,6		4,0	5,3	6,3	3,3	1,8	4,8	5,0	6,0	6,5	2,7
30,0								2,5		4,0	4,1	5,1	5,7	1,8
32,0								1,8		3,3	3,4	4,4	4,9	
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	5	5	8	8	8	7	4	6	6	6	5	4	3	4
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	32.0 t	8.89 x 5.50 m	360°	

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	40,2	25,5	22,8											
8,0	35,1	23,9	21,2	32,0	32,7	31,3	24,3	21,0						
9,0	30,4	22,6	19,8	28,4	30,1	29,1	23,0	19,8	26,3	27,2	25,0	23,1	19,5	18,6
10,0	26,6	21,4	18,7	24,8	26,5	26,0	21,8	18,7	23,6	24,5	23,7	22,0	18,6	17,7
11,0	23,5	20,2	17,5	21,9	23,5	23,0	20,9	17,7	20,8	21,7	22,2	21,0	17,7	16,9
12,0	20,9	19,1	16,4	19,4	21,0	20,5	19,9	16,8	18,5	19,4	20,1	20,2	16,9	16,1
13,0	18,7	18,2	15,5	17,3	18,9	18,4	18,9	15,9	16,4	17,3	18,1	18,8	16,1	15,4
14,0	16,7	17,4	14,7	15,5	17,1	16,5	18,0	15,0	14,7	15,6	16,3	17,0	15,4	14,7
15,0	15,1	16,6	13,9	13,9	15,5	15,0	16,7	14,4	13,2	14,1	14,8	15,5	14,7	14,0
16,0	13,6	15,8	13,2	12,5	14,1	13,6	15,4	13,8	11,9	12,8	13,5	14,2	14,1	13,4
18,0	11,2	13,9	11,9	10,2	11,7	11,2	13,0	12,6	9,6	10,5	11,2	11,9	12,7	12,3
20,0	9,2	11,7	10,9	8,3	9,8	9,3	11,1	11,5	7,8	8,7	9,3	10,0	11,0	11,0
22,0	7,7	9,9	9,8	6,8	8,3	7,7	9,5	10,0	6,3	7,1	7,8	8,5	9,4	9,5
24,0	6,3	8,5	8,6	5,5	7,0	6,4	8,1	8,6	5,1	5,9	6,6	7,2	8,1	8,3
26,0	5,1	7,3	7,4	4,4	5,8	5,3	6,9	7,4	4,0	4,8	5,5	6,1	7,0	7,1
28,0	4,1	6,3	6,4	3,5	4,8	4,4	5,9	6,3	3,1	3,9	4,5	5,2	6,0	6,1
30,0	3,2	5,4	5,5	2,7	3,9	3,5	5,0	5,5	2,3	3,1	3,7	4,3	5,1	5,2
32,0	2,5	4,7	4,8	1,9	3,2	2,8	4,2	4,7		2,4	3,0	3,6	4,4	4,5
34,0	1,9	4,0	4,1		2,6	2,1	3,6	4,0		1,7	2,4	2,9	3,7	3,8
36,0		3,5	3,5		2,0		3,0	3,5			1,8	2,4	3,1	3,2
38,0							2,5	3,0				1,8	2,6	2,7
40,0							2,0	2,5					2,1	2,2
42,0							1,7	2,2					1,7	1,8
44,0														
46,0														
48,0														
50,0														
*** n ***	5	3	3	4	4	4	3	3	3	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	22,3	22,7	19,5	18,5	17,3									
11,0	20,2	21,2	18,7	17,7	16,6	19,4	17,8	15,8						
12,0	18,0	18,9	17,9	16,9	15,9	17,7	17,2	15,2	15,9	14,6				
13,0	16,1	17,0	17,1	16,2	15,2	15,9	16,6	14,7	15,3	14,2	13,2	12,1		
14,0	14,4	15,3	16,2	15,6	14,7	14,2	15,2	14,1	13,8	13,7	12,9	11,8	11,0	
15,0	12,9	13,9	14,9	15,0	14,1	12,8	13,8	13,7	12,4	13,3	12,1	11,5	10,8	10,6
16,0	11,6	12,6	13,5	14,0	13,6	11,6	12,5	13,1	11,3	12,3	11,1	11,2	10,5	10,3
18,0	9,5	10,4	11,4	11,8	12,1	9,5	10,4	11,2	9,3	10,3	9,2	9,9	8,8	8,6
20,0	7,7	8,6	9,6	10,0	10,4	7,8	8,7	9,5	7,7	8,7	7,7	8,3	7,4	7,2
22,0	6,3	7,1	8,1	8,5	8,9	6,4	7,3	8,1	6,4	7,3	6,4	7,1	6,2	6,0
24,0	5,0	5,9	6,8	7,2	7,7	5,2	6,1	6,9	5,3	6,2	5,3	6,0	5,2	5,0
26,0	4,0	4,9	5,8	6,2	6,6	4,2	5,1	5,9	4,3	5,2	4,4	5,0	4,3	4,1
28,0	3,1	3,9	4,8	5,3	5,7	3,3	4,3	5,0	3,5	4,4	3,6	4,2	3,5	3,4
30,0	2,3	3,2	4,1	4,5	4,9	2,5	3,5	4,3	2,8	3,7	3,0	3,5	2,8	2,7
32,0		2,5	3,4	3,8	4,2	1,8	2,8	3,6	2,1	3,0	2,3	2,9	2,2	2,1
34,0		1,8	2,7	3,1	3,6		2,2	3,0		2,5	1,7	2,4	1,6	
36,0			2,2	2,5	3,0		1,6	2,5		2,0		1,9		
38,0			1,6	2,0	2,5			2,0						
40,0				1,5	2,0			1,6						
42,0					1,6									
44,0														
46,0														
48,0														
50,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	56,6	46,5	47,1	41,1	42,7	36,0	16,3	56,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	44,3	43,8	43,8	38,9	40,8	35,1	15,4	44,3	44,9	44,9	41,5	42,5	37,2	39,5
9,0	35,9	36,2	36,2	34,4	34,4	31,7	14,6	35,9	37,0	37,0	36,0	36,0	33,7	33,7
10,0	29,8	30,1	30,1	29,5	29,5	27,1	13,9	29,8	30,9	30,9	31,0	31,0	29,0	29,0
11,0		25,5	25,5	25,4	25,4	23,4	13,2		26,2	26,2	26,5	26,5	25,3	25,3
12,0		21,9	21,9	21,8	21,8	20,4	12,6		22,6	22,6	22,9	22,9	22,2	22,2
13,0		19,0	19,0	18,8	18,8	17,9	12,0		19,6	19,6	19,9	19,9	19,6	19,6
14,0		16,6	16,6	16,4	16,4	15,7	11,5		17,2	17,2	17,5	17,5	17,2	17,2
15,0		14,6	14,6	14,4	14,4	13,8	11,0		15,3	15,3	15,5	15,5	15,2	15,2
16,0				12,8	12,8	12,1	10,6				13,8	13,8	13,5	13,5
18,0				9,9	9,9	9,2	8,5				11,1	11,1	10,7	10,7
20,0						7,0	6,5						8,5	8,5
22,0						5,3	4,7						6,7	6,7
24,0						4,0	3,3						5,4	5,4
26,0							2,2							
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	6	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	56,7	51,0	52,4	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	56,7
8,0	34,3	14,9	44,3	45,7	45,7	43,2	43,9	40,3	41,4	36,5	38,2	33,8	14,7	44,3
9,0	31,0	14,1	35,9	37,7	37,7	37,4	37,4	35,5	35,5	33,1	33,1	30,6	13,8	35,9
10,0	26,8	13,3	29,8	31,5	31,5	32,3	32,3	30,8	30,8	28,9	28,9	26,6	13,0	29,8
11,0	23,3	12,6		26,8	26,8	27,6	27,6	27,0	27,0	25,3	25,3	23,3	12,3	
12,0	20,4	12,0		23,1	23,1	23,9	23,9	23,9	23,9	22,4	22,4	20,6	11,7	
13,0	18,0	11,4		20,2	20,2	20,9	20,9	21,0	21,0	19,9	19,9	18,3	11,1	
14,0	15,9	10,8		17,8	17,8	18,5	18,5	18,5	18,5	17,8	17,8	16,3	10,3	
15,0	14,1	9,6		15,8	15,8	16,4	16,4	16,4	16,4	16,0	16,0	14,6	8,9	
16,0	12,6	8,7				14,7	14,7	14,7	14,7	14,3	14,3	13,1	8,4	
18,0	10,0	8,0				11,9	11,9	11,9	11,9	11,6	11,6	10,6	7,7	
20,0	7,8	7,0						9,8	9,8	9,4	9,4	8,6	7,1	
22,0	6,0	5,4						8,0	8,0	7,6	7,6	6,9	6,1	
24,0	4,6	4,1						6,6	6,6	6,2	6,2	5,4	4,8	
26,0	3,5	2,9								5,0	5,0	4,3	3,7	
28,0	2,6	1,8								4,0	4,0	3,3	2,7	
30,0												2,5	1,8	
32,0												1,8		
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	32.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	44,5	44,5	42,0	43,0	38,5	40,5	36,0	37,9	33,3	14,6		18,3
9,0	37,3	37,3	38,5	38,5	37,0	37,0	34,9	34,9	32,8	32,8	30,4	13,8	13,3	17,5
10,0	32,0	32,0	33,2	33,2	32,3	32,3	30,6	30,6	28,7	28,7	26,6	13,0	12,5	16,7
11,0	27,3	27,3	28,4	28,4	28,4	28,4	27,1	27,1	25,4	25,4	23,5	12,3	11,8	16,0
12,0	23,6	23,6	24,7	24,7	25,0	25,0	24,1	24,1	22,6	22,6	20,9	11,6	11,1	15,4
13,0	20,6	20,6	21,7	21,7	22,0	22,0	21,6	21,6	20,3	20,3	18,7	11,0	9,5	14,8
14,0	18,2	18,2	19,2	19,2	19,6	19,6	19,4	19,4	18,3	18,3	16,7	9,3	8,8	14,2
15,0	16,2	16,2	17,2	17,2	17,5	17,5	17,3	17,3	16,5	16,5	15,1	8,8	8,3	13,7
16,0			15,4	15,4	15,7	15,7	15,6	15,6	15,0	15,0	13,6	8,4	7,9	13,2
18,0			12,6	12,6	12,9	12,9	12,8	12,8	12,4	12,4	11,2	7,7	7,2	12,3
20,0					10,8	10,8	10,6	10,6	10,2	10,2	9,2	7,0	6,5	10,4
22,0					9,1	9,1	8,9	8,9	8,5	8,5	7,7	6,5	5,9	8,7
24,0					7,7	7,7	7,5	7,5	7,0	7,0	6,3	5,5	5,1	7,2
26,0							6,3	6,3	5,8	5,8	5,1	4,4	4,0	6,0
28,0							5,3	5,3	4,8	4,8	4,1	3,5	3,1	5,0
30,0									4,0	4,0	3,2	2,7	2,3	4,1
32,0									3,3	3,3	2,5	1,9		3,4
34,0											1,9			
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,1	27,2		14,8	25,0			22,9					25,0
10,0	14,3	26,0	24,5	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	23,0	21,7	11,4	13,3	22,2	21,2	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	20,5	19,4	10,4	12,6	20,1	18,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	18,4	17,3	9,0	12,0	18,1	17,0	8,9	19,1	11,9	17,1	16,6	8,9	18,8
14,0	11,7	16,5	15,6	8,5	11,4	16,3	15,3	8,4	18,2	11,3	16,2	15,2	8,4	17,7
15,0	11,1	15,0	14,1	8,0	10,8	14,8	13,9	8,0	17,2	10,7	14,9	13,8	7,9	16,7
16,0	10,2	13,6	12,8	7,6	10,0	13,5	12,6	7,5	15,9	9,4	13,5	12,5	7,5	15,5
18,0	8,7	11,2	10,5	6,8	8,4	11,2	10,4	6,8	13,1	8,4	11,4	10,4	6,7	12,7
20,0	8,0	9,3	8,7	6,1	7,7	9,3	8,6	6,1	10,9	7,7	9,6	8,7	6,0	
22,0	7,4	7,7	7,1	5,5	7,1	7,8	7,1	5,5	9,2	7,1	8,1	7,3	5,4	
24,0	6,4	6,4	5,9	4,9	6,5	6,6	5,9	4,9	7,8	6,5	6,8	6,1	4,9	
26,0	5,3	5,3	4,8	4,0	5,5	5,5	4,9	4,2		5,8	5,8	5,1	4,3	
28,0	4,4	4,4	3,9	3,1	4,5	4,5	3,9	3,3		4,8	4,8	4,3	3,5	
30,0	3,5	3,5	3,1	2,3	3,7	3,7	3,2	2,5		4,1	4,1	3,5	2,8	
32,0	2,8	2,8	2,4		3,0	3,0	2,5	1,8		3,4	3,4	2,8	2,1	
34,0	2,1	2,1	1,7		2,4	2,4	1,8			2,7	2,7	2,2		
36,0					1,8	1,8				2,2	2,2	1,6		
38,0										1,6	1,6			
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	32.0 t	8.89 x 5.50 m	360°	

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	30,1	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	26,5	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	23,5	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,1	21,0	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	21,8	18,9	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	18,8	15,4
14,0	17,7	18,5	19,8	17,1	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	17,0	14,7
15,0	16,7	17,5	18,0	15,5	14,6	14,6	15,6	15,6	16,6	16,6	16,7	16,7	15,5	13,9
16,0	15,5	16,4	16,4	14,1	13,8	13,8	15,0	15,0	15,8	15,8	15,4	15,4	14,2	13,2
18,0	12,7	13,6	13,5	11,7	12,3	12,3	13,6	13,6	13,9	13,9	13,0	13,0	11,9	11,9
20,0		11,4	11,3	9,8	11,2	11,2	11,9	11,9	11,7	11,7	11,1	11,1	10,0	10,9
22,0		9,7	9,6	8,3	9,9	9,9	10,1	10,1	9,9	9,9	9,5	9,5	8,5	9,8
24,0		8,3	8,2	7,0	8,5	8,5	8,7	8,7	8,5	8,5	8,1	8,1	7,2	8,6
26,0			7,0	5,8	7,3	7,3	7,6	7,6	7,3	7,3	6,9	6,9	6,1	7,4
28,0			6,0	4,8	6,3	6,3	6,5	6,5	6,3	6,3	5,9	5,9	5,2	6,4
30,0			5,1	3,9			5,7	5,7	5,4	5,4	5,0	5,0	4,3	5,5
32,0			4,4	3,2			4,9	4,9	4,7	4,7	4,2	4,2	3,6	4,8
34,0				2,6					4,0	4,0	3,6	3,6	2,9	4,1
36,0				2,0					3,5	3,5	3,0	3,0	2,4	3,5
38,0											2,5	2,5	1,8	
40,0											2,0	2,0		
42,0											1,7	1,7		
44,0														
46,0														
48,0														
50,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3

%	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T --	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,0	11,9	13,4	13,6	9,1	13,1	12,3	7,5	11,5
18,0	11,9	12,6	12,6	12,7	12,7	11,8	11,0	12,3	12,1	8,3	11,2	10,3	6,8	10,7
20,0	10,9	11,5	11,5	11,0	11,0	10,0	9,4	11,0	10,4	7,6	9,5	8,7	6,1	9,2
22,0	9,8	10,0	10,0	9,4	9,4	8,5	8,6	9,5	8,9	7,0	8,1	7,3	5,5	7,8
24,0	8,6	8,6	8,6	8,1	8,1	7,2	8,0	8,3	7,7	6,5	6,9	6,2	4,9	6,7
26,0	7,4	7,4	7,4	7,0	7,0	6,2	7,1	7,1	6,6	5,9	5,9	5,2	4,4	5,7
28,0	6,4	6,3	6,3	6,0	6,0	5,3	6,1	6,1	5,7	5,0	5,0	4,4	3,6	4,9
30,0	5,5	5,5	5,5	5,1	5,1	4,5	5,2	5,2	4,9	4,3	4,3	3,7	3,0	4,1
32,0	4,8	4,7	4,7	4,4	4,4	3,8	4,5	4,5	4,2	3,6	3,6	3,0	2,3	3,5
34,0	4,1	4,0	4,0	3,7	3,7	3,1	3,8	3,8	3,6	3,0	3,0	2,5	1,7	2,9
36,0	3,5	3,5	3,5	3,1	3,1	2,5	3,2	3,2	3,0	2,5	2,5	2,0		2,4
38,0		3,0	3,0	2,6	2,6	2,0	2,7	2,7	2,5	2,0	2,0			2,0
40,0		2,5	2,5	2,1	2,1	1,5	2,2	2,2	2,0	1,6	1,6			1,5
42,0		2,2	2,2	1,7	1,7		1,8	1,8	1,6					
44,0														
46,0														
48,0														
50,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 5.50 m	360°		

T	--

045632 02.02

m > < t

CODE >0011< T210.00024

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	9,9	6,7	4,0											
20,0	8,3	6,0	3,3											
22,0	7,1	5,4	2,8											
24,0	6,0	4,8	2,3											
26,0	5,0	4,2	1,8											
28,0	4,2	3,5												
30,0	3,5	2,8												
32,0	2,9	2,2												
34,0	2,4	1,6												
36,0	1,9													
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	127,9	125,8	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	119,5	119,4	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	111,6	111,4	101,0	81,1	52,2	111,5	93,7	73,4	56,8	36,2	108,2	99,8	76,9	59,3
6,0	94,0	94,2	94,8	81,3	47,2	94,0	87,2	68,8	52,3	32,5	93,5	90,9	71,6	55,4
7,0	80,3	80,5	81,1	74,5	43,7	80,4	79,0	62,2	48,7	29,7	78,4	80,9	66,4	51,6
8,0	69,9	70,1	70,6	67,0	40,4	69,5	70,5	56,1	45,2	27,0	64,7	67,0	61,3	47,7
9,0	61,3	61,7	62,3	60,4	37,3	58,8	60,6	51,7	42,0	25,0	54,6	56,8	56,3	43,9
10,0	50,3	50,7	51,6	52,3	35,1	50,2	51,8	47,8	39,0	23,2	46,8	48,9	50,7	40,3
11,0		42,7	43,5	44,2	32,8	42,6	43,9	43,8	36,0	21,4	40,7	42,7	44,6	37,5
12,0		36,6	37,4	38,0	31,2	36,5	37,8	38,9	33,6	20,0	35,7	37,4	38,9	35,1
13,0		31,8	32,6	33,2	29,6	31,7	32,9	34,0	31,6	18,8	31,1	32,6	34,1	32,8
14,0		28,0	28,7	29,3	28,4	27,9	29,0	30,1	29,6	17,7	27,2	28,7	30,1	30,5
15,0		24,9	25,5	26,1	26,6	24,7	25,8	26,8	27,6	16,7	24,0	25,5	26,8	27,9
16,0						22,0	23,1	24,1	24,9	15,9	21,4	22,8	24,2	25,2
18,0						17,9	18,9	19,9	20,6	14,4	17,2	18,6	19,9	20,9
20,0											14,1	15,4	16,7	17,6
22,0											11,6	13,0	14,2	15,1
24,0											9,6	11,1	12,2	13,2
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	82,7	65,1	75,8	56,7	27,0	68,4	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	74,0	59,8	71,0	53,3	24,9	62,8	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	62,0	54,6	64,6	50,0	22,9	57,9	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	52,7	49,7	55,1	46,9	21,1	51,4	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	45,7	43,8	48,0	44,0	19,8	44,7	42,0	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	39,9	38,2	42,1	41,1	18,5	39,3	37,4	41,6	27,7	26,2	19,5	36,4
12,0	21,2	21,0	35,3	33,5	37,4	38,3	17,2	34,9	33,0	37,1	26,0	24,9	18,5	32,9
13,0	19,8	19,6	31,4	29,7	33,4	34,9	16,2	31,3	29,5	33,4	24,3	23,6	17,5	29,5
14,0	18,5	18,2	28,0	26,5	29,7	31,1	15,4	28,2	26,4	30,3	22,7	22,3	16,4	26,5
15,0	17,5	17,2	24,9	23,6	26,5	27,8	14,6	25,5	23,8	27,4	21,4	21,3	15,6	24,0
16,0	16,6	16,3	22,2	20,9	23,7	25,1	13,8	23,1	21,5	24,7	20,3	20,4	15,0	21,8
18,0	14,9	14,6	18,0	16,8	19,5	20,8	12,3	18,8	17,5	20,4	18,2	18,7	13,6	18,2
20,0	13,7	13,3	14,8	13,6	16,3	17,5	11,2	15,6	14,3	17,1	16,3	17,1	12,4	15,1
22,0	12,6	12,2	12,4	11,0	13,8	15,0	10,1	13,1	11,8	14,6	14,7	15,7	11,3	12,6
24,0	11,8	11,5	10,3	8,9	11,8	12,9	9,3	11,1	9,7	12,5	12,7	13,6	10,3	10,6
26,0			8,6	7,2	10,1	11,3	8,6	9,4	8,0	10,9	11,1	12,0	9,5	8,8
28,0			7,2	5,8	8,7	10,0	8,0	7,9	6,5	9,5	9,7	10,6	8,8	7,4
30,0								6,7	5,3	8,3	8,5	9,4	8,2	6,1
32,0								5,7	4,3	7,3	7,4	8,4	7,7	5,1
34,0														4,2
36,0														3,4
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	50,6	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	47,4	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	44,0	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	39,0	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	34,8	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	31,4	18,2	15,5	29,4	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	28,3	17,4	14,7	26,7	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	25,7	16,6	13,9	24,3	23,5	20,7	17,3	14,4	23,1	21,1	18,2	17,8	14,7	14,0
16,0	23,6	15,8	13,2	22,2	22,6	19,6	16,6	13,8	21,3	20,0	17,3	17,1	14,1	13,4
18,0	19,7	14,6	11,9	18,6	20,2	17,6	15,3	12,6	17,9	18,3	15,8	15,9	13,1	12,3
20,0	16,4	13,5	10,9	15,8	17,2	16,0	14,2	11,5	15,1	15,9	14,3	14,8	12,1	11,2
22,0	13,9	12,4	9,8	13,4	14,6	14,2	13,3	10,7	12,9	13,7	13,0	13,8	11,2	10,2
24,0	11,9	11,5	9,0	11,4	12,6	12,2	12,4	9,8	11,0	11,8	12,1	12,8	10,5	9,5
26,0	10,2	10,7	8,3	9,7	10,9	10,5	11,5	9,0	9,5	10,2	10,8	11,3	9,7	8,7
28,0	8,8	9,8	7,7	8,2	9,5	9,1	10,5	8,4	8,0	8,8	9,4	9,9	9,0	8,0
30,0	7,5	9,2	7,2	7,0	8,3	7,8	9,3	7,9	6,8	7,5	8,1	8,7	8,4	7,4
32,0	6,5	8,6	6,7	5,9	7,2	6,7	8,2	7,4	5,7	6,4	7,0	7,6	8,0	7,0
34,0	5,6	7,8	6,3	5,0	6,3	5,8	7,3	7,0	4,8	5,5	6,1	6,6	7,4	6,5
36,0	4,8	7,0	6,0	4,2	5,4	5,0	6,5	6,6	4,0	4,7	5,2	5,8	6,6	6,1
38,0				3,5	4,7	4,3	5,8	6,2	3,3	4,0	4,5	5,1	5,9	5,8
40,0				2,8	4,1	3,7	5,1	5,6	2,6	3,3	3,9	4,5	5,2	5,3
42,0				2,3	3,6	3,2	4,6	5,1	2,1	2,8	3,3	3,9	4,6	4,7
44,0									1,6	2,3	2,8	3,4	4,1	4,2
46,0										1,8	2,4	3,0	3,7	3,8
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,3	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	14,7	14,8	12,9	12,5	11,5	14,2	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	12,6	13,3	12,0	11,6	10,6	12,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	10,8	11,6	11,0	10,9	9,8	10,7	11,2	10,0	10,6	10,1	9,7	8,6	8,4	8,2
26,0	9,3	10,1	10,2	10,2	9,2	9,2	10,1	9,2	9,2	9,5	9,2	8,1	7,9	7,6
28,0	8,0	8,8	9,4	9,6	8,5	8,0	8,9	8,6	8,0	8,8	8,1	7,6	7,5	7,1
30,0	6,9	7,7	8,5	8,8	7,9	6,9	7,8	8,1	7,0	7,9	7,1	7,1	6,9	6,6
32,0	5,9	6,6	7,4	7,8	7,4	6,0	6,9	7,5	6,1	7,0	6,2	6,6	6,0	5,9
34,0	4,9	5,7	6,5	6,8	7,0	5,2	6,0	6,8	5,3	6,2	5,4	6,0	5,3	5,2
36,0	4,1	4,9	5,6	6,0	6,5	4,4	5,3	6,0	4,6	5,5	4,7	5,3	4,6	4,5
38,0	3,4	4,2	4,9	5,3	5,7	3,7	4,6	5,3	3,9	4,8	4,1	4,7	4,0	3,9
40,0	2,8	3,5	4,3	4,6	5,1	3,1	3,9	4,7	3,4	4,3	3,6	4,2	3,5	3,4
42,0	2,2	3,0	3,7	4,1	4,5	2,5	3,3	4,1	2,8	3,7	3,1	3,7	3,0	2,9
44,0	1,7	2,4	3,2	3,5	4,0	2,0	2,8	3,6	2,3	3,2	2,6	3,2	2,6	2,4
46,0		2,0	2,7	3,1	3,5	1,5	2,4	3,1	1,9	2,7	2,2	2,8	2,1	2,0
48,0		1,6	2,3	2,7	3,1		1,9	2,7		2,3	1,8	2,4	1,8	1,7
50,0			1,9	2,3	2,7		1,5	2,3		1,9		2,0		
52,0								1,9		1,6		1,6		
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,0	48,3	49,3	42,8	45,0	37,5	40,7
9,0	61,3	46,5	47,1	39,2	42,7	34,8	14,6	61,3	48,3	49,3	42,5	45,0	37,0	39,3
10,0	50,3	46,5	47,1	39,1	42,7	34,4	13,9	50,3	48,3	49,1	42,4	45,0	36,5	39,2
11,0		42,7	42,7	39,1	42,4	34,0	13,2		43,5	43,5	42,4	43,8	36,1	39,1
12,0		36,6	36,6	36,5	36,5	33,7	12,6		37,4	37,4	37,8	37,8	35,7	37,4
13,0		31,8	31,8	31,7	31,7	31,1	12,0		32,6	32,6	32,9	32,9	32,6	32,6
14,0		28,0	28,0	27,9	27,9	27,2	11,5		28,7	28,7	29,0	29,0	28,7	28,7
15,0		24,9	24,9	24,7	24,7	24,0	11,0		25,5	25,5	25,8	25,8	25,5	25,5
16,0				22,0	22,0	21,4	10,6				23,1	23,1	22,8	22,8
18,0				17,9	17,9	17,2	8,7				18,9	18,9	18,6	18,6
20,0						14,1	8,2						15,4	15,4
22,0						11,6	7,8						13,0	13,0
24,0						9,6	7,5						11,1	11,1
26,0							7,2							
28,0							5,8							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	68,2	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	69,9
9,0	33,6	14,1	61,3	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	61,3
10,0	33,0	13,3	50,3	50,7	51,8	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	50,3
11,0	32,4	12,6		44,2	44,2	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		38,0	38,0	38,9	38,9	37,8	38,9	34,1	36,5	31,0	11,7	
13,0	30,7	11,4		33,2	33,2	34,0	34,0	34,1	34,1	32,8	33,4	29,4	11,1	
14,0	28,0	10,8		29,3	29,3	30,1	30,1	30,1	30,1	29,7	29,7	27,7	10,3	
15,0	24,9	9,6		26,1	26,1	26,8	26,8	26,8	26,8	26,5	26,5	25,5	8,9	
16,0	22,2	8,7				24,1	24,1	24,2	24,2	23,7	23,7	23,1	8,4	
18,0	18,0	8,0				19,9	19,9	19,9	19,9	19,5	19,5	18,8	7,7	
20,0	14,8	7,4						16,7	16,7	16,3	16,3	15,6	7,1	
22,0	12,4	6,9						14,2	14,2	13,8	13,8	13,1	6,5	
24,0	10,3	6,5						12,2	12,2	11,8	11,8	11,1	6,1	
26,0	8,6	6,1								10,1	10,1	9,4	5,6	
28,0	7,2	5,8								8,7	8,7	7,9	5,3	
30,0		5,3										6,7	5,0	
32,0		4,2										5,7	4,8	
34,0													4,2	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	34,4	34,9	32,5	33,4	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	31,1	31,1	30,2	30,3	27,7	9,3	8,8	14,2
15,0	26,6	26,6	27,6	27,6	27,9	27,9	27,8	27,8	27,4	27,4	25,7	8,8	8,3	13,7
16,0			24,9	24,9	25,2	25,2	25,1	25,1	24,7	24,7	23,6	8,4	7,9	13,2
18,0			20,6	20,6	20,9	20,9	20,8	20,8	20,4	20,4	19,7	7,7	7,2	12,4
20,0					17,6	17,6	17,5	17,5	17,1	17,1	16,4	7,0	6,5	11,6
22,0					15,1	15,1	15,0	15,0	14,6	14,6	13,9	6,5	5,9	11,0
24,0					13,2	13,2	12,9	12,9	12,5	12,5	11,9	6,0	5,4	9,6
26,0							11,3	11,3	10,9	10,9	10,2	5,5	4,9	9,0
28,0							10,0	10,0	9,5	9,5	8,8	5,1	4,5	8,8
30,0									8,3	8,3	7,5	4,8	4,1	8,4
32,0									7,3	7,3	6,5	4,5	3,7	7,4
34,0											5,6	4,3	3,4	
36,0											4,8	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,3	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	15,9	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,2	13,7	5,5	7,1	13,0	13,3	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	12,2	11,8	5,0	6,6	12,1	11,6	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	10,5	10,2	4,5	6,1	10,8	10,1	4,4		6,0	10,2	10,1	4,4	
28,0	6,0	9,1	8,8	4,0	5,7	9,4	8,8	4,0		5,6	9,4	8,9	3,9	
30,0	5,7	7,8	7,5	3,6	5,3	8,1	7,7	3,6		5,2	8,5	7,8	3,5	
32,0	5,4	6,7	6,4	3,3	4,9	7,0	6,6	3,2		4,8	7,4	6,9	3,1	
34,0	5,1	5,8	5,5	3,0	4,6	6,1	5,7	2,8		4,5	6,5	6,0	2,8	
36,0	4,7	5,0	4,7	2,7	4,4	5,2	4,9	2,5		4,2	5,6	5,3	2,5	
38,0	3,9	4,3	4,0	2,4	4,1	4,5	4,2	2,3		3,9	4,9	4,6	2,2	
40,0	3,0	3,7	3,3	2,1	3,3	3,9	3,5	2,0		3,7	4,3	3,9	2,0	
42,0	2,1	3,2	2,8	1,5	2,7	3,3	3,0	1,8		3,2	3,7	3,3	1,7	
44,0			2,3		2,0	2,8	2,4			2,6	3,2	2,8		
46,0			1,8			2,4	2,0			2,0	2,7	2,4		
48,0							1,6				2,3	1,9		
50,0											1,9	1,5		
52,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,2	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	17,2	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,7	14,6	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	13,6	12,6	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	12,8	9,0
26,0			12,0	10,9	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	11,3	8,3
28,0			10,6	9,5	8,0	8,0	8,8	8,8	9,8	9,8	10,5	10,5	9,9	7,7
30,0			9,4	8,3			8,2	8,2	9,2	9,2	9,3	9,3	8,7	7,2
32,0			8,4	7,2			7,7	7,7	8,6	8,6	8,2	8,2	7,6	6,7
34,0				6,3					7,8	7,8	7,3	7,3	6,6	6,3
36,0				5,4					7,0	7,0	6,5	6,5	5,8	6,0
38,0				4,7							5,8	5,8	5,1	
40,0				4,1							5,1	5,1	4,5	
42,0				3,6							4,6	4,6	3,9	
44,0													3,4	
46,0													3,0	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	8,8	6,7	7,4	7,9	5,1	8,1	7,9	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	7,8	6,4	7,0	7,4	4,8	7,5	7,0	3,2	6,5
34,0	6,3	7,0	7,0	7,4	7,4	6,8	6,0	6,5	7,0	4,4	6,8	6,2	2,9	6,1
36,0	6,0	6,6	6,6	6,6	6,6	6,0	5,8	6,1	6,5	4,1	6,0	5,5	2,6	5,6
38,0		6,2	6,2	5,9	5,9	5,3	5,5	5,8	5,7	3,8	5,3	4,8	2,3	5,2
40,0		5,6	5,6	5,2	5,2	4,6	5,1	5,3	5,1	3,6	4,7	4,3	2,0	4,7
42,0		5,1	5,1	4,6	4,6	4,1	4,3	4,7	4,5	3,4	4,1	3,7	1,8	4,1
44,0				4,1	4,1	3,5	3,7	4,2	4,0	3,0	3,6	3,2	1,6	3,6
46,0				3,7	3,7	3,1	3,0	3,8	3,5	2,4	3,1	2,7		3,1
48,0						2,7			3,1	2,0	2,7	2,3		2,7
50,0						2,3			2,7	1,5	2,3	1,9		2,3
52,0											1,9	1,6		2,0
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,0	2,7												
36,0	5,3	2,4												
38,0	4,7	2,1												
40,0	4,2	1,9												
42,0	3,7	1,6												
44,0	3,2													
46,0	2,8													
48,0	2,4													
50,0	2,0													
52,0	1,6													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	32.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0								1,6						
56,0														
58,0														
60,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0032< T210.00064

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											1,6			1,6
56,0														
58,0														
60,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	32.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	130,4	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	121,9	121,8	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	113,1	113,1	102,1	80,7	54,8	112,9	96,2	74,8	59,4	38,4	110,5	101,5	78,0	61,6
5,0	105,4	105,5	101,0	81,1	52,2	105,2	93,7	73,4	56,8	36,2	104,8	99,8	76,9	59,3
6,0	92,2	92,3	92,8	81,3	47,2	92,1	87,2	68,8	52,3	32,5	91,6	90,9	71,6	55,4
7,0	80,3	80,5	81,1	74,5	43,7	80,3	79,0	62,2	48,7	29,7	78,6	80,9	66,4	51,6
8,0	69,2	69,4	70,0	67,0	40,4	69,3	70,3	56,1	45,2	27,0	64,8	67,2	61,3	47,7
9,0	59,6	59,9	60,6	60,3	37,3	58,9	60,6	51,7	42,0	25,0	54,7	56,9	56,3	43,9
10,0	50,4	50,8	51,7	52,4	35,1	50,3	51,9	47,8	39,0	23,2	46,9	49,0	50,7	40,3
11,0		42,8	43,6	44,3	32,8	42,6	43,9	43,8	36,0	21,4	40,8	42,8	44,7	37,5
12,0		36,7	37,4	38,1	31,2	36,6	37,8	39,0	33,6	20,0	35,8	37,4	38,9	35,1
13,0		31,9	32,6	33,2	29,6	31,8	33,0	34,1	31,6	18,8	31,1	32,7	34,1	32,8
14,0		28,0	28,7	29,3	28,4	27,9	29,1	30,1	29,6	17,7	27,3	28,8	30,2	30,5
15,0		24,9	25,6	26,1	26,6	24,7	25,9	26,9	27,6	16,7	24,1	25,5	26,9	28,0
16,0						22,1	23,2	24,2	24,9	15,9	21,4	22,9	24,2	25,3
18,0						17,8	18,9	19,8	20,6	14,4	17,1	18,5	19,9	20,9
20,0											13,9	15,3	16,5	17,6
22,0											11,4	12,8	14,0	15,0
24,0											9,3	10,8	12,0	13,0
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	74,8	59,8	71,0	53,3	24,9	68,7	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	62,2	54,6	64,7	50,0	22,9	60,0	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	52,8	49,7	55,2	46,9	21,1	51,5	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	45,8	43,9	48,1	44,0	19,8	44,8	42,0	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	40,0	38,2	42,2	41,1	18,5	39,4	37,4	41,6	27,7	26,2	19,5	36,4
12,0	21,2	21,0	35,3	33,6	37,5	38,3	17,2	35,0	33,1	37,2	26,0	24,9	18,5	33,0
13,0	19,8	19,6	31,4	29,8	33,5	34,9	16,2	31,3	29,5	33,5	24,3	23,6	17,5	29,6
14,0	18,5	18,2	28,0	26,5	29,8	31,2	15,4	28,2	26,4	30,3	22,7	22,3	16,4	26,5
15,0	17,5	17,2	24,9	23,6	26,5	27,9	14,6	25,5	23,6	27,4	21,4	21,3	15,6	23,9
16,0	16,6	16,3	22,2	20,9	23,8	25,1	13,8	23,0	21,3	24,8	20,3	20,4	15,0	21,6
18,0	14,9	14,6	17,9	16,6	19,5	20,8	12,3	18,8	17,4	20,4	18,2	18,7	13,6	17,9
20,0	13,7	13,3	14,6	13,4	16,1	17,4	11,2	15,5	14,1	17,0	16,3	17,1	12,4	14,9
22,0	12,6	12,2	12,1	10,7	13,6	14,8	10,1	12,9	11,5	14,4	14,6	15,6	11,3	12,4
24,0	11,8	11,5	10,0	8,6	11,6	12,8	9,3	10,9	9,4	12,3	12,5	13,5	10,3	10,3
26,0			8,3	6,9	9,9	11,1	8,6	9,1	7,7	10,7	10,9	11,8	9,5	8,5
28,0			6,9	5,5	8,5	9,7	8,0	7,7	6,2	9,3	9,5	10,4	8,8	7,1
30,0								6,5	5,0	8,0	8,2	9,2	8,2	5,8
32,0								5,5	4,0	7,0	7,2	8,2	7,7	4,8
34,0														3,9
36,0														3,1
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,6	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	44,1	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	39,0	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	34,8	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	31,4	18,2	15,5	29,4	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	28,4	17,4	14,7	26,7	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	25,7	16,6	13,9	24,2	23,5	20,7	17,3	14,4	23,0	21,1	18,2	17,8	14,7	14,0
16,0	23,4	15,8	13,2	22,0	22,6	19,6	16,6	13,8	21,1	20,0	17,3	17,1	14,1	13,4
18,0	19,6	14,6	11,9	18,4	20,0	17,6	15,3	12,6	17,6	18,2	15,8	15,9	13,1	12,3
20,0	16,3	13,5	10,9	15,5	17,1	16,0	14,2	11,5	14,8	15,7	14,3	14,8	12,1	11,2
22,0	13,8	12,4	9,8	13,2	14,5	14,1	13,3	10,7	12,6	13,4	13,0	13,8	11,2	10,2
24,0	11,7	11,5	9,0	11,2	12,4	12,0	12,4	9,8	10,7	11,5	12,0	12,7	10,5	9,5
26,0	10,0	10,7	8,3	9,4	10,7	10,3	11,5	9,0	9,2	9,9	10,5	11,1	9,7	8,7
28,0	8,5	9,8	7,7	7,9	9,3	8,8	10,3	8,4	7,8	8,5	9,1	9,7	9,0	8,0
30,0	7,3	9,2	7,2	6,7	8,0	7,6	9,1	7,9	6,5	7,2	7,8	8,4	8,4	7,4
32,0	6,2	8,4	6,7	5,6	6,9	6,5	8,0	7,4	5,4	6,2	6,8	7,4	8,0	7,0
34,0	5,3	7,5	6,3	4,7	6,0	5,6	7,1	7,0	4,5	5,2	5,8	6,4	7,2	6,5
36,0	4,6	6,7	6,0	3,9	5,2	4,8	6,2	6,6	3,7	4,4	5,0	5,6	6,4	6,1
38,0				3,2	4,5	4,1	5,5	6,0	3,0	3,7	4,3	4,9	5,6	5,7
40,0				2,6	3,9	3,4	4,9	5,4	2,4	3,1	3,7	4,2	5,0	5,1
42,0				2,1	3,4	2,9	4,4	4,9	1,8	2,5	3,1	3,7	4,4	4,5
44,0										2,0	2,6	3,2	3,9	4,0
46,0										1,6	2,2	2,8	3,5	3,6
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2

%	1	2	3	4	5	6
	46 +	0 +	0 +	92 +	46 +	0 +
	46 +	0 +	0 +	46 +	46 +	92 +
	46 +	46 +	0 +	46 +	46 +	92 +
	46 +	46 +	92 +	46 +	46 +	46 +
	46 +	92 +	92 +	46 +	46 +	46 +
	46 +	92 +	92 +	46 +	92 +	46 +
	46 +	46 +	46 +	46 +	46 +	46 +
	46 +	46 +	46 +	92 +	46 +	46 +
	46 +	46 +	46 +	46 +	92 +	92 +
	46 +	46 +	92 +	46 +	92 +	92 +
	46 +	92 +	92 +	46 +	92 +	92 +
	46 +	92 +	92 +	46 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,2	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	14,5	14,8	12,9	12,5	11,5	14,0	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	12,3	13,1	12,0	11,6	10,6	12,1	12,1	10,7	11,8	10,8	10,4	9,2	8,9	8,7
24,0	10,5	11,3	11,0	10,9	9,8	10,4	11,2	10,0	10,3	10,1	9,7	8,6	8,4	8,2
26,0	9,0	9,8	10,2	10,2	9,2	8,9	9,8	9,2	8,9	9,5	8,9	8,1	7,9	7,6
28,0	7,7	8,5	9,3	9,6	8,5	7,7	8,6	8,6	7,7	8,7	7,8	7,6	7,4	7,1
30,0	6,6	7,4	8,2	8,6	7,9	6,6	7,5	8,1	6,7	7,6	6,8	7,1	6,6	6,4
32,0	5,6	6,4	7,2	7,6	7,4	5,7	6,6	7,4	5,8	6,7	5,9	6,5	5,8	5,6
34,0	4,7	5,4	6,2	6,6	7,0	4,9	5,8	6,6	5,0	5,9	5,2	5,8	5,0	4,9
36,0	3,9	4,6	5,4	5,8	6,2	4,1	5,0	5,8	4,3	5,2	4,5	5,1	4,4	4,2
38,0	3,1	3,9	4,7	5,1	5,5	3,5	4,3	5,1	3,7	4,6	3,9	4,5	3,8	3,7
40,0	2,5	3,3	4,0	4,4	4,9	2,8	3,7	4,4	3,1	4,0	3,3	3,9	3,2	3,1
42,0	2,0	2,7	3,5	3,8	4,3	2,3	3,1	3,9	2,6	3,5	2,8	3,4	2,8	2,6
44,0		2,2	3,0	3,3	3,8	1,8	2,6	3,4	2,1	3,0	2,4	3,0	2,3	2,2
46,0		1,8	2,5	2,9	3,3		2,1	2,9	1,6	2,5	2,0	2,6	1,9	1,8
48,0			2,1	2,4	2,9		1,7	2,5		2,1	1,6	2,2	1,5	
50,0			1,7	2,1	2,5			2,1		1,7		1,8		
52,0								1,7						
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	66,8	48,3	49,3	42,8	45,0	37,5	40,7
9,0	59,6	46,5	47,1	39,2	42,7	34,8	14,6	59,6	48,3	49,3	42,5	45,0	37,0	39,3
10,0	50,4	46,5	47,1	39,1	42,7	34,4	13,9	50,4	48,3	49,1	42,4	45,0	36,5	39,2
11,0		42,8	42,8	39,1	42,5	34,0	13,2		43,6	43,6	42,4	43,9	36,1	39,1
12,0		36,7	36,7	36,6	36,6	33,7	12,6		37,4	37,4	37,8	37,8	35,7	37,4
13,0		31,9	31,9	31,8	31,8	31,1	12,0		32,6	32,6	33,0	33,0	32,7	32,7
14,0		28,0	28,0	27,9	27,9	27,3	11,5		28,7	28,7	29,1	29,1	28,8	28,8
15,0		24,9	24,9	24,7	24,7	24,1	11,0		25,6	25,6	25,9	25,9	25,5	25,5
16,0				22,1	22,1	21,4	10,6				23,2	23,2	22,9	22,9
18,0				17,8	17,8	17,1	8,7				18,9	18,9	18,5	18,5
20,0						13,9	8,2						15,3	15,3
22,0						11,4	7,8						12,8	12,8
24,0						9,3	7,5						10,8	10,8
26,0							6,9							
28,0							5,5							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5

%														
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	68,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	69,2
9,0	33,6	14,1	59,6	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	59,6
10,0	33,0	13,3	50,4	50,7	51,8	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	50,4
11,0	32,4	12,6		44,3	44,3	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		38,1	38,1	39,0	39,0	37,8	38,9	34,1	36,5	31,0	11,7	
13,0	30,8	11,4		33,2	33,2	34,1	34,1	34,1	34,1	32,8	33,5	29,4	11,1	
14,0	28,0	10,8		29,3	29,3	30,1	30,1	30,2	30,2	29,8	29,8	27,7	10,3	
15,0	24,9	9,6		26,1	26,1	26,9	26,9	26,9	26,9	26,5	26,5	25,5	8,9	
16,0	22,2	8,7				24,2	24,2	24,2	24,2	23,8	23,8	23,0	8,4	
18,0	17,9	8,0				19,8	19,8	19,9	19,9	19,5	19,5	18,8	7,7	
20,0	14,6	7,4						16,5	16,5	16,1	16,1	15,5	7,1	
22,0	12,1	6,9						14,0	14,0	13,6	13,6	12,9	6,5	
24,0	10,0	6,5						12,0	12,0	11,6	11,6	10,9	6,1	
26,0	8,3	6,1								9,9	9,9	9,1	5,6	
28,0	6,9	5,8								8,5	8,5	7,7	5,3	
30,0		5,0										6,5	5,0	
32,0		4,0										5,5	4,7	
34,0													3,9	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	34,4	34,9	32,5	33,4	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	31,2	31,2	30,3	30,3	27,7	9,3	8,8	14,2
15,0	26,6	26,6	27,6	27,6	28,0	28,0	27,9	27,9	27,4	27,4	25,7	8,8	8,3	13,7
16,0			24,9	24,9	25,3	25,3	25,1	25,1	24,8	24,8	23,4	8,4	7,9	13,2
18,0			20,6	20,6	20,9	20,9	20,8	20,8	20,4	20,4	19,6	7,7	7,2	12,4
20,0					17,6	17,6	17,4	17,4	17,0	17,0	16,3	7,0	6,5	11,6
22,0					15,0	15,0	14,8	14,8	14,4	14,4	13,8	6,5	5,9	11,0
24,0					13,0	13,0	12,8	12,8	12,3	12,3	11,7	6,0	5,4	9,6
26,0							11,1	11,1	10,7	10,7	10,0	5,5	4,9	9,0
28,0							9,7	9,7	9,3	9,3	8,5	5,1	4,5	8,8
30,0									8,0	8,0	7,3	4,8	4,1	8,2
32,0									7,0	7,0	6,2	4,5	3,7	7,2
34,0											5,3	4,3	3,4	
36,0											4,6	3,9	3,2	
38,0												3,2	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,2	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	15,7	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,1	13,4	5,5	7,1	13,0	13,1	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	12,0	11,5	5,0	6,6	12,0	11,3	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	10,3	9,9	4,5	6,1	10,5	9,8	4,4		6,0	10,2	9,8	4,4	
28,0	6,0	8,8	8,5	4,0	5,7	9,1	8,5	4,0		5,6	9,3	8,6	3,9	
30,0	5,7	7,6	7,2	3,6	5,3	7,8	7,4	3,6		5,2	8,2	7,5	3,5	
32,0	5,4	6,5	6,2	3,3	4,9	6,8	6,4	3,2		4,8	7,2	6,6	3,1	
34,0	5,1	5,6	5,2	3,0	4,6	5,8	5,4	2,8		4,5	6,2	5,8	2,8	
36,0	4,7	4,8	4,4	2,7	4,4	5,0	4,6	2,5		4,2	5,4	5,0	2,5	
38,0	3,9	4,1	3,7	2,4	4,1	4,3	3,9	2,3		3,9	4,7	4,3	2,2	
40,0	3,0	3,4	3,1	2,1	3,3	3,7	3,3	2,0		3,7	4,0	3,7	2,0	
42,0	2,1	2,9	2,5	1,5	2,7	3,1	2,7	1,8		3,2	3,5	3,1	1,7	
44,0			2,0		2,0	2,6	2,2			2,6	3,0	2,6		
46,0			1,6			2,2	1,8			2,0	2,5	2,1		
48,0											2,1	1,7		
50,0											1,7			
52,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,0	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	17,1	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,6	14,5	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	13,5	12,4	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	12,7	9,0
26,0			11,8	10,7	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	11,1	8,3
28,0			10,4	9,3	8,0	8,0	8,8	8,8	9,8	9,8	10,3	10,3	9,7	7,7
30,0			9,2	8,0			8,2	8,2	9,2	9,2	9,1	9,1	8,4	7,2
32,0			8,2	6,9			7,7	7,7	8,4	8,4	8,0	8,0	7,4	6,7
34,0				6,0					7,5	7,5	7,1	7,1	6,4	6,3
36,0				5,2					6,7	6,7	6,2	6,2	5,6	6,0
38,0				4,5							5,5	5,5	4,9	
40,0				3,9							4,9	4,9	4,2	
42,0				3,4							4,4	4,4	3,7	
44,0													3,2	
46,0													2,8	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0004< T210.00014

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,7	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	8,6	6,7	7,4	7,9	5,1	8,1	7,6	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	7,6	6,4	7,0	7,4	4,8	7,4	6,7	3,2	6,5
34,0	6,3	7,0	7,0	7,2	7,2	6,6	6,0	6,5	7,0	4,4	6,6	5,9	2,9	6,1
36,0	6,0	6,6	6,6	6,4	6,4	5,8	5,8	6,1	6,2	4,1	5,8	5,2	2,6	5,6
38,0		6,0	6,0	5,6	5,6	5,1	5,5	5,7	5,5	3,8	5,1	4,6	2,3	5,0
40,0		5,4	5,4	5,0	5,0	4,4	5,1	5,1	4,9	3,6	4,4	4,0	2,0	4,5
42,0		4,9	4,9	4,4	4,4	3,8	4,3	4,5	4,3	3,4	3,9	3,5	1,8	3,9
44,0				3,9	3,9	3,3	3,7	4,0	3,8	3,0	3,4	3,0	1,6	3,4
46,0				3,5	3,5	2,9	3,0	3,6	3,3	2,4	2,9	2,5		2,9
48,0						2,4			2,9	2,0	2,5	2,1		2,5
50,0						2,1			2,5	1,5	2,1	1,7		2,1
52,0											1,7			1,8
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t CODE >0004< T210.00014

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,5	3,1												
34,0	5,8	2,7												
36,0	5,1	2,4												
38,0	4,5	2,1												
40,0	3,9	1,9												
42,0	3,4	1,6												
44,0	3,0													
46,0	2,6													
48,0	2,2													
50,0	1,8													
52,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	133,8	126,4	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	124,0	124,1	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	112,7	113,0	101,0	81,1	52,2	112,0	93,7	73,4	56,8	36,2	108,2	99,8	76,9	59,3
6,0	94,0	94,2	94,8	81,3	47,2	94,0	87,2	68,8	52,3	32,5	93,5	90,9	71,6	55,4
7,0	80,3	80,5	81,1	74,5	43,7	80,4	79,0	62,2	48,7	29,7	78,6	80,9	66,4	51,6
8,0	69,9	70,1	70,6	67,0	40,4	69,6	70,6	56,1	45,2	27,0	64,8	67,2	61,3	47,7
9,0	61,4	61,7	62,3	60,4	37,3	58,9	60,7	51,7	42,0	25,0	54,7	56,9	56,3	43,9
10,0	50,4	50,8	51,7	52,4	35,1	50,3	51,9	47,8	39,0	23,2	46,9	49,0	50,7	40,3
11,0		42,8	43,6	44,3	32,8	42,6	43,9	43,8	36,0	21,4	40,8	42,8	44,7	37,5
12,0		36,7	37,4	38,1	31,2	36,6	37,8	39,0	33,6	20,0	35,8	37,4	38,9	35,1
13,0		31,9	32,6	33,2	29,6	31,8	33,0	34,1	31,6	18,8	31,1	32,7	34,1	32,8
14,0		28,0	28,7	29,3	28,4	27,9	29,1	30,1	29,6	17,7	27,3	28,8	30,2	30,5
15,0		24,9	25,6	26,1	26,6	24,7	25,9	26,9	27,6	16,7	24,1	25,5	26,9	28,0
16,0						22,1	23,2	24,2	24,9	15,9	21,5	22,9	24,2	25,3
18,0						17,9	19,0	19,9	20,6	14,4	17,3	18,6	19,9	20,9
20,0											14,1	15,5	16,7	17,7
22,0											11,6	13,0	14,2	15,2
24,0											9,6	11,1	12,2	13,2
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	74,8	59,8	71,0	53,3	24,9	68,7	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	62,2	54,6	64,7	50,0	22,9	60,0	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	52,8	49,7	55,2	46,9	21,1	51,5	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	45,8	43,9	48,1	44,0	19,8	44,8	42,0	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	40,0	38,2	42,2	41,1	18,5	39,4	37,4	41,6	27,7	26,2	19,5	36,4
12,0	21,2	21,0	35,3	33,6	37,5	38,3	17,2	35,0	33,1	37,2	26,0	24,9	18,5	33,0
13,0	19,8	19,6	31,4	29,8	33,5	34,9	16,2	31,3	29,5	33,5	24,3	23,6	17,5	29,6
14,0	18,5	18,2	28,0	26,5	29,8	31,2	15,4	28,2	26,4	30,3	22,7	22,3	16,4	26,6
15,0	17,5	17,2	24,9	23,6	26,5	27,9	14,6	25,6	23,8	27,4	21,4	21,3	15,6	24,0
16,0	16,6	16,3	22,2	21,0	23,8	25,1	13,8	23,1	21,5	24,8	20,3	20,4	15,0	21,9
18,0	14,9	14,6	18,0	16,8	19,5	20,8	12,3	18,9	17,5	20,4	18,2	18,7	13,6	18,2
20,0	13,7	13,3	14,8	13,6	16,3	17,5	11,2	15,6	14,3	17,2	16,3	17,1	12,4	15,2
22,0	12,6	12,2	12,4	11,0	13,8	15,0	10,1	13,1	11,8	14,6	14,7	15,7	11,3	12,7
24,0	11,8	11,5	10,3	8,9	11,8	13,0	9,3	11,1	9,7	12,6	12,8	13,7	10,3	10,6
26,0			8,6	7,3	10,1	11,3	8,6	9,4	8,0	10,9	11,1	12,0	9,5	8,8
28,0			7,2	5,9	8,7	10,0	8,0	8,0	6,5	9,5	9,7	10,6	8,8	7,4
30,0								6,8	5,3	8,3	8,5	9,4	8,2	6,1
32,0								5,7	4,3	7,3	7,4	8,4	7,7	5,1
34,0														4,2
36,0														3,4
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,6	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	44,1	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	39,0	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	34,8	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	31,4	18,2	15,5	29,4	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	28,4	17,4	14,7	26,7	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	25,8	16,6	13,9	24,4	23,5	20,7	17,3	14,4	23,1	21,1	18,2	17,8	14,7	14,0
16,0	23,6	15,8	13,2	22,2	22,6	19,6	16,6	13,8	21,3	20,0	17,3	17,1	14,1	13,4
18,0	19,7	14,6	11,9	18,7	20,2	17,6	15,3	12,6	17,9	18,3	15,8	15,9	13,1	12,3
20,0	16,5	13,5	10,9	15,8	17,2	16,0	14,2	11,5	15,2	16,0	14,3	14,8	12,1	11,2
22,0	14,0	12,4	9,8	13,5	14,7	14,2	13,3	10,7	12,9	13,7	13,0	13,8	11,2	10,2
24,0	11,9	11,5	9,0	11,4	12,6	12,2	12,4	9,8	11,1	11,8	12,1	12,8	10,5	9,5
26,0	10,3	10,7	8,3	9,7	10,9	10,5	11,5	9,0	9,5	10,2	10,8	11,3	9,7	8,7
28,0	8,8	9,8	7,7	8,2	9,5	9,1	10,5	8,4	8,0	8,8	9,4	9,9	9,0	8,0
30,0	7,6	9,2	7,2	7,0	8,3	7,8	9,3	7,9	6,8	7,5	8,1	8,7	8,4	7,4
32,0	6,5	8,6	6,7	5,9	7,2	6,7	8,2	7,4	5,7	6,4	7,0	7,6	8,0	7,0
34,0	5,6	7,8	6,3	5,0	6,3	5,8	7,3	7,0	4,8	5,5	6,1	6,7	7,4	6,5
36,0	4,8	7,0	6,0	4,2	5,5	5,0	6,5	6,6	4,0	4,7	5,3	5,8	6,6	6,1
38,0				3,5	4,8	4,3	5,8	6,2	3,3	4,0	4,5	5,1	5,9	5,8
40,0				2,9	4,1	3,7	5,1	5,6	2,6	3,3	3,9	4,5	5,2	5,3
42,0				2,3	3,6	3,2	4,6	5,1	2,1	2,8	3,3	3,9	4,7	4,8
44,0									1,6	2,3	2,8	3,4	4,1	4,2
46,0										1,8	2,4	3,0	3,7	3,8
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,3	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	14,8	14,8	12,9	12,5	11,5	14,2	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	12,6	13,3	12,0	11,6	10,6	12,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	10,8	11,6	11,0	10,9	9,8	10,7	11,2	10,0	10,6	10,1	9,7	8,6	8,4	8,2
26,0	9,3	10,1	10,2	10,2	9,2	9,2	10,1	9,2	9,2	9,5	9,2	8,1	7,9	7,6
28,0	8,0	8,8	9,4	9,6	8,5	8,0	8,9	8,6	8,0	8,8	8,1	7,6	7,5	7,1
30,0	6,9	7,7	8,5	8,9	7,9	6,9	7,8	8,1	7,0	7,9	7,1	7,1	6,9	6,6
32,0	5,9	6,6	7,4	7,8	7,4	6,0	6,9	7,5	6,1	7,0	6,2	6,6	6,1	5,9
34,0	4,9	5,7	6,5	6,9	7,0	5,2	6,1	6,8	5,3	6,2	5,5	6,1	5,3	5,2
36,0	4,1	4,9	5,7	6,0	6,5	4,4	5,3	6,1	4,6	5,5	4,8	5,4	4,6	4,5
38,0	3,4	4,2	4,9	5,3	5,8	3,7	4,6	5,3	3,9	4,9	4,1	4,7	4,0	3,9
40,0	2,8	3,5	4,3	4,7	5,1	3,1	3,9	4,7	3,4	4,3	3,6	4,2	3,5	3,4
42,0	2,2	3,0	3,7	4,1	4,5	2,5	3,3	4,1	2,8	3,7	3,1	3,7	3,0	2,9
44,0	1,7	2,5	3,2	3,5	4,0	2,0	2,8	3,6	2,3	3,2	2,6	3,2	2,6	2,5
46,0		2,0	2,7	3,1	3,5	1,5	2,4	3,1	1,9	2,7	2,2	2,8	2,2	2,0
48,0		1,6	2,3	2,7	3,1		1,9	2,7		2,3	1,8	2,4	1,8	1,7
50,0			1,9	2,3	2,7		1,6	2,3		1,9		2,0		
52,0								2,0		1,6		1,6		
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,0	48,3	49,3	42,8	45,0	37,5	40,7
9,0	61,4	46,5	47,1	39,2	42,7	34,8	14,6	61,4	48,3	49,3	42,5	45,0	37,0	39,3
10,0	50,4	46,5	47,1	39,1	42,7	34,4	13,9	50,4	48,3	49,1	42,4	45,0	36,5	39,2
11,0		42,8	42,8	39,1	42,5	34,0	13,2		43,6	43,6	42,4	43,9	36,1	39,1
12,0		36,7	36,7	36,6	36,6	33,7	12,6		37,4	37,4	37,8	37,8	35,7	37,4
13,0		31,9	31,9	31,8	31,8	31,1	12,0		32,6	32,6	33,0	33,0	32,7	32,7
14,0		28,0	28,0	27,9	27,9	27,3	11,5		28,7	28,7	29,1	29,1	28,8	28,8
15,0		24,9	24,9	24,7	24,7	24,1	11,0		25,6	25,6	25,9	25,9	25,5	25,5
16,0				22,1	22,1	21,5	10,6				23,2	23,2	22,9	22,9
18,0				17,9	17,9	17,3	8,7				19,0	19,0	18,6	18,6
20,0						14,1	8,2						15,5	15,5
22,0						11,6	7,8						13,0	13,0
24,0						9,6	7,5						11,1	11,1
26,0							7,2							
28,0							5,9							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	68,2	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	69,9
9,0	33,6	14,1	61,4	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	61,4
10,0	33,0	13,3	50,4	50,7	51,8	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	50,4
11,0	32,4	12,6		44,3	44,3	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		38,1	38,1	39,0	39,0	37,8	38,9	34,1	36,5	31,0	11,7	
13,0	30,8	11,4		33,2	33,2	34,1	34,1	34,1	34,1	32,8	33,5	29,4	11,1	
14,0	28,0	10,8		29,3	29,3	30,1	30,1	30,2	30,2	29,8	29,8	27,8	10,3	
15,0	24,9	9,6		26,1	26,1	26,9	26,9	26,9	26,9	26,5	26,5	25,6	8,9	
16,0	22,2	8,7				24,2	24,2	24,2	24,2	23,8	23,8	23,1	8,4	
18,0	18,0	8,0				19,9	19,9	19,9	19,9	19,5	19,5	18,9	7,7	
20,0	14,8	7,4						16,7	16,7	16,3	16,3	15,6	7,1	
22,0	12,4	6,9						14,2	14,2	13,8	13,8	13,1	6,5	
24,0	10,3	6,5						12,2	12,2	11,8	11,8	11,1	6,1	
26,0	8,6	6,1								10,1	10,1	9,4	5,6	
28,0	7,2	5,8								8,7	8,7	8,0	5,3	
30,0		5,3										6,8	5,0	
32,0		4,2										5,7	4,8	
34,0													4,2	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	34,4	34,9	32,5	33,4	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	31,2	31,2	30,3	30,3	27,7	9,3	8,8	14,2
15,0	26,6	26,6	27,6	27,6	28,0	28,0	27,9	27,9	27,4	27,4	25,8	8,8	8,3	13,7
16,0			24,9	24,9	25,3	25,3	25,1	25,1	24,8	24,8	23,6	8,4	7,9	13,2
18,0			20,6	20,6	20,9	20,9	20,8	20,8	20,4	20,4	19,7	7,7	7,2	12,4
20,0					17,7	17,7	17,5	17,5	17,2	17,2	16,5	7,0	6,5	11,6
22,0					15,2	15,2	15,0	15,0	14,6	14,6	14,0	6,5	5,9	11,0
24,0					13,2	13,2	13,0	13,0	12,6	12,6	11,9	6,0	5,4	9,6
26,0							11,3	11,3	10,9	10,9	10,3	5,5	4,9	9,0
28,0							10,0	10,0	9,5	9,5	8,8	5,1	4,5	8,8
30,0									8,3	8,3	7,6	4,8	4,1	8,5
32,0									7,3	7,3	6,5	4,5	3,7	7,4
34,0											5,6	4,3	3,4	
36,0											4,8	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,3	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,0	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,2	13,7	5,5	7,1	13,0	13,3	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	12,2	11,8	5,0	6,6	12,1	11,6	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	10,5	10,2	4,5	6,1	10,8	10,1	4,4		6,0	10,2	10,1	4,4	
28,0	6,0	9,1	8,8	4,0	5,7	9,4	8,8	4,0		5,6	9,4	8,9	3,9	
30,0	5,7	7,8	7,5	3,6	5,3	8,1	7,7	3,6		5,2	8,5	7,8	3,5	
32,0	5,4	6,7	6,4	3,3	4,9	7,0	6,6	3,2		4,8	7,4	6,9	3,1	
34,0	5,1	5,8	5,5	3,0	4,6	6,1	5,7	2,8		4,5	6,5	6,1	2,8	
36,0	4,7	5,0	4,7	2,7	4,4	5,3	4,9	2,5		4,2	5,7	5,3	2,5	
38,0	3,9	4,3	4,0	2,4	4,1	4,5	4,2	2,3		3,9	4,9	4,6	2,2	
40,0	3,0	3,7	3,3	2,1	3,3	3,9	3,5	2,0		3,7	4,3	3,9	2,0	
42,0	2,1	3,2	2,8	1,5	2,7	3,3	3,0	1,8		3,2	3,7	3,3	1,7	
44,0			2,3		2,0	2,8	2,5			2,6	3,2	2,8		
46,0			1,8			2,4	2,0			2,0	2,7	2,4		
48,0							1,6				2,3	1,9		
50,0											1,9	1,6		
52,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,2	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	17,2	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,7	14,7	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	13,7	12,6	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	12,8	9,0
26,0			12,0	10,9	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	11,3	8,3
28,0			10,6	9,5	8,0	8,0	8,8	8,8	9,8	9,8	10,5	10,5	9,9	7,7
30,0			9,4	8,3			8,2	8,2	9,2	9,2	9,3	9,3	8,7	7,2
32,0			8,4	7,2			7,7	7,7	8,6	8,6	8,2	8,2	7,6	6,7
34,0				6,3					7,8	7,8	7,3	7,3	6,7	6,3
36,0				5,5					7,0	7,0	6,5	6,5	5,8	6,0
38,0				4,8							5,8	5,8	5,1	
40,0				4,1							5,1	5,1	4,5	
42,0				3,6							4,6	4,6	3,9	
44,0													3,4	
46,0													3,0	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3

%	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	8,9	6,7	7,4	7,9	5,1	8,1	7,9	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	7,8	6,4	7,0	7,4	4,8	7,5	7,0	3,2	6,5
34,0	6,3	7,0	7,0	7,4	7,4	6,9	6,0	6,5	7,0	4,4	6,8	6,2	2,9	6,1
36,0	6,0	6,6	6,6	6,6	6,6	6,0	5,8	6,1	6,5	4,1	6,1	5,5	2,6	5,6
38,0		6,2	6,2	5,9	5,9	5,3	5,5	5,8	5,8	3,8	5,3	4,9	2,3	5,2
40,0		5,6	5,6	5,2	5,2	4,7	5,1	5,3	5,1	3,6	4,7	4,3	2,0	4,7
42,0		5,1	5,1	4,7	4,7	4,1	4,3	4,8	4,5	3,4	4,1	3,7	1,8	4,1
44,0				4,1	4,1	3,5	3,7	4,2	4,0	3,0	3,6	3,2	1,6	3,6
46,0				3,7	3,7	3,1	3,0	3,8	3,5	2,4	3,1	2,7		3,1
48,0						2,7			3,1	2,0	2,7	2,3		2,7
50,0						2,3			2,7	1,5	2,3	1,9		2,3
52,0											2,0	1,6		2,0
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,1	2,7												
36,0	5,4	2,4												
38,0	4,7	2,1												
40,0	4,2	1,9												
42,0	3,7	1,6												
44,0	3,2													
46,0	2,8													
48,0	2,4													
50,0	2,0													
52,0	1,6													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0								1,6						
56,0														
58,0														
60,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0025< T210.00054

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											1,6			1,6
56,0														
58,0														
60,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	32.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	120,6	79,0	80,2	79,0	64,9	57,3	59,0	60,6	61,7	46,2				
3,5	109,1	73,2	74,3	75,3	61,1	53,9	55,5	57,0	58,2	43,1			45,0	
4,0	99,5	68,1	69,2	70,2	57,5	50,7	52,4	53,9	55,0	40,7	38,9	40,9	42,8	44,3
4,5	91,4	63,7	64,8	65,7	54,8	47,9	49,5	51,0	52,1	38,4	37,0	38,9	40,8	42,3
5,0	84,7	59,8	60,9	61,8	52,2	45,3	46,9	48,4	49,5	36,2	35,2	37,1	38,9	40,4
6,0	73,8	53,2	54,3	55,1	47,2	40,9	42,4	43,9	44,9	32,5	32,0	33,9	35,7	37,1
7,0	65,7	47,9	48,9	49,7	43,7	37,2	38,7	40,1	41,1	29,7	29,2	31,1	32,9	34,3
8,0	59,6	43,5	44,5	45,3	40,4	34,0	35,5	36,9	37,9	27,0	26,9	28,7	30,4	31,8
9,0	54,3	39,9	40,9	41,7	37,3	31,3	32,8	34,1	35,1	25,0	24,8	26,6	28,3	29,7
10,0	48,1	36,9	37,9	38,7	35,1	29,0	30,4	31,8	32,7	23,2	23,0	24,7	26,4	27,8
11,0		34,5	35,4	36,2	32,8	27,0	28,4	29,7	30,7	21,4	21,3	23,1	24,8	26,1
12,0		32,4	33,4	34,1	31,2	25,2	26,6	27,9	28,9	20,0	19,9	21,6	23,3	24,6
13,0		30,9	31,8	32,5	29,6	23,7	25,1	26,3	27,3	18,8	18,6	20,3	22,0	23,3
14,0		29,8	30,7	31,5	28,4	22,3	23,7	25,0	25,9	17,7	17,4	19,2	20,8	22,1
15,0		29,4	30,0	30,6	27,6	21,2	22,6	23,8	24,7	16,7	16,4	18,1	19,7	21,0
16,0						20,2	21,6	22,8	23,7	15,9	15,5	17,2	18,8	20,1
18,0						18,9	20,3	21,4	22,4	14,4	13,9	15,6	17,2	18,4
20,0											12,7	14,4	15,9	17,2
22,0											12,0	13,6	15,2	16,4
24,0											11,9	13,5	14,8	15,7
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	13	9	9	8	7	6	7	7	7	5	5	5	5	5

%														
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T --	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	29,6	28,0	31,7	33,4	29,7							
6,0	34,0	34,3	27,2	25,6	29,2	30,9	27,0	23,9	22,1	25,9	26,2	27,5	27,1	
7,0	30,7	30,8	25,1	23,5	27,1	28,7	24,9	22,1	20,5	24,2	24,4	25,7	25,2	18,4
8,0	28,3	28,4	23,2	21,6	25,2	26,8	22,9	20,6	18,9	22,6	22,9	24,1	23,6	17,1
9,0	26,2	26,2	21,5	20,0	23,5	25,1	21,1	19,2	17,6	21,2	21,5	22,7	22,1	16,0
10,0	24,1	24,0	20,0	18,5	22,0	23,6	19,8	18,0	16,4	20,0	20,2	21,5	20,6	15,0
11,0	22,5	22,4	18,7	17,2	20,6	22,2	18,5	16,9	15,2	18,8	19,1	20,3	19,5	14,0
12,0	21,2	21,0	17,5	16,0	19,4	21,0	17,2	15,8	14,2	17,8	18,0	19,3	18,5	13,1
13,0	19,8	19,6	16,4	14,9	18,3	19,9	16,2	14,9	13,3	16,8	17,1	18,3	17,5	12,3
14,0	18,5	18,2	15,4	13,9	17,3	18,8	15,4	14,1	12,5	16,0	16,2	17,4	16,4	11,6
15,0	17,5	17,2	14,5	13,0	16,3	17,9	14,6	13,3	11,7	15,2	15,4	16,6	15,6	10,9
16,0	16,6	16,3	13,7	12,2	15,5	17,1	13,8	12,5	11,0	14,4	14,7	15,9	15,0	10,3
18,0	14,9	14,6	12,2	10,8	14,1	15,6	12,3	11,3	9,7	13,1	13,4	14,6	13,6	9,1
20,0	13,7	13,3	11,0	9,6	12,9	14,4	11,2	10,2	8,6	12,0	12,3	13,4	12,4	8,1
22,0	12,6	12,2	10,1	8,6	11,9	13,4	10,1	9,2	7,7	11,1	11,3	12,5	11,3	7,3
24,0	11,8	11,5	9,3	7,9	11,1	12,6	9,3	8,4	6,9	10,3	10,5	11,6	10,3	6,5
26,0			8,8	7,3	10,6	12,1	8,6	7,8	6,2	9,6	9,8	11,0	9,5	5,9
28,0			8,7	7,2	10,5	12,0	8,0	7,3	5,7	9,1	9,3	10,4	8,8	5,3
30,0								6,9	5,4	8,7	8,9	10,0	8,2	4,8
32,0								6,9	5,3	8,6	8,8	9,9	7,7	4,5
34,0														4,2
36,0														4,1
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	4	3	4	4	4	3	3	3	3	3	3	2
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T --	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	20,1	22,9	22,8											
8,0	18,8	21,6	21,2	15,7	17,3	16,8	18,6	19,2						
9,0	17,6	20,4	19,8	14,8	16,3	15,8	17,6	18,2	12,7	13,6	14,3	14,9	15,9	16,0
10,0	16,6	19,4	18,7	13,9	15,4	14,9	16,7	17,3	11,9	12,8	13,5	14,2	15,1	15,3
11,0	15,6	18,4	17,5	13,1	14,6	14,1	15,9	16,4	11,2	12,1	12,8	13,4	14,4	14,5
12,0	14,7	17,5	16,4	12,3	13,8	13,3	15,1	15,7	10,6	11,4	12,1	12,8	13,7	13,9
13,0	13,9	16,7	15,5	11,6	13,1	12,6	14,4	15,0	9,9	10,8	11,5	12,1	13,1	13,2
14,0	13,2	15,9	14,7	10,9	12,5	11,9	13,7	14,3	9,4	10,2	10,9	11,6	12,5	12,6
15,0	12,5	15,2	13,9	10,4	11,9	11,3	13,1	13,7	8,8	9,7	10,4	11,0	12,0	12,1
16,0	11,9	14,5	13,2	9,8	11,3	10,8	12,5	13,1	8,3	9,2	9,9	10,5	11,5	11,6
18,0	10,7	13,4	11,9	8,8	10,3	9,7	11,5	12,0	7,4	8,3	8,9	9,6	10,5	10,7
20,0	9,7	12,3	10,9	7,9	9,3	8,8	10,6	11,1	6,6	7,4	8,1	8,8	9,7	9,8
22,0	8,8	11,5	9,8	7,1	8,5	8,0	9,8	10,3	5,9	6,7	7,4	8,0	9,0	9,1
24,0	8,1	10,7	9,0	6,4	7,8	7,3	9,1	9,6	5,2	6,1	6,7	7,4	8,3	8,4
26,0	7,4	10,0	8,3	5,8	7,2	6,7	8,4	9,0	4,7	5,5	6,1	6,8	7,7	7,8
28,0	6,9	9,4	7,7	5,2	6,7	6,2	7,9	8,4	4,2	5,0	5,6	6,3	7,2	7,3
30,0	6,4	8,9	7,2	4,7	6,2	5,7	7,4	7,9	3,7	4,5	5,2	5,8	6,7	6,8
32,0	6,0	8,5	6,7	4,3	5,8	5,3	6,9	7,4	3,3	4,1	4,7	5,4	6,3	6,4
34,0	5,8	8,1	6,3	4,0	5,4	4,9	6,6	7,0	2,9	3,7	4,4	5,0	5,9	6,0
36,0	5,7	7,7	6,0	3,7	5,1	4,6	6,3	6,6	2,6	3,4	4,1	4,7	5,6	5,7
38,0				3,5	4,9	4,4	6,1	6,3	2,3	3,1	3,8	4,4	5,3	5,4
40,0				3,4	4,8	4,3	6,0	6,0	2,1	2,9	3,5	4,2	5,0	5,2
42,0				3,4	4,8	4,3	6,0	5,9	2,0	2,7	3,4	4,0	4,9	5,0
44,0									1,9	2,7	3,3	3,9	4,8	4,9
46,0									1,9	2,7	3,3	3,9	4,8	4,7
48,0														
50,0														
52,0														
*** n ***	2	3	3	2	2	2	2	2	2	2	2	2	2	2

%														
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	53,8	53,8	53,8	58,3	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7
3,0					52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3
3,5					52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3
4,0					53,6	46,7	47,1	42,8	43,4	38,2		55,4	48,6	49,3
4,5					54,2	46,6	47,1	42,4	43,3	37,0		56,0	48,4	49,3
5,0					54,9	46,5	47,1	42,1	43,1	35,2	18,4	56,7	48,4	49,3
6,0					56,8	46,5	47,1	40,9	40,9	32,0	17,3	58,7	48,3	49,3
7,0					60,9	46,4	47,1	37,2	37,2	29,2	16,3	62,7	48,2	48,9
8,0					59,6	43,5	43,5	34,0	34,0	26,9	15,4	59,6	44,5	44,5
9,0					54,3	39,9	39,9	31,3	31,3	24,8	14,6	54,3	40,9	40,9
10,0	12,5	12,9	13,4		48,1	36,9	36,9	29,0	29,0	23,0	13,9	48,1	37,9	37,9
11,0	11,9	12,3	12,8	11,1		34,5	34,5	27,0	27,0	21,3	13,2		35,4	35,4
12,0	11,3	11,7	12,2	10,5		32,4	32,4	25,2	25,2	19,9	12,6		33,4	33,4
13,0	10,7	11,1	11,7	10,1		30,9	30,9	23,7	23,7	18,6	12,0		31,8	31,8
14,0	10,2	10,6	11,1	9,6		29,8	29,8	22,3	22,3	17,4	11,5		30,7	30,7
15,0	9,7	10,1	10,7	9,2		29,4	29,4	21,2	21,2	16,4	11,0		30,0	30,0
16,0	9,3	9,7	10,2	8,7				20,2	20,2	15,5	10,6			
18,0	8,4	8,8	9,4	8,0				18,9	18,9	13,9	8,7			
20,0	7,7	8,1	8,6	7,3						12,7	8,2			
22,0	7,0	7,4	7,9	6,7						12,0	7,8			
24,0	6,4	6,8	7,3	6,1						11,9	7,5			
26,0	5,9	6,3	6,8	5,6							7,3			
28,0	5,4	5,8	6,3	5,2							6,3			
30,0	4,9	5,3	5,8	4,8										
32,0	4,5	4,9	5,4	4,4										
34,0	4,2	4,6	5,1	4,0										
36,0	3,8	4,2	4,8	3,7										
38,0	3,5	4,0	4,5	3,4										
40,0	3,3	3,7	4,2	3,2										
42,0	3,1	3,5	4,0	2,9										
44,0	2,9	3,3	3,8	2,7										
46,0	2,7	3,1	3,6	2,6										
48,0	2,7	3,1	3,6	2,4										
50,0	2,7	3,1	3,6	2,3										
52,0				2,2										
*** n ***	2	2	2	2	7	5	5	5	5	4	2	7	5	5
1	0 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +
2	92 +	46 +	46 +	92 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +
3	92 +	46 +	92 +	92 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -
4	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
5	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	46 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3

	T	--	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	22,2	22,2	26,8	26,8	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3
3,0	45,7	46,3					55,3	51,8	52,6	47,7	48,5			
3,5	45,3	46,1					56,1	51,6	52,6	47,2	48,3	44,4	45,0	
4,0	44,9	45,8	40,9	40,9			56,9	51,4	52,5	46,8	48,0	42,8	42,8	
4,5	44,5	45,6	38,9	38,9			57,5	51,3	52,5	46,5	47,8	40,8	40,8	
5,0	44,2	45,5	37,1	37,1	29,6		58,3	51,2	52,5	46,1	47,5	38,9	38,9	31,7
6,0	42,4	42,4	33,9	33,9	27,2	16,8	61,4	51,1	52,5	43,9	43,9	35,7	35,7	29,2
7,0	38,7	38,7	31,1	31,1	25,1	15,8	64,3	49,7	49,7	40,1	40,1	32,9	32,9	27,1
8,0	35,5	35,5	28,7	28,7	23,2	14,9	59,6	45,3	45,3	36,9	36,9	30,4	30,4	25,2
9,0	32,8	32,8	26,6	26,6	21,5	14,1	54,3	41,7	41,7	34,1	34,1	28,3	28,3	23,5
10,0	30,4	30,4	24,7	24,7	20,0	13,3	48,1	38,7	38,7	31,8	31,8	26,4	26,4	22,0
11,0	28,4	28,4	23,1	23,1	18,7	12,6		36,2	36,2	29,7	29,7	24,8	24,8	20,6
12,0	26,6	26,6	21,6	21,6	17,5	12,0		34,1	34,1	27,9	27,9	23,3	23,3	19,4
13,0	25,1	25,1	20,3	20,3	16,4	11,4		32,5	32,5	26,3	26,3	22,0	22,0	18,3
14,0	23,7	23,7	19,2	19,2	15,4	10,8		31,5	31,5	25,0	25,0	20,8	20,8	17,3
15,0	22,6	22,6	18,1	18,1	14,5	9,6		30,6	30,6	23,8	23,8	19,7	19,7	16,3
16,0	21,6	21,6	17,2	17,2	13,7	8,7				22,8	22,8	18,8	18,8	15,5
18,0	20,3	20,3	15,6	15,6	12,2	8,0				21,4	21,4	17,2	17,2	14,1
20,0			14,4	14,4	11,0	7,4						15,9	15,9	12,9
22,0			13,6	13,6	10,1	6,9						15,2	15,2	11,9
24,0			13,5	13,5	9,3	6,5						14,8	14,8	11,1
26,0					8,8	6,1								10,6
28,0					8,7	5,7								10,5
30,0						5,4								
32,0						4,2								
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	5	5	4	2	7	6	6	5	5	5	5	4

%														
1	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -
3	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
4	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	12,8	12,8	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8

	T --	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	31,3	35,8	40,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8
3,0				56,5	53,1	54,1	49,2	51,7						
3,5				57,3	52,9	54,1	48,8	51,4						
4,0				58,2	52,7	54,1	48,4	51,1	44,3	44,3				
4,5				59,0	52,6	54,0	48,0	50,9	42,3	42,3				
5,0	31,7			60,8	51,7	52,2	47,6	49,5	40,4	40,4	33,4	33,4		
6,0	29,2	23,9		62,8	47,2	47,2	44,9	44,9	37,1	37,1	30,9	30,9	25,9	25,9
7,0	27,1	22,1	15,6	65,7	43,7	43,7	41,1	41,1	34,3	34,3	28,7	28,7	24,2	24,2
8,0	25,2	20,6	14,7	59,6	40,4	40,4	37,9	37,9	31,8	31,8	26,8	26,8	22,6	22,6
9,0	23,5	19,2	13,8	54,3	37,3	37,3	35,1	35,1	29,7	29,7	25,1	25,1	21,2	21,2
10,0	22,0	18,0	13,0	48,1	35,1	35,1	32,7	32,7	27,8	27,8	23,6	23,6	20,0	20,0
11,0	20,6	16,9	12,3		32,8	32,8	30,7	30,7	26,1	26,1	22,2	22,2	18,8	18,8
12,0	19,4	15,8	11,7		31,2	31,2	28,9	28,9	24,6	24,6	21,0	21,0	17,8	17,8
13,0	18,3	14,9	11,1		29,6	29,6	27,3	27,3	23,3	23,3	19,9	19,9	16,8	16,8
14,0	17,3	14,1	10,3		28,4	28,4	25,9	25,9	22,1	22,1	18,8	18,8	16,0	16,0
15,0	16,3	13,3	8,9		27,6	27,6	24,7	24,7	21,0	21,0	17,9	17,9	15,2	15,2
16,0	15,5	12,5	8,4				23,7	23,7	20,1	20,1	17,1	17,1	14,4	14,4
18,0	14,1	11,3	7,7				22,4	22,4	18,4	18,4	15,6	15,6	13,1	13,1
20,0	12,9	10,2	7,1						17,2	17,2	14,4	14,4	12,0	12,0
22,0	11,9	9,2	6,5						16,4	16,4	13,4	13,4	11,1	11,1
24,0	11,1	8,4	6,1						15,7	15,7	12,6	12,6	10,3	10,3
26,0	10,6	7,8	5,6								12,1	12,1	9,6	9,6
28,0	10,5	7,3	5,3								12,0	12,0	9,1	9,1
30,0		6,9	4,8										8,7	8,7
32,0		6,9	4,5										8,6	8,6
34,0			4,1											
36,0			3,0											
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	3	2	7	6	6	5	6	5	5	4	4	3	3
% 1	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
% 2	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
% 3	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
% 4	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	12,8	12,8	11,1	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	40,3	44,8	49,3	35,8	44,8	44,8	49,3	49,3	26,8	53,8	22,2	22,2	26,8	35,8
3,0											33,1	46,2		
3,5											32,5	43,1		
4,0									28,2		31,8	40,7	41,7	
4,5									27,6		31,2	38,4	39,4	
5,0									26,9		29,4	36,2	37,4	
6,0				21,6					25,8		28,4	32,5	34,0	27,5
7,0	20,1			19,3					24,7		27,5	29,7	30,7	25,7
8,0	18,8	14,6		18,3	16,0	16,8			23,8		26,6	27,0	28,3	24,1
9,0	17,6	13,8	12,7	17,5	15,1	15,8	13,6	14,3	22,9		25,0	25,0	26,2	22,7
10,0	16,6	13,0	11,9	16,7	14,3	14,9	12,8	13,5	22,2	12,5	23,2	23,2	24,1	21,5
11,0	15,6	12,3	11,2	16,0	13,5	14,1	12,1	12,8	21,5	11,9	21,4	21,4	22,5	20,3
12,0	14,7	11,6	10,6	15,4	12,9	13,3	11,4	12,1	20,8	11,3	20,0	20,0	21,2	19,3
13,0	13,9	11,0	9,4	14,8	12,2	12,6	10,8	11,5	19,1	10,7	18,8	18,8	19,8	18,3
14,0	13,2	9,3	8,8	14,2	11,7	11,9	10,2	10,9	18,2	10,2	17,7	17,7	18,5	17,4
15,0	12,5	8,8	8,3	13,7	11,1	11,3	9,7	10,4	17,2	9,7	16,7	16,7	17,5	16,6
16,0	11,9	8,4	7,9	13,2	10,2	10,8	9,2	9,7	16,3	9,2	15,9	15,9	16,6	15,9
18,0	10,7	7,7	7,2	12,4	8,7	9,7	8,3	8,4	14,6	8,4	14,4	14,4	14,9	14,6
20,0	9,7	7,0	6,5	11,6	8,0	8,8	7,4	7,7	13,3	7,7			13,7	13,4
22,0	8,8	6,5	5,9	11,0	7,4	8,0	6,7	7,1	12,2	7,0			12,6	12,5
24,0	8,1	6,0	5,2	9,6	6,9	7,3	6,1	6,6	11,5	6,4			11,8	11,6
26,0	7,4	5,5	4,7	9,0	6,5	6,7	5,5	6,1		5,9				11,0
28,0	6,9	5,1	4,2	8,8	6,0	6,2	5,0	5,6		5,4				10,4
30,0	6,4	4,7	3,7	8,6	5,7	5,7	4,5	5,2		4,9				10,0
32,0	6,0	4,3	3,3	7,5	5,3	5,3	4,1	4,7		4,5				9,9
34,0	5,8	4,0	2,9		4,9	4,9	3,7	4,4		4,2				
36,0	5,7	3,7	2,6		4,6	4,6	3,4	4,1		3,8				
38,0		3,3	2,3		3,9	4,4	3,1	3,8		3,5				
40,0		2,4	2,1		3,0	4,3	2,9	3,3		3,3				
42,0			1,5		2,1	4,3	2,7	2,7		3,0				
44,0							2,7	2,0		2,6				
46,0							2,7			2,0				
48,0														
50,0														
52,0														
*** n ***	2	2	2	3	2	2	2	2	3	2	4	5	5	3
1	46 -	92 -	92 -	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	46 +	46 +	92 -	0 +	92 -	92 +	92 +	92 -	0 +	92 -	0 +	0 +	0 +	0 +
3	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 -	0 +	92 -	0 +	0 +	0 +	46 -
4	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	0 +	92 -	0 +	0 +	0 +	46 -
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	0 +	0 -	46 -	46 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +
m/s	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	12,8	11,1	14,3	14,3	12,8	12,8

	T	--	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3	40,3	44,8	44,8
3,0														
3,5														
4,0														
4,5														
5,0		26,1	29,7											
6,0		24,9	27,0	27,1	27,1									
7,0		23,7	24,9	25,2	25,2	22,9	22,9				21,4	22,8		
8,0	17,3	22,7	22,9	23,6	23,6	21,6	21,6	18,6	18,6		19,2	21,2	19,2	19,2
9,0	16,3	21,1	21,1	22,1	22,1	20,4	20,4	17,6	17,6	14,9	18,3	19,8	18,2	18,2
10,0	15,4	19,8	19,8	20,6	20,6	19,4	19,4	16,7	16,7	14,2	17,5	18,7	17,3	17,3
11,0	14,6	18,5	18,5	19,5	19,5	18,4	18,4	15,9	15,9	13,4	16,8	17,5	16,4	16,4
12,0	13,8	17,2	17,2	18,5	18,5	17,5	17,5	15,1	15,1	12,8	16,1	16,4	15,7	15,7
13,0	13,1	16,2	16,2	17,5	17,5	16,7	16,7	14,4	14,4	12,1	15,4	15,5	15,0	15,0
14,0	12,5	15,4	15,4	16,4	16,4	15,9	15,9	13,7	13,7	11,6	14,7	14,7	14,3	14,3
15,0	11,9	14,6	14,6	15,6	15,6	15,2	15,2	13,1	13,1	11,0	13,9	13,9	13,7	13,7
16,0	11,3	13,8	13,8	15,0	15,0	14,5	14,5	12,5	12,5	10,5	13,2	13,2	13,1	13,1
18,0	10,3	12,3	12,3	13,6	13,6	13,4	13,4	11,5	11,5	9,6	11,9	11,9	12,0	12,0
20,0	9,3	11,2	11,2	12,4	12,4	12,3	12,3	10,6	10,6	8,8	10,9	10,9	11,1	11,1
22,0	8,5	10,1	10,1	11,3	11,3	11,5	11,5	9,8	9,8	8,0	9,8	9,8	10,3	10,3
24,0	7,8	9,3	9,3	10,3	10,3	10,7	10,7	9,1	9,1	7,4	9,0	9,0	9,6	9,6
26,0	7,2	8,6	8,6	9,5	9,5	10,0	10,0	8,4	8,4	6,8	8,3	8,3	9,0	9,0
28,0	6,7	8,0	8,0	8,8	8,8	9,4	9,4	7,9	7,9	6,3	7,7	7,7	8,4	8,4
30,0	6,2			8,2	8,2	8,9	8,9	7,4	7,4	5,8	7,2	7,2	7,9	7,9
32,0	5,8			7,7	7,7	8,5	8,5	6,9	6,9	5,4	6,7	6,7	7,4	7,4
34,0	5,4					8,1	8,1	6,6	6,6	5,0	6,3	6,3	7,0	7,0
36,0	5,1					7,7	7,7	6,3	6,3	4,7	6,0	6,0	6,6	6,6
38,0	4,9							6,1	6,1	4,4			6,3	6,3
40,0	4,8							6,0	6,0	4,2			6,0	6,0
42,0	4,8							6,0	6,0	4,0			5,9	5,9
44,0										3,9				
46,0										3,9				
48,0														
50,0														
52,0														
*** n ***	2	3	4	3	3	3	3	2	2	2	3	3	2	2
1	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +
2	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 +	0 -
3	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 -	46 -	46 +
4	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +
5	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	49,3	49,3	53,8	49,3	49,3	53,8	58,3							
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0	15,9	15,9		16,0	16,0									
10,0	15,1	15,1	12,9	15,3	15,3	13,4								
11,0	14,4	14,4	12,3	14,5	14,5	12,8	11,1							
12,0	13,7	13,7	11,7	13,9	13,9	12,2	10,5							
13,0	13,1	13,1	11,1	13,2	13,2	11,7	10,1							
14,0	12,5	12,5	10,6	12,6	12,6	11,1	9,6							
15,0	12,0	12,0	10,1	12,1	12,1	10,7	9,2							
16,0	11,5	11,5	9,7	11,6	11,6	10,2	8,7							
18,0	10,5	10,5	8,8	10,7	10,7	9,4	8,0							
20,0	9,7	9,7	8,1	9,3	9,8	8,6	7,3							
22,0	9,0	9,0	7,4	8,6	9,1	7,9	6,7							
24,0	8,3	8,3	6,8	8,0	8,4	7,3	6,1							
26,0	7,7	7,7	6,3	7,6	7,8	6,8	5,6							
28,0	7,2	7,2	5,8	7,1	7,3	6,3	5,2							
30,0	6,7	6,7	5,3	6,7	6,8	5,8	4,8							
32,0	6,3	6,3	4,9	6,4	6,4	5,4	4,4							
34,0	5,9	5,9	4,6	6,0	6,0	5,1	4,0							
36,0	5,6	5,6	4,2	5,7	5,7	4,8	3,7							
38,0	5,3	5,3	4,0	5,4	5,4	4,5	3,4							
40,0	5,0	5,0	3,7	5,1	5,2	4,2	3,2							
42,0	4,9	4,9	3,5	4,3	5,0	4,0	2,9							
44,0	4,8	4,8	3,3	3,7	4,9	3,8	2,7							
46,0	4,8	4,8	3,1	3,0	4,7	3,6	2,4							
48,0			3,1			3,6	2,0							
50,0			3,1			3,6	1,5							
52,0														
*** n ***	2	2	2	2	2	2	2							
1	0 +	0 -	46 -	0 +	0 +	0 +	0 +							
2	46 -	46 +	46 +	0 +	0 -	46 -	92 -							
3	46 +	46 +	46 +	92 -	92 +	92 +	92 +							
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +							
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +							
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +							
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1							

	T	--	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0038< T210.00073

m	53,8	53,8	53,8	58,3	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7
54,0				2,2										
*** n ***	2	2	2	2	7	5	5	5	5	4	2	7	5	5
% 1	0 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +
% 2	92 +	46 +	46 +	92 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +
% 3	92 +	46 +	92 +	92 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -
% 4	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
% 5	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	46 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3

	T	--	42.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	108,0	97,2	95,0	79,0	64,9	88,9	85,4	77,1						
3,5	107,3	96,9	94,5	79,7	61,1	88,9	85,2	77,3	64,9	43,1			77,2	
4,0	106,5	96,6	94,0	80,3	57,5	88,9	85,0	76,2	62,0	40,7	92,3	86,8	77,6	64,2
4,5	99,1	96,3	93,7	80,7	54,8	88,9	84,9	74,8	59,4	38,4	91,5	86,6	78,0	61,6
5,0	91,8	91,9	91,3	81,1	52,2	88,7	84,8	73,4	56,8	36,2	85,2	84,6	76,9	59,3
6,0	79,6	79,2	79,8	80,3	47,2	73,4	75,2	68,8	52,3	32,5	67,2	69,5	70,7	55,4
7,0	67,8	64,3	65,3	66,2	43,7	59,6	61,3	62,2	48,7	29,7	54,8	56,9	59,0	51,6
8,0	53,4	53,3	54,3	55,1	40,4	49,8	51,4	52,9	45,2	27,0	46,0	48,0	49,9	47,7
9,0	43,5	43,9	44,6	45,3	37,3	42,3	43,8	45,2	42,0	25,0	39,2	41,2	43,0	43,7
10,0	36,3	36,7	37,5	38,1	35,1	36,4	37,8	39,0	38,8	23,2	33,8	35,7	37,5	39,0
11,0		31,3	32,0	32,6	32,7	31,1	32,3	33,4	34,2	21,4	29,5	31,3	33,1	34,4
12,0		27,0	27,7	28,3	28,8	26,9	28,0	29,1	29,8	20,0	25,9	27,7	29,1	30,2
13,0		23,6	24,3	24,8	25,3	23,5	24,6	25,6	26,3	18,8	22,9	24,3	25,6	26,7
14,0		20,8	21,5	22,0	22,5	20,7	21,7	22,7	23,4	17,7	20,1	21,5	22,8	23,8
15,0		18,5	19,1	19,7	20,1	18,3	19,4	20,3	21,0	16,7	17,7	19,1	20,3	21,3
16,0						16,4	17,4	18,3	19,0	15,9	15,8	17,1	18,3	19,3
18,0						13,2	14,2	15,1	15,8	14,4	12,6	13,9	15,1	16,0
20,0											10,0	11,4	12,6	13,5
22,0											8,0	9,4	10,6	11,6
24,0											6,4	7,8	9,0	10,0
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	12	10	10	9	7	9	9	8	8	5	10	9	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	76,7	70,9	76,5	60,6	29,7							
6,0	34,0	34,3	63,9	61,9	66,3	56,7	27,0	58,9	56,4	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	52,7	50,9	55,1	53,3	24,9	51,0	49,0	53,4	37,5	33,8	25,2	45,8
8,0	28,3	28,4	44,5	42,7	46,7	48,6	22,9	43,4	41,5	45,6	34,7	31,7	23,6	40,6
9,0	26,2	26,2	38,2	36,5	40,3	42,1	21,1	37,5	35,7	39,7	32,1	29,7	22,1	35,2
10,0	24,1	24,0	33,3	31,6	35,4	37,1	19,8	32,8	31,0	35,0	29,6	27,8	20,6	30,8
11,0	22,5	22,4	29,2	27,6	31,2	32,9	18,5	29,0	27,2	31,1	27,7	26,2	19,5	27,2
12,0	21,2	21,0	25,8	24,2	27,8	29,5	17,2	25,8	24,1	27,8	26,0	24,9	18,5	24,2
13,0	19,8	19,6	22,9	21,4	24,9	26,5	16,2	23,1	21,4	25,1	24,3	23,6	17,5	21,7
14,0	18,5	18,2	20,5	19,0	22,3	23,7	15,4	20,8	19,1	22,7	22,7	22,3	16,4	19,4
15,0	17,5	17,2	18,4	16,9	20,0	21,2	14,6	18,8	17,1	20,7	20,9	21,3	15,6	17,5
16,0	16,6	16,3	16,5	15,1	17,9	19,2	13,8	17,0	15,4	18,8	19,0	19,9	15,0	15,8
18,0	14,9	14,6	13,3	12,0	14,7	15,9	12,3	14,0	12,5	15,5	15,7	16,7	13,6	13,0
20,0	13,7	13,3	10,7	9,4	12,2	13,4	11,2	11,6	10,1	13,0	13,2	14,1	12,4	10,8
22,0	12,2	11,7	8,7	7,4	10,2	11,4	10,1	9,5	8,1	11,0	11,2	12,1	11,3	8,9
24,0	10,6	10,1	7,0	5,7	8,5	9,8	9,3	7,8	6,4	9,4	9,6	10,5	10,3	7,3
26,0			5,7	4,4	7,2	8,4	8,6	6,4	5,1	8,0	8,2	9,1	9,5	5,9
28,0			4,6	3,3	6,1	7,3	8,0	5,3	3,9	6,8	7,0	8,0	8,5	4,7
30,0								4,3	3,0	5,8	6,0	7,0	7,5	3,7
32,0								3,5	2,1	5,0	5,2	6,1	6,7	2,9
34,0														2,2
36,0														1,5
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	9	8	8	7	4	7	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	47,9	25,5	22,8											
8,0	42,6	23,9	21,2	38,4	32,7	31,3	24,3	21,0						
9,0	37,1	22,6	19,8	34,7	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	32,6	21,4	18,7	30,7	29,4	27,6	21,8	18,7	29,1	27,0	23,7	22,0	18,6	17,7
11,0	29,0	20,2	17,5	27,2	28,1	26,0	20,9	17,7	26,0	25,7	22,4	21,0	17,7	16,9
12,0	25,9	19,1	16,4	24,3	26,0	24,6	19,9	16,8	23,3	24,0	21,3	20,2	16,9	16,1
13,0	23,4	18,2	15,5	21,9	23,5	22,8	18,9	15,9	20,9	21,8	20,3	19,3	16,1	15,4
14,0	21,1	17,4	14,7	19,7	21,3	20,8	18,0	15,0	18,9	19,8	19,2	18,5	15,4	14,7
15,0	19,1	16,6	13,9	17,9	19,5	19,0	17,3	14,4	17,1	18,0	18,2	17,8	14,7	14,0
16,0	17,5	15,8	13,2	16,3	17,9	17,3	16,6	13,8	15,6	16,4	17,0	17,0	14,1	13,4
18,0	14,6	14,6	11,9	13,6	15,1	14,6	15,3	12,6	12,9	13,8	14,5	15,2	13,1	12,3
20,0	12,3	13,5	10,9	11,3	12,9	12,3	14,0	11,5	10,8	11,6	12,3	13,0	12,1	11,2
22,0	10,4	12,4	9,8	9,5	11,0	10,5	12,0	10,7	9,0	9,9	10,5	11,2	11,2	10,2
24,0	8,7	10,8	9,0	8,0	9,4	9,0	10,4	9,8	7,6	8,4	9,1	9,7	10,4	9,5
26,0	7,3	9,4	8,3	6,7	8,0	7,6	9,0	9,0	6,3	7,1	7,8	8,4	9,2	8,7
28,0	6,1	8,3	7,7	5,5	6,8	6,4	7,9	8,3	5,2	6,1	6,7	7,2	8,0	8,0
30,0	5,1	7,3	7,2	4,5	5,8	5,4	6,8	7,3	4,3	5,1	5,6	6,2	7,0	7,1
32,0	4,3	6,4	6,5	3,7	4,9	4,5	6,0	6,4	3,5	4,2	4,8	5,3	6,1	6,2
34,0	3,5	5,6	5,7	2,9	4,2	3,7	5,2	5,7	2,7	3,4	4,0	4,6	5,3	5,4
36,0	2,9	5,0	5,1	2,3	3,5	3,1	4,5	5,0	2,1	2,8	3,3	3,9	4,6	4,7
38,0				1,7	2,9	2,5	3,9	4,4		2,2	2,7	3,3	4,0	4,1
40,0					2,4	2,0	3,4	3,9		1,6	2,2	2,8	3,5	3,6
42,0					2,0	1,6	3,0	3,4			1,7	2,3	3,0	3,1
44,0												1,9	2,6	2,7
46,0												1,5	2,2	2,3
48,0														
50,0														
52,0														
*** n ***	5	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	22,7	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	20,4	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	18,5	19,1	16,5	15,6	14,7	17,8	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	16,8	17,7	15,8	15,0	14,1	16,5	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	15,2	16,2	15,2	14,4	13,6	15,0	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	12,7	13,6	14,0	13,3	12,5	12,6	13,5	12,3	12,3	12,2	11,7	10,5	9,9	9,8
20,0	10,7	11,5	12,4	12,5	11,5	10,6	11,5	11,5	10,4	11,3	10,3	9,9	9,4	9,3
22,0	8,9	9,8	10,7	11,0	10,6	9,0	9,8	10,5	8,9	9,8	8,8	9,1	8,5	8,4
24,0	7,5	8,4	9,2	9,6	9,8	7,6	8,4	9,2	7,5	8,5	7,6	8,2	7,3	7,2
26,0	6,3	7,1	8,0	8,4	8,8	6,4	7,3	8,1	6,4	7,3	6,5	7,1	6,3	6,2
28,0	5,2	6,1	6,9	7,3	7,8	5,4	6,3	7,0	5,5	6,4	5,6	6,2	5,4	5,3
30,0	4,3	5,2	6,0	6,4	6,8	4,5	5,4	6,2	4,6	5,5	4,8	5,4	4,6	4,5
32,0	3,5	4,4	5,2	5,5	6,0	3,7	4,6	5,4	3,9	4,8	4,0	4,6	3,9	3,8
34,0	2,8	3,6	4,4	4,8	5,2	3,0	3,9	4,7	3,2	4,1	3,4	4,0	3,3	3,2
36,0	2,2	3,0	3,7	4,1	4,5	2,4	3,3	4,1	2,6	3,5	2,8	3,4	2,8	2,6
38,0	1,6	2,4	3,1	3,5	3,9	1,9	2,8	3,5	2,1	3,0	2,3	2,9	2,3	2,2
40,0		1,8	2,6	2,9	3,4		2,2	3,0	1,6	2,5	1,9	2,5	1,8	1,7
42,0			2,1	2,5	2,9		1,8	2,5		2,1		2,0		
44,0			1,7	2,0	2,5			2,1		1,7		1,7		
46,0				1,6	2,1			1,7						
48,0					1,7									
50,0														
52,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2

%	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	53,4	46,5	47,1	39,4	42,7	35,4	15,4	53,4	48,3	49,3	42,8	45,0	37,5	40,7
9,0	43,5	43,9	43,9	39,2	41,8	34,8	14,6	43,5	44,6	44,6	42,5	43,4	37,0	38,9
10,0	36,3	36,7	36,7	36,4	36,4	33,2	13,9	36,3	37,5	37,5	37,8	37,8	35,2	35,7
11,0		31,3	31,3	31,1	31,1	29,5	13,2		32,0	32,0	32,3	32,3	31,3	31,3
12,0		27,0	27,0	26,9	26,9	25,9	12,6		27,7	27,7	28,0	28,0	27,7	27,7
13,0		23,6	23,6	23,5	23,5	22,9	12,0		24,3	24,3	24,6	24,6	24,3	24,3
14,0		20,8	20,8	20,7	20,7	20,1	11,5		21,5	21,5	21,7	21,7	21,5	21,5
15,0		18,5	18,5	18,3	18,3	17,7	11,0		19,1	19,1	19,4	19,4	19,1	19,1
16,0				16,4	16,4	15,8	10,6				17,4	17,4	17,1	17,1
18,0				13,2	13,2	12,6	8,7				14,2	14,2	13,9	13,9
20,0						10,0	8,2						11,4	11,4
22,0						8,0	7,4						9,4	9,4
24,0						6,4	5,7						7,8	7,8
26,0							4,4							
28,0							3,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6		48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	53,4	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	53,4
9,0	33,6	14,1	43,5	45,3	45,3	44,4	44,9	39,0	42,0	35,8	38,3	33,0	13,8	43,5
10,0	32,2	13,3	36,3	38,1	38,1	39,0	39,0	37,1	37,5	34,3	35,4	32,0	13,0	36,3
11,0	29,2	12,6		32,6	32,6	33,4	33,4	33,1	33,1	31,2	31,2	29,0	12,3	
12,0	25,8	12,0		28,3	28,3	29,1	29,1	29,1	29,1	27,8	27,8	25,8	11,7	
13,0	22,9	11,4		24,8	24,8	25,6	25,6	25,6	25,6	24,9	24,9	23,1	11,1	
14,0	20,5	10,8		22,0	22,0	22,7	22,7	22,8	22,8	22,3	22,3	20,8	10,3	
15,0	18,4	9,6		19,7	19,7	20,3	20,3	20,3	20,3	20,0	20,0	18,8	8,9	
16,0	16,5	8,7				18,3	18,3	18,3	18,3	17,9	17,9	17,0	8,4	
18,0	13,3	8,0				15,1	15,1	15,1	15,1	14,7	14,7	14,0	7,7	
20,0	10,7	7,4						12,6	12,6	12,2	12,2	11,6	7,1	
22,0	8,7	6,9						10,6	10,6	10,2	10,2	9,5	6,5	
24,0	7,0	6,4						9,0	9,0	8,5	8,5	7,8	6,1	
26,0	5,7	5,1								7,2	7,2	6,4	5,6	
28,0	4,6	3,9								6,1	6,1	5,3	4,7	
30,0		3,0										4,3	3,7	
32,0		2,1										3,5	2,9	
34,0													2,2	
36,0													1,5	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1												
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1		47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	41,8	43,7	37,8	41,6	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	38,8	38,8	39,0	39,0	36,2	37,1	34,1	35,0	31,6	13,0	12,5	16,7
11,0	32,7	32,7	34,2	34,2	34,4	34,4	32,9	32,9	31,1	31,1	29,0	12,3	11,8	16,0
12,0	28,8	28,8	29,8	29,8	30,2	30,2	29,5	29,5	27,8	27,8	25,9	11,6	11,1	15,4
13,0	25,3	25,3	26,3	26,3	26,7	26,7	26,5	26,5	25,1	25,1	23,4	11,0	9,5	14,8
14,0	22,5	22,5	23,4	23,4	23,8	23,8	23,7	23,7	22,7	22,7	21,1	9,3	8,8	14,2
15,0	20,1	20,1	21,0	21,0	21,3	21,3	21,2	21,2	20,7	20,7	19,1	8,8	8,3	13,7
16,0			19,0	19,0	19,3	19,3	19,2	19,2	18,8	18,8	17,5	8,4	7,9	13,2
18,0			15,8	15,8	16,0	16,0	15,9	15,9	15,5	15,5	14,6	7,7	7,2	12,4
20,0					13,5	13,5	13,4	13,4	13,0	13,0	12,3	7,0	6,5	11,6
22,0					11,6	11,6	11,4	11,4	11,0	11,0	10,4	6,5	5,9	11,0
24,0					10,0	10,0	9,8	9,8	9,4	9,4	8,7	6,0	5,4	9,5
26,0							8,4	8,4	8,0	8,0	7,3	5,5	4,9	8,2
28,0							7,3	7,3	6,8	6,8	6,1	5,1	4,5	7,0
30,0									5,8	5,8	5,1	4,5	4,1	6,0
32,0									5,0	5,0	4,3	3,7	3,5	5,2
34,0											3,5	2,9	2,7	
36,0											2,9	2,3	2,1	
38,0												1,7		
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														
3,5														
4,0														31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3			25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,0	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	22,8	21,8	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	20,8	19,8	8,5	11,4	19,2	19,1	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	19,0	18,0	8,0	10,8	18,2	17,7	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	17,3	16,4	7,6	10,0	17,0	16,2	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	14,6	13,8	6,8	8,4	14,5	13,6	6,8	14,6	8,4	14,0	13,5	6,7	14,4
20,0	8,0	12,3	11,6	6,1	7,7	12,3	11,5	6,1	13,3	7,7	12,4	11,5	6,0	
22,0	7,4	10,5	9,9	5,5	7,1	10,5	9,8	5,5	11,7	7,1	10,7	9,8	5,4	
24,0	6,9	9,0	8,4	5,0	6,6	9,1	8,4	4,9	10,1	6,5	9,2	8,4	4,9	
26,0	6,5	7,6	7,1	4,5	6,1	7,8	7,1	4,4		6,0	8,0	7,3	4,4	
28,0	6,0	6,4	6,1	4,0	5,7	6,7	6,1	4,0		5,6	6,9	6,3	3,9	
30,0	5,4	5,4	5,1	3,6	5,3	5,6	5,2	3,6		5,2	6,0	5,4	3,5	
32,0	4,5	4,5	4,2	3,3	4,8	4,8	4,4	3,2		4,8	5,2	4,6	3,1	
34,0	3,7	3,7	3,4	2,8	4,0	4,0	3,6	2,8		4,4	4,4	3,9	2,8	
36,0	3,1	3,1	2,8	2,2	3,3	3,3	3,0	2,4		3,7	3,7	3,3	2,5	
38,0	2,5	2,5	2,2	1,6	2,7	2,7	2,4	1,9		3,1	3,1	2,8	2,1	
40,0	2,0	2,0	1,6		2,2	2,2	1,8			2,6	2,6	2,2	1,6	
42,0	1,6	1,6			1,7	1,7				2,1	2,1	1,8		
44,0										1,7	1,7			
46,0														
48,0														
50,0														
52,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0														
3,5	43,1													
4,0	40,7													
4,5	38,4	39,4												
5,0	36,2	37,4				29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,0	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	23,5	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	21,3	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	19,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	19,9	17,9	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,0	13,2
18,0	14,4	14,9	16,7	15,1	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,2	11,9
20,0		13,7	14,1	12,9	11,2	11,2	12,4	12,4	13,5	13,5	14,0	14,0	13,0	10,9
22,0		12,2	12,1	11,0	10,1	10,1	11,3	11,3	12,4	12,4	12,0	12,0	11,2	9,8
24,0		10,6	10,5	9,4	9,3	9,3	10,3	10,3	10,8	10,8	10,4	10,4	9,7	9,0
26,0			9,1	8,0	8,6	8,6	9,5	9,5	9,4	9,4	9,0	9,0	8,4	8,3
28,0			8,0	6,8	8,0	8,0	8,5	8,5	8,3	8,3	7,9	7,9	7,2	7,7
30,0			7,0	5,8			7,5	7,5	7,3	7,3	6,8	6,8	6,2	7,2
32,0			6,1	4,9			6,7	6,7	6,4	6,4	6,0	6,0	5,3	6,5
34,0				4,2					5,6	5,6	5,2	5,2	4,6	5,7
36,0				3,5					5,0	5,0	4,5	4,5	3,9	5,1
38,0				2,9							3,9	3,9	3,3	
40,0				2,4							3,4	3,4	2,8	
42,0				2,0							3,0	3,0	2,3	
44,0													1,9	
46,0													1,5	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,3	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,0	8,6	10,2	10,6	7,0	10,5	9,8	5,5	9,2
24,0	9,0	9,8	9,8	10,4	10,4	9,6	8,0	9,5	9,8	6,5	9,2	8,5	4,9	8,6
26,0	8,3	9,0	9,0	9,2	9,2	8,4	7,6	8,7	8,8	6,0	8,1	7,3	4,4	7,8
28,0	7,7	8,3	8,3	8,0	8,0	7,3	7,1	8,0	7,8	5,5	7,0	6,4	4,0	6,8
30,0	7,2	7,3	7,3	7,0	7,0	6,4	6,7	7,1	6,8	5,1	6,2	5,5	3,6	6,0
32,0	6,5	6,4	6,4	6,1	6,1	5,5	6,2	6,2	6,0	4,8	5,4	4,8	3,2	5,2
34,0	5,7	5,7	5,7	5,3	5,3	4,8	5,4	5,4	5,2	4,4	4,7	4,1	2,9	4,6
36,0	5,1	5,0	5,0	4,6	4,6	4,1	4,7	4,7	4,5	4,1	4,1	3,5	2,6	4,0
38,0		4,4	4,4	4,0	4,0	3,5	4,1	4,1	3,9	3,5	3,5	3,0	2,3	3,4
40,0		3,9	3,9	3,5	3,5	2,9	3,6	3,6	3,4	3,0	3,0	2,5	1,9	3,0
42,0		3,4	3,4	3,0	3,0	2,5	3,1	3,1	2,9	2,5	2,5	2,1		2,5
44,0				2,6	2,6	2,0	2,7	2,7	2,5	2,1	2,1	1,7		2,1
46,0				2,2	2,2	1,6	2,3	2,3	2,1	1,7	1,7			1,7
48,0									1,7					
50,0														
52,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0010< T210.00023

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,1	5,4	2,8											
24,0	8,2	4,8	2,3											
26,0	7,1	4,3	1,8											
28,0	6,2	3,9												
30,0	5,4	3,4												
32,0	4,6	3,1												
34,0	4,0	2,7												
36,0	3,4	2,4												
38,0	2,9	2,1												
40,0	2,5	1,8												
42,0	2,0													
44,0	1,7													
46,0														
48,0														
50,0														
52,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	127,9	125,8	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	119,6	119,5	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	112,1	112,2	101,0	81,1	52,2	112,0	93,7	73,4	56,8	36,2	108,2	99,8	76,9	59,3
6,0	97,6	97,9	97,6	81,3	47,2	97,6	87,2	68,8	52,3	32,5	96,6	90,9	71,6	55,4
7,0	83,5	83,7	84,2	74,5	43,7	83,5	79,0	62,2	48,7	29,7	83,0	82,0	66,4	51,6
8,0	72,7	72,8	73,4	67,0	40,4	72,9	71,3	56,1	45,2	27,0	72,3	73,4	61,3	47,7
9,0	64,2	64,3	64,9	60,4	37,3	64,3	65,0	51,7	42,0	25,0	63,6	64,9	56,3	43,9
10,0	57,3	57,5	58,0	55,7	35,1	57,4	58,2	47,8	39,0	23,2	55,4	57,4	51,6	40,3
11,0		50,1	50,9	51,0	32,8	50,0	51,3	43,8	36,0	21,4	48,3	50,4	48,1	37,5
12,0		43,1	43,9	44,5	31,2	43,1	44,3	40,8	33,6	20,0	42,3	43,9	45,0	35,1
13,0		37,7	38,4	39,0	29,6	37,5	38,7	38,3	31,6	18,8	36,9	38,4	39,9	32,8
14,0		33,3	34,0	34,5	28,4	33,1	34,3	35,3	29,6	17,7	32,5	34,0	35,4	30,5
15,0		29,7	30,3	30,9	27,6	29,5	30,6	31,6	27,8	16,7	28,8	30,3	31,6	28,8
16,0						26,4	27,5	28,5	26,4	15,9	25,8	27,2	28,6	27,3
18,0						21,7	22,7	23,7	23,8	14,4	21,0	22,4	23,7	24,4
20,0											17,4	18,8	20,0	21,0
22,0											14,7	16,0	17,1	18,1
24,0											12,5	13,8	14,9	15,8
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	82,3	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	72,6	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	61,9	49,9	60,3	46,9	21,1	60,2	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	53,9	46,5	55,4	44,0	19,8	52,6	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	47,3	43,1	49,5	41,1	18,5	46,4	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	41,9	39,7	44,1	38,3	17,2	41,4	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	37,5	35,8	39,4	36,1	16,2	37,2	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	33,3	31,9	35,0	34,3	15,4	33,7	31,7	35,7	22,7	22,3	16,4	30,1
15,0	17,5	17,2	29,7	28,4	31,3	32,4	14,6	30,5	28,9	32,3	21,4	21,3	15,6	28,3
16,0	16,6	16,3	26,6	25,3	28,1	29,5	13,8	27,5	26,1	29,1	20,3	20,4	15,0	26,3
18,0	14,9	14,6	21,8	20,6	23,3	24,6	12,3	22,6	21,3	24,2	18,2	18,7	13,6	22,2
20,0	13,7	13,3	18,1	16,9	19,6	20,8	11,2	18,9	17,6	20,5	16,3	17,1	12,4	18,5
22,0	12,6	12,2	15,3	14,1	16,7	17,9	10,1	16,1	14,8	17,5	14,9	15,9	11,3	15,6
24,0	11,8	11,5	13,1	11,8	14,4	15,6	9,3	13,8	12,5	15,2	13,6	14,8	10,3	13,3
26,0			11,2	9,8	12,6	13,7	8,6	11,9	10,5	13,3	12,5	13,9	9,5	11,4
28,0			9,6	8,2	11,1	12,2	8,0	10,3	8,9	11,7	11,6	12,8	8,8	9,7
30,0								8,9	7,5	10,4	10,6	11,4	8,2	8,3
32,0								7,8	6,4	9,3	9,5	10,3	7,7	7,1
34,0														6,1
36,0														5,2
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	41,1	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	37,2	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	33,7	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	30,7	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	28,2	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	23,5	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	19,8	13,5	10,9	19,3	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	16,9	12,4	9,8	16,4	17,6	14,7	13,3	10,7	16,0	15,4	13,0	13,8	11,2	10,2
24,0	14,6	11,5	9,0	14,1	15,3	13,5	12,4	9,8	13,9	14,3	12,1	13,1	10,5	9,5
26,0	12,7	10,7	8,3	12,2	13,3	12,3	11,5	9,0	12,0	12,7	11,1	12,3	9,7	8,7
28,0	11,1	9,8	7,7	10,6	11,7	11,3	10,8	8,4	10,4	11,1	10,1	11,5	9,0	8,0
30,0	9,7	9,2	7,2	9,2	10,4	10,0	10,1	7,9	9,0	9,7	9,3	10,7	8,4	7,4
32,0	8,5	8,6	6,7	7,9	9,2	8,8	9,4	7,4	7,8	8,5	8,7	9,6	8,0	7,0
34,0	7,5	8,1	6,3	6,9	8,2	7,7	8,9	7,0	6,7	7,4	8,0	8,6	7,5	6,5
36,0	6,6	7,7	6,0	5,9	7,2	6,8	8,3	6,6	5,8	6,5	7,0	7,6	7,1	6,1
38,0				5,1	6,4	6,0	7,4	6,3	5,0	5,6	6,2	6,8	6,8	5,8
40,0				4,4	5,7	5,3	6,7	6,0	4,2	4,9	5,5	6,1	6,5	5,4
42,0				3,8	5,1	4,7	6,1	5,9	3,6	4,3	4,8	5,4	6,1	5,1
44,0									3,0	3,7	4,3	4,8	5,6	4,9
46,0									2,6	3,2	3,8	4,3	5,1	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	11,9	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	10,4	10,9	9,4	9,6	8,5	10,4	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	9,1	9,9	8,6	9,0	7,9	9,1	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	7,9	8,7	7,9	8,4	7,4	8,1	8,5	7,5	8,1	7,8	7,8	6,6	6,6	6,2
34,0	6,8	7,6	7,4	8,0	7,0	7,1	7,9	7,0	7,2	7,3	7,3	6,3	6,2	5,7
36,0	5,9	6,7	7,0	7,6	6,6	6,2	7,1	6,5	6,4	6,9	6,5	5,9	5,9	5,3
38,0	5,1	5,8	6,5	7,0	6,2	5,4	6,2	6,1	5,7	6,5	5,8	5,5	5,6	5,0
40,0	4,4	5,1	5,9	6,2	5,9	4,7	5,5	5,8	5,0	5,9	5,2	5,2	5,1	4,7
42,0	3,7	4,5	5,2	5,6	5,6	4,0	4,8	5,4	4,3	5,2	4,6	4,9	4,5	4,3
44,0	3,1	3,9	4,6	5,0	5,3	3,4	4,3	5,0	3,8	4,6	4,1	4,6	4,0	3,9
46,0	2,6	3,4	4,1	4,4	4,9	2,9	3,7	4,5	3,2	4,1	3,6	4,2	3,5	3,4
48,0	2,1	2,9	3,6	4,0	4,4	2,4	3,2	4,0	2,7	3,6	3,1	3,7	3,1	3,0
50,0	1,7	2,5	3,2	3,5	4,0	2,0	2,8	3,5	2,3	3,2	2,7	3,2	2,7	2,6
52,0						1,6	2,4	3,1	1,9	2,8	2,3	2,8	2,4	2,3
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	64,2	46,5	47,1	39,2	42,7	34,8	14,6	64,2	48,3	49,3	42,5	45,0	37,0	39,3
10,0	57,3	46,5	47,1	39,1	42,7	34,4	13,9	57,3	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		43,1	43,1	39,1	42,0	33,7	12,6		43,9	43,9	42,4	43,7	35,7	39,0
13,0		37,7	37,7	37,5	37,5	33,4	12,0		38,4	38,4	38,7	38,7	35,5	38,1
14,0		33,3	33,3	33,1	33,1	32,1	11,5		34,0	34,0	34,3	34,3	33,8	34,0
15,0		29,7	29,7	29,5	29,5	28,8	11,0		30,3	30,3	30,6	30,6	30,3	30,3
16,0				26,4	26,4	25,8	10,6				27,5	27,5	27,2	27,2
18,0				21,7	21,7	21,0	8,7				22,7	22,7	22,4	22,4
20,0						17,4	8,2						18,8	18,8
22,0						14,7	7,8						16,0	16,0
24,0						12,5	7,5						13,8	13,8
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	68,9	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	70,8
9,0	33,6	14,1	64,2	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	64,2
10,0	33,0	13,3	57,3	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	57,3
11,0	32,4	12,6		50,6	51,0	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		44,5	44,5	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		39,0	39,0	38,3	38,3	37,5	39,9	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		34,5	34,5	35,3	35,3	35,4	35,4	33,2	34,8	28,6	10,3	
15,0	29,4	9,6		30,9	30,9	31,6	31,6	31,6	31,6	31,1	31,3	28,2	8,9	
16,0	26,6	8,7				28,5	28,5	28,6	28,6	28,1	28,1	27,0	8,4	
18,0	21,8	8,0				23,7	23,7	23,7	23,7	23,3	23,3	22,6	7,7	
20,0	18,1	7,4						20,0	20,0	19,6	19,6	18,9	7,1	
22,0	15,3	6,9						17,1	17,1	16,7	16,7	16,1	6,5	
24,0	13,1	6,5						14,9	14,9	14,4	14,4	13,8	6,1	
26,0	11,2	6,1								12,6	12,6	11,9	5,6	
28,0	9,6	5,8								11,1	11,1	10,3	5,3	
30,0		5,7										8,9	5,0	
32,0		4,2										7,8	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,0	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,4	32,4	31,2	32,3	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	29,5	29,5	29,1	29,1	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	24,6	24,6	24,2	24,2	23,5	7,7	7,2	12,4
20,0					21,0	21,0	20,8	20,8	20,5	20,5	19,8	7,0	6,5	11,6
22,0					18,1	18,1	17,9	17,9	17,5	17,5	16,9	6,5	5,9	11,0
24,0					15,8	15,8	15,6	15,6	15,2	15,2	14,6	6,0	5,4	9,6
26,0							13,7	13,7	13,3	13,3	12,7	5,5	4,9	9,0
28,0							12,2	12,2	11,7	11,7	11,1	5,1	4,5	8,8
30,0									10,4	10,4	9,7	4,8	4,1	8,6
32,0									9,3	9,3	8,5	4,5	3,7	7,5
34,0											7,5	4,3	3,4	
36,0											6,6	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3

%	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T --	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,3	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	12,7	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,3	11,1	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,0	9,7	3,6	5,3	9,3	9,9	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	8,8	8,5	3,3	4,9	8,7	8,7	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	7,7	7,4	3,0	4,6	8,0	7,6	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	6,8	6,5	2,7	4,4	7,0	6,7	2,5		4,2	7,0	7,1	2,5	
38,0	3,9	6,0	5,6	2,4	4,1	6,2	5,8	2,3		3,9	6,5	6,2	2,2	
40,0	3,0	5,3	4,9	2,1	3,3	5,5	5,1	2,0		3,7	5,9	5,5	2,0	
42,0	2,1	4,7	4,3	1,5	2,7	4,8	4,5	1,8		3,2	5,2	4,8	1,7	
44,0			3,7		2,0	4,3	3,9			2,6	4,6	4,3		
46,0			3,2			3,8	3,4			2,0	4,1	3,7		
48,0							2,9				3,6	3,2		
50,0							2,5				3,2	2,8		
52,0												2,4		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	17,6	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	15,3	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	13,3	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			12,8	11,7	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			11,4	10,4			8,2	8,2	9,2	9,2	10,1	10,1	10,7	7,2
32,0			10,3	9,2			7,7	7,7	8,6	8,6	9,4	9,4	9,6	6,7
34,0				8,2					8,1	8,1	8,9	8,9	8,6	6,3
36,0				7,2					7,7	7,7	8,3	8,3	7,6	6,0
38,0				6,4							7,4	7,4	6,8	
40,0				5,7							6,7	6,7	6,1	
42,0				5,1							6,1	6,1	5,4	
44,0													4,8	
46,0													4,3	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,0	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,2	5,1	5,4	5,9	3,6	5,8	5,9	2,0	4,9
42,0		5,9	5,9	6,1	6,1	5,6	4,3	5,1	5,6	3,4	5,4	5,2	1,8	4,6
44,0				5,6	5,6	5,0	3,7	4,9	5,3	3,0	5,0	4,6	1,6	4,3
46,0				5,1	5,1	4,4	3,0	4,7	4,9	2,4	4,5	4,1		4,0
48,0						4,0			4,4	2,0	4,0	3,6		3,8
50,0						3,5			4,0	1,5	3,5	3,2		3,5
52,0											3,1	2,8		3,2
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,2													
48,0	3,7													
50,0	3,2													
52,0	2,8													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0							2,0	2,8	1,5	2,4	1,9	2,5	2,0	1,9
56,0										2,1	1,6	2,1	1,6	1,6
58,0										1,8		1,8		
60,0												1,5		
62,0														
64,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												2,0		
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											2,8	2,4		2,8
56,0												2,1		2,5
58,0												1,8		2,1
60,0														
62,0														
64,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
% 1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
% 2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
% 3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0031< T210.00063

m	66,7	71,2	72,0
54,0	2,5		
56,0	2,1		
58,0	1,8		
60,0	1,5		
62,0			
64,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	42.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	130,9	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	122,5	122,5	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	113,8	113,8	102,1	80,7	54,8	113,6	96,2	74,8	59,4	38,4	110,8	101,5	78,0	61,6
5,0	106,2	106,3	101,0	81,1	52,2	106,1	93,7	73,4	56,8	36,2	105,7	99,8	76,9	59,3
6,0	93,1	93,2	93,7	81,3	47,2	93,0	87,2	68,8	52,3	32,5	92,6	90,9	71,6	55,4
7,0	82,4	82,5	83,0	74,5	43,7	82,3	79,0	62,2	48,7	29,7	81,8	82,0	66,4	51,6
8,0	72,7	72,8	73,4	67,0	40,4	72,9	71,3	56,1	45,2	27,0	72,3	73,4	61,3	47,7
9,0	63,8	64,0	64,6	60,4	37,3	63,9	64,7	51,7	42,0	25,0	63,4	64,7	56,3	43,9
10,0	56,1	56,3	57,0	55,7	35,1	56,2	57,2	47,8	39,0	23,2	55,4	57,0	51,6	40,3
11,0		49,8	50,4	50,9	32,8	49,6	50,6	43,8	36,0	21,4	48,4	50,4	48,1	37,5
12,0		43,2	44,0	44,6	31,2	43,1	44,4	40,8	33,6	20,0	42,4	44,0	45,0	35,1
13,0		37,7	38,5	39,1	29,6	37,6	38,8	38,3	31,6	18,8	37,0	38,5	40,0	32,8
14,0		33,3	34,0	34,6	28,4	33,2	34,3	35,4	29,6	17,7	32,6	34,0	35,4	30,5
15,0		29,7	30,4	30,9	27,6	29,5	30,7	31,7	27,8	16,7	28,9	30,3	31,7	28,8
16,0						26,5	27,6	28,6	26,4	15,9	25,9	27,3	28,6	27,3
18,0						21,7	22,8	23,7	23,8	14,4	21,1	22,4	23,7	24,4
20,0											17,5	18,8	20,0	21,0
22,0											14,7	16,0	17,2	18,1
24,0											12,5	13,8	14,9	15,9
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	81,9	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	72,2	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	62,0	49,9	60,3	46,9	21,1	60,3	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	54,0	46,5	55,4	44,0	19,8	52,7	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	47,4	43,1	49,6	41,1	18,5	46,5	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	42,0	39,7	44,2	38,3	17,2	41,5	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	37,6	35,9	39,4	36,1	16,2	37,3	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	33,4	32,0	35,1	34,3	15,4	33,7	31,7	35,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	29,7	28,4	31,3	32,4	14,6	30,5	28,9	32,3	21,4	21,3	15,6	28,3
16,0	16,6	16,3	26,6	25,4	28,2	29,5	13,8	27,6	26,1	29,2	20,3	20,4	15,0	26,4
18,0	14,9	14,6	21,8	20,6	23,3	24,6	12,3	22,7	21,3	24,2	18,2	18,7	13,6	22,2
20,0	13,7	13,3	18,2	17,0	19,6	20,9	11,2	19,0	17,7	20,5	16,3	17,1	12,4	18,5
22,0	12,6	12,2	15,3	14,2	16,8	18,0	10,1	16,1	14,8	17,6	14,9	15,9	11,3	15,6
24,0	11,8	11,5	13,1	11,7	14,5	15,6	9,3	13,8	12,5	15,2	13,6	14,8	10,3	13,3
26,0			11,1	9,8	12,6	13,7	8,6	11,9	10,5	13,3	12,5	13,9	9,5	11,4
28,0			9,5	8,1	11,0	12,2	8,0	10,3	8,8	11,7	11,6	12,8	8,8	9,7
30,0								8,9	7,4	10,4	10,5	11,4	8,2	8,2
32,0								7,7	6,2	9,2	9,4	10,3	7,7	7,0
34,0														6,0
36,0														5,1
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	41,1	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	37,2	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	33,7	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	30,8	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	28,3	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	23,6	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	19,8	13,5	10,9	19,3	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	16,9	12,4	9,8	16,4	17,6	14,7	13,3	10,7	16,1	15,4	13,0	13,8	11,2	10,2
24,0	14,6	11,5	9,0	14,1	15,3	13,5	12,4	9,8	13,9	14,3	12,1	13,1	10,5	9,5
26,0	12,7	10,7	8,3	12,2	13,3	12,3	11,5	9,0	12,0	12,7	11,1	12,3	9,7	8,7
28,0	11,1	9,8	7,7	10,5	11,7	11,3	10,8	8,4	10,4	11,0	10,1	11,5	9,0	8,0
30,0	9,7	9,2	7,2	9,1	10,3	9,9	10,1	7,9	8,9	9,6	9,3	10,7	8,4	7,4
32,0	8,5	8,6	6,7	7,8	9,2	8,7	9,4	7,4	7,7	8,4	8,7	9,5	8,0	7,0
34,0	7,4	8,1	6,3	6,8	8,1	7,6	8,9	7,0	6,6	7,3	7,9	8,5	7,5	6,5
36,0	6,5	7,7	6,0	5,8	7,1	6,7	8,2	6,6	5,7	6,4	6,9	7,5	7,1	6,1
38,0				5,0	6,3	5,9	7,4	6,3	4,8	5,5	6,1	6,7	6,8	5,8
40,0				4,3	5,6	5,2	6,6	6,0	4,1	4,8	5,4	6,0	6,5	5,4
42,0				3,7	5,0	4,6	6,0	5,9	3,5	4,2	4,7	5,3	6,1	5,1
44,0									2,9	3,6	4,2	4,7	5,5	4,9
46,0									2,4	3,1	3,7	4,2	5,0	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2

%														
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,5	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	11,8	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	10,3	10,9	9,4	9,6	8,5	10,3	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	9,0	9,8	8,6	9,0	7,9	9,0	9,1	8,1	9,0	8,3	8,2	7,1	7,1	6,6
32,0	7,8	8,6	7,9	8,4	7,4	8,0	8,5	7,5	8,0	7,8	7,8	6,6	6,6	6,2
34,0	6,7	7,5	7,4	8,0	7,0	7,0	7,8	7,0	7,1	7,3	7,2	6,3	6,2	5,7
36,0	5,8	6,6	7,0	7,6	6,6	6,1	7,0	6,5	6,3	6,9	6,4	5,9	5,9	5,3
38,0	5,0	5,7	6,5	6,9	6,2	5,3	6,1	6,1	5,5	6,4	5,7	5,5	5,5	5,0
40,0	4,2	5,0	5,8	6,1	5,9	4,6	5,4	5,8	4,9	5,8	5,1	5,2	5,0	4,7
42,0	3,6	4,3	5,1	5,5	5,6	3,9	4,7	5,4	4,2	5,1	4,5	4,9	4,4	4,3
44,0	3,0	3,8	4,5	4,9	5,3	3,3	4,1	4,9	3,6	4,5	4,0	4,5	3,9	3,8
46,0	2,5	3,2	4,0	4,3	4,8	2,8	3,6	4,4	3,1	4,0	3,5	4,1	3,4	3,3
48,0	2,0	2,8	3,5	3,9	4,3	2,3	3,1	3,9	2,6	3,5	3,0	3,6	3,0	2,9
50,0	1,6	2,4	3,1	3,4	3,9	1,9	2,7	3,4	2,2	3,1	2,6	3,1	2,6	2,5
52,0							2,3	3,0	1,8	2,7	2,2	2,7	2,2	2,1
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	63,8	46,5	47,1	39,2	42,7	34,8	14,6	63,8	48,3	49,3	42,5	45,0	37,0	39,3
10,0	56,1	46,5	47,1	39,1	42,7	34,4	13,9	56,1	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		43,2	43,2	39,1	42,1	33,7	12,6		44,0	44,0	42,4	43,7	35,7	39,0
13,0		37,7	37,7	37,6	37,6	33,4	12,0		38,5	38,5	38,8	38,8	35,5	38,1
14,0		33,3	33,3	33,2	33,2	32,1	11,5		34,0	34,0	34,3	34,3	33,8	34,0
15,0		29,7	29,7	29,5	29,5	28,9	11,0		30,4	30,4	30,7	30,7	30,3	30,3
16,0				26,5	26,5	25,9	10,6				27,6	27,6	27,3	27,3
18,0				21,7	21,7	21,1	8,7				22,8	22,8	22,4	22,4
20,0						17,5	8,2						18,8	18,8
22,0						14,7	7,8						16,0	16,0
24,0						12,5	7,5						13,8	13,8
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5

%														
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T --	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	68,9	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	70,8
9,0	33,6	14,1	63,8	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	63,8
10,0	33,0	13,3	56,1	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	56,1
11,0	32,4	12,6		50,4	50,9	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		44,6	44,6	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		39,1	39,1	38,3	38,3	37,5	40,0	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		34,6	34,6	35,4	35,4	35,4	35,4	33,2	34,8	28,6	10,3	
15,0	29,5	9,6		30,9	30,9	31,7	31,7	31,7	31,7	31,2	31,3	28,2	8,9	
16,0	26,6	8,7				28,6	28,6	28,6	28,6	28,2	28,2	27,0	8,4	
18,0	21,8	8,0				23,7	23,7	23,7	23,7	23,3	23,3	22,7	7,7	
20,0	18,2	7,4						20,0	20,0	19,6	19,6	19,0	7,1	
22,0	15,3	6,9						17,2	17,2	16,8	16,8	16,1	6,5	
24,0	13,1	6,5						14,9	14,9	14,5	14,5	13,8	6,1	
26,0	11,1	6,1								12,6	12,6	11,9	5,6	
28,0	9,5	5,8								11,0	11,0	10,3	5,3	
30,0		5,7										8,9	5,0	
32,0		4,2										7,7	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,1	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,4	32,4	31,2	32,3	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	29,5	29,5	29,2	29,2	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	24,6	24,6	24,2	24,2	23,6	7,7	7,2	12,4
20,0					21,0	21,0	20,9	20,9	20,5	20,5	19,8	7,0	6,5	11,6
22,0					18,1	18,1	18,0	18,0	17,6	17,6	16,9	6,5	5,9	11,0
24,0					15,9	15,9	15,6	15,6	15,2	15,2	14,6	6,0	5,4	9,6
26,0							13,7	13,7	13,3	13,3	12,7	5,5	4,9	9,0
28,0							12,2	12,2	11,7	11,7	11,1	5,1	4,5	8,8
30,0									10,4	10,4	9,7	4,8	4,1	8,6
32,0									9,2	9,2	8,5	4,5	3,7	7,5
34,0											7,4	4,3	3,4	
36,0											6,5	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
% 3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
% 4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,3	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	12,7	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,3	11,0	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	9,9	9,6	3,6	5,3	9,3	9,8	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	8,7	8,4	3,3	4,9	8,7	8,6	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	7,6	7,3	3,0	4,6	7,9	7,5	2,8		4,5	7,4	7,8	2,8	
36,0	4,7	6,7	6,4	2,7	4,4	6,9	6,6	2,5		4,2	7,0	7,0	2,5	
38,0	3,9	5,9	5,5	2,4	4,1	6,1	5,7	2,3		3,9	6,5	6,1	2,2	
40,0	3,0	5,2	4,8	2,1	3,3	5,4	5,0	2,0		3,7	5,8	5,4	2,0	
42,0	2,1	4,6	4,2	1,5	2,7	4,7	4,3	1,8		3,2	5,1	4,7	1,7	
44,0			3,6		2,0	4,2	3,8			2,6	4,5	4,1		
46,0			3,1			3,7	3,2			2,0	4,0	3,6		
48,0							2,8				3,5	3,1		
50,0							2,4				3,1	2,7		
52,0												2,3		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	17,6	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	15,3	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	13,3	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			12,8	11,7	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			11,4	10,3			8,2	8,2	9,2	9,2	10,1	10,1	10,7	7,2
32,0			10,3	9,2			7,7	7,7	8,6	8,6	9,4	9,4	9,5	6,7
34,0				8,1					8,1	8,1	8,9	8,9	8,5	6,3
36,0				7,1					7,7	7,7	8,2	8,2	7,5	6,0
38,0				6,3							7,4	7,4	6,7	
40,0				5,6							6,6	6,6	6,0	
42,0				5,0							6,0	6,0	5,3	
44,0													4,7	
46,0													4,2	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	6,9	5,5	5,8	6,2	3,8	6,1	6,4	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,1	5,1	5,4	5,9	3,6	5,8	5,8	2,0	4,9
42,0		5,9	5,9	6,1	6,1	5,5	4,3	5,1	5,6	3,4	5,4	5,1	1,8	4,6
44,0				5,5	5,5	4,9	3,7	4,9	5,3	3,0	4,9	4,5	1,6	4,3
46,0				5,0	5,0	4,3	3,0	4,7	4,8	2,4	4,4	4,0		4,0
48,0						3,9			4,3	2,0	3,9	3,5		3,8
50,0						3,4			3,9	1,5	3,4	3,1		3,5
52,0											3,0	2,7		3,0
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,5													
46,0	4,1													
48,0	3,6													
50,0	3,1													
52,0	2,7													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0							1,9	2,7		2,3	1,8	2,4	1,9	1,8
56,0										2,0		2,0	1,5	
58,0										1,6		1,7		
60,0														
62,0														
64,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	42.0 t	8.89 x 8.30 m	360°		

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												1,9		
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											2,7	2,3		2,7
56,0												2,0		2,4
58,0												1,6		2,0
60,0														
62,0														
64,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
% 1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
% 2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
% 3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0003< T210.00013

m	66,7	71,2	72,0
54,0	2,4		
56,0	2,0		
58,0	1,7		
60,0			
62,0			
64,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	133,5	126,4	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	126,1	126,0	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	116,4	116,4	101,0	81,1	52,2	112,6	93,7	73,4	56,8	36,2	108,2	99,8	76,9	59,3
6,0	97,6	97,9	97,6	81,3	47,2	97,6	87,2	68,8	52,3	32,5	96,6	90,9	71,6	55,4
7,0	83,5	83,7	84,2	74,5	43,7	83,5	79,0	62,2	48,7	29,7	83,0	82,0	66,4	51,6
8,0	72,7	72,8	73,4	67,0	40,4	72,9	71,3	56,1	45,2	27,0	72,3	73,4	61,3	47,7
9,0	64,2	64,3	64,9	60,4	37,3	64,3	65,0	51,7	42,0	25,0	63,6	64,9	56,3	43,9
10,0	57,3	57,5	58,0	55,7	35,1	57,4	58,2	47,8	39,0	23,2	55,5	57,4	51,6	40,3
11,0		50,2	51,0	51,0	32,8	50,0	51,3	43,8	36,0	21,4	48,4	50,4	48,1	37,5
12,0		43,2	44,0	44,6	31,2	43,1	44,4	40,8	33,6	20,0	42,4	44,0	45,0	35,1
13,0		37,7	38,5	39,1	29,6	37,6	38,8	38,3	31,6	18,8	37,0	38,5	40,0	32,8
14,0		33,3	34,0	34,6	28,4	33,2	34,3	35,4	29,6	17,7	32,6	34,0	35,4	30,5
15,0		29,7	30,4	30,9	27,6	29,5	30,7	31,7	27,8	16,7	28,9	30,3	31,7	28,8
16,0						26,5	27,6	28,6	26,4	15,9	25,9	27,3	28,6	27,3
18,0						21,7	22,8	23,7	23,8	14,4	21,1	22,4	23,7	24,4
20,0											17,5	18,8	20,0	21,0
22,0											14,7	16,0	17,2	18,1
24,0											12,5	13,8	14,9	15,9
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	82,3	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	72,6	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	62,0	49,9	60,3	46,9	21,1	60,3	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	54,0	46,5	55,4	44,0	19,8	52,7	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	47,4	43,1	49,6	41,1	18,5	46,5	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	42,0	39,7	44,2	38,3	17,2	41,5	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	37,6	35,9	39,4	36,1	16,2	37,3	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	33,4	32,0	35,1	34,3	15,4	33,7	31,7	35,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	29,7	28,4	31,3	32,4	14,6	30,5	28,9	32,3	21,4	21,3	15,6	28,3
16,0	16,6	16,3	26,6	25,4	28,2	29,5	13,8	27,6	26,1	29,2	20,3	20,4	15,0	26,4
18,0	14,9	14,6	21,8	20,6	23,3	24,6	12,3	22,7	21,3	24,2	18,2	18,7	13,6	22,2
20,0	13,7	13,3	18,2	17,0	19,6	20,9	11,2	19,0	17,7	20,5	16,3	17,1	12,4	18,5
22,0	12,6	12,2	15,3	14,2	16,8	18,0	10,1	16,1	14,8	17,6	14,9	15,9	11,3	15,6
24,0	11,8	11,5	13,1	11,8	14,5	15,6	9,3	13,8	12,5	15,2	13,6	14,8	10,3	13,3
26,0			11,2	9,9	12,6	13,8	8,6	11,9	10,6	13,3	12,5	13,9	9,5	11,4
28,0			9,6	8,3	11,1	12,2	8,0	10,3	8,9	11,8	11,6	12,8	8,8	9,8
30,0								9,0	7,5	10,4	10,6	11,5	8,2	8,3
32,0								7,8	6,4	9,3	9,5	10,3	7,7	7,1
34,0														6,1
36,0														5,2
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	41,1	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	37,2	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	33,7	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	30,8	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	28,3	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	23,6	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	19,8	13,5	10,9	19,3	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	16,9	12,4	9,8	16,4	17,6	14,7	13,3	10,7	16,1	15,4	13,0	13,8	11,2	10,2
24,0	14,6	11,5	9,0	14,1	15,3	13,5	12,4	9,8	13,9	14,3	12,1	13,1	10,5	9,5
26,0	12,7	10,7	8,3	12,2	13,4	12,3	11,5	9,0	12,0	12,7	11,1	12,3	9,7	8,7
28,0	11,1	9,8	7,7	10,6	11,8	11,3	10,8	8,4	10,4	11,1	10,1	11,5	9,0	8,0
30,0	9,8	9,2	7,2	9,2	10,4	10,0	10,1	7,9	9,0	9,7	9,3	10,7	8,4	7,4
32,0	8,6	8,6	6,7	7,9	9,2	8,8	9,4	7,4	7,8	8,5	8,7	9,6	8,0	7,0
34,0	7,5	8,1	6,3	6,9	8,2	7,7	8,9	7,0	6,7	7,4	8,0	8,6	7,5	6,5
36,0	6,6	7,7	6,0	6,0	7,2	6,8	8,3	6,6	5,8	6,5	7,1	7,6	7,1	6,1
38,0				5,2	6,4	6,0	7,5	6,3	5,0	5,7	6,2	6,8	6,8	5,8
40,0				4,5	5,7	5,3	6,7	6,0	4,2	4,9	5,5	6,1	6,5	5,4
42,0				3,9	5,1	4,7	6,1	5,9	3,6	4,3	4,9	5,4	6,1	5,1
44,0									3,1	3,7	4,3	4,8	5,6	4,9
46,0									2,6	3,2	3,8	4,3	5,1	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
% 1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
% 2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
% 3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
% 4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
% 5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	11,9	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	10,4	10,9	9,4	9,6	8,5	10,4	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	9,1	9,9	8,6	9,0	7,9	9,2	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	7,9	8,7	7,9	8,4	7,4	8,1	8,5	7,5	8,1	7,8	7,8	6,6	6,6	6,2
34,0	6,9	7,6	7,4	8,0	7,0	7,1	7,9	7,0	7,2	7,3	7,3	6,3	6,2	5,7
36,0	5,9	6,7	7,0	7,6	6,6	6,2	7,1	6,5	6,4	6,9	6,5	5,9	5,9	5,3
38,0	5,1	5,9	6,5	7,0	6,2	5,4	6,3	6,1	5,7	6,5	5,8	5,5	5,6	5,0
40,0	4,4	5,1	5,9	6,2	5,9	4,7	5,5	5,8	5,0	5,9	5,2	5,2	5,1	4,7
42,0	3,7	4,5	5,2	5,6	5,6	4,0	4,9	5,4	4,4	5,3	4,6	4,9	4,5	4,3
44,0	3,1	3,9	4,6	5,0	5,3	3,4	4,3	5,0	3,8	4,7	4,1	4,6	4,0	3,9
46,0	2,6	3,4	4,1	4,5	4,9	2,9	3,7	4,5	3,2	4,1	3,6	4,2	3,5	3,4
48,0	2,2	2,9	3,6	4,0	4,4	2,4	3,2	4,0	2,7	3,6	3,1	3,7	3,1	3,0
50,0	1,7	2,5	3,2	3,5	4,0	2,0	2,8	3,5	2,3	3,2	2,7	3,2	2,7	2,6
52,0						1,6	2,4	3,2	1,9	2,8	2,3	2,8	2,4	2,3
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	64,2	46,5	47,1	39,2	42,7	34,8	14,6	64,2	48,3	49,3	42,5	45,0	37,0	39,3
10,0	57,3	46,5	47,1	39,1	42,7	34,4	13,9	57,3	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		43,2	43,2	39,1	42,1	33,7	12,6		44,0	44,0	42,4	43,7	35,7	39,0
13,0		37,7	37,7	37,6	37,6	33,4	12,0		38,5	38,5	38,8	38,8	35,5	38,1
14,0		33,3	33,3	33,2	33,2	32,1	11,5		34,0	34,0	34,3	34,3	33,8	34,0
15,0		29,7	29,7	29,5	29,5	28,9	11,0		30,4	30,4	30,7	30,7	30,3	30,3
16,0				26,5	26,5	25,9	10,6				27,6	27,6	27,3	27,3
18,0				21,7	21,7	21,1	8,7				22,8	22,8	22,4	22,4
20,0						17,5	8,2						18,8	18,8
22,0						14,7	7,8						16,0	16,0
24,0						12,5	7,5						13,8	13,8
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T --	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	68,9	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	70,8
9,0	33,6	14,1	64,2	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	64,2
10,0	33,0	13,3	57,3	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	57,3
11,0	32,4	12,6		50,6	51,0	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		44,6	44,6	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		39,1	39,1	38,3	38,3	37,5	40,0	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		34,6	34,6	35,4	35,4	35,4	35,4	33,2	34,8	28,6	10,3	
15,0	29,5	9,6		30,9	30,9	31,7	31,7	31,7	31,7	31,2	31,3	28,2	8,9	
16,0	26,6	8,7				28,6	28,6	28,6	28,6	28,2	28,2	27,0	8,4	
18,0	21,8	8,0				23,7	23,7	23,7	23,7	23,3	23,3	22,7	7,7	
20,0	18,2	7,4						20,0	20,0	19,6	19,6	19,0	7,1	
22,0	15,3	6,9						17,2	17,2	16,8	16,8	16,1	6,5	
24,0	13,1	6,5						14,9	14,9	14,5	14,5	13,8	6,1	
26,0	11,2	6,1								12,6	12,6	11,9	5,6	
28,0	9,6	5,8								11,1	11,1	10,3	5,3	
30,0		5,7										9,0	5,0	
32,0		4,2										7,8	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,1	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,4	32,4	31,2	32,3	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	29,5	29,5	29,2	29,2	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	24,6	24,6	24,2	24,2	23,6	7,7	7,2	12,4
20,0					21,0	21,0	20,9	20,9	20,5	20,5	19,8	7,0	6,5	11,6
22,0					18,1	18,1	18,0	18,0	17,6	17,6	16,9	6,5	5,9	11,0
24,0					15,9	15,9	15,6	15,6	15,2	15,2	14,6	6,0	5,4	9,6
26,0							13,8	13,8	13,3	13,3	12,7	5,5	4,9	9,0
28,0							12,2	12,2	11,8	11,8	11,1	5,1	4,5	8,8
30,0									10,4	10,4	9,8	4,8	4,1	8,6
32,0									9,3	9,3	8,6	4,5	3,7	7,5
34,0											7,5	4,3	3,4	
36,0											6,6	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,3	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	12,7	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,3	11,1	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,0	9,7	3,6	5,3	9,3	9,9	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	8,8	8,5	3,3	4,9	8,7	8,7	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	7,7	7,4	3,0	4,6	8,0	7,6	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	6,8	6,5	2,7	4,4	7,1	6,7	2,5		4,2	7,0	7,1	2,5	
38,0	3,9	6,0	5,7	2,4	4,1	6,2	5,9	2,3		3,9	6,5	6,3	2,2	
40,0	3,0	5,3	4,9	2,1	3,3	5,5	5,1	2,0		3,7	5,9	5,5	2,0	
42,0	2,1	4,7	4,3	1,5	2,7	4,9	4,5	1,8		3,2	5,2	4,9	1,7	
44,0			3,7		2,0	4,3	3,9			2,6	4,6	4,3		
46,0			3,2			3,8	3,4			2,0	4,1	3,7		
48,0							2,9				3,6	3,2		
50,0							2,5				3,2	2,8		
52,0												2,4		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	17,6	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	15,3	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	13,4	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			12,8	11,8	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			11,5	10,4			8,2	8,2	9,2	9,2	10,1	10,1	10,7	7,2
32,0			10,3	9,2			7,7	7,7	8,6	8,6	9,4	9,4	9,6	6,7
34,0				8,2					8,1	8,1	8,9	8,9	8,6	6,3
36,0				7,2					7,7	7,7	8,3	8,3	7,6	6,0
38,0				6,4							7,5	7,5	6,8	
40,0				5,7							6,7	6,7	6,1	
42,0				5,1							6,1	6,1	5,4	
44,0													4,8	
46,0													4,3	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,0	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,2	5,1	5,4	5,9	3,6	5,8	5,9	2,0	4,9
42,0		5,9	5,9	6,1	6,1	5,6	4,3	5,1	5,6	3,4	5,4	5,3	1,8	4,6
44,0				5,6	5,6	5,0	3,7	4,9	5,3	3,0	5,0	4,7	1,6	4,3
46,0				5,1	5,1	4,5	3,0	4,7	4,9	2,4	4,5	4,1		4,0
48,0						4,0			4,4	2,0	4,0	3,6		3,8
50,0						3,5			4,0	1,5	3,5	3,2		3,5
52,0											3,2	2,8		3,2
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,2													
48,0	3,7													
50,0	3,2													
52,0	2,8													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0							2,1	2,8	1,5	2,4	1,9	2,5	2,0	1,9
56,0										2,1	1,6	2,1	1,6	1,6
58,0										1,8		1,8		
60,0										1,5		1,5		
62,0														
64,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	42.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												2,1		
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											2,8	2,4		2,8
56,0												2,1		2,5
58,0												1,8		2,2
60,0												1,5		
62,0														
64,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
% 1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
% 2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
% 3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0024< T210.00053

m	66,7	71,2	72,0
54,0	2,5		
56,0	2,1		
58,0	1,8		
60,0	1,5		
62,0			
64,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	42.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	91,5	92,7	79,0	64,9	66,9	68,6	70,1	68,4	46,2				
3,5	123,3	84,9	86,1	79,7	61,1	62,9	64,6	66,1	64,9	43,1			52,3	
4,0	113,3	79,1	80,3	79,9	57,5	59,3	61,0	62,5	62,0	40,7	46,0	48,0	49,9	51,4
4,5	104,7	74,1	75,2	76,1	54,8	56,1	57,7	59,2	59,4	38,4	43,8	45,7	47,6	49,1
5,0	97,3	69,7	70,8	71,6	52,2	53,2	54,8	56,2	56,8	36,2	41,7	43,7	45,5	47,0
6,0	85,0	62,1	63,2	64,0	47,2	48,1	49,7	51,1	52,1	32,5	38,1	40,0	41,8	43,2
7,0	75,2	56,1	57,1	57,9	43,7	43,9	45,4	46,8	47,8	29,7	35,0	36,8	38,6	40,0
8,0	65,1	51,1	52,1	52,9	40,4	40,3	41,8	43,2	44,2	27,0	32,3	34,1	35,8	37,2
9,0	57,1	47,0	48,0	48,8	37,3	37,2	38,7	40,0	41,0	25,0	29,9	31,7	33,4	34,8
10,0	50,7	43,6	44,6	45,3	35,1	34,6	36,0	37,3	38,3	23,2	27,8	29,6	31,3	32,6
11,0		40,8	41,7	42,5	32,8	32,2	33,7	35,0	35,9	21,4	25,9	27,7	29,4	30,7
12,0		38,5	39,4	40,1	31,2	30,2	31,7	32,9	33,6	20,0	24,3	26,0	27,7	29,0
13,0		36,7	37,5	38,2	29,6	28,5	29,9	31,2	31,6	18,8	22,8	24,6	26,2	27,5
14,0		34,1	34,7	35,2	28,4	27,0	28,4	29,6	29,6	17,7	21,5	23,2	24,8	26,2
15,0		31,4	31,9	32,4	27,6	25,7	27,0	28,3	27,8	16,7	20,3	22,0	23,6	24,9
16,0						24,6	25,9	27,1	26,4	15,9	19,3	21,0	22,6	23,8
18,0						23,1	24,4	25,6	23,8	14,4	17,5	19,2	20,7	22,0
20,0											16,1	17,8	19,3	20,6
22,0											15,3	16,9	18,4	19,7
24,0											15,0	16,3	17,4	18,4
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	10	10	9	7	7	8	8	8	5	5	5	6	6
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	35,3	33,6	37,3	39,0	29,7							
6,0	34,0	34,3	32,5	30,9	34,5	36,2	27,0	28,5	26,8	30,6	30,9	32,1	27,1	
7,0	30,7	30,8	30,1	28,5	32,1	33,7	24,9	26,6	24,9	28,6	28,9	30,1	25,2	22,4
8,0	28,3	28,4	27,9	26,4	29,9	31,6	22,9	24,8	23,2	26,8	27,1	28,4	23,6	21,0
9,0	26,2	26,2	26,0	24,5	28,0	29,6	21,1	23,3	21,6	25,3	25,5	26,8	22,1	19,7
10,0	24,1	24,0	24,3	22,8	26,3	27,9	19,8	21,9	20,2	23,8	24,1	25,3	20,6	18,5
11,0	22,5	22,4	22,8	21,3	24,7	26,3	18,5	20,6	18,9	22,5	22,8	24,0	19,5	17,4
12,0	21,2	21,0	21,4	19,9	23,3	24,9	17,2	19,4	17,8	21,4	21,6	22,8	18,5	16,4
13,0	19,8	19,6	20,2	18,7	22,1	23,6	16,2	18,4	16,7	20,3	20,5	21,7	17,5	15,5
14,0	18,5	18,2	19,0	17,5	20,9	22,5	15,4	17,4	15,8	19,3	19,6	20,8	16,4	14,6
15,0	17,5	17,2	18,0	16,5	19,9	21,4	14,6	16,5	14,9	18,4	18,6	19,8	15,6	13,9
16,0	16,6	16,3	17,1	15,6	18,9	20,5	13,8	15,7	14,1	17,5	17,8	19,0	15,0	13,1
18,0	14,9	14,6	15,4	14,0	17,3	18,8	12,3	14,2	12,6	16,1	16,3	17,5	13,6	11,8
20,0	13,7	13,3	14,1	12,6	15,9	17,4	11,2	12,9	11,4	14,8	15,0	16,2	12,4	10,7
22,0	12,6	12,2	13,0	11,5	14,8	16,3	10,1	11,9	10,3	13,7	14,0	15,1	11,3	9,7
24,0	11,8	11,5	12,1	10,6	13,9	15,4	9,3	11,0	9,4	12,8	13,0	14,2	10,3	8,9
26,0			11,5	10,0	13,3	14,8	8,6	10,2	8,7	12,0	12,3	13,4	9,5	8,1
28,0			11,4	9,9	13,1	14,3	8,0	9,6	8,1	11,4	11,6	12,8	8,8	7,5
30,0								9,2	7,7	11,0	10,8	12,3	8,2	6,9
32,0								9,1	7,5	10,9	10,0	12,0	7,7	6,5
34,0														6,2
36,0														6,1
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	4	5	4	3	3	4	4	4	3	3
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	24,0	25,5	22,8											
8,0	22,6	23,9	21,2	19,2	20,8	20,3	22,1	21,0						
9,0	21,3	22,6	19,8	18,1	19,7	19,2	21,0	19,8	15,8	16,7	17,3	18,0	19,0	18,6
10,0	20,1	21,4	18,7	17,1	18,7	18,1	19,9	18,7	14,9	15,8	16,5	17,2	18,1	17,7
11,0	19,0	20,2	17,5	16,2	17,7	17,2	19,0	17,7	14,1	15,0	15,7	16,3	17,3	16,9
12,0	18,0	19,1	16,4	15,3	16,8	16,3	18,1	16,8	13,4	14,2	14,9	15,6	16,5	16,1
13,0	17,1	18,2	15,5	14,5	16,0	15,5	17,3	15,9	12,7	13,5	14,2	14,9	15,8	15,4
14,0	16,2	17,4	14,7	13,8	15,3	14,8	16,6	15,0	12,0	12,9	13,5	14,2	15,2	14,7
15,0	15,4	16,6	13,9	13,1	14,6	14,1	15,9	14,4	11,4	12,2	12,9	13,6	14,5	14,0
16,0	14,7	15,8	13,2	12,5	14,0	13,4	15,2	13,8	10,8	11,7	12,4	13,0	14,0	13,4
18,0	13,4	14,6	11,9	11,3	12,8	12,3	14,0	12,6	9,8	10,6	11,3	12,0	12,9	12,3
20,0	12,3	13,5	10,9	10,3	11,8	11,2	13,0	11,5	8,9	9,7	10,4	11,0	12,0	11,2
22,0	11,3	12,4	9,8	9,4	10,8	10,3	12,1	10,7	8,0	8,9	9,5	10,2	11,1	10,2
24,0	10,4	11,5	9,0	8,6	10,0	9,5	11,2	9,8	7,3	8,1	8,8	9,5	10,4	9,5
26,0	9,7	10,7	8,3	7,9	9,3	8,8	10,5	9,0	6,7	7,5	8,1	8,8	9,7	8,7
28,0	9,1	9,8	7,7	7,2	8,7	8,2	9,9	8,4	6,1	6,9	7,5	8,2	9,0	8,0
30,0	8,5	9,2	7,2	6,7	8,1	7,6	9,3	7,9	5,6	6,4	7,0	7,7	8,4	7,4
32,0	8,1	8,6	6,7	6,2	7,7	7,2	8,8	7,4	5,1	5,9	6,5	7,2	8,0	7,0
34,0	7,8	8,1	6,3	5,8	7,3	6,8	8,4	7,0	4,7	5,5	6,1	6,8	7,5	6,5
36,0	7,7	7,7	6,0	5,5	6,9	6,4	8,1	6,6	4,3	5,1	5,7	6,4	7,1	6,1
38,0				5,2	6,7	6,2	7,8	6,3	4,0	4,8	5,4	6,1	6,8	5,8
40,0				5,1	6,6	6,1	7,7	6,0	3,7	4,5	5,2	5,8	6,5	5,4
42,0				5,1	6,6	6,1	7,5	5,9	3,6	4,3	5,0	5,6	6,2	5,1
44,0									3,5	4,2	4,9	5,5	6,0	4,9
46,0									3,5	4,2	4,9	5,5	5,8	4,7
48,0														
50,0														
52,0														
*** n ***	3	3	3	2	3	3	3	3	2	2	2	2	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	13,2	17,7	17,7	22,2	22,2
3,0										52,1	47,1	47,2	43,6	43,9
3,5										52,9	46,9	47,2	43,2	43,7
4,0										53,6	46,7	47,1	42,8	43,4
4,5										54,2	46,6	47,1	42,4	43,3
5,0										54,9	46,5	47,1	42,1	43,1
6,0										56,8	46,5	47,1	41,5	42,8
7,0										60,9	46,5	47,1	41,1	42,7
8,0										64,5	46,5	47,1	39,3	40,3
9,0										57,1	46,4	47,0	37,2	37,2
10,0	13,4	14,3	15,3	15,7	16,2					50,7	43,6	43,6	34,6	34,6
11,0	12,7	13,6	14,6	15,0	15,5	11,7	12,7	13,6			40,8	40,8	32,2	32,2
12,0	12,1	12,9	13,9	14,3	14,8	11,1	12,1	13,0	11,4		38,5	38,5	30,2	30,2
13,0	11,4	12,3	13,3	13,7	14,2	10,6	11,6	12,4	10,9		36,7	36,7	28,5	28,5
14,0	10,8	11,7	12,7	13,1	13,6	10,1	11,0	11,9	10,4		34,1	34,1	27,0	27,0
15,0	10,3	11,2	12,1	12,5	13,1	9,6	10,5	11,4	10,0		31,4	31,4	25,7	25,7
16,0	9,8	10,7	11,6	12,0	12,5	9,1	10,1	11,0	9,6				24,6	24,6
18,0	8,9	9,7	10,7	11,1	11,6	8,3	9,2	10,1	8,8				23,1	23,1
20,0	8,0	8,9	9,8	10,2	10,7	7,5	8,5	9,3	8,1					
22,0	7,3	8,1	9,0	9,5	10,0	6,8	7,8	8,6	7,5					
24,0	6,6	7,5	8,4	8,8	9,3	6,2	7,1	8,0	6,9					
26,0	6,0	6,9	7,8	8,2	8,7	5,6	6,6	7,4	6,3					
28,0	5,4	6,3	7,2	7,6	8,1	5,1	6,1	6,9	5,9					
30,0	5,0	5,8	6,7	7,1	7,6	4,6	5,6	6,4	5,4					
32,0	4,5	5,4	6,2	6,6	7,1	4,2	5,2	6,0	5,0					
34,0	4,1	4,9	5,8	6,2	6,7	3,8	4,8	5,6	4,6					
36,0	3,7	4,6	5,4	5,9	6,4	3,5	4,4	5,3	4,3					
38,0	3,4	4,3	5,1	5,5	6,0	3,1	4,1	4,9	4,0					
40,0	3,1	4,0	4,8	5,2	5,7	2,8	3,8	4,6	3,7					
42,0	2,9	3,7	4,6	5,0	5,5	2,6	3,5	4,4	3,4					
44,0	2,7	3,5	4,3	4,7	5,3	2,3	3,3	4,1	3,2					
46,0	2,5	3,3	4,2	4,6	5,1	2,1	3,1	3,9	3,0					
48,0	2,4	3,3	4,1	4,5	4,9	2,0	2,9	3,7	2,8					
50,0	2,4	3,3	4,1	4,5	4,7	1,8	2,8	3,6	2,6					
52,0						1,8	2,7	3,5	2,5					
*** n ***	2	2	2	2	2	2	2	2	2	7	5	5	5	5
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +	0 +	0 +	0 -
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	0 +	0 -	46 -	46 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	0 -	46 -	46 +	46 +	46 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	14,3	14,3	14,3	14,3

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	35,8	13,2	17,7	17,7
3,0			53,8	49,0	49,3	45,7	46,3					55,3	51,8	52,6
3,5			54,6	48,7	49,3	45,3	46,1					56,1	51,6	52,6
4,0	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8			56,9	51,4	52,5
4,5	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5			57,5	51,3	52,5
5,0	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2	35,3		58,3	51,2	52,5
6,0	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	40,0	32,5	16,8	61,4	51,1	52,5
7,0	35,0	16,3	62,7	48,3	49,3	43,1	45,0	36,8	36,8	30,1	15,8	64,3	51,1	52,5
8,0	32,3	15,4	65,1	48,3	49,3	41,8	41,8	34,1	34,1	27,9	14,9	65,1	51,1	52,5
9,0	29,9	14,6	57,1	48,0	48,0	38,7	38,7	31,7	31,7	26,0	14,1	57,1	48,8	48,8
10,0	27,8	13,9	50,7	44,6	44,6	36,0	36,0	29,6	29,6	24,3	13,3	50,7	45,3	45,3
11,0	25,9	13,2		41,7	41,7	33,7	33,7	27,7	27,7	22,8	12,6		42,5	42,5
12,0	24,3	12,6		39,4	39,4	31,7	31,7	26,0	26,0	21,4	12,0		40,1	40,1
13,0	22,8	12,0		37,5	37,5	29,9	29,9	24,6	24,6	20,2	11,4		38,2	38,2
14,0	21,5	11,5		34,7	34,7	28,4	28,4	23,2	23,2	19,0	10,8		35,2	35,2
15,0	20,3	11,0		31,9	31,9	27,0	27,0	22,0	22,0	18,0	9,6		32,4	32,4
16,0	19,3	10,6				25,9	25,9	21,0	21,0	17,1	8,7			
18,0	17,5	8,7				24,4	24,4	19,2	19,2	15,4	8,0			
20,0	16,1	8,2						17,8	17,8	14,1	7,4			
22,0	15,3	7,8						16,9	16,9	13,0	6,9			
24,0	15,0	7,5						16,3	16,3	12,1	6,5			
26,0		7,4								11,5	6,1			
28,0		6,3								11,4	5,8			
30,0											5,7			
32,0											4,2			
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	5	5	5	5	5	5	4	2	7	6	6
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +
3	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +
4	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3	14,3	14,3

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2	17,7	17,7	22,2	22,2	26,8
3,0	47,7	48,5							56,5	53,1	54,1	49,2	51,7	
3,5	47,2	48,3	44,5	45,6					57,3	52,9	54,1	48,8	51,4	
4,0	46,8	48,0	44,0	45,3					58,2	52,7	54,1	48,4	51,1	45,8
4,5	46,5	47,8	43,5	44,9					59,0	52,6	54,0	48,0	50,9	45,4
5,0	46,1	47,6	43,1	44,7	37,3	37,3			60,8	51,7	52,2	47,6	50,3	44,9
6,0	45,5	47,4	41,7	41,8	34,5	34,5	28,5		62,8	47,2	47,2	47,0	49,2	43,2
7,0	45,0	46,7	38,6	38,6	32,1	32,1	26,6	15,6	65,7	43,7	43,7	46,5	47,8	40,0
8,0	43,2	43,2	35,8	35,8	29,9	29,9	24,8	14,7	65,1	40,4	40,4	44,2	44,2	37,2
9,0	40,0	40,0	33,4	33,4	28,0	28,0	23,3	13,8	57,1	37,3	37,3	41,0	41,0	34,8
10,0	37,3	37,3	31,3	31,3	26,3	26,3	21,9	13,0	50,7	35,1	35,1	38,3	38,3	32,6
11,0	35,0	35,0	29,4	29,4	24,7	24,7	20,6	12,3		32,8	32,8	35,9	35,9	30,7
12,0	32,9	32,9	27,7	27,7	23,3	23,3	19,4	11,7		31,2	31,2	33,6	33,6	29,0
13,0	31,2	31,2	26,2	26,2	22,1	22,1	18,4	11,1		29,6	29,6	31,6	31,6	27,5
14,0	29,6	29,6	24,8	24,8	20,9	20,9	17,4	10,3		28,4	28,4	29,6	29,6	26,2
15,0	28,3	28,3	23,6	23,6	19,9	19,9	16,5	8,9		27,6	27,6	27,8	27,8	24,9
16,0	27,1	27,1	22,6	22,6	18,9	18,9	15,7	8,4				26,4	26,4	23,8
18,0	25,6	25,6	20,7	20,7	17,3	17,3	14,2	7,7				23,8	23,8	22,0
20,0			19,3	19,3	15,9	15,9	12,9	7,1						20,6
22,0			18,4	18,4	14,8	14,8	11,9	6,5						19,7
24,0			17,4	17,4	13,9	13,9	11,0	6,1						18,4
26,0					13,3	13,3	10,2	5,6						
28,0					13,1	13,1	9,6	5,3						
30,0							9,2	5,0						
32,0							9,1	4,8						
34,0								4,3						
36,0								3,0						
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	5	5	4	4	3	2	7	6	6	5	6	5
1	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +
3	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +
4	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
m/s	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3	14,3	14,3	14,3	14,3	12,8

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8	44,8	44,8	49,3	53,8	49,3
3,0														
3,5														
4,0	47,3													
4,5	47,0													
5,0	46,5	39,0	39,0											
6,0	43,2	36,2	36,2	30,6	30,6				21,6					
7,0	40,0	33,7	33,7	28,6	28,6	24,0			19,3					
8,0	37,2	31,6	31,6	26,8	26,8	22,6	14,6		18,3	16,0	20,3			
9,0	34,8	29,6	29,6	25,3	25,3	21,3	13,8	13,3	17,5	15,1	19,2	16,7		14,8
10,0	32,6	27,9	27,9	23,8	23,8	20,1	13,0	12,5	16,7	14,3	18,1	15,8	12,2	14,0
11,0	30,7	26,3	26,3	22,5	22,5	19,0	12,3	11,8	16,0	13,5	17,2	15,0	11,4	13,3
12,0	29,0	24,9	24,9	21,4	21,4	18,0	11,6	11,1	15,4	12,9	16,3	14,2	10,4	12,6
13,0	27,5	23,6	23,6	20,3	20,3	17,1	11,0	9,5	14,8	12,2	15,5	13,5	9,0	12,0
14,0	26,2	22,5	22,5	19,3	19,3	16,2	9,3	8,8	14,2	11,7	14,8	12,9	8,5	11,4
15,0	24,9	21,4	21,4	18,4	18,4	15,4	8,8	8,3	13,7	11,1	14,1	12,2	8,0	10,8
16,0	23,8	20,5	20,5	17,5	17,5	14,7	8,4	7,9	13,2	10,2	13,4	11,7	7,6	10,0
18,0	22,0	18,8	18,8	16,1	16,1	13,4	7,7	7,2	12,4	8,7	12,3	10,6	6,8	8,4
20,0	20,6	17,4	17,4	14,8	14,8	12,3	7,0	6,5	11,6	8,0	11,2	9,7	6,1	7,7
22,0	19,7	16,3	16,3	13,7	13,7	11,3	6,5	5,9	11,0	7,4	10,3	8,9	5,5	7,1
24,0	18,4	15,4	15,4	12,8	12,8	10,4	6,0	5,4	9,6	6,9	9,5	8,1	5,0	6,6
26,0		14,8	14,8	12,0	12,0	9,7	5,5	4,9	9,0	6,5	8,8	7,5	4,5	6,1
28,0		14,3	14,3	11,4	11,4	9,1	5,1	4,5	8,8	6,0	8,2	6,9	4,0	5,7
30,0				11,0	11,0	8,5	4,8	4,1	8,6	5,7	7,6	6,4	3,6	5,3
32,0				10,9	10,9	8,1	4,5	3,7	7,5	5,4	7,2	5,9	3,3	4,9
34,0						7,8	4,3	3,4		5,1	6,8	5,5	3,0	4,6
36,0						7,7	4,1	3,2		4,7	6,4	5,1	2,7	4,4
38,0							3,3	2,9		3,9	6,2	4,8	2,4	4,1
40,0							2,4	2,3		3,0	6,1	4,5	2,1	3,3
42,0								1,5		2,1	6,1	4,3	1,5	2,7
44,0												4,2		2,0
46,0												4,2		
48,0														
50,0														
52,0														
*** n ***	5	5	5	4	4	3	2	2	3	2	3	2	2	2
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +	92 -	92 +	92 +	92 +	92 -
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 -
4	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	49,3	53,8	58,3	26,8	53,8	53,8	58,3	22,2	22,2	26,8	35,8	44,8	31,3	31,3
3,0								33,1	46,2					
3,5								32,5	43,1					
4,0				28,2				31,8	40,7	41,7				
4,5				27,6				31,2	38,4	39,4				
5,0				26,9				29,4	36,2	37,4			26,1	29,7
6,0				25,8				28,4	32,5	34,0	32,1		24,9	27,0
7,0				24,7				27,5	29,7	30,7	30,1		23,7	24,9
8,0				23,8				26,6	27,0	28,3	28,4	20,8	22,7	22,9
9,0	17,3			22,9				25,0	25,0	26,2	26,8	19,7	21,1	21,1
10,0	16,5	14,3		22,2	13,9	15,3		23,2	23,2	24,1	25,3	18,7	19,8	19,8
11,0	15,7	13,6	11,4	21,5	13,2	14,6	12,7	21,4	21,4	22,5	24,0	17,7	18,5	18,5
12,0	14,9	12,9	10,5	20,8	12,5	13,9	12,1	20,0	20,0	21,2	22,8	16,8	17,2	17,2
13,0	14,2	12,3	8,9	19,1	11,9	13,3	11,6	18,8	18,8	19,8	21,7	16,0	16,2	16,2
14,0	13,5	11,7	8,4	18,2	11,3	12,7	11,0	17,7	17,7	18,5	20,8	15,3	15,4	15,4
15,0	12,9	11,2	8,0	17,2	10,7	12,1	10,5	16,7	16,7	17,5	19,8	14,6	14,6	14,6
16,0	12,4	10,7	7,5	16,3	9,4	11,6	10,1	15,9	15,9	16,6	19,0	14,0	13,8	13,8
18,0	11,3	9,7	6,8	14,6	8,4	10,7	9,2	14,4	14,4	14,9	17,5	12,8	12,3	12,3
20,0	10,4	8,9	6,1	13,3	7,7	9,8	8,5			13,7	16,2	11,8	11,2	11,2
22,0	9,5	8,1	5,5	12,2	7,1	9,0	7,8			12,6	15,1	10,8	10,1	10,1
24,0	8,8	7,5	4,9	11,5	6,5	8,4	7,1			11,8	14,2	10,0	9,3	9,3
26,0	8,1	6,9	4,4		6,0	7,8	6,6				13,4	9,3	8,6	8,6
28,0	7,5	6,3	4,0		5,6	7,2	6,1				12,8	8,7	8,0	8,0
30,0	7,0	5,8	3,6		5,2	6,7	5,6				12,3	8,1		
32,0	6,5	5,4	3,2		4,8	6,2	5,2				12,0	7,7		
34,0	6,1	4,9	2,8		4,5	5,8	4,8					7,3		
36,0	5,7	4,6	2,5		4,2	5,4	4,4					6,9		
38,0	5,4	4,3	2,3		3,9	5,1	4,1					6,7		
40,0	5,2	4,0	2,0		3,7	4,8	3,8					6,6		
42,0	5,0	3,7	1,8		3,2	4,6	3,5					6,6		
44,0	4,9	3,5			2,6	4,3	3,3							
46,0	4,9	3,3			2,0	4,2	3,1							
48,0		3,3				4,1	2,9							
50,0		3,3				4,1	2,8							
52,0							2,7							
*** n ***	2	2	2	3	2	2	2	4	5	5	4	3	3	4
1	0 -	46 -	92 -	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	46 -	0 +	0 +
2	92 +	92 +	92 +	0 +	92 -	92 +	92 +	0 +	0 +	0 +	0 +	46 -	0 +	0 +
3	92 +	92 +	92 +	0 +	92 -	92 +	92 +	0 +	0 +	0 +	46 -	46 +	0 +	0 +
4	92 +	92 +	92 +	0 +	92 -	92 +	92 +	0 +	0 +	0 +	46 -	46 +	0 +	0 -
5	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	0 -	46 -	46 +	46 +	92 -	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	12,8	11,1	11,1	11,1	14,3	14,3	12,8	12,8	11,1	12,8	12,8

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3	40,3	44,8	44,8	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0	27,1	27,1												
7,0	25,2	25,2	25,5	25,5				21,4	22,8					
8,0	23,6	23,6	23,9	23,9	22,1	22,1		19,2	21,2	21,0	21,0			
9,0	22,1	22,1	22,6	22,6	21,0	21,0	18,0	18,3	19,8	19,8	19,8	19,0	19,0	
10,0	20,6	20,6	21,4	21,4	19,9	19,9	17,2	17,5	18,7	18,7	18,7	18,1	18,1	15,7
11,0	19,5	19,5	20,2	20,2	19,0	19,0	16,3	16,8	17,5	17,7	17,7	17,3	17,3	15,0
12,0	18,5	18,5	19,1	19,1	18,1	18,1	15,6	16,1	16,4	16,8	16,8	16,5	16,5	14,3
13,0	17,5	17,5	18,2	18,2	17,3	17,3	14,9	15,4	15,5	15,9	15,9	15,8	15,8	13,7
14,0	16,4	16,4	17,4	17,4	16,6	16,6	14,2	14,7	14,7	15,0	15,0	15,2	15,2	13,1
15,0	15,6	15,6	16,6	16,6	15,9	15,9	13,6	13,9	13,9	14,4	14,4	14,5	14,5	12,5
16,0	15,0	15,0	15,8	15,8	15,2	15,2	13,0	13,2	13,2	13,8	13,8	14,0	14,0	12,0
18,0	13,6	13,6	14,6	14,6	14,0	14,0	12,0	11,9	11,9	12,6	12,6	12,9	12,9	11,1
20,0	12,4	12,4	13,5	13,5	13,0	13,0	11,0	10,9	10,9	11,5	11,5	12,0	12,0	10,2
22,0	11,3	11,3	12,4	12,4	12,1	12,1	10,2	9,8	9,8	10,7	10,7	11,1	11,1	9,5
24,0	10,3	10,3	11,5	11,5	11,2	11,2	9,5	9,0	9,0	9,8	9,8	10,4	10,4	8,8
26,0	9,5	9,5	10,7	10,7	10,5	10,5	8,8	8,3	8,3	9,0	9,0	9,7	9,7	8,2
28,0	8,8	8,8	9,8	9,8	9,9	9,9	8,2	7,7	7,7	8,4	8,4	9,0	9,0	7,6
30,0	8,2	8,2	9,2	9,2	9,3	9,3	7,7	7,2	7,2	7,9	7,9	8,4	8,4	7,1
32,0	7,7	7,7	8,6	8,6	8,8	8,8	7,2	6,7	6,7	7,4	7,4	8,0	8,0	6,6
34,0			8,1	8,1	8,4	8,4	6,8	6,3	6,3	7,0	7,0	7,5	7,5	6,2
36,0			7,7	7,7	8,1	8,1	6,4	6,0	6,0	6,6	6,6	7,1	7,1	5,9
38,0					7,8	7,8	6,1			6,3	6,3	6,8	6,8	5,5
40,0					7,7	7,7	5,8			6,0	6,0	6,5	6,5	5,2
42,0					7,5	7,5	5,6			5,9	5,9	6,2	6,2	5,0
44,0							5,5					6,0	6,0	4,7
46,0							5,5					5,8	5,8	4,6
48,0														4,5
50,0														4,5
52,0														
*** n ***	3	3	3	3	3	3	2	3	3	3	3	2	2	2
1	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -
2	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +
3	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +
4	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	49,3	49,3	53,8	58,3	58,3	62,8								
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0	16,5	18,6												
10,0	15,7	17,7	16,2											
11,0	14,9	16,9	15,5	13,1	13,6									
12,0	14,2	16,1	14,8	12,4	13,0	11,4								
13,0	13,6	15,4	14,2	11,8	12,4	10,9								
14,0	13,0	14,7	13,6	11,2	11,9	10,4								
15,0	12,4	14,0	13,1	10,4	11,4	10,0								
16,0	11,9	13,4	12,5	9,1	11,0	9,6								
18,0	11,0	12,3	11,6	8,3	10,1	8,8								
20,0	9,4	11,2	10,7	7,6	9,3	8,1								
22,0	8,6	10,2	10,0	7,0	8,6	7,5								
24,0	8,0	9,5	9,3	6,5	8,0	6,9								
26,0	7,6	8,7	8,7	6,0	7,4	6,3								
28,0	7,1	8,0	8,1	5,5	6,9	5,9								
30,0	6,7	7,4	7,6	5,1	6,4	5,4								
32,0	6,4	7,0	7,1	4,8	6,0	5,0								
34,0	6,0	6,5	6,7	4,4	5,6	4,6								
36,0	5,8	6,1	6,4	4,1	5,3	4,3								
38,0	5,5	5,8	6,0	3,8	4,9	4,0								
40,0	5,1	5,4	5,7	3,6	4,6	3,7								
42,0	4,3	5,1	5,5	3,4	4,4	3,4								
44,0	3,7	4,9	5,3	3,0	4,1	3,2								
46,0	3,0	4,7	5,1	2,4	3,9	3,0								
48,0			4,9	2,0	3,7	2,8								
50,0			4,7	1,5	3,6	2,6								
52,0					3,5	2,5								
*** n ***	2	2	2	2	2	2								
1	0 +	0 +	0 +	0 +	0 -	46 -								
2	0 +	0 -	46 -	92 -	92 +	92 +								
3	92 -	92 +	92 +	92 +	92 +	92 +								
4	92 +	92 +	92 +	92 +	92 +	92 +								
5	92 +	92 +	92 +	92 +	92 +	92 +								
% 6	92 +	92 +	92 +	92 +	92 +	92 +								
m/s	11,1	11,1	11,1	11,1	11,1	11,1								

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	13,2	17,7	17,7	22,2	22,2
54,0						1,7	2,7	3,5	2,4					
56,0									2,3					
58,0									2,3					
60,0									2,3					
*** n ***	2	2	2	2	2	2	2	2	2	7	5	5	5	5
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +	0 +	0 +	0 -
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	0 +	0 -	46 -	46 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	0 -	46 -	46 +	46 +	46 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	92 +	0 +	0 +	0 +	0 +	0 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	14,3	14,3	14,3	14,3

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	49,3	53,8	58,3	26,8	53,8	53,8	58,3	22,2	22,2	26,8	35,8	44,8	31,3	31,3
54,0							2,7							
56,0														
58,0														
60,0														
*** n ***	2	2	2	3	2	2	2	4	5	5	4	3	3	4
1	0 -	46 -	92 -	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	46 -	0 +	0 +
2	92 +	92 +	92 +	0 +	92 -	92 +	92 +	0 +	0 +	0 +	0 +	46 -	0 +	0 +
3	92 +	92 +	92 +	0 +	92 -	92 +	92 +	0 +	0 +	0 +	46 -	46 +	0 +	0 +
4	92 +	92 +	92 +	0 +	92 -	92 +	92 +	0 +	0 +	0 +	46 -	46 +	0 +	0 -
5	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	0 -	46 -	46 +	46 +	92 -	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	12,8	11,1	11,1	11,1	14,3	14,3	12,8	12,8	11,1	12,8	12,8

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0037< T210.00072

m	49,3	49,3	53,8	58,3	58,3	62,8								
54,0					3,5	2,4								
56,0						2,3								
58,0						2,3								
60,0						2,3								
*** n ***	2	2	2	2	2	2								
1	0 +	0 +	0 +	0 +	0 -	46 -								
2	0 +	0 -	46 -	92 -	92 +	92 +								
3	92 -	92 +	92 +	92 +	92 +	92 +								
4	92 +	92 +	92 +	92 +	92 +	92 +								
5	92 +	92 +	92 +	92 +	92 +	92 +								
% 6	92 +	92 +	92 +	92 +	92 +	92 +								
m/s	11,1	11,1	11,1	11,1	11,1	11,1								

	T	--	52.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,5	97,4													
4,0	97,3	87,9	85,3											
4,5	97,1	88,0	85,4	80,7	54,8	81,3	77,1				84,4			
5,0	93,2	88,2	85,5	81,1	52,2	81,7	77,3	73,2			84,8	78,8		
6,0	80,9	81,0	81,5	81,0	47,2	80,9	77,8	68,8	52,3	32,5	78,8	79,2	71,6	55,4
7,0	71,3	71,4	71,9	72,3	43,7	70,0	71,6	62,2	48,7	29,7	64,7	66,9	66,4	51,6
8,0	62,0	62,3	63,0	63,5	40,4	58,8	60,5	56,1	45,2	27,0	54,6	56,6	58,5	47,7
9,0	51,1	51,5	52,3	52,9	37,3	50,2	51,7	51,7	42,0	25,0	46,8	48,7	50,6	43,9
10,0	42,9	43,3	44,0	44,7	35,1	43,2	44,5	45,6	39,0	23,2	40,6	42,5	44,3	40,3
11,0		37,1	37,8	38,4	32,8	36,9	38,1	39,1	36,0	21,4	35,6	37,5	39,1	37,5
12,0		32,2	32,9	33,5	31,2	32,1	33,2	34,2	33,6	20,0	31,4	32,9	34,2	35,1
13,0		28,3	28,9	29,5	29,6	28,1	29,2	30,2	31,0	18,8	27,5	29,0	30,3	31,4
14,0		25,1	25,7	26,3	26,7	24,9	26,0	27,0	27,7	17,7	24,3	25,7	27,0	28,0
15,0		22,4	23,0	23,6	24,0	22,2	23,3	24,2	24,9	16,7	21,6	23,0	24,2	25,2
16,0						20,0	21,0	21,9	22,6	15,9	19,4	20,7	21,9	22,9
18,0						16,3	17,3	18,2	18,9	14,4	15,7	17,0	18,2	19,2
20,0											12,9	14,2	15,3	16,3
22,0											10,6	12,0	13,1	14,0
24,0											8,8	10,2	11,4	12,3
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	10	9	9	9	6	9	8	8	6	4	9	8	8	6
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,5														
4,0														
4,5														
5,0			76,3	70,9										
6,0		34,3	74,3	65,1	70,7			67,3	57,3					
7,0	30,7	30,8	62,2	59,4	64,5	53,3		59,8	53,3	54,6	37,5			47,1
8,0	28,3	28,4	52,7	50,9	54,9	50,0	22,9	51,2	49,3	51,7	34,7	31,7		44,4
9,0	26,2	26,2	45,4	43,7	47,6	46,9	21,1	44,5	42,7	46,7	32,1	29,7	22,1	41,5
10,0	24,1	24,0	39,8	38,2	41,9	43,2	19,8	39,1	37,3	41,3	29,6	27,8	20,6	36,9
11,0	22,5	22,4	35,1	33,5	37,1	38,9	18,5	34,7	32,9	36,8	27,7	26,2	19,5	32,8
12,0	21,2	21,0	31,2	29,6	33,2	34,9	17,2	31,0	29,3	33,1	26,0	24,9	18,5	29,3
13,0	19,8	19,6	27,9	26,4	29,8	31,2	16,2	28,0	26,3	30,0	24,3	23,6	17,5	26,4
14,0	18,5	18,2	25,0	23,6	26,6	27,9	15,4	25,3	23,6	27,3	22,7	22,3	16,4	23,8
15,0	17,5	17,2	22,4	21,2	23,9	25,1	14,6	23,0	21,3	24,8	21,4	21,3	15,6	21,6
16,0	16,6	16,3	20,1	18,9	21,5	22,8	13,8	20,9	19,3	22,4	20,3	20,4	15,0	19,7
18,0	14,9	14,6	16,4	15,3	17,8	19,0	12,3	17,2	15,9	18,7	18,2	18,7	13,6	16,5
20,0	13,7	13,3	13,6	12,4	15,0	16,1	11,2	14,4	13,1	15,8	16,0	16,8	12,4	13,9
22,0	12,6	12,2	11,3	10,0	12,7	13,9	10,1	12,1	10,8	13,5	13,7	14,6	11,3	11,6
24,0	11,8	11,5	9,4	8,1	10,9	12,0	9,3	10,2	8,8	11,7	11,8	12,7	10,3	9,7
26,0			7,9	6,6	9,4	10,5	8,6	8,6	7,3	10,1	10,3	11,2	9,5	8,1
28,0			6,6	5,3	8,1	9,3	8,0	7,3	5,9	8,8	9,0	9,9	8,8	6,8
30,0								6,2	4,8	7,7	7,9	8,8	8,2	5,6
32,0								5,3	3,9	6,7	6,9	7,9	7,7	4,6
34,0														3,8
36,0														3,1
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	4	4	8	8	8	6	3	7	7	6	4	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1													
8,0	49,8			39,1	32,7	31,3								
9,0	43,8	22,6	19,8	37,3	31,0	29,4	23,0		31,1	28,3	25,0	23,1	19,5	
10,0	38,7	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	34,5	20,2	17,5	32,6	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	31,0	19,1	16,4	29,3	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	28,1	18,2	15,5	26,5	25,6	23,1	18,9	15,9	25,3	23,4	20,3	19,3	16,1	15,4
14,0	25,5	17,4	14,7	24,0	24,4	21,7	18,0	15,0	23,1	22,2	19,2	18,5	15,4	14,7
15,0	23,3	16,6	13,9	22,0	23,2	20,7	17,3	14,4	21,0	21,1	18,2	17,8	14,7	14,0
16,0	21,4	15,8	13,2	20,1	21,7	19,6	16,6	13,8	19,3	19,8	17,3	17,1	14,1	13,4
18,0	18,0	14,6	11,9	16,9	18,5	17,6	15,3	12,6	16,3	17,1	15,8	15,9	13,1	12,3
20,0	15,1	13,5	10,9	14,4	15,8	15,4	14,2	11,5	13,8	14,7	14,3	14,8	12,1	11,2
22,0	12,9	12,4	9,8	12,3	13,6	13,2	13,3	10,7	11,8	12,6	13,0	13,7	11,2	10,2
24,0	11,0	11,5	9,0	10,5	11,7	11,3	12,4	9,8	10,1	10,9	11,5	12,1	10,5	9,5
26,0	9,5	10,7	8,3	8,9	10,2	9,8	11,1	9,0	8,7	9,4	10,0	10,5	9,7	8,7
28,0	8,1	9,8	7,7	7,6	8,8	8,4	9,8	8,4	7,4	8,1	8,7	9,2	9,0	8,0
30,0	7,0	9,1	7,2	6,4	7,7	7,2	8,7	7,9	6,2	6,9	7,5	8,1	8,4	7,4
32,0	6,0	8,1	6,7	5,4	6,7	6,2	7,7	7,4	5,2	5,9	6,5	7,1	7,8	7,0
34,0	5,2	7,3	6,3	4,5	5,8	5,4	6,8	7,0	4,4	5,1	5,6	6,2	6,9	6,5
36,0	4,4	6,5	6,0	3,8	5,0	4,6	6,0	6,5	3,6	4,3	4,8	5,4	6,2	6,1
38,0				3,1	4,4	3,9	5,4	5,8	2,9	3,6	4,2	4,7	5,5	5,6
40,0				2,6	3,8	3,4	4,8	5,2	2,3	3,0	3,6	4,1	4,9	5,0
42,0				2,1	3,3	2,9	4,3	4,7	1,8	2,5	3,0	3,6	4,3	4,4
44,0										2,0	2,6	3,1	3,8	3,9
46,0										1,6	2,2	2,7	3,4	3,5
48,0														
50,0														
52,0														
54,0														
*** n ***	6	3	2	4	4	4	3	2	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,4	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	18,9	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	16,0	16,0	14,0	13,3	12,5	15,4	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	13,6	14,3	12,9	12,5	11,5	13,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	11,6	12,4	12,0	11,6	10,6	11,5	12,1	10,7	11,3	10,8	10,4	9,2	8,9	8,7
24,0	10,0	10,7	11,0	10,9	9,8	9,9	10,8	10,0	9,8	10,1	9,7	8,6	8,4	8,2
26,0	8,6	9,4	10,1	10,2	9,2	8,6	9,4	9,2	8,5	9,4	8,6	8,1	7,9	7,6
28,0	7,4	8,2	9,0	9,4	8,5	7,4	8,3	8,6	7,4	8,3	7,5	7,6	7,3	7,1
30,0	6,3	7,1	7,9	8,3	7,9	6,4	7,3	8,0	6,5	7,4	6,6	7,0	6,4	6,3
32,0	5,4	6,1	6,9	7,3	7,4	5,5	6,4	7,2	5,6	6,5	5,8	6,4	5,6	5,5
34,0	4,5	5,3	6,0	6,4	6,8	4,8	5,6	6,4	4,9	5,8	5,0	5,6	4,9	4,8
36,0	3,7	4,5	5,2	5,6	6,0	4,1	4,9	5,6	4,2	5,1	4,4	5,0	4,3	4,2
38,0	3,1	3,8	4,6	4,9	5,4	3,4	4,2	4,9	3,6	4,5	3,8	4,4	3,7	3,6
40,0	2,5	3,2	3,9	4,3	4,7	2,8	3,6	4,3	3,1	4,0	3,3	3,9	3,2	3,1
42,0	1,9	2,7	3,4	3,8	4,2	2,2	3,0	3,8	2,5	3,4	2,8	3,4	2,7	2,6
44,0		2,2	2,9	3,3	3,7	1,7	2,6	3,3	2,1	2,9	2,4	2,9	2,3	2,2
46,0		1,8	2,5	2,8	3,3		2,1	2,8	1,6	2,5	2,0	2,5	1,9	1,8
48,0			2,1	2,4	2,9		1,7	2,4		2,1	1,6	2,1	1,6	
50,0			1,7	2,1	2,5			2,1		1,7		1,8		
52,0								1,7						
54,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,5	52,9							54,6						
4,0	53,6		47,1					55,4		49,3				
4,5	54,2		47,1		43,3			56,0		49,3		45,6		
5,0	54,9	46,5	47,1		43,1			56,7	48,4	49,3		45,5		42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7		58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	62,0	46,5	47,1	39,4	42,7	35,4	15,4	62,0	48,3	49,3	42,8	45,0	37,5	40,7
9,0	51,1	46,5	47,1	39,2	42,7	34,8	14,6	51,1	48,3	49,2	42,5	45,0	37,0	39,3
10,0	42,9	43,3	43,3	39,1	41,8	34,4	13,9	42,9	44,0	44,0	42,1	43,7	36,5	39,2
11,0		37,1	37,1	36,9	36,9	34,0	13,2		37,8	37,8	38,1	38,1	36,1	37,2
12,0		32,2	32,2	32,1	32,1	31,4	12,6		32,9	32,9	33,2	33,2	32,9	32,9
13,0		28,3	28,3	28,1	28,1	27,5	12,0		28,9	28,9	29,2	29,2	29,0	29,0
14,0		25,1	25,1	24,9	24,9	24,3	11,5		25,7	25,7	26,0	26,0	25,7	25,7
15,0		22,4	22,4	22,2	22,2	21,6	11,0		23,0	23,0	23,3	23,3	23,0	23,0
16,0				20,0	20,0	19,4	10,6				21,0	21,0	20,7	20,7
18,0				16,3	16,3	15,7	8,7				17,3	17,3	17,0	17,0
20,0						12,9	8,2						14,2	14,2
22,0						10,6	7,8						12,0	12,0
24,0						8,8	7,5						10,2	10,2
26,0							6,6							
28,0							5,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	4	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	52.0 t	8.89 x 5.50 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,5			56,1											57,3
4,0			56,9											58,2
4,5			57,5		52,5									59,0
5,0			58,3	51,2	52,5		47,6							60,8
6,0	35,9		61,4	51,1	52,5	45,5	47,4		44,1		41,2			62,8
7,0	35,1		64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6		65,7
8,0	34,3	14,9	62,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	62,0
9,0	33,6	14,1	51,1	51,0	52,3	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	51,1
10,0	33,0	13,3	42,9	44,7	44,7	43,7	45,4	38,5	42,5	35,2	38,0	32,2	13,0	42,9
11,0	32,4	12,6		38,4	38,4	39,1	39,1	38,1	39,1	34,6	36,4	31,6	12,3	
12,0	30,8	12,0		33,5	33,5	34,2	34,2	34,2	34,2	32,8	33,2	30,8	11,7	
13,0	27,9	11,4		29,5	29,5	30,2	30,2	30,3	30,3	29,8	29,8	28,0	11,1	
14,0	25,0	10,8		26,3	26,3	27,0	27,0	27,0	27,0	26,6	26,6	25,3	10,3	
15,0	22,4	9,6		23,6	23,6	24,2	24,2	24,2	24,2	23,9	23,9	23,0	8,9	
16,0	20,1	8,7				21,9	21,9	21,9	21,9	21,5	21,5	20,9	8,4	
18,0	16,4	8,0				18,2	18,2	18,2	18,2	17,8	17,8	17,2	7,7	
20,0	13,6	7,4						15,3	15,3	15,0	15,0	14,4	7,1	
22,0	11,3	6,9						13,1	13,1	12,7	12,7	12,1	6,5	
24,0	9,4	6,5						11,4	11,4	10,9	10,9	10,2	6,1	
26,0	7,9	6,1								9,4	9,4	8,6	5,6	
28,0	6,6	5,8								8,1	8,1	7,3	5,3	
30,0		4,8										6,2	5,0	
32,0		3,9										5,3	4,6	
34,0													3,8	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	4	2	7	5	6	5	5	5	5	4	5	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,5														
4,0														
4,5		54,0												
5,0	51,7	52,2												
6,0	47,2	47,2	47,0	49,2		46,2								
7,0	43,7	43,7	46,5	48,6	43,3	45,8		43,0		38,9				
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5		38,3	33,4			
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8		17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0		16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	38,9	33,7	36,7	31,0	12,3		16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	34,6	34,9	32,8	33,1	29,1	11,6		15,4
13,0	29,6	29,6	31,0	31,0	31,4	31,4	31,2	31,2	30,0	30,0	27,7	11,0	9,5	14,8
14,0	26,7	26,7	27,7	27,7	28,0	28,0	27,9	27,9	27,3	27,3	25,5	9,3	8,8	14,2
15,0	24,0	24,0	24,9	24,9	25,2	25,2	25,1	25,1	24,8	24,8	23,3	8,8	8,3	13,7
16,0			22,6	22,6	22,9	22,9	22,8	22,8	22,4	22,4	21,4	8,4	7,9	13,2
18,0			18,9	18,9	19,2	19,2	19,0	19,0	18,7	18,7	18,0	7,7	7,2	12,4
20,0					16,3	16,3	16,1	16,1	15,8	15,8	15,1	7,0	6,5	11,6
22,0					14,0	14,0	13,9	13,9	13,5	13,5	12,9	6,5	5,9	11,0
24,0					12,3	12,3	12,0	12,0	11,7	11,7	11,0	6,0	5,4	9,6
26,0							10,5	10,5	10,1	10,1	9,5	5,5	4,9	9,0
28,0							9,3	9,3	8,8	8,8	8,1	5,1	4,5	8,8
30,0									7,7	7,7	7,0	4,8	4,1	7,9
32,0									6,7	6,7	6,0	4,5	3,7	6,9
34,0											5,2	4,3	3,4	
36,0											4,4	3,8	3,2	
38,0												3,1	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	6	6	5	5	5	5	4	5	4	4	4	2	2	2
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														27,5
8,0		31,3							23,8					26,6
9,0	15,1	29,4	28,3			25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2		23,7	22,7		22,2		19,5			23,2
11,0	13,5	26,0	25,7	11,4		22,4	21,8	11,4	21,5		18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4		21,3	20,9	10,5	20,8		17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0		20,3	20,0	8,9	19,1		17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5		19,2	19,2	8,4	18,2		16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	19,8	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	17,1	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	15,4	14,7	6,1	7,7	14,3	14,3	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	13,2	12,6	5,5	7,1	13,0	12,4	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	11,3	10,9	5,0	6,6	11,5	10,7	4,9	11,5	6,5	11,0	10,8	4,9	
26,0	6,5	9,8	9,4	4,5	6,1	10,0	9,4	4,4		6,0	10,1	9,4	4,4	
28,0	6,0	8,4	8,1	4,0	5,7	8,7	8,2	4,0		5,6	9,0	8,3	3,9	
30,0	5,7	7,2	6,9	3,6	5,3	7,5	7,1	3,6		5,2	7,9	7,3	3,5	
32,0	5,4	6,2	5,9	3,3	4,9	6,5	6,1	3,2		4,8	6,9	6,4	3,1	
34,0	5,1	5,4	5,1	3,0	4,6	5,6	5,3	2,8		4,5	6,0	5,6	2,8	
36,0	4,6	4,6	4,3	2,7	4,4	4,8	4,5	2,5		4,2	5,2	4,9	2,5	
38,0	3,9	3,9	3,6	2,4	4,1	4,2	3,8	2,3		3,9	4,6	4,2	2,2	
40,0	3,0	3,4	3,0	2,1	3,3	3,6	3,2	2,0		3,7	3,9	3,6	2,0	
42,0	2,1	2,9	2,5	1,5	2,7	3,0	2,7	1,8		3,2	3,4	3,0	1,7	
44,0			2,0		2,0	2,6	2,2			2,6	2,9	2,6		
46,0			1,6			2,2	1,8			2,0	2,5	2,1		
48,0											2,1	1,7		
50,0											1,7			
52,0														
54,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	3
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,5														
4,0														
4,5														
5,0														
6,0	32,5													
7,0	29,7	30,7												
8,0	27,0	28,3				22,9								
9,0	25,0	26,2			21,1	21,1	22,1	22,1		22,6		23,0		
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,2	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	21,7	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	18,5	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	16,8	15,8	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	14,6	13,6	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,7	9,8
24,0		11,8	12,7	11,7	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	12,1	9,0
26,0			11,2	10,2	8,6	8,6	9,5	9,5	10,7	10,7	11,1	11,1	10,5	8,3
28,0			9,9	8,8	8,0	8,0	8,8	8,8	9,8	9,8	9,8	9,8	9,2	7,7
30,0			8,8	7,7			8,2	8,2	9,1	9,1	8,7	8,7	8,1	7,2
32,0			7,9	6,7			7,7	7,7	8,1	8,1	7,7	7,7	7,1	6,7
34,0				5,8					7,3	7,3	6,8	6,8	6,2	6,3
36,0				5,0					6,5	6,5	6,0	6,0	5,4	6,0
38,0				4,4							5,4	5,4	4,7	
40,0				3,8							4,8	4,8	4,1	
42,0				3,3							4,3	4,3	3,6	
44,0													3,1	
46,0													2,7	
48,0														
50,0														
52,0														
54,0														
*** n ***	4	4	3	3	3	3	3	3	3	3	3	3	3	2
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0	19,8				19,5									
10,0	18,7	18,7	18,7	18,6	18,6	18,5		17,7						
11,0	17,5	17,7	17,7	17,7	17,7	17,7		16,9	16,6		15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,4	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,4	7,1	8,0	8,5	5,5	8,6	8,3	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	8,3	6,7	7,4	7,9	5,1	8,0	7,4	3,6	6,9
32,0	6,7	7,4	7,4	7,8	7,8	7,3	6,4	7,0	7,4	4,8	7,2	6,5	3,2	6,5
34,0	6,3	7,0	7,0	6,9	6,9	6,4	6,0	6,5	6,8	4,4	6,4	5,8	2,9	6,1
36,0	6,0	6,5	6,5	6,2	6,2	5,6	5,8	6,1	6,0	4,1	5,6	5,1	2,6	5,5
38,0		5,8	5,8	5,5	5,5	4,9	5,5	5,6	5,4	3,8	4,9	4,5	2,3	4,9
40,0		5,2	5,2	4,9	4,9	4,3	5,0	5,0	4,7	3,6	4,3	4,0	2,0	4,4
42,0		4,7	4,7	4,3	4,3	3,8	4,3	4,4	4,2	3,4	3,8	3,4	1,8	3,8
44,0				3,8	3,8	3,3	3,7	3,9	3,7	3,0	3,3	2,9	1,6	3,3
46,0				3,4	3,4	2,8	3,0	3,5	3,3	2,4	2,8	2,5		2,9
48,0						2,4			2,9	2,0	2,4	2,1		2,5
50,0						2,1			2,5	1,5	2,1	1,7		2,1
52,0											1,7			1,7
54,0														
*** n ***	2	2	2	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0009< T210.00022

m	66,7	71,2	72,0											
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,0	3,4												
32,0	6,4	3,1												
34,0	5,6	2,7												
36,0	5,0	2,4												
38,0	4,4	2,1												
40,0	3,9	1,9												
42,0	3,4	1,6												
44,0	2,9													
46,0	2,5													
48,0	2,1													
50,0	1,8													
52,0														
54,0														
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	128,0	125,9	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	119,7	119,6	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	112,2	112,3	101,0	81,1	52,2	112,1	93,7	73,4	56,8	36,2	108,2	99,8	76,9	59,3
6,0	99,5	99,5	98,2	81,3	47,2	99,4	87,2	68,8	52,3	32,5	96,9	90,9	71,6	55,4
7,0	86,7	86,9	87,4	74,5	43,7	86,7	79,0	62,2	48,7	29,7	86,2	82,0	66,4	51,6
8,0	75,5	75,7	76,2	67,0	40,4	75,7	71,3	56,1	45,2	27,0	75,1	75,2	61,3	47,7
9,0	66,7	66,9	67,4	60,4	37,3	66,8	65,7	51,7	42,0	25,0	66,4	67,5	56,3	43,9
10,0	59,6	59,7	60,3	55,7	35,1	59,7	60,4	47,8	39,0	23,2	59,2	60,3	51,6	40,3
11,0		53,9	54,4	51,0	32,8	53,7	54,6	43,8	36,0	21,4	53,3	54,4	48,1	37,5
12,0		48,9	49,4	47,5	31,2	48,8	49,6	40,8	33,6	20,0	48,3	49,3	45,0	35,1
13,0		43,5	44,2	44,2	29,6	43,4	44,6	38,3	31,6	18,8	42,8	44,3	41,9	32,8
14,0		38,5	39,2	39,8	28,4	38,4	39,5	35,8	29,6	17,7	37,8	39,3	39,0	30,5
15,0		34,5	35,1	35,7	27,6	34,3	35,4	33,7	27,8	16,7	33,6	35,1	36,4	28,8
16,0						30,9	32,0	31,9	26,4	15,9	30,2	31,7	33,0	27,3
18,0						25,5	26,5	27,5	23,8	14,4	24,8	26,2	27,5	24,4
20,0											20,8	22,1	23,3	22,2
22,0											17,6	18,9	20,1	20,2
24,0											15,2	16,4	17,6	18,5
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	82,9	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	75,7	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	66,9	49,9	60,3	46,9	21,1	62,5	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	59,9	46,5	56,5	44,0	19,8	58,6	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	53,9	43,1	52,7	41,1	18,5	53,6	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	48,6	39,8	49,1	38,3	17,2	47,9	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	43,5	37,3	44,9	36,1	16,2	43,2	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	38,6	35,2	40,3	34,3	15,4	39,2	31,8	36,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	34,5	32,9	36,1	32,5	14,6	35,4	30,0	35,0	21,4	21,3	15,6	28,3
16,0	16,6	16,3	31,0	29,7	32,6	30,7	13,8	31,9	28,5	33,1	20,3	20,4	15,0	26,5
18,0	14,9	14,6	25,6	24,4	27,1	27,7	12,3	26,4	25,1	28,0	18,2	18,7	13,6	23,9
20,0	13,7	13,3	21,5	20,3	22,9	24,2	11,2	22,3	21,0	23,8	16,3	17,1	12,4	21,6
22,0	12,6	12,2	18,3	17,1	19,7	20,9	10,1	19,1	17,8	20,5	14,9	15,9	11,3	18,6
24,0	11,8	11,5	15,7	14,6	17,1	18,3	9,3	16,5	15,2	17,9	13,6	14,8	10,3	16,0
26,0			13,7	12,4	15,0	16,2	8,6	14,4	13,1	15,8	12,5	13,9	9,5	13,9
28,0			12,0	10,6	13,3	14,4	8,0	12,6	11,3	14,0	11,6	13,1	8,8	12,1
30,0								11,1	9,7	12,5	10,8	12,5	8,2	10,5
32,0								9,8	8,4	11,2	10,0	12,0	7,7	9,2
34,0														8,0
36,0														7,0
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	42,4	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	40,4	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	38,5	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	35,7	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	32,7	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	27,3	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	23,1	13,5	10,9	20,4	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	19,9	12,4	9,8	18,7	18,2	14,7	13,3	10,7	16,5	15,4	13,0	13,8	11,2	10,2
24,0	17,3	11,5	9,0	16,8	17,0	13,5	12,4	9,8	15,3	14,4	12,1	13,1	10,5	9,5
26,0	15,1	10,7	8,3	14,6	15,7	12,3	11,5	9,0	14,1	13,4	11,1	12,3	9,7	8,7
28,0	13,3	9,8	7,7	12,8	14,0	11,4	10,8	8,4	12,7	12,3	10,1	11,5	9,0	8,0
30,0	11,8	9,2	7,2	11,3	12,5	10,5	10,1	7,9	11,2	11,5	9,3	10,9	8,4	7,4
32,0	10,6	8,6	6,7	10,0	11,2	9,7	9,4	7,4	9,8	10,5	8,7	10,2	8,0	7,0
34,0	9,4	8,1	6,3	8,8	10,0	9,0	8,9	7,0	8,6	9,3	8,0	9,6	7,5	6,5
36,0	8,4	7,7	6,0	7,7	9,0	8,4	8,5	6,6	7,6	8,3	7,4	9,1	7,1	6,1
38,0				6,8	8,1	7,7	8,0	6,3	6,6	7,3	7,0	8,5	6,8	5,8
40,0				6,0	7,3	6,9	7,7	6,0	5,8	6,5	6,6	7,7	6,5	5,4
42,0				5,4	6,6	6,2	7,5	5,9	5,1	5,8	6,2	6,9	6,2	5,1
44,0									4,5	5,1	5,7	6,3	6,0	4,9
46,0									3,9	4,6	5,1	5,7	5,8	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	12,7	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	11,7	10,9	9,4	9,6	8,5	10,8	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	10,8	10,0	8,6	9,0	7,9	10,0	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	9,9	9,3	7,9	8,4	7,4	9,3	8,5	7,5	8,5	7,8	7,8	6,6	6,6	6,2
34,0	8,8	8,7	7,4	8,0	7,0	8,5	7,9	7,0	8,0	7,3	7,4	6,3	6,2	5,7
36,0	7,7	8,2	7,0	7,6	6,6	7,9	7,3	6,5	7,4	6,9	7,0	5,9	5,9	5,3
38,0	6,8	7,5	6,5	7,2	6,2	7,1	7,0	6,1	6,9	6,5	6,6	5,5	5,6	5,0
40,0	6,0	6,7	6,1	6,8	5,9	6,3	6,6	5,8	6,5	6,1	6,2	5,2	5,3	4,7
42,0	5,2	6,0	5,7	6,6	5,6	5,5	6,2	5,4	5,9	5,8	5,9	4,9	5,0	4,3
44,0	4,6	5,3	5,4	6,3	5,3	4,9	5,7	5,1	5,2	5,5	5,5	4,6	4,7	4,0
46,0	4,0	4,7	5,1	5,8	5,1	4,3	5,1	4,9	4,6	5,2	5,0	4,4	4,5	3,7
48,0	3,5	4,2	4,9	5,3	4,9	3,7	4,5	4,6	4,0	4,9	4,4	4,1	4,3	3,5
50,0	3,0	3,7	4,4	4,8	4,7	3,2	4,1	4,4	3,5	4,4	3,9	3,9	4,0	3,2
52,0						2,8	3,6	4,2	3,1	4,0	3,5	3,7	3,6	3,0
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	66,7	46,5	47,1	39,2	42,7	34,8	14,6	66,7	48,3	49,3	42,5	45,0	37,0	39,3
10,0	59,6	46,5	47,1	39,1	42,7	34,4	13,9	59,6	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		46,5	47,1	39,1	42,7	33,7	12,6		48,3	49,1	42,4	45,0	35,7	39,0
13,0		43,5	43,5	39,1	42,2	33,4	12,0		44,2	44,2	42,4	44,1	35,5	39,0
14,0		38,5	38,5	38,4	38,4	33,3	11,5		39,2	39,2	39,5	39,5	35,3	38,4
15,0		34,5	34,5	34,3	34,3	33,2	11,0		35,1	35,1	35,4	35,4	35,1	35,1
16,0				30,9	30,9	30,2	10,6				32,0	32,0	31,7	31,7
18,0				25,5	25,5	24,8	8,7				26,5	26,5	26,2	26,2
20,0						20,8	8,2						22,1	22,1
22,0						17,6	7,8						18,9	18,9
24,0						15,2	7,5						16,4	16,4
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	8	5	5	5	5	5	5

%														
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	69,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	71,3
9,0	33,6	14,1	66,7	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	66,7
10,0	33,0	13,3	59,6	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	59,6
11,0	32,4	12,6		50,6	51,0	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		47,5	47,5	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		44,2	44,2	38,3	38,3	37,5	41,9	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		39,8	39,8	35,8	35,8	37,3	39,0	33,2	37,1	28,6	10,3	
15,0	29,6	9,6		35,7	35,7	33,7	33,7	36,4	36,4	32,8	35,7	28,2	8,9	
16,0	29,1	8,7				31,9	31,9	33,0	33,0	32,4	32,6	27,8	8,4	
18,0	25,6	8,0				27,5	27,5	27,5	27,5	27,1	27,1	26,3	7,7	
20,0	21,5	7,4						23,3	23,3	22,9	22,9	22,3	7,1	
22,0	18,3	6,9						20,1	20,1	19,7	19,7	19,1	6,5	
24,0	15,7	6,5						17,6	17,6	17,1	17,1	16,5	6,1	
26,0	13,7	6,1								15,0	15,0	14,4	5,6	
28,0	12,0	5,8								13,3	13,3	12,6	5,3	
30,0		5,7										11,1	5,0	
32,0		4,2										9,8	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,9	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,5	32,5	31,5	34,9	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	30,7	30,7	30,4	33,1	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	27,7	27,7	28,0	28,0	26,0	7,7	7,2	12,4
20,0					22,2	22,2	24,2	24,2	23,8	23,8	23,1	7,0	6,5	11,6
22,0					20,2	20,2	20,9	20,9	20,5	20,5	19,9	6,5	5,9	11,0
24,0					18,5	18,5	18,3	18,3	17,9	17,9	17,3	6,0	5,4	9,6
26,0							16,2	16,2	15,8	15,8	15,1	5,5	4,9	9,0
28,0							14,4	14,4	14,0	14,0	13,3	5,1	4,5	8,8
30,0									12,5	12,5	11,8	4,8	4,1	8,6
32,0									11,2	11,2	10,6	4,5	3,7	7,5
34,0											9,4	4,3	3,4	
36,0											8,4	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,4	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	13,4	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,4	12,3	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,5	11,5	3,6	5,3	9,3	10,0	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	9,7	10,5	3,3	4,9	8,7	9,3	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	9,0	9,3	3,0	4,6	8,0	8,7	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	8,4	8,3	2,7	4,4	7,4	8,2	2,5		4,2	7,0	7,3	2,5	
38,0	3,9	7,7	7,3	2,4	4,1	7,0	7,5	2,3		3,9	6,5	7,0	2,2	
40,0	3,0	6,9	6,5	2,1	3,3	6,6	6,7	2,0		3,7	6,1	6,6	2,0	
42,0	2,1	6,2	5,8	1,5	2,7	6,2	6,0	1,8		3,2	5,7	6,2	1,7	
44,0			5,1		2,0	5,7	5,3			2,6	5,4	5,7		
46,0			4,6			5,1	4,7			2,0	5,1	5,1		
48,0							4,2				4,9	4,5		
50,0							3,7				4,4	4,1		
52,0												3,6		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
% 1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
% 2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
% 3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
% 4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
% 5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	18,2	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	17,0	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	15,7	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			13,1	14,0	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			12,5	12,5			8,2	8,2	9,2	9,2	10,1	10,1	10,9	7,2
32,0			12,0	11,2			7,7	7,7	8,6	8,6	9,4	9,4	10,2	6,7
34,0				10,0					8,1	8,1	8,9	8,9	9,6	6,3
36,0				9,0					7,7	7,7	8,5	8,5	9,1	6,0
38,0				8,1							8,0	8,0	8,5	
40,0				7,3							7,7	7,7	7,7	
42,0				6,6							7,5	7,5	6,9	
44,0													6,3	
46,0													5,7	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,2	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,8	5,1	5,4	5,9	3,6	5,8	6,1	2,0	4,9
42,0		5,9	5,9	6,2	6,2	6,6	4,3	5,1	5,6	3,4	5,4	5,8	1,8	4,6
44,0				6,0	6,0	6,3	3,7	4,9	5,3	3,0	5,1	5,5	1,6	4,3
46,0				5,8	5,8	5,8	3,0	4,7	5,1	2,4	4,9	5,2		4,0
48,0						5,3			4,9	2,0	4,6	4,9		3,8
50,0						4,8			4,7	1,5	4,4	4,4		3,5
52,0											4,2	4,0		3,3
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,4													
48,0	4,1													
50,0	3,9													
52,0	3,7													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0						2,4	3,2	3,9	2,7	3,6	3,0	3,5	3,1	2,7
56,0									2,3	3,2	2,7	3,2	2,7	2,5
58,0									2,0	2,8	2,3	2,9	2,4	2,3
60,0									1,7	2,5	2,0	2,5	2,1	2,0
62,0											1,7	2,3	1,8	1,7
64,0												2,0		
66,0														
68,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												3,2		
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											3,9	3,6		3,1
56,0												3,2		2,9
58,0												2,8		2,8
60,0												2,5		
62,0														
64,0														
66,0														
68,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0030< T210.00062

m	66,7	71,2	72,0
54,0	3,5		
56,0	3,2		
58,0	2,9		
60,0	2,5		
62,0	2,3		
64,0	2,0		
66,0			
68,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	52.0 t	8.89 x 5.50 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	131,3	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	123,1	123,1	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	114,4	114,4	102,1	80,7	54,8	114,2	96,2	74,8	59,4	38,4	111,0	101,5	78,0	61,6
5,0	106,9	106,9	101,0	81,1	52,2	106,7	93,7	73,4	56,8	36,2	106,3	99,8	76,9	59,3
6,0	93,9	94,0	94,5	81,3	47,2	93,8	87,2	68,8	52,3	32,5	93,4	90,9	71,6	55,4
7,0	83,4	83,5	84,0	74,5	43,7	83,3	79,0	62,2	48,7	29,7	82,9	82,0	66,4	51,6
8,0	74,6	74,6	75,2	67,0	40,4	74,6	71,3	56,1	45,2	27,0	74,1	75,1	61,3	47,7
9,0	66,7	66,9	67,4	60,4	37,3	66,7	65,7	51,7	42,0	25,0	66,3	67,4	56,3	43,9
10,0	59,6	59,7	60,3	55,7	35,1	59,6	60,4	47,8	39,0	23,2	59,0	60,2	51,6	40,3
11,0		53,3	53,9	51,0	32,8	53,1	54,1	43,8	36,0	21,4	52,6	53,9	48,1	37,5
12,0		47,8	48,4	47,5	31,2	47,6	48,7	40,8	33,6	20,0	47,0	48,3	45,0	35,1
13,0		43,0	43,7	44,2	29,6	42,9	43,9	38,3	31,6	18,8	42,3	43,6	41,9	32,8
14,0		38,6	39,3	39,9	28,4	38,4	39,6	35,8	29,6	17,7	37,8	39,3	39,0	30,5
15,0		34,5	35,2	35,7	27,6	34,3	35,5	33,7	27,8	16,7	33,7	35,1	36,5	28,8
16,0						30,9	32,0	31,9	26,4	15,9	30,3	31,7	33,0	27,3
18,0						25,5	26,6	27,5	23,8	14,4	24,9	26,2	27,5	24,4
20,0											20,8	22,1	23,3	22,2
22,0											17,7	19,0	20,1	20,2
24,0											15,2	16,5	17,6	18,5
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	82,5	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	74,6	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	66,9	49,9	60,3	46,9	21,1	62,5	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	59,7	46,5	56,5	44,0	19,8	58,6	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	53,4	43,1	52,7	41,1	18,5	53,5	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	47,8	39,8	48,8	38,3	17,2	48,0	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	43,1	37,3	44,5	36,1	16,2	43,3	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	38,6	35,2	40,2	34,3	15,4	39,3	31,8	36,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	34,5	33,0	36,1	32,5	14,6	35,5	30,0	35,0	21,4	21,3	15,6	28,3
16,0	16,6	16,3	31,0	29,8	32,6	30,7	13,8	32,0	28,5	33,1	20,3	20,4	15,0	26,5
18,0	14,9	14,6	25,6	24,4	27,1	27,7	12,3	26,5	25,1	28,0	18,2	18,7	13,6	23,9
20,0	13,7	13,3	21,5	20,3	23,0	24,2	11,2	22,3	21,0	23,8	16,3	17,1	12,4	21,6
22,0	12,6	12,2	18,3	17,1	19,7	20,9	10,1	19,1	17,8	20,6	14,9	15,9	11,3	18,6
24,0	11,8	11,5	15,8	14,6	17,1	18,3	9,3	16,5	15,2	17,9	13,6	14,8	10,3	16,0
26,0			13,7	12,5	15,0	16,2	8,6	14,4	13,1	15,8	12,5	13,9	9,5	13,9
28,0			12,0	10,6	13,3	14,5	8,0	12,6	11,3	14,0	11,6	13,1	8,8	12,1
30,0								11,2	9,8	12,5	10,8	12,5	8,2	10,6
32,0								9,8	8,4	11,2	10,0	12,0	7,7	9,2
34,0														8,0
36,0														7,0
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	42,4	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	40,4	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	38,5	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	35,8	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	32,8	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	27,4	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	23,1	13,5	10,9	20,4	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	19,9	12,4	9,8	18,7	18,2	14,7	13,3	10,7	16,5	15,4	13,0	13,8	11,2	10,2
24,0	17,3	11,5	9,0	16,8	17,0	13,5	12,4	9,8	15,3	14,4	12,1	13,1	10,5	9,5
26,0	15,1	10,7	8,3	14,6	15,8	12,3	11,5	9,0	14,1	13,4	11,1	12,3	9,7	8,7
28,0	13,4	9,8	7,7	12,9	14,0	11,4	10,8	8,4	12,7	12,3	10,1	11,5	9,0	8,0
30,0	11,9	9,2	7,2	11,4	12,5	10,5	10,1	7,9	11,2	11,5	9,3	10,9	8,4	7,4
32,0	10,6	8,6	6,7	10,0	11,2	9,7	9,4	7,4	9,8	10,5	8,7	10,2	8,0	7,0
34,0	9,4	8,1	6,3	8,8	10,1	9,0	8,9	7,0	8,6	9,3	8,0	9,6	7,5	6,5
36,0	8,4	7,7	6,0	7,8	9,0	8,4	8,5	6,6	7,6	8,3	7,4	9,1	7,1	6,1
38,0				6,9	8,1	7,7	8,0	6,3	6,7	7,3	7,0	8,5	6,8	5,8
40,0				6,0	7,3	6,9	7,7	6,0	5,8	6,5	6,6	7,7	6,5	5,4
42,0				5,4	6,6	6,2	7,5	5,9	5,1	5,8	6,2	6,9	6,2	5,1
44,0									4,5	5,1	5,7	6,3	6,0	4,9
46,0									3,9	4,6	5,1	5,7	5,8	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2

%														
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	12,7	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	11,7	10,9	9,4	9,6	8,5	10,8	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	10,8	10,0	8,6	9,0	7,9	10,0	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	9,9	9,3	7,9	8,4	7,4	9,3	8,5	7,5	8,5	7,8	7,8	6,6	6,6	6,2
34,0	8,8	8,7	7,4	8,0	7,0	8,5	7,9	7,0	8,0	7,3	7,4	6,3	6,2	5,7
36,0	7,7	8,2	7,0	7,6	6,6	7,9	7,3	6,5	7,4	6,9	7,0	5,9	5,9	5,3
38,0	6,8	7,5	6,5	7,2	6,2	7,1	7,0	6,1	6,9	6,5	6,6	5,5	5,6	5,0
40,0	6,0	6,7	6,1	6,8	5,9	6,3	6,6	5,8	6,5	6,1	6,2	5,2	5,3	4,7
42,0	5,2	6,0	5,7	6,6	5,6	5,5	6,2	5,4	5,9	5,8	5,9	4,9	5,0	4,3
44,0	4,6	5,3	5,4	6,3	5,3	4,9	5,7	5,1	5,2	5,5	5,5	4,6	4,7	4,0
46,0	4,0	4,7	5,1	5,8	5,1	4,3	5,1	4,9	4,6	5,2	5,0	4,4	4,5	3,7
48,0	3,4	4,2	4,9	5,3	4,9	3,7	4,5	4,6	4,0	4,9	4,4	4,1	4,3	3,5
50,0	3,0	3,7	4,4	4,8	4,7	3,2	4,0	4,4	3,5	4,4	3,9	3,9	4,0	3,2
52,0						2,8	3,6	4,2	3,1	4,0	3,4	3,7	3,5	3,0
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	66,7	46,5	47,1	39,2	42,7	34,8	14,6	66,7	48,3	49,3	42,5	45,0	37,0	39,3
10,0	59,6	46,5	47,1	39,1	42,7	34,4	13,9	59,6	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		46,5	47,0	39,1	42,7	33,7	12,6		48,1	48,4	42,4	45,0	35,7	39,0
13,0		43,0	43,0	39,1	42,2	33,4	12,0		43,7	43,7	42,4	43,9	35,5	39,0
14,0		38,6	38,6	38,4	38,4	33,3	11,5		39,3	39,3	39,6	39,6	35,3	38,4
15,0		34,5	34,5	34,3	34,3	33,2	11,0		35,2	35,2	35,5	35,5	35,1	35,1
16,0				30,9	30,9	30,3	10,6				32,0	32,0	31,7	31,7
18,0				25,5	25,5	24,9	8,7				26,6	26,6	26,2	26,2
20,0						20,8	8,2						22,1	22,1
22,0						17,7	7,8						19,0	19,0
24,0						15,2	7,5						16,5	16,5
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	8	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	69,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	71,3
9,0	33,6	14,1	66,7	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	66,7
10,0	33,0	13,3	59,6	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	59,6
11,0	32,4	12,6		50,6	51,0	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		47,5	47,5	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		44,2	44,2	38,3	38,3	37,5	41,9	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		39,9	39,9	35,8	35,8	37,3	39,0	33,2	37,1	28,6	10,3	
15,0	29,6	9,6		35,7	35,7	33,7	33,7	36,5	36,5	32,8	35,8	28,2	8,9	
16,0	29,1	8,7				31,9	31,9	33,0	33,0	32,4	32,6	27,8	8,4	
18,0	25,6	8,0				27,5	27,5	27,5	27,5	27,1	27,1	26,3	7,7	
20,0	21,5	7,4						23,3	23,3	23,0	23,0	22,3	7,1	
22,0	18,3	6,9						20,1	20,1	19,7	19,7	19,1	6,5	
24,0	15,8	6,5						17,6	17,6	17,1	17,1	16,5	6,1	
26,0	13,7	6,1								15,0	15,0	14,4	5,6	
28,0	12,0	5,8								13,3	13,3	12,6	5,3	
30,0		5,7										11,2	5,0	
32,0		4,2										9,8	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,9	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,5	32,5	31,5	34,9	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	30,7	30,7	30,4	33,1	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	27,7	27,7	28,0	28,0	26,0	7,7	7,2	12,4
20,0					22,2	22,2	24,2	24,2	23,8	23,8	23,1	7,0	6,5	11,6
22,0					20,2	20,2	20,9	20,9	20,6	20,6	19,9	6,5	5,9	11,0
24,0					18,5	18,5	18,3	18,3	17,9	17,9	17,3	6,0	5,4	9,6
26,0							16,2	16,2	15,8	15,8	15,1	5,5	4,9	9,0
28,0							14,5	14,5	14,0	14,0	13,4	5,1	4,5	8,8
30,0									12,5	12,5	11,9	4,8	4,1	8,6
32,0									11,2	11,2	10,6	4,5	3,7	7,5
34,0											9,4	4,3	3,4	
36,0											8,4	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,4	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	13,4	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,4	12,3	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,5	11,5	3,6	5,3	9,3	10,0	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	9,7	10,5	3,3	4,9	8,7	9,3	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	9,0	9,3	3,0	4,6	8,0	8,7	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	8,4	8,3	2,7	4,4	7,4	8,2	2,5		4,2	7,0	7,3	2,5	
38,0	3,9	7,7	7,3	2,4	4,1	7,0	7,5	2,3		3,9	6,5	7,0	2,2	
40,0	3,0	6,9	6,5	2,1	3,3	6,6	6,7	2,0		3,7	6,1	6,6	2,0	
42,0	2,1	6,2	5,8	1,5	2,7	6,2	6,0	1,8		3,2	5,7	6,2	1,7	
44,0			5,1		2,0	5,7	5,3			2,6	5,4	5,7		
46,0			4,6			5,1	4,7			2,0	5,1	5,1		
48,0							4,2				4,9	4,5		
50,0							3,7				4,4	4,0		
52,0												3,6		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	18,2	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	17,0	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	15,8	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			13,1	14,0	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			12,5	12,5			8,2	8,2	9,2	9,2	10,1	10,1	10,9	7,2
32,0			12,0	11,2			7,7	7,7	8,6	8,6	9,4	9,4	10,2	6,7
34,0				10,1					8,1	8,1	8,9	8,9	9,6	6,3
36,0				9,0					7,7	7,7	8,5	8,5	9,1	6,0
38,0				8,1							8,0	8,0	8,5	
40,0				7,3							7,7	7,7	7,7	
42,0				6,6							7,5	7,5	6,9	
44,0													6,3	
46,0													5,7	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,2	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,8	5,1	5,4	5,9	3,6	5,8	6,1	2,0	4,9
42,0		5,9	5,9	6,2	6,2	6,6	4,3	5,1	5,6	3,4	5,4	5,8	1,8	4,6
44,0				6,0	6,0	6,3	3,7	4,9	5,3	3,0	5,1	5,5	1,6	4,3
46,0				5,8	5,8	5,8	3,0	4,7	5,1	2,4	4,9	5,2		4,0
48,0						5,3			4,9	2,0	4,6	4,9		3,8
50,0						4,8			4,7	1,5	4,4	4,4		3,5
52,0											4,2	4,0		3,3
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,4													
48,0	4,1													
50,0	3,9													
52,0	3,7													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0						2,3	3,2	3,9	2,6	3,5	3,0	3,5	3,1	2,7
56,0									2,3	3,1	2,6	3,2	2,7	2,5
58,0									1,9	2,8	2,3	2,8	2,4	2,3
60,0									1,6	2,5	2,0	2,5	2,0	1,9
62,0											1,7	2,2	1,7	1,6
64,0												2,0		
66,0														
68,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												3,2		
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											3,9	3,5		3,1
56,0												3,1		2,9
58,0												2,8		2,8
60,0												2,5		
62,0														
64,0														
66,0														
68,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
% 1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
% 2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
% 3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0002< T210.00012

m	66,7	71,2	72,0
54,0	3,5		
56,0	3,2		
58,0	2,8		
60,0	2,5		
62,0	2,2		
64,0	2,0		
66,0			
68,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	133,2	126,4	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	125,9	125,9	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	118,3	117,6	101,0	81,1	52,2	112,6	93,7	73,4	56,8	36,2	108,2	99,8	76,9	59,3
6,0	101,3	101,6	98,2	81,3	47,2	100,5	87,2	68,8	52,3	32,5	96,9	90,9	71,6	55,4
7,0	86,7	86,9	87,4	74,5	43,7	86,7	79,0	62,2	48,7	29,7	86,2	82,0	66,4	51,6
8,0	75,5	75,7	76,2	67,0	40,4	75,7	71,3	56,1	45,2	27,0	75,1	75,2	61,3	47,7
9,0	66,7	66,9	67,4	60,4	37,3	66,8	65,7	51,7	42,0	25,0	66,4	67,5	56,3	43,9
10,0	59,6	59,7	60,3	55,7	35,1	59,7	60,4	47,8	39,0	23,2	59,2	60,3	51,6	40,3
11,0		53,9	54,4	51,0	32,8	53,7	54,6	43,8	36,0	21,4	53,3	54,4	48,1	37,5
12,0		48,9	49,4	47,5	31,2	48,8	49,6	40,8	33,6	20,0	48,3	49,3	45,0	35,1
13,0		43,6	44,3	44,2	29,6	43,5	44,7	38,3	31,6	18,8	42,8	44,4	41,9	32,8
14,0		38,6	39,3	39,9	28,4	38,4	39,6	35,8	29,6	17,7	37,8	39,3	39,0	30,5
15,0		34,5	35,2	35,7	27,6	34,3	35,5	33,7	27,8	16,7	33,7	35,1	36,5	28,8
16,0						30,9	32,0	31,9	26,4	15,9	30,3	31,7	33,0	27,3
18,0						25,5	26,6	27,5	23,8	14,4	24,9	26,2	27,5	24,4
20,0											20,8	22,1	23,3	22,2
22,0											17,7	19,0	20,1	20,2
24,0											15,2	16,5	17,6	18,5
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	82,9	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	75,7	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	66,9	49,9	60,3	46,9	21,1	62,5	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	59,9	46,5	56,5	44,0	19,8	58,6	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	53,9	43,1	52,7	41,1	18,5	53,7	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	48,6	39,8	49,1	38,3	17,2	48,0	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	43,5	37,3	45,0	36,1	16,2	43,3	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	38,7	35,2	40,3	34,3	15,4	39,3	31,8	36,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	34,5	33,0	36,1	32,5	14,6	35,5	30,0	35,0	21,4	21,3	15,6	28,3
16,0	16,6	16,3	31,0	29,8	32,6	30,7	13,8	32,0	28,5	33,1	20,3	20,4	15,0	26,5
18,0	14,9	14,6	25,6	24,4	27,1	27,7	12,3	26,5	25,1	28,0	18,2	18,7	13,6	23,9
20,0	13,7	13,3	21,5	20,3	23,0	24,2	11,2	22,3	21,0	23,8	16,3	17,1	12,4	21,6
22,0	12,6	12,2	18,3	17,1	19,7	20,9	10,1	19,1	17,8	20,6	14,9	15,9	11,3	18,6
24,0	11,8	11,5	15,8	14,6	17,1	18,3	9,3	16,5	15,2	17,9	13,6	14,8	10,3	16,0
26,0			13,7	12,5	15,0	16,2	8,6	14,4	13,1	15,8	12,5	13,9	9,5	13,9
28,0			12,0	10,6	13,3	14,5	8,0	12,6	11,3	14,0	11,6	13,1	8,8	12,1
30,0								11,2	9,8	12,5	10,8	12,5	8,2	10,6
32,0								9,8	8,4	11,2	10,0	12,0	7,7	9,2
34,0														8,0
36,0														7,0
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	42,4	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	40,4	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	38,5	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	35,8	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	32,8	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	27,4	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	23,1	13,5	10,9	20,4	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	19,9	12,4	9,8	18,7	18,2	14,7	13,3	10,7	16,5	15,4	13,0	13,8	11,2	10,2
24,0	17,3	11,5	9,0	16,8	17,0	13,5	12,4	9,8	15,3	14,4	12,1	13,1	10,5	9,5
26,0	15,1	10,7	8,3	14,6	15,8	12,3	11,5	9,0	14,1	13,4	11,1	12,3	9,7	8,7
28,0	13,4	9,8	7,7	12,9	14,0	11,4	10,8	8,4	12,7	12,3	10,1	11,5	9,0	8,0
30,0	11,9	9,2	7,2	11,4	12,5	10,5	10,1	7,9	11,2	11,5	9,3	10,9	8,4	7,4
32,0	10,6	8,6	6,7	10,0	11,2	9,7	9,4	7,4	9,8	10,5	8,7	10,2	8,0	7,0
34,0	9,4	8,1	6,3	8,8	10,1	9,0	8,9	7,0	8,6	9,3	8,0	9,6	7,5	6,5
36,0	8,4	7,7	6,0	7,8	9,0	8,4	8,5	6,6	7,6	8,3	7,4	9,1	7,1	6,1
38,0				6,9	8,1	7,7	8,0	6,3	6,7	7,3	7,0	8,5	6,8	5,8
40,0				6,1	7,3	6,9	7,7	6,0	5,8	6,5	6,6	7,7	6,5	5,4
42,0				5,4	6,6	6,2	7,5	5,9	5,1	5,8	6,2	6,9	6,2	5,1
44,0									4,5	5,2	5,7	6,3	6,0	4,9
46,0									3,9	4,6	5,1	5,7	5,8	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	12,7	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	11,7	10,9	9,4	9,6	8,5	10,8	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	10,8	10,0	8,6	9,0	7,9	10,0	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	9,9	9,3	7,9	8,4	7,4	9,3	8,5	7,5	8,5	7,8	7,8	6,6	6,6	6,2
34,0	8,8	8,7	7,4	8,0	7,0	8,5	7,9	7,0	8,0	7,3	7,4	6,3	6,2	5,7
36,0	7,7	8,2	7,0	7,6	6,6	7,9	7,3	6,5	7,4	6,9	7,0	5,9	5,9	5,3
38,0	6,8	7,5	6,5	7,2	6,2	7,1	7,0	6,1	6,9	6,5	6,6	5,5	5,6	5,0
40,0	6,0	6,7	6,1	6,8	5,9	6,3	6,6	5,8	6,5	6,1	6,2	5,2	5,3	4,7
42,0	5,2	6,0	5,7	6,6	5,6	5,5	6,2	5,4	5,9	5,8	5,9	4,9	5,0	4,3
44,0	4,6	5,3	5,4	6,3	5,3	4,9	5,7	5,1	5,2	5,5	5,5	4,6	4,7	4,0
46,0	4,0	4,7	5,1	5,8	5,1	4,3	5,1	4,9	4,6	5,2	5,0	4,4	4,5	3,7
48,0	3,5	4,2	4,9	5,3	4,9	3,7	4,6	4,6	4,1	4,9	4,4	4,1	4,3	3,5
50,0	3,0	3,7	4,4	4,8	4,7	3,2	4,1	4,4	3,6	4,4	3,9	3,9	4,0	3,2
52,0						2,8	3,6	4,2	3,1	4,0	3,5	3,7	3,6	3,0
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	66,7	46,5	47,1	39,2	42,7	34,8	14,6	66,7	48,3	49,3	42,5	45,0	37,0	39,3
10,0	59,6	46,5	47,1	39,1	42,7	34,4	13,9	59,6	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		46,5	47,1	39,1	42,7	33,7	12,6		48,3	49,1	42,4	45,0	35,7	39,0
13,0		43,6	43,6	39,1	42,2	33,4	12,0		44,3	44,3	42,4	44,2	35,5	39,0
14,0		38,6	38,6	38,4	38,4	33,3	11,5		39,3	39,3	39,6	39,6	35,3	38,4
15,0		34,5	34,5	34,3	34,3	33,2	11,0		35,2	35,2	35,5	35,5	35,1	35,1
16,0				30,9	30,9	30,3	10,6				32,0	32,0	31,7	31,7
18,0				25,5	25,5	24,9	8,7				26,6	26,6	26,2	26,2
20,0						20,8	8,2						22,1	22,1
22,0						17,7	7,8						19,0	19,0
24,0						15,2	7,5						16,5	16,5
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	8	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	69,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	71,3
9,0	33,6	14,1	66,7	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	66,7
10,0	33,0	13,3	59,6	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	59,6
11,0	32,4	12,6		50,6	51,0	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		47,5	47,5	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		44,2	44,2	38,3	38,3	37,5	41,9	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		39,9	39,9	35,8	35,8	37,3	39,0	33,2	37,1	28,6	10,3	
15,0	29,6	9,6		35,7	35,7	33,7	33,7	36,5	36,5	32,8	35,8	28,2	8,9	
16,0	29,1	8,7				31,9	31,9	33,0	33,0	32,4	32,6	27,8	8,4	
18,0	25,6	8,0				27,5	27,5	27,5	27,5	27,1	27,1	26,3	7,7	
20,0	21,5	7,4						23,3	23,3	23,0	23,0	22,3	7,1	
22,0	18,3	6,9						20,1	20,1	19,7	19,7	19,1	6,5	
24,0	15,8	6,5						17,6	17,6	17,1	17,1	16,5	6,1	
26,0	13,7	6,1								15,0	15,0	14,4	5,6	
28,0	12,0	5,8								13,3	13,3	12,6	5,3	
30,0		5,7										11,2	5,0	
32,0		4,2										9,8	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,9	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,5	32,5	31,5	34,9	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	30,7	30,7	30,4	33,1	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	27,7	27,7	28,0	28,0	26,0	7,7	7,2	12,4
20,0					22,2	22,2	24,2	24,2	23,8	23,8	23,1	7,0	6,5	11,6
22,0					20,2	20,2	20,9	20,9	20,6	20,6	19,9	6,5	5,9	11,0
24,0					18,5	18,5	18,3	18,3	17,9	17,9	17,3	6,0	5,4	9,6
26,0							16,2	16,2	15,8	15,8	15,1	5,5	4,9	9,0
28,0							14,5	14,5	14,0	14,0	13,4	5,1	4,5	8,8
30,0									12,5	12,5	11,9	4,8	4,1	8,6
32,0									11,2	11,2	10,6	4,5	3,7	7,5
34,0											9,4	4,3	3,4	
36,0											8,4	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,4	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	13,4	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,4	12,3	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,5	11,5	3,6	5,3	9,3	10,0	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	9,7	10,5	3,3	4,9	8,7	9,3	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	9,0	9,3	3,0	4,6	8,0	8,7	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	8,4	8,3	2,7	4,4	7,4	8,2	2,5		4,2	7,0	7,3	2,5	
38,0	3,9	7,7	7,3	2,4	4,1	7,0	7,5	2,3		3,9	6,5	7,0	2,2	
40,0	3,0	6,9	6,5	2,1	3,3	6,6	6,7	2,0		3,7	6,1	6,6	2,0	
42,0	2,1	6,2	5,8	1,5	2,7	6,2	6,0	1,8		3,2	5,7	6,2	1,7	
44,0			5,2		2,0	5,7	5,3			2,6	5,4	5,7		
46,0			4,6			5,1	4,7			2,0	5,1	5,1		
48,0							4,2				4,9	4,6		
50,0							3,7				4,4	4,1		
52,0												3,6		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	18,2	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	17,0	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	15,8	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			13,1	14,0	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			12,5	12,5			8,2	8,2	9,2	9,2	10,1	10,1	10,9	7,2
32,0			12,0	11,2			7,7	7,7	8,6	8,6	9,4	9,4	10,2	6,7
34,0				10,1					8,1	8,1	8,9	8,9	9,6	6,3
36,0				9,0					7,7	7,7	8,5	8,5	9,1	6,0
38,0				8,1							8,0	8,0	8,5	
40,0				7,3							7,7	7,7	7,7	
42,0				6,6							7,5	7,5	6,9	
44,0													6,3	
46,0													5,7	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,2	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,8	5,1	5,4	5,9	3,6	5,8	6,1	2,0	4,9
42,0		5,9	5,9	6,2	6,2	6,6	4,3	5,1	5,6	3,4	5,4	5,8	1,8	4,6
44,0				6,0	6,0	6,3	3,7	4,9	5,3	3,0	5,1	5,5	1,6	4,3
46,0				5,8	5,8	5,8	3,0	4,7	5,1	2,4	4,9	5,2		4,0
48,0						5,3			4,9	2,0	4,6	4,9		3,8
50,0						4,8			4,7	1,5	4,4	4,4		3,5
52,0											4,2	4,0		3,3
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,4													
48,0	4,1													
50,0	3,9													
52,0	3,7													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0						2,4	3,2	3,9	2,7	3,6	3,1	3,5	3,1	2,7
56,0									2,3	3,2	2,7	3,2	2,8	2,5
58,0									2,0	2,8	2,3	2,9	2,4	2,3
60,0									1,7	2,5	2,0	2,6	2,1	2,0
62,0											1,7	2,3	1,8	1,7
64,0												2,0		
66,0														
68,0														
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												3,2		
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											3,9	3,6		3,1
56,0												3,2		2,9
58,0												2,8		2,8
60,0												2,5		
62,0														
64,0														
66,0														
68,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	52.0 t	8.89 x 8.30 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0023< T210.00052

m	66,7	71,2	72,0
54,0	3,5		
56,0	3,2		
58,0	2,9		
60,0	2,6		
62,0	2,3		
64,0	2,0		
66,0			
68,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	52.0 t	8.89 x 8.30 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,6	115,5	101,5	79,0	64,9	85,2	86,9	77,1	68,4	46,2				
3,5	125,0	107,4	102,3	79,7	61,1	80,2	81,9	77,3	64,9	43,1			66,5	
4,0	115,4	100,2	101,4	80,3	57,5	75,8	77,5	76,2	62,0	40,7	59,6	61,6	63,4	64,2
4,5	106,7	94,0	95,1	80,7	54,8	71,8	73,4	74,8	59,4	38,4	56,9	58,8	60,6	61,6
5,0	99,2	88,6	89,7	81,1	52,2	68,3	69,9	71,3	56,8	36,2	54,3	56,2	58,1	59,3
6,0	86,6	79,3	80,3	81,1	47,2	62,0	63,5	65,0	52,3	32,5	49,8	51,7	53,5	54,9
7,0	76,7	71,8	72,8	73,6	43,7	56,8	58,3	59,7	48,7	29,7	45,9	47,8	49,6	51,0
8,0	68,6	65,7	66,6	67,0	40,4	52,4	53,9	55,2	45,2	27,0	42,6	44,4	46,2	47,5
9,0	61,9	60,6	61,6	60,4	37,3	48,5	50,0	51,3	42,0	25,0	39,7	41,5	43,2	43,9
10,0	55,6	55,8	56,4	55,7	35,1	45,3	46,7	47,8	39,0	23,2	37,1	38,9	40,6	40,3
11,0		50,1	50,6	51,0	32,8	42,4	43,8	43,8	36,0	21,4	34,8	36,6	38,2	37,5
12,0		45,2	45,8	46,3	31,2	39,9	41,3	40,8	33,6	20,0	32,7	34,5	36,1	35,1
13,0		41,2	41,7	42,2	29,6	37,8	39,2	38,3	31,6	18,8	30,9	32,7	34,3	32,8
14,0		37,7	38,2	38,7	28,4	35,9	37,2	35,8	29,6	17,7	29,3	31,0	32,6	30,5
15,0		34,7	35,2	35,7	27,6	34,2	35,4	33,7	27,8	16,7	27,8	29,5	31,1	28,8
16,0						31,8	32,7	31,9	26,4	15,9	26,5	28,2	29,8	27,3
18,0						27,4	28,3	28,7	23,8	14,4	24,3	26,0	27,6	24,4
20,0											22,6	24,2	25,4	22,2
22,0											20,3	21,4	22,5	20,2
24,0											17,9	19,1	20,1	18,8
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	13	11	9	7	9	10	8	8	5	7	7	7	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	46,1	44,5	48,1	49,9	29,7							
6,0	34,0	34,3	42,6	41,1	44,7	46,4	27,0	37,5	35,8	39,5	39,8	36,5	27,1	
7,0	30,7	30,8	39,6	38,1	41,6	43,3	24,9	35,1	33,4	37,1	37,3	33,8	25,2	30,1
8,0	28,3	28,4	37,0	35,5	39,0	40,6	22,9	32,9	31,3	34,9	34,7	31,7	23,6	28,3
9,0	26,2	26,2	34,6	33,1	36,6	38,2	21,1	31,0	29,4	33,0	32,1	29,7	22,1	26,7
10,0	24,1	24,0	32,6	31,0	34,5	36,1	19,8	29,3	27,6	31,2	29,6	27,8	20,6	25,2
11,0	22,5	22,4	30,7	29,2	32,6	34,2	18,5	27,7	26,1	29,7	27,7	26,2	19,5	23,9
12,0	21,2	21,0	29,0	27,5	30,9	32,5	17,2	26,3	24,6	28,2	26,0	24,9	18,5	22,7
13,0	19,8	19,6	27,4	25,9	29,3	30,9	16,2	25,0	23,3	26,9	24,3	23,6	17,5	21,6
14,0	18,5	18,2	26,0	24,6	27,9	29,5	15,4	23,8	22,1	25,7	22,7	22,3	16,4	20,5
15,0	17,5	17,2	24,8	23,3	26,6	28,2	14,6	22,6	21,1	24,5	21,4	21,3	15,6	19,5
16,0	16,6	16,3	23,6	22,1	25,4	27,0	13,8	21,6	20,0	23,5	20,3	20,4	15,0	18,7
18,0	14,9	14,6	21,6	20,1	23,4	24,9	12,3	19,8	18,2	21,7	18,2	18,7	13,6	17,0
20,0	13,7	13,3	19,9	18,4	21,7	23,2	11,2	18,3	16,7	20,1	16,3	17,1	12,4	15,6
22,0	12,6	12,2	18,5	17,0	20,3	21,8	10,1	17,0	15,4	18,8	14,9	15,9	11,3	14,4
24,0	11,8	11,5	17,4	16,0	19,2	20,6	9,3	15,8	14,3	17,6	13,6	14,8	10,3	13,4
26,0			16,4	15,2	17,6	18,7	8,6	14,9	13,3	16,7	12,5	13,9	9,5	12,4
28,0			14,6	13,6	15,9	16,9	8,0	14,2	12,6	15,9	11,6	13,1	8,8	11,7
30,0								13,6	12,1	14,9	10,8	12,5	8,2	11,0
32,0								12,5	11,4	13,7	10,0	12,0	7,7	10,4
34,0														10,0
36,0														9,6
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	5	5	5	6	4	4	4	4	5	4	3	3
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T --	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	31,7	25,5	22,8											
8,0	29,9	23,9	21,2	25,9	27,5	27,0	24,3	21,0						
9,0	28,3	22,6	19,8	24,6	26,1	25,6	23,0	19,8	21,7	22,6	23,3	23,1	19,5	18,6
10,0	26,9	21,4	18,7	23,3	24,9	24,3	21,8	18,7	20,7	21,5	22,2	22,0	18,6	17,7
11,0	25,5	20,2	17,5	22,2	23,7	23,2	20,9	17,7	19,7	20,5	21,2	21,0	17,7	16,9
12,0	24,3	19,1	16,4	21,1	22,6	22,1	19,9	16,8	18,7	19,6	20,3	20,2	16,9	16,1
13,0	23,2	18,2	15,5	20,1	21,6	21,1	18,9	15,9	17,9	18,7	19,4	19,3	16,1	15,4
14,0	22,1	17,4	14,7	19,2	20,7	20,2	18,0	15,0	17,1	17,9	18,6	18,5	15,4	14,7
15,0	21,1	16,6	13,9	18,4	19,9	19,4	17,3	14,4	16,3	17,2	17,8	17,8	14,7	14,0
16,0	20,2	15,8	13,2	17,6	19,1	18,6	16,6	13,8	15,6	16,5	17,1	17,1	14,1	13,4
18,0	18,6	14,6	11,9	16,1	17,6	17,1	15,3	12,6	14,3	15,2	15,8	15,9	13,1	12,3
20,0	17,2	13,5	10,9	14,9	16,4	15,8	14,2	11,5	13,2	14,0	14,3	14,8	12,1	11,2
22,0	16,0	12,4	9,8	13,8	15,2	14,7	13,3	10,7	12,2	13,0	13,0	13,8	11,2	10,2
24,0	14,9	11,5	9,0	12,8	14,2	13,5	12,4	9,8	11,3	12,1	12,1	13,1	10,5	9,5
26,0	14,0	10,7	8,3	11,9	13,4	12,3	11,5	9,0	10,5	11,3	11,1	12,3	9,7	8,7
28,0	13,2	9,8	7,7	11,1	12,6	11,4	10,8	8,4	9,8	10,6	10,1	11,5	9,0	8,0
30,0	12,5	9,2	7,2	10,5	11,9	10,5	10,1	7,9	9,1	9,9	9,3	10,9	8,4	7,4
32,0	12,0	8,6	6,7	9,9	11,3	9,7	9,4	7,4	8,5	9,3	8,7	10,2	8,0	7,0
34,0	11,6	8,1	6,3	9,4	10,8	9,0	8,9	7,0	8,0	8,8	8,0	9,6	7,5	6,5
36,0	10,9	7,7	6,0	8,9	10,4	8,4	8,5	6,6	7,6	8,4	7,4	9,1	7,1	6,1
38,0				8,6	10,1	7,8	8,0	6,3	7,2	8,0	7,0	8,7	6,8	5,8
40,0				8,4	9,5	7,3	7,7	6,0	6,8	7,6	6,6	8,3	6,5	5,4
42,0				7,6	8,7	7,0	7,5	5,9	6,6	7,4	6,2	7,9	6,2	5,1
44,0									6,5	7,2	5,9	7,6	6,0	4,9
46,0									6,3	6,8	5,6	7,4	5,8	4,7
48,0														
50,0														
52,0														
*** n ***	4	3	3	3	3	3	3	3	3	3	3	3	2	2

%														
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	18,8	19,7	19,5	18,5	17,3									
11,0	17,9	18,8	18,7	17,7	16,6	16,6	17,6	15,8						
12,0	17,1	18,0	17,9	16,9	15,9	15,9	16,8	15,2	14,8	14,6				
13,0	16,3	17,2	17,1	16,2	15,2	15,2	16,1	14,7	14,2	14,2	13,2	12,1		
14,0	15,6	16,5	16,5	15,6	14,7	14,5	15,5	14,1	13,6	13,7	12,9	11,8	11,0	
15,0	14,9	15,8	15,8	15,0	14,1	13,9	14,9	13,7	13,1	13,3	12,4	11,5	10,8	10,6
16,0	14,3	15,2	15,2	14,4	13,6	13,4	14,3	13,2	12,6	12,9	11,9	11,2	10,5	10,4
18,0	13,1	14,0	14,0	13,3	12,5	12,3	13,3	12,3	11,6	12,2	11,1	10,5	9,9	9,8
20,0	12,1	13,0	12,9	12,5	11,5	11,4	12,3	11,5	10,7	11,5	10,3	9,9	9,4	9,3
22,0	11,2	12,0	12,0	11,6	10,6	10,5	11,5	10,7	10,0	10,8	9,6	9,2	8,9	8,7
24,0	10,4	11,2	11,0	10,9	9,8	9,8	10,7	10,0	9,3	10,1	8,9	8,6	8,4	8,2
26,0	9,6	10,5	10,2	10,2	9,2	9,1	10,0	9,2	8,6	9,5	8,3	8,1	7,8	7,6
28,0	8,9	9,8	9,4	9,6	8,5	8,4	9,4	8,6	8,0	8,8	7,7	7,6	7,3	7,1
30,0	8,3	9,2	8,6	9,0	7,9	7,9	8,8	8,1	7,5	8,3	7,2	7,1	6,8	6,6
32,0	7,8	8,6	7,9	8,4	7,4	7,3	8,3	7,5	7,0	7,8	6,8	6,6	6,4	6,2
34,0	7,3	8,1	7,4	8,0	7,0	6,8	7,8	7,0	6,5	7,3	6,3	6,3	5,9	5,7
36,0	6,8	7,6	7,0	7,6	6,6	6,4	7,3	6,5	6,1	6,9	5,9	5,9	5,6	5,3
38,0	6,4	7,2	6,5	7,2	6,2	6,0	6,9	6,1	5,7	6,5	5,6	5,5	5,2	5,0
40,0	6,0	6,9	6,1	6,8	5,9	5,6	6,6	5,8	5,4	6,1	5,2	5,2	4,9	4,7
42,0	5,7	6,6	5,7	6,6	5,6	5,3	6,2	5,4	5,0	5,8	4,9	4,9	4,6	4,3
44,0	5,5	6,3	5,4	6,3	5,3	5,0	5,8	5,1	4,7	5,5	4,6	4,6	4,3	4,0
46,0	5,3	6,1	5,1	6,1	5,1	4,8	5,6	4,9	4,5	5,2	4,3	4,4	4,0	3,7
48,0	5,2	5,9	4,9	5,9	4,9	4,5	5,3	4,6	4,2	5,0	4,1	4,1	3,8	3,5
50,0	5,2	5,6	4,6	5,8	4,7	4,4	5,1	4,4	4,0	4,7	3,9	3,9	3,6	3,2
52,0						4,3	4,8	4,2	3,8	4,5	3,7	3,7	3,4	3,0
*** n ***	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	66,8	48,3	49,3	42,8	45,0	37,5	40,7
9,0	61,9	46,5	47,1	39,2	42,7	34,8	14,6	61,9	48,3	49,3	42,5	45,0	37,0	39,3
10,0	55,6	46,5	47,1	39,1	42,7	34,4	13,9	55,6	48,3	49,3	42,4	45,0	36,5	38,5
11,0		46,5	47,1	39,1	42,4	34,0	13,2		48,3	49,3	42,4	43,8	36,1	36,6
12,0		45,2	45,2	39,1	39,9	32,7	12,6		45,8	45,8	41,3	41,3	34,5	34,5
13,0		41,2	41,2	37,8	37,8	30,9	12,0		41,7	41,7	39,2	39,2	32,7	32,7
14,0		37,7	37,7	35,9	35,9	29,3	11,5		38,2	38,2	37,2	37,2	31,0	31,0
15,0		34,7	34,7	34,2	34,2	27,8	11,0		35,2	35,2	35,4	35,4	29,5	29,5
16,0				31,8	31,8	26,5	10,6				32,7	32,7	28,2	28,2
18,0				27,4	27,4	24,3	8,7				28,3	28,3	26,0	26,0
20,0						22,6	8,2						24,2	24,2
22,0						20,3	7,8						21,4	21,4
24,0						17,9	7,5						19,1	19,1
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	7	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	68,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,6	32,9	14,7	68,6
9,0	33,6	14,1	61,9	51,1	52,5	44,4	47,1	39,0	42,7	35,8	36,6	31,0	13,8	61,9
10,0	32,4	13,3	55,6	51,1	52,5	44,2	46,8	38,5	40,6	34,4	34,5	29,3	13,0	55,6
11,0	30,7	12,6		50,6	51,0	43,8	43,8	37,9	38,2	32,6	32,6	27,7	12,3	
12,0	29,0	12,0		46,3	46,3	40,8	40,8	36,1	36,1	30,9	30,9	26,3	11,7	
13,0	27,4	11,4		42,2	42,2	38,3	38,3	34,3	34,3	29,3	29,3	25,0	11,1	
14,0	26,0	10,8		38,7	38,7	35,8	35,8	32,6	32,6	27,9	27,9	23,8	10,3	
15,0	24,8	9,6		35,7	35,7	33,7	33,7	31,1	31,1	26,6	26,6	22,6	8,9	
16,0	23,6	8,7				31,9	31,9	29,8	29,8	25,4	25,4	21,6	8,4	
18,0	21,6	8,0				28,7	28,7	27,6	27,6	23,4	23,4	19,8	7,7	
20,0	19,9	7,4						25,4	25,4	21,7	21,7	18,3	7,1	
22,0	18,5	6,9						22,5	22,5	20,3	20,3	17,0	6,5	
24,0	17,4	6,5						20,1	20,1	19,2	19,2	15,8	6,1	
26,0	16,4	6,1								17,6	17,6	14,9	5,6	
28,0	14,6	5,8								15,9	15,9	14,2	5,3	
30,0		5,7										13,6	5,0	
32,0		4,2										12,5	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	7	6	6	5	5	5	5	4	5	4	2	7

%	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	39,5				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	42,8	36,7	37,1	31,7			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	40,6	34,9	34,9	29,9	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	38,2	33,0	33,0	28,3	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	36,1	36,1	31,2	31,2	26,9	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	34,2	34,2	29,7	29,7	25,5	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	32,5	32,5	28,2	28,2	24,3	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	30,9	30,9	26,9	26,9	23,2	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	29,5	29,5	25,7	25,7	22,1	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	28,2	28,2	24,5	24,5	21,1	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	27,0	27,0	23,5	23,5	20,2	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	24,9	24,9	21,7	21,7	18,6	7,7	7,2	12,4
20,0					22,2	22,2	23,2	23,2	20,1	20,1	17,2	7,0	6,5	11,6
22,0					20,2	20,2	21,8	21,8	18,8	18,8	16,0	6,5	5,9	11,0
24,0					18,8	18,8	20,6	20,6	17,6	17,6	14,9	6,0	5,4	9,6
26,0							18,7	18,7	16,7	16,7	14,0	5,5	4,9	9,0
28,0							16,9	16,9	15,9	15,9	13,2	5,1	4,5	8,8
30,0									14,9	14,9	12,5	4,8	4,1	8,6
32,0									13,7	13,7	12,0	4,5	3,7	7,5
34,0											11,6	4,3	3,4	
36,0											10,9	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	27,0							23,8					26,6
9,0	15,1	25,6	22,6		14,8	23,3			22,9					25,0
10,0	14,3	24,3	21,5	12,2	14,0	22,2	19,7		22,2	13,9	19,5			23,2
11,0	13,5	23,2	20,5	11,4	13,3	21,2	18,8	11,4	21,5	13,2	18,7	17,6		21,4
12,0	12,9	22,1	19,6	10,4	12,6	20,3	18,0	10,5	20,8	12,5	17,9	16,8	10,4	20,0
13,0	12,2	21,1	18,7	9,0	12,0	19,4	17,2	8,9	19,1	11,9	17,1	16,1	8,9	18,8
14,0	11,7	20,2	17,9	8,5	11,4	18,6	16,5	8,4	18,2	11,3	16,5	15,5	8,4	17,7
15,0	11,1	19,4	17,2	8,0	10,8	17,8	15,8	8,0	17,2	10,7	15,8	14,9	7,9	16,7
16,0	10,2	18,6	16,5	7,6	10,0	17,1	15,2	7,5	16,3	9,4	15,2	14,3	7,5	15,9
18,0	8,7	17,1	15,2	6,8	8,4	15,8	14,0	6,8	14,6	8,4	14,0	13,3	6,7	14,4
20,0	8,0	15,8	14,0	6,1	7,7	14,3	13,0	6,1	13,3	7,7	12,9	12,3	6,0	
22,0	7,4	14,7	13,0	5,5	7,1	13,0	12,0	5,5	12,2	7,1	12,0	11,5	5,4	
24,0	6,9	13,5	12,1	5,0	6,6	12,1	11,2	4,9	11,5	6,5	11,0	10,7	4,9	
26,0	6,5	12,3	11,3	4,5	6,1	11,1	10,5	4,4		6,0	10,2	10,0	4,4	
28,0	6,0	11,4	10,6	4,0	5,7	10,1	9,8	4,0		5,6	9,4	9,4	3,9	
30,0	5,7	10,5	9,9	3,6	5,3	9,3	9,2	3,6		5,2	8,6	8,8	3,5	
32,0	5,4	9,7	9,3	3,3	4,9	8,7	8,6	3,2		4,8	7,9	8,3	3,1	
34,0	5,1	9,0	8,8	3,0	4,6	8,0	8,1	2,8		4,5	7,4	7,8	2,8	
36,0	4,7	8,4	8,4	2,7	4,4	7,4	7,6	2,5		4,2	7,0	7,3	2,5	
38,0	3,9	7,8	8,0	2,4	4,1	7,0	7,2	2,3		3,9	6,5	6,9	2,2	
40,0	3,0	7,3	7,6	2,1	3,3	6,6	6,9	2,0		3,7	6,1	6,6	2,0	
42,0	2,1	7,0	7,4	1,5	2,7	6,2	6,6	1,8		3,2	5,7	6,2	1,7	
44,0			7,2		2,0	5,9	6,3			2,6	5,4	5,8		
46,0			6,8			5,6	6,1			2,0	5,1	5,6		
48,0							5,9				4,9	5,3		
50,0							5,6				4,6	5,1		
52,0												4,8		
*** n ***	2	3	3	2	2	3	2	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	27,5	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	26,1	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	24,9	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	23,7	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	22,6	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	21,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	20,7	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	19,9	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	19,1	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	17,6	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	16,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	15,2	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	14,2	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	13,4	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			13,1	12,6	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			12,5	11,9			8,2	8,2	9,2	9,2	10,1	10,1	10,9	7,2
32,0			12,0	11,3			7,7	7,7	8,6	8,6	9,4	9,4	10,2	6,7
34,0				10,8					8,1	8,1	8,9	8,9	9,6	6,3
36,0				10,4					7,7	7,7	8,5	8,5	9,1	6,0
38,0				10,1							8,0	8,0	8,7	
40,0				9,5							7,7	7,7	8,3	
42,0				8,7							7,5	7,5	7,9	
44,0													7,6	
46,0													7,4	
48,0														
50,0														
52,0														
*** n ***	5	5	4	3	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,2	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,8	5,1	5,4	5,9	3,6	5,8	6,1	2,0	4,9
42,0		5,9	5,9	6,2	6,2	6,6	4,3	5,1	5,6	3,4	5,4	5,8	1,8	4,6
44,0				6,0	6,0	6,3	3,7	4,9	5,3	3,0	5,1	5,5	1,6	4,3
46,0				5,8	5,8	6,1	3,0	4,7	5,1	2,4	4,9	5,2		4,0
48,0						5,9			4,9	2,0	4,6	5,0		3,8
50,0						5,8			4,7	1,5	4,4	4,7		3,5
52,0											4,2	4,5		3,3
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,4													
48,0	4,1													
50,0	3,9													
52,0	3,7													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0						4,3	4,7	4,0	3,7	4,3	3,5	3,5	3,2	2,7
56,0									3,6	4,2	3,4	3,3	3,0	2,5
58,0									3,6	4,0	3,2	3,1	2,9	2,3
60,0									3,3	3,9	3,2	3,0	2,7	2,1
62,0											3,1	2,8	2,6	1,9
64,0											3,1	2,8	2,6	1,8
66,0													2,6	1,6
68,0													2,6	
*** n ***	2	2	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	72.0 t	8.89 x 2.70 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												4,7		
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	2	3	3	2	2	3	2	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											4,0	4,3		3,1
56,0												4,2		2,9
58,0												4,0		2,8
60,0												3,9		
62,0														
64,0														
66,0														
68,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 2.70 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0036< T210.00071

m	66,7	71,2	72,0
54,0	3,5		
56,0	3,3		
58,0	3,1		
60,0	2,9		
62,0	2,8		
64,0	2,7		
66,0			
68,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	72.0 t	8.89 x 2.70 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
7,0	73,3													
8,0	65,3	65,4	65,9	66,3		65,4					64,9			
9,0	58,8	58,8	59,3	59,8	37,3	58,7	59,5	51,7			58,3	59,3		
10,0	53,3	53,3	53,9	54,3	35,1	53,2	54,0	47,8	39,0	23,2	52,8	53,8	51,6	
11,0		48,0	48,6	49,1	32,8	47,8	48,8	43,8	36,0	21,4	47,3	48,5	48,1	37,5
12,0		42,3	43,0	43,6	31,2	42,2	43,3	40,8	33,6	20,0	41,5	42,9	44,3	35,1
13,0		37,4	38,1	38,6	29,6	37,3	38,4	38,3	31,6	18,8	36,7	38,1	39,4	32,8
14,0		33,4	34,0	34,6	28,4	33,2	34,3	35,3	29,6	17,7	32,6	34,0	35,3	30,5
15,0		30,0	30,7	31,2	27,6	29,8	30,9	31,8	27,8	16,7	29,2	30,6	31,8	28,8
16,0						27,0	28,0	29,0	26,4	15,9	26,4	27,7	29,0	27,3
18,0						22,5	23,4	24,3	23,8	14,4	21,8	23,1	24,3	24,4
20,0											18,3	19,6	20,8	21,7
22,0											15,6	16,8	18,0	18,9
24,0											13,5	14,7	15,7	16,7
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	8	8	8	7	4	8	7	6	5	3	8	7	6	5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
7,0														
8,0				54,6										
9,0			58,8	49,9					45,8					
10,0			52,5	46,5	54,2			51,4	42,1					39,0
11,0	22,5	22,4	46,6	43,1	48,7	41,1		45,8	39,2					36,4
12,0	21,2	21,0	41,8	39,7	43,7	38,3		41,3	36,7	41,3	26,0			33,8
13,0	19,8	19,6	37,4	36,1	39,1	36,1	16,2	37,4	34,3	39,0	24,3	23,6		31,9
14,0	18,5	18,2	33,4	32,2	34,9	34,3	15,4	34,1	31,8	35,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	30,0	28,8	31,5	32,5	14,6	30,9	29,3	32,4	21,4	21,3	15,6	28,3
16,0	16,6	16,3	27,1	25,9	28,6	29,8	13,8	28,0	26,7	29,5	20,3	20,4	15,0	26,5
18,0	14,9	14,6	22,5	21,4	24,0	25,2	12,3	23,3	22,1	24,8	18,2	18,7	13,6	22,9
20,0	13,7	13,3	19,0	17,9	20,4	21,6	11,2	19,8	18,5	21,2	16,3	17,1	12,4	19,3
22,0	12,6	12,2	16,2	15,1	17,6	18,7	10,1	17,0	15,7	18,4	14,9	15,9	11,3	16,5
24,0	11,8	11,5	14,0	12,8	15,3	16,4	9,3	14,7	13,5	16,0	13,6	14,8	10,3	14,2
26,0			12,1	10,9	13,5	14,6	8,6	12,8	11,5	14,2	12,5	13,9	9,5	12,3
28,0			10,6	9,2	11,9	13,0	8,0	11,2	9,9	12,6	11,6	13,1	8,8	10,7
30,0								9,8	8,5	11,2	10,8	12,2	8,2	9,3
32,0								8,7	7,3	10,1	10,0	11,1	7,7	8,0
34,0														7,0
36,0														6,1
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	3	3	7	6	6	5	2	6	5	5	3	3	2	4
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
7,0														
8,0														
9,0														
10,0														
11,0				33,5										
12,0	41,0			31,6		24,6			27,1	24,5				
13,0	37,3			29,7	25,6	23,1			25,8	23,4	20,3	19,3		
14,0	34,1	17,4	14,7	27,8	24,4	21,7	18,0		24,5	22,2	19,2	18,5	15,4	
15,0	31,3	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	28,8	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	24,2	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	20,5	13,5	10,9	20,1	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	17,7	12,4	9,8	17,3	18,2	14,7	13,3	10,7	16,5	15,4	13,0	13,8	11,2	10,2
24,0	15,4	11,5	9,0	15,0	16,1	13,5	12,4	9,8	14,8	14,4	12,1	13,1	10,5	9,5
26,0	13,5	10,7	8,3	13,1	14,2	12,3	11,5	9,0	12,9	13,4	11,1	12,3	9,7	8,7
28,0	12,0	9,8	7,7	11,5	12,6	11,4	10,8	8,4	11,3	11,9	10,1	11,5	9,0	8,0
30,0	10,6	9,2	7,2	10,1	11,2	10,5	10,1	7,9	9,9	10,6	9,3	10,9	8,4	7,4
32,0	9,4	8,6	6,7	8,8	10,0	9,6	9,4	7,4	8,6	9,3	8,7	10,2	8,0	7,0
34,0	8,3	8,1	6,3	7,7	9,0	8,6	8,9	7,0	7,6	8,2	8,0	9,3	7,5	6,5
36,0	7,4	7,7	6,0	6,8	8,0	7,6	8,5	6,6	6,6	7,3	7,4	8,4	7,1	6,1
38,0				6,0	7,2	6,8	8,0	6,3	5,8	6,4	7,0	7,6	6,8	5,8
40,0				5,2	6,5	6,0	7,4	6,0	5,0	5,7	6,2	6,8	6,5	5,4
42,0				4,6	5,8	5,4	6,8	5,9	4,4	5,0	5,6	6,1	6,2	5,1
44,0									3,8	4,4	5,0	5,5	6,0	4,9
46,0									3,3	3,9	4,5	5,0	5,7	4,7
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	5	2	2	4	3	3	2	2	3	3	2	2	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	22,3	20,0				18,5								
14,0	21,4	19,2		15,6		18,0	16,1		15,2					
15,0	20,5	18,4	15,8	15,0		17,4	15,6	13,7	14,8	13,3	12,6			
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	12,6	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	11,4	10,9	9,4	9,6	8,5	10,8	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	10,0	10,0	8,6	9,0	7,9	10,0	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	8,8	9,3	7,9	8,4	7,4	9,0	8,5	7,5	8,5	7,8	7,8	6,6	6,6	6,2
34,0	7,7	8,5	7,4	8,0	7,0	8,0	7,9	7,0	8,0	7,3	7,4	6,3	6,2	5,7
36,0	6,7	7,5	7,0	7,6	6,6	7,1	7,3	6,5	7,2	6,9	7,0	5,9	5,9	5,3
38,0	5,9	6,6	6,5	7,2	6,2	6,2	6,9	6,1	6,5	6,5	6,6	5,5	5,6	5,0
40,0	5,1	5,9	6,1	6,8	5,9	5,4	6,3	5,8	5,8	6,1	6,0	5,2	5,3	4,7
42,0	4,5	5,2	5,7	6,3	5,6	4,8	5,6	5,4	5,1	5,8	5,4	4,9	5,0	4,3
44,0	3,9	4,6	5,3	5,7	5,3	4,2	5,0	5,1	4,5	5,3	4,8	4,6	4,7	4,0
46,0	3,3	4,1	4,8	5,1	5,1	3,6	4,4	4,9	3,9	4,8	4,3	4,4	4,3	3,7
48,0	2,8	3,6	4,3	4,6	4,9	3,1	3,9	4,6	3,4	4,3	3,8	4,1	3,8	3,5
50,0	2,4	3,1	3,8	4,2	4,6	2,6	3,5	4,2	3,0	3,8	3,3	3,8	3,4	3,2
52,0						2,2	3,0	3,8	2,5	3,4	2,9	3,5	3,0	2,9
54,0						1,8	2,7	3,4	2,1	3,0	2,5	3,1	2,6	2,5
56,0									1,8	2,7	2,2	2,7	2,2	2,2
58,0										2,3	1,8	2,4	1,9	1,8
60,0										2,1	1,5	2,1	1,6	1,5
62,0												1,8		
64,0												1,6		
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
7,0	60,9							62,7						
8,0	64,6		48,6		42,7			65,3		52,0				
9,0	58,8		51,0		42,7			58,8		53,1		45,1		39,3
10,0	53,3	48,7	52,2	39,1	42,7	34,4		53,3	51,7	53,9	42,4	45,3		39,2
11,0		48,0	48,0	39,1	42,7	34,0	13,2		48,6	48,6	42,4	45,7	36,1	39,1
12,0		42,3	42,3	39,1	41,6	33,7	12,6		43,0	43,0	42,2	43,3	35,7	39,0
13,0		37,4	37,4	37,3	37,3	33,4	12,0		38,1	38,1	38,4	38,4	35,5	38,1
14,0		33,4	33,4	33,2	33,2	32,3	11,5		34,0	34,0	34,3	34,3	33,9	34,0
15,0		30,0	30,0	29,8	29,8	29,2	11,0		30,7	30,7	30,9	30,9	30,6	30,6
16,0				27,0	27,0	26,4	10,6				28,0	28,0	27,7	27,7
18,0				22,5	22,5	21,8	8,7				23,4	23,4	23,1	23,1
20,0						18,3	8,2						19,6	19,6
22,0						15,6	7,8						16,8	16,8
24,0						13,5	7,5						14,7	14,7
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	7	5	6	4	5	4	2	7	6	6	5	5	4	4
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
7,0			64,3											65,7
8,0			65,3		53,9									65,3
9,0			58,8		55,0		47,2							58,8
10,0	33,0		53,3	53,0	54,3		46,9		42,9		38,0			53,3
11,0	32,4			49,1	49,1	43,8	43,8		42,8		37,7			
12,0	31,9	12,0		43,6	43,6	40,8	40,8	37,8	42,7	34,1	37,4	31,0		
13,0	31,4	11,4		38,6	38,6	38,3	38,3	37,4	39,4	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		34,6	34,6	35,3	35,3	35,3	35,3	33,2	34,8	28,6	10,3	
15,0	29,6	9,6		31,2	31,2	31,8	31,8	31,8	31,8	31,3	31,5	28,2	8,9	
16,0	27,1	8,7				29,0	29,0	29,0	29,0	28,6	28,6	27,3	8,4	
18,0	22,5	8,0				24,3	24,3	24,3	24,3	24,0	24,0	23,3	7,7	
20,0	19,0	7,4						20,8	20,8	20,4	20,4	19,8	7,1	
22,0	16,2	6,9						18,0	18,0	17,6	17,6	17,0	6,5	
24,0	14,0	6,5						15,7	15,7	15,3	15,3	14,7	6,1	
26,0	12,1	6,1								13,5	13,5	12,8	5,6	
28,0	10,6	5,8								11,9	11,9	11,2	5,3	
30,0		5,7										9,8	5,0	
32,0		4,2										8,7	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	4	2	7	6	6	5	5	4	5	4	4	4	2	7
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
7,0														
8,0														
9,0		37,3												
10,0	35,1	35,1		39,0										
11,0	32,8	32,8	36,0	36,0		37,5		40,6						
12,0	31,2	31,2	33,6	33,6	35,1	35,1		38,3		36,5				
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2				
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,0	28,0			
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,5	32,5	31,3	32,4	27,5	8,8		13,7
16,0			26,4	26,4	27,3	27,3	29,8	29,8	29,5	29,5	27,0	8,4		13,2
18,0			23,8	23,8	24,4	24,4	25,2	25,2	24,8	24,8	24,2	7,7		12,4
20,0					21,7	21,7	21,6	21,6	21,2	21,2	20,5	7,0	6,5	11,6
22,0					18,9	18,9	18,7	18,7	18,4	18,4	17,7	6,5	5,9	11,0
24,0					16,7	16,7	16,4	16,4	16,0	16,0	15,4	6,0	5,4	9,6
26,0							14,6	14,6	14,2	14,2	13,5	5,5	4,9	9,0
28,0							13,0	13,0	12,6	12,6	12,0	5,1	4,5	8,8
30,0									11,2	11,2	10,6	4,8	4,1	8,6
32,0									10,1	10,1	9,4	4,5	3,7	7,5
34,0											8,3	4,3	3,4	
36,0											7,4	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	4	4	4	5	4	5	4	5	4	4	3	1	1	2
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
7,0														
8,0														
9,0														
10,0														
11,0														
12,0		24,6												20,0
13,0		23,1				20,3								18,8
14,0		21,7	22,2			19,2	19,2		18,2					17,7
15,0	11,1	20,7	21,1	8,0		18,2	18,4		17,2		15,8			16,7
16,0	10,2	19,6	20,0	7,6		17,3	17,5	7,5	16,3		15,2	15,1		15,9
18,0	8,7	17,6	18,4	6,8		15,8	16,0	6,8	14,6		14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1		14,3	14,8	6,1	13,3		12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5		13,0	13,6	5,5	12,2		12,0	12,1	5,4	
24,0	6,9	13,5	14,4	5,0		12,1	12,5	4,9	11,5		11,0	11,2	4,9	
26,0	6,5	12,3	13,4	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,4	11,9	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,5	10,6	3,6	5,3	9,3	10,0	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	9,6	9,3	3,3	4,9	8,7	9,3	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	8,6	8,2	3,0	4,6	8,0	8,5	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	7,6	7,3	2,7	4,4	7,4	7,5	2,5		4,2	7,0	7,3	2,5	
38,0	3,9	6,8	6,4	2,4	4,1	7,0	6,6	2,3		3,9	6,5	6,9	2,2	
40,0	3,0	6,0	5,7	2,1	3,3	6,2	5,9	2,0		3,7	6,1	6,3	2,0	
42,0	2,1	5,4	5,0	1,5	2,7	5,6	5,2	1,8		3,2	5,7	5,6	1,7	
44,0			4,4		2,0	5,0	4,6			2,6	5,3	5,0		
46,0			3,9			4,5	4,1			2,0	4,8	4,4		
48,0							3,6				4,3	3,9		
50,0							3,1				3,8	3,5		
52,0												3,0		
54,0												2,7		
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	2	3	3	1	1	2	2	1	2	1	2	2	1	2
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
7,0														
8,0														
9,0														
10,0	23,2													
11,0	21,4													
12,0	20,0	21,2												
13,0	18,8	19,8				16,2								
14,0	17,7	18,5				15,4		16,4		17,4		18,0		
15,0	16,7	17,5			14,6	14,6	15,6	15,6		16,6		17,3	17,8	
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	18,2	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	16,1	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	14,2	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			13,1	12,6	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			12,2	11,2			8,2	8,2	9,2	9,2	10,1	10,1	10,9	7,2
32,0			11,1	10,0			7,7	7,7	8,6	8,6	9,4	9,4	10,2	6,7
34,0				9,0					8,1	8,1	8,9	8,9	9,3	6,3
36,0				8,0					7,7	7,7	8,5	8,5	8,4	6,0
38,0				7,2							8,0	8,0	7,6	
40,0				6,5							7,4	7,4	6,8	
42,0				5,8							6,8	6,8	6,1	
44,0													5,5	
46,0													5,0	
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
*** n ***	3	3	2	3	2	2	2	2	2	2	2	2	2	2
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0	14,7				15,4									
15,0	13,9		14,4		14,7			14,0			13,7			
16,0	13,2	13,8	13,8	14,1	14,1	14,4		13,4	13,6		13,2	12,9		11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,2	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,8	5,1	5,4	5,9	3,6	5,8	6,1	2,0	4,9
42,0		5,9	5,9	6,2	6,2	6,3	4,3	5,1	5,6	3,4	5,4	5,8	1,8	4,6
44,0				6,0	6,0	5,7	3,7	4,9	5,3	3,0	5,1	5,3	1,6	4,3
46,0				5,7	5,7	5,1	3,0	4,7	5,1	2,4	4,9	4,8		4,0
48,0						4,6			4,9	2,0	4,6	4,3		3,8
50,0						4,2			4,6	1,5	4,2	3,8		3,5
52,0											3,8	3,4		3,3
54,0											3,4	3,0		3,1
56,0												2,7		2,9
58,0												2,3		2,7
60,0												2,1		
62,0														
64,0														
*** n ***	2	2	2	2	2	2	2	2	2	1	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0008< T210.00021

m	66,7	71,2	72,0											
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,4													
48,0	4,1													
50,0	3,8													
52,0	3,5													
54,0	3,1													
56,0	2,7													
58,0	2,4													
60,0	2,1													
62,0	1,8													
64,0	1,6													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	128,0	125,8	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	119,6	119,6	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	112,2	112,2	101,0	81,1	52,2	112,0	93,7	73,4	56,8	36,2	108,2	99,8	76,9	59,3
6,0	99,5	99,5	98,2	81,3	47,2	99,3	87,2	68,8	52,3	32,5	96,9	90,9	71,6	55,4
7,0	89,2	89,2	89,7	74,5	43,7	89,1	79,0	62,2	48,7	29,7	87,3	82,0	66,4	51,6
8,0	80,6	80,7	80,6	67,0	40,4	80,4	71,3	56,1	45,2	27,0	79,4	75,5	61,3	47,7
9,0	71,5	71,7	72,2	60,4	37,3	71,6	65,7	51,7	42,0	25,0	71,2	69,3	56,3	43,9
10,0	63,9	64,1	64,6	55,7	35,1	64,0	60,7	47,8	39,0	23,2	63,6	63,5	51,6	40,3
11,0		57,8	58,4	51,0	32,8	57,7	55,7	43,8	36,0	21,4	57,2	58,2	48,1	37,5
12,0		52,6	53,1	47,5	31,2	52,4	51,9	40,8	33,6	20,0	51,9	53,0	45,0	35,1
13,0		48,1	48,6	44,2	29,6	48,0	48,6	38,3	31,6	18,8	47,5	48,6	41,9	32,8
14,0		44,2	44,8	41,4	28,4	44,1	44,9	35,8	29,6	17,7	43,6	44,7	39,0	30,5
15,0		39,0	39,6	38,9	27,6	40,7	41,6	33,7	27,8	16,7	40,2	41,3	36,8	28,8
16,0						37,8	38,6	31,9	26,4	15,9	37,3	38,4	34,8	27,3
18,0						32,9	33,7	28,7	23,8	14,4	32,2	33,4	31,0	24,4
20,0											27,3	28,6	28,3	22,2
22,0											23,5	24,7	25,8	20,2
24,0											19,6	20,7	21,8	18,8
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	82,9	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	77,9	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	71,4	49,9	60,3	46,9	21,1	62,5	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	64,2	46,5	56,5	44,0	19,8	58,6	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	57,9	43,1	52,7	41,1	18,5	55,2	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	52,6	39,8	49,1	38,3	17,2	52,3	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	48,1	37,3	46,1	36,1	16,2	48,6	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	44,2	35,2	43,6	34,3	15,4	44,9	31,8	36,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	40,8	33,0	41,1	32,5	14,6	41,5	30,0	35,0	21,4	21,3	15,6	28,3
16,0	16,6	16,3	37,8	30,9	38,6	30,7	13,8	38,5	28,5	33,5	20,3	20,4	15,0	26,5
18,0	14,9	14,6	32,8	27,5	34,1	27,7	12,3	33,5	25,5	30,7	18,2	18,7	13,6	23,9
20,0	13,7	13,3	28,0	24,8	29,5	25,4	11,2	28,8	22,6	27,9	16,3	17,1	12,4	21,6
22,0	12,6	12,2	24,1	22,3	25,5	23,2	10,1	24,9	20,6	26,0	14,9	15,9	11,3	19,4
24,0	11,8	11,5	21,0	19,8	22,4	21,4	9,3	21,7	18,7	23,2	13,6	14,8	10,3	17,6
26,0			18,5	17,3	19,8	19,8	8,6	19,1	17,1	20,5	12,5	13,9	9,5	16,2
28,0			16,4	15,2	17,7	18,4	8,0	17,0	15,8	18,4	11,6	13,1	8,8	14,8
30,0								15,2	14,0	16,5	10,8	12,5	8,2	13,7
32,0								13,7	12,4	15,0	10,0	12,0	7,7	12,7
34,0														11,8
36,0														10,5
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	42,4	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	40,4	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	38,7	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	37,0	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	35,2	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	32,4	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	29,6	13,5	10,9	20,4	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	25,7	12,4	9,8	18,7	18,2	14,7	13,3	10,7	16,5	15,4	13,0	13,8	11,2	10,2
24,0	22,5	11,5	9,0	17,0	17,0	13,5	12,4	9,8	15,3	14,4	12,1	13,1	10,5	9,5
26,0	19,9	10,7	8,3	15,4	15,9	12,3	11,5	9,0	14,1	13,4	11,1	12,3	9,7	8,7
28,0	17,7	9,8	7,7	14,3	15,2	11,4	10,8	8,4	12,9	12,3	10,1	11,5	9,0	8,0
30,0	15,9	9,2	7,2	13,3	14,4	10,5	10,1	7,9	11,8	11,5	9,3	10,9	8,4	7,4
32,0	14,3	8,6	6,7	12,2	13,7	9,7	9,4	7,4	11,0	10,7	8,7	10,2	8,0	7,0
34,0	13,0	8,1	6,3	11,4	13,1	9,0	8,9	7,0	10,1	10,0	8,0	9,6	7,5	6,5
36,0	11,8	7,7	6,0	10,5	12,4	8,4	8,5	6,6	9,3	9,3	7,4	9,1	7,1	6,1
38,0				9,8	11,3	7,8	8,0	6,3	8,7	8,8	7,0	8,7	6,8	5,8
40,0				9,2	10,4	7,3	7,7	6,0	8,0	8,3	6,6	8,3	6,5	5,4
42,0				7,6	8,8	7,0	7,5	5,9	7,5	7,8	6,2	7,9	6,2	5,1
44,0									7,0	7,4	5,9	7,6	6,0	4,9
46,0									6,6	7,1	5,6	7,4	5,8	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	12,7	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	11,7	10,9	9,4	9,6	8,5	10,8	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	10,8	10,0	8,6	9,0	7,9	10,0	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	9,9	9,3	7,9	8,4	7,4	9,3	8,5	7,5	8,5	7,8	7,8	6,6	6,6	6,2
34,0	9,2	8,7	7,4	8,0	7,0	8,5	7,9	7,0	8,0	7,3	7,4	6,3	6,2	5,7
36,0	8,6	8,2	7,0	7,6	6,6	7,9	7,3	6,5	7,4	6,9	7,0	5,9	5,9	5,3
38,0	7,9	7,6	6,5	7,2	6,2	7,4	7,0	6,1	6,9	6,5	6,6	5,5	5,6	5,0
40,0	7,3	7,2	6,1	6,8	5,9	6,9	6,6	5,8	6,5	6,1	6,2	5,2	5,3	4,7
42,0	6,9	6,8	5,7	6,6	5,6	6,5	6,2	5,4	6,1	5,8	5,9	4,9	5,0	4,3
44,0	6,4	6,4	5,4	6,3	5,3	6,0	5,8	5,1	5,8	5,5	5,6	4,6	4,7	4,0
46,0	6,0	6,1	5,1	6,1	5,1	5,7	5,6	4,9	5,4	5,2	5,3	4,4	4,5	3,7
48,0	5,7	5,9	4,9	5,9	4,9	5,4	5,3	4,6	5,1	5,0	5,0	4,1	4,3	3,5
50,0	5,4	5,6	4,6	5,8	4,7	5,0	5,1	4,4	4,8	4,7	4,7	3,9	4,1	3,2
52,0						4,8	4,8	4,2	4,6	4,5	4,4	3,7	3,8	3,0
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	71,5	46,5	47,1	39,2	42,7	34,8	14,6	71,5	48,3	49,3	42,5	45,0	37,0	39,3
10,0	63,9	46,5	47,1	39,1	42,7	34,4	13,9	63,9	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		46,5	47,1	39,1	42,7	33,7	12,6		48,3	49,3	42,4	45,0	35,7	39,0
13,0		46,5	47,1	39,1	42,7	33,4	12,0		48,2	48,6	42,4	45,0	35,5	39,0
14,0		44,2	44,2	39,1	42,6	33,3	11,5		44,8	44,8	42,4	44,7	35,3	39,0
15,0		39,0	39,0	39,1	40,7	33,2	11,0		39,6	39,6	41,6	41,6	35,2	39,0
16,0				37,8	37,8	33,2	10,6				38,6	38,6	35,2	38,3
18,0				32,9	32,9	32,2	8,7				33,7	33,7	33,4	33,4
20,0						27,3	8,2						28,6	28,6
22,0						23,5	7,8						24,7	24,7
24,0						19,6	7,5						20,7	20,7
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	8	5	5	5	5	4	2	8	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	69,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	71,3
9,0	33,6	14,1	71,5	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	71,5
10,0	33,0	13,3	63,9	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	63,9
11,0	32,4	12,6		50,6	51,0	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		47,5	47,5	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		44,2	44,2	38,3	38,3	37,5	41,9	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		41,4	41,4	35,8	35,8	37,3	39,0	33,2	37,1	28,6	10,3	
15,0	29,6	9,6		38,9	38,9	33,7	33,7	36,8	36,8	32,8	37,0	28,2	8,9	
16,0	29,1	8,7				31,9	31,9	34,8	34,8	32,5	37,0	27,8	8,4	
18,0	28,7	8,0				28,7	28,7	31,0	31,0	32,0	34,1	27,1	7,7	
20,0	27,9	7,4						28,3	28,3	29,5	29,5	26,5	7,1	
22,0	24,1	6,9						25,8	25,8	25,5	25,5	24,9	6,5	
24,0	21,0	6,5						21,8	21,8	22,4	22,4	21,7	6,1	
26,0	18,5	6,1								19,8	19,8	19,1	5,6	
28,0	16,4	5,8								17,7	17,7	17,0	5,3	
30,0		5,7										15,2	5,0	
32,0		4,2										13,7	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,9	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,5	32,5	31,5	34,9	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	30,7	30,7	30,4	33,5	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	27,7	27,7	29,1	30,7	26,1	7,7	7,2	12,4
20,0					22,2	22,2	25,4	25,4	27,9	27,9	25,4	7,0	6,5	11,6
22,0					20,2	20,2	23,2	23,2	26,0	26,0	24,8	6,5	5,9	11,0
24,0					18,8	18,8	21,4	21,4	23,2	23,2	22,5	6,0	5,4	9,6
26,0							19,8	19,8	20,5	20,5	19,9	5,5	4,9	9,0
28,0							18,4	18,4	18,4	18,4	17,7	5,1	4,5	8,8
30,0									16,5	16,5	15,9	4,8	4,1	8,6
32,0									15,0	15,0	14,3	4,5	3,7	7,5
34,0											13,0	4,3	3,4	
36,0											11,8	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,4	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	13,4	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,4	12,3	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,5	11,5	3,6	5,3	9,3	10,0	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	9,7	10,7	3,3	4,9	8,7	9,3	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	9,0	10,0	3,0	4,6	8,0	8,7	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	8,4	9,3	2,7	4,4	7,4	8,2	2,5		4,2	7,0	7,3	2,5	
38,0	3,9	7,8	8,8	2,4	4,1	7,0	7,6	2,3		3,9	6,5	7,0	2,2	
40,0	3,0	7,3	8,3	2,1	3,3	6,6	7,2	2,0		3,7	6,1	6,6	2,0	
42,0	2,1	7,0	7,8	1,5	2,7	6,2	6,8	1,8		3,2	5,7	6,2	1,7	
44,0			7,4		2,0	5,9	6,4			2,6	5,4	5,8		
46,0			7,0			5,6	6,1			2,0	5,1	5,6		
48,0							5,9				4,9	5,3		
50,0							5,6				4,6	5,1		
52,0												4,8		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	18,2	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	17,0	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	15,9	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			13,1	15,2	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			12,5	14,4			8,2	8,2	9,2	9,2	10,1	10,1	10,9	7,2
32,0			12,0	13,7			7,7	7,7	8,6	8,6	9,4	9,4	10,2	6,7
34,0				13,1					8,1	8,1	8,9	8,9	9,6	6,3
36,0				12,4					7,7	7,7	8,5	8,5	9,1	6,0
38,0				11,3							8,0	8,0	8,7	
40,0				10,4							7,7	7,7	8,3	
42,0				8,8							7,5	7,5	7,9	
44,0													7,6	
46,0													7,4	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,2	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,8	5,1	5,4	5,9	3,6	5,8	6,1	2,0	4,9
42,0		5,9	5,9	6,2	6,2	6,6	4,3	5,1	5,6	3,4	5,4	5,8	1,8	4,6
44,0				6,0	6,0	6,3	3,7	4,9	5,3	3,0	5,1	5,5	1,6	4,3
46,0				5,8	5,8	6,1	3,0	4,7	5,1	2,4	4,9	5,2		4,0
48,0						5,9			4,9	2,0	4,6	5,0		3,8
50,0						5,8			4,7	1,5	4,4	4,7		3,5
52,0											4,2	4,5		3,3
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,4													
48,0	4,1													
50,0	3,9													
52,0	3,7													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0						4,5	4,7	4,0	4,3	4,3	4,2	3,5	3,6	2,7
56,0									4,1	4,2	4,0	3,3	3,5	2,5
58,0									3,9	4,0	3,8	3,1	3,3	2,3
60,0									3,3	3,9	3,6	3,0	3,1	2,1
62,0											3,4	2,8	3,0	1,9
64,0											3,3	2,8	2,9	1,8
66,0													2,8	1,6
68,0													2,7	
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	72.0 t	8.89 x 5.50 m	! +/-10°		

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												4,7		
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											4,0	4,3		3,1
56,0												4,2		2,9
58,0												4,0		2,8
60,0												3,9		
62,0														
64,0														
66,0														
68,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 5.50 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0029< T210.00061

m	66,7	71,2	72,0
54,0	3,5		
56,0	3,3		
58,0	3,1		
60,0	2,9		
62,0	2,8		
64,0	2,7		
66,0			
68,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	72.0 t	8.89 x 5.50 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	131,3	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	123,6	123,6	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	115,4	115,3	102,1	80,7	54,8	115,1	96,2	74,8	59,4	38,4	111,4	101,5	78,0	61,6
5,0	107,7	107,8	101,0	81,1	52,2	107,6	93,7	73,4	56,8	36,2	107,2	99,8	76,9	59,3
6,0	94,8	94,9	95,4	81,3	47,2	94,7	87,2	68,8	52,3	32,5	94,4	90,9	71,6	55,4
7,0	84,5	84,6	85,1	74,5	43,7	84,4	79,0	62,2	48,7	29,7	84,0	82,0	66,4	51,6
8,0	75,9	75,9	76,4	67,0	40,4	75,9	71,3	56,1	45,2	27,0	75,4	75,5	61,3	47,7
9,0	68,7	68,8	69,3	60,4	37,3	68,7	65,7	51,7	42,0	25,0	68,3	69,2	56,3	43,9
10,0	62,6	62,7	63,2	55,7	35,1	62,6	60,7	47,8	39,0	23,2	62,1	63,1	51,6	40,3
11,0		57,2	57,7	51,0	32,8	57,1	55,7	43,8	36,0	21,4	56,6	57,7	48,1	37,5
12,0		52,5	53,0	47,5	31,2	52,3	51,9	40,8	33,6	20,0	51,8	52,9	45,0	35,1
13,0		48,0	48,5	44,2	29,6	47,8	48,6	38,3	31,6	18,8	47,3	48,5	41,9	32,8
14,0		44,1	44,7	41,4	28,4	43,9	44,8	35,8	29,6	17,7	43,4	44,6	39,0	30,5
15,0		39,0	39,6	38,9	27,6	40,3	41,2	33,7	27,8	16,7	39,7	40,9	36,8	28,8
16,0						37,1	38,1	31,9	26,4	15,9	36,6	37,8	34,8	27,3
18,0						31,8	32,8	28,7	23,8	14,4	31,2	32,4	31,0	24,4
20,0											26,9	28,1	28,3	22,2
22,0											23,5	24,7	25,7	20,2
24,0											19,6	20,7	21,8	18,8
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	82,9	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	75,9	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	68,7	49,9	60,3	46,9	21,1	62,5	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	62,7	46,5	56,5	44,0	19,8	58,6	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	57,2	43,1	52,7	41,1	18,5	55,2	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	52,4	39,8	49,1	38,3	17,2	52,3	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	48,0	37,3	46,1	36,1	16,2	48,6	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	44,0	35,2	43,6	34,3	15,4	44,8	31,8	36,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	40,4	33,0	41,1	32,5	14,6	41,2	30,0	35,0	21,4	21,3	15,6	28,3
16,0	16,6	16,3	37,2	30,9	38,5	30,7	13,8	38,0	28,5	33,5	20,3	20,4	15,0	26,5
18,0	14,9	14,6	31,9	27,5	33,2	27,7	12,3	32,6	25,5	30,7	18,2	18,7	13,6	23,9
20,0	13,7	13,3	27,5	24,8	28,9	25,4	11,2	28,3	22,6	27,9	16,3	17,1	12,4	21,6
22,0	12,6	12,2	24,1	22,3	25,4	23,2	10,1	24,8	20,6	25,9	14,9	15,9	11,3	19,4
24,0	11,8	11,5	21,0	19,9	22,4	21,4	9,3	21,7	18,7	23,2	13,6	14,8	10,3	17,6
26,0			18,5	17,3	19,8	19,8	8,6	19,2	17,1	20,6	12,5	13,9	9,5	16,2
28,0			16,4	15,2	17,7	18,4	8,0	17,0	15,8	18,4	11,6	13,1	8,8	14,8
30,0								15,2	14,0	16,6	10,8	12,5	8,2	13,7
32,0								13,7	12,5	15,0	10,0	12,0	7,7	12,7
34,0														11,8
36,0														10,5
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	42,4	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	40,4	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	38,7	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	37,0	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	35,2	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	32,4	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	29,0	13,5	10,9	20,4	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	25,5	12,4	9,8	18,7	18,2	14,7	13,3	10,7	16,5	15,4	13,0	13,8	11,2	10,2
24,0	22,6	11,5	9,0	17,0	17,0	13,5	12,4	9,8	15,3	14,4	12,1	13,1	10,5	9,5
26,0	19,9	10,7	8,3	15,4	15,9	12,3	11,5	9,0	14,1	13,4	11,1	12,3	9,7	8,7
28,0	17,8	9,8	7,7	14,3	15,2	11,4	10,8	8,4	12,9	12,3	10,1	11,5	9,0	8,0
30,0	15,9	9,2	7,2	13,3	14,4	10,5	10,1	7,9	11,8	11,5	9,3	10,9	8,4	7,4
32,0	14,4	8,6	6,7	12,2	13,7	9,7	9,4	7,4	11,0	10,7	8,7	10,2	8,0	7,0
34,0	13,0	8,1	6,3	11,4	13,1	9,0	8,9	7,0	10,1	10,0	8,0	9,6	7,5	6,5
36,0	11,8	7,7	6,0	10,5	12,4	8,4	8,5	6,6	9,3	9,3	7,4	9,1	7,1	6,1
38,0				9,8	11,3	7,8	8,0	6,3	8,7	8,8	7,0	8,7	6,8	5,8
40,0				9,2	10,4	7,3	7,7	6,0	8,0	8,3	6,6	8,3	6,5	5,4
42,0				7,6	8,8	7,0	7,5	5,9	7,5	7,8	6,2	7,9	6,2	5,1
44,0									7,0	7,4	5,9	7,6	6,0	4,9
46,0									6,6	7,1	5,6	7,4	5,8	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
% 6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	12,7	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	11,7	10,9	9,4	9,6	8,5	10,8	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	10,8	10,0	8,6	9,0	7,9	10,0	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	9,9	9,3	7,9	8,4	7,4	9,3	8,5	7,5	8,5	7,8	7,8	6,6	6,6	6,2
34,0	9,2	8,7	7,4	8,0	7,0	8,5	7,9	7,0	8,0	7,3	7,4	6,3	6,2	5,7
36,0	8,6	8,2	7,0	7,6	6,6	7,9	7,3	6,5	7,4	6,9	7,0	5,9	5,9	5,3
38,0	7,9	7,6	6,5	7,2	6,2	7,4	7,0	6,1	6,9	6,5	6,6	5,5	5,6	5,0
40,0	7,3	7,2	6,1	6,8	5,9	6,9	6,6	5,8	6,5	6,1	6,2	5,2	5,3	4,7
42,0	6,9	6,8	5,7	6,6	5,6	6,5	6,2	5,4	6,1	5,8	5,9	4,9	5,0	4,3
44,0	6,4	6,4	5,4	6,3	5,3	6,0	5,8	5,1	5,8	5,5	5,6	4,6	4,7	4,0
46,0	6,0	6,1	5,1	6,1	5,1	5,7	5,6	4,9	5,4	5,2	5,3	4,4	4,5	3,7
48,0	5,7	5,9	4,9	5,9	4,9	5,4	5,3	4,6	5,1	5,0	5,0	4,1	4,3	3,5
50,0	5,4	5,6	4,6	5,8	4,7	5,0	5,1	4,4	4,8	4,7	4,7	3,9	4,1	3,2
52,0						4,8	4,8	4,2	4,6	4,5	4,4	3,7	3,8	3,0
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	68,7	46,5	47,1	39,2	42,7	34,8	14,6	68,7	48,3	49,3	42,5	45,0	37,0	39,3
10,0	62,6	46,5	47,1	39,1	42,7	34,4	13,9	62,6	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		46,5	47,1	39,1	42,7	33,7	12,6		48,3	49,3	42,4	45,0	35,7	39,0
13,0		46,5	47,1	39,1	42,7	33,4	12,0		48,2	48,5	42,4	45,0	35,5	39,0
14,0		44,1	44,1	39,1	42,6	33,3	11,5		44,7	44,7	42,4	44,6	35,3	39,0
15,0		39,0	39,0	39,1	40,3	33,2	11,0		39,6	39,6	41,2	41,2	35,2	39,0
16,0				37,1	37,1	33,2	10,6				38,1	38,1	35,2	37,8
18,0				31,8	31,8	31,2	8,7				32,8	32,8	32,4	32,4
20,0						26,9	8,2						28,1	28,1
22,0						23,5	7,8						24,7	24,7
24,0						19,6	7,5						20,7	20,7
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	7	5	5	5	5	4	2	8	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	69,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	71,3
9,0	33,6	14,1	68,7	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	68,7
10,0	33,0	13,3	62,6	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	62,6
11,0	32,4	12,6		50,6	51,0	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		47,5	47,5	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		44,2	44,2	38,3	38,3	37,5	41,9	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		41,4	41,4	35,8	35,8	37,3	39,0	33,2	37,1	28,6	10,3	
15,0	29,6	9,6		38,9	38,9	33,7	33,7	36,8	36,8	32,8	37,0	28,2	8,9	
16,0	29,1	8,7				31,9	31,9	34,8	34,8	32,5	37,0	27,8	8,4	
18,0	28,7	8,0				28,7	28,7	31,0	31,0	32,0	33,2	27,1	7,7	
20,0	27,5	7,4						28,3	28,3	28,9	28,9	26,5	7,1	
22,0	24,1	6,9						25,7	25,7	25,4	25,4	24,8	6,5	
24,0	21,0	6,5						21,8	21,8	22,4	22,4	21,7	6,1	
26,0	18,5	6,1								19,8	19,8	19,2	5,6	
28,0	16,4	5,8								17,7	17,7	17,0	5,3	
30,0		5,7										15,2	5,0	
32,0		4,2										13,7	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,9	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,5	32,5	31,5	34,9	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	30,7	30,7	30,4	33,5	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	27,7	27,7	29,1	30,7	26,1	7,7	7,2	12,4
20,0					22,2	22,2	25,4	25,4	27,9	27,9	25,4	7,0	6,5	11,6
22,0					20,2	20,2	23,2	23,2	25,9	25,9	24,8	6,5	5,9	11,0
24,0					18,8	18,8	21,4	21,4	23,2	23,2	22,6	6,0	5,4	9,6
26,0							19,8	19,8	20,6	20,6	19,9	5,5	4,9	9,0
28,0							18,4	18,4	18,4	18,4	17,8	5,1	4,5	8,8
30,0									16,6	16,6	15,9	4,8	4,1	8,6
32,0									15,0	15,0	14,4	4,5	3,7	7,5
34,0											13,0	4,3	3,4	
36,0											11,8	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,4	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	13,4	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,4	12,3	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,5	11,5	3,6	5,3	9,3	10,0	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	9,7	10,7	3,3	4,9	8,7	9,3	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	9,0	10,0	3,0	4,6	8,0	8,7	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	8,4	9,3	2,7	4,4	7,4	8,2	2,5		4,2	7,0	7,3	2,5	
38,0	3,9	7,8	8,8	2,4	4,1	7,0	7,6	2,3		3,9	6,5	7,0	2,2	
40,0	3,0	7,3	8,3	2,1	3,3	6,6	7,2	2,0		3,7	6,1	6,6	2,0	
42,0	2,1	7,0	7,8	1,5	2,7	6,2	6,8	1,8		3,2	5,7	6,2	1,7	
44,0			7,4		2,0	5,9	6,4			2,6	5,4	5,8		
46,0			7,0			5,6	6,1			2,0	5,1	5,6		
48,0							5,9				4,9	5,3		
50,0							5,6				4,6	5,1		
52,0												4,8		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	18,2	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	17,0	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	15,9	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			13,1	15,2	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			12,5	14,4			8,2	8,2	9,2	9,2	10,1	10,1	10,9	7,2
32,0			12,0	13,7			7,7	7,7	8,6	8,6	9,4	9,4	10,2	6,7
34,0				13,1					8,1	8,1	8,9	8,9	9,6	6,3
36,0				12,4					7,7	7,7	8,5	8,5	9,1	6,0
38,0				11,3							8,0	8,0	8,7	
40,0				10,4							7,7	7,7	8,3	
42,0				8,8							7,5	7,5	7,9	
44,0													7,6	
46,0													7,4	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,2	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,8	5,1	5,4	5,9	3,6	5,8	6,1	2,0	4,9
42,0		5,9	5,9	6,2	6,2	6,6	4,3	5,1	5,6	3,4	5,4	5,8	1,8	4,6
44,0				6,0	6,0	6,3	3,7	4,9	5,3	3,0	5,1	5,5	1,6	4,3
46,0				5,8	5,8	6,1	3,0	4,7	5,1	2,4	4,9	5,2		4,0
48,0						5,9			4,9	2,0	4,6	5,0		3,8
50,0						5,8			4,7	1,5	4,4	4,7		3,5
52,0											4,2	4,5		3,3
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
% 1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
% 2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
% 3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,4													
48,0	4,1													
50,0	3,9													
52,0	3,7													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0						4,5	4,7	4,0	4,3	4,3	4,2	3,5	3,6	2,7
56,0									4,1	4,2	4,0	3,3	3,5	2,5
58,0									3,9	4,0	3,8	3,1	3,3	2,3
60,0									3,3	3,9	3,6	3,0	3,1	2,1
62,0											3,4	2,8	3,0	1,9
64,0											3,3	2,8	2,9	1,8
66,0													2,8	1,6
68,0													2,7	
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												4,7		
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
* n *	2	4	3	2	2	3	3	2	3	2	2	2	2	4
% 1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
% 2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
% 3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
% 4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
% 5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T --	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											4,0	4,3		3,1
56,0												4,2		2,9
58,0												4,0		2,8
60,0												3,9		
62,0														
64,0														
66,0														
68,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
% 1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
% 2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
% 3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0001< T210.00011

m	66,7	71,2	72,0
54,0	3,5		
56,0	3,3		
58,0	3,1		
60,0	2,9		
62,0	2,8		
64,0	2,7		
66,0			
68,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	72.0 t	8.89 x 8.30 m	360°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0019< T210.00041

m	13,2
3,0	151,0
3,5	142,0
4,0	133,0
4,5	125,0
5,0	117,0
6,0	105,0
7,0	93,0
8,0	82,0
9,0	73,0
10,0	62,0
*** n ***	14!
1	0 +
2	0 +
3	0 +
4	0 +
5	0 +
% 6	0 +
m/s	14,3

	T --	72.0 t	8.89 x 8.30 m	! 0°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	13,2	17,7	17,7	17,7	17,7	22,2	22,2	22,2	22,2	22,2	26,8	26,8	26,8	26,8
3,0	133,8	124,4	101,5	79,0	64,9	120,5	100,3	77,1	68,4	46,2				
3,5	133,8	125,5	102,3	79,7	61,1	120,7	100,5	77,3	64,9	43,1			77,2	
4,0	132,4	126,4	103,0	80,3	57,5	119,0	98,6	76,2	62,0	40,7	112,8	100,9	77,6	64,2
4,5	125,0	124,9	102,1	80,7	54,8	116,6	96,2	74,8	59,4	38,4	111,5	101,5	78,0	61,6
5,0	117,6	117,7	101,0	81,1	52,2	112,6	93,7	73,4	56,8	36,2	108,2	99,8	76,9	59,3
6,0	105,0	105,0	98,2	81,3	47,2	100,6	87,2	68,8	52,3	32,5	96,9	90,9	71,6	55,4
7,0	92,8	92,9	89,7	74,5	43,7	91,1	79,0	62,2	48,7	29,7	87,3	82,0	66,4	51,6
8,0	80,9	81,0	80,6	67,0	40,4	81,1	71,3	56,1	45,2	27,0	79,4	75,5	61,3	47,7
9,0	71,5	71,7	72,2	60,4	37,3	71,6	65,7	51,7	42,0	25,0	71,2	69,3	56,3	43,9
10,0	63,9	64,1	64,6	55,7	35,1	64,0	60,7	47,8	39,0	23,2	63,6	63,5	51,6	40,3
11,0		57,8	58,4	51,0	32,8	57,7	55,7	43,8	36,0	21,4	57,2	58,2	48,1	37,5
12,0		52,6	53,1	47,5	31,2	52,4	51,9	40,8	33,6	20,0	51,9	53,0	45,0	35,1
13,0		48,1	48,6	44,2	29,6	48,0	48,6	38,3	31,6	18,8	47,5	48,6	41,9	32,8
14,0		44,2	44,8	41,4	28,4	44,1	44,9	35,8	29,6	17,7	43,6	44,7	39,0	30,5
15,0		39,0	39,6	38,9	27,6	40,7	41,6	33,7	27,8	16,7	40,2	41,3	36,8	28,8
16,0						37,8	38,6	31,9	26,4	15,9	37,3	38,4	34,8	27,3
18,0						32,9	33,7	28,7	23,8	14,4	32,2	33,4	31,0	24,4
20,0											27,4	28,7	28,3	22,2
22,0											23,5	24,8	25,8	20,2
24,0											19,6	20,7	21,8	18,8
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	14	14	11	9	7	13	11	8	8	5	12	11	8	7
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +
3	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +
5	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +
% 6	0 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +
m/s	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	26,8	26,8	31,3	31,3	31,3	31,3	31,3	35,8	35,8	35,8	35,8	35,8	35,8	40,3
3,0														
3,5														
4,0	41,7	42,6												
4,5	39,4	40,1												
5,0	37,4	37,9	89,1	70,9	77,1	60,6	29,7							
6,0	34,0	34,3	87,1	65,1	75,8	56,7	27,0	71,1	57,3	57,7	41,0	36,5	27,1	
7,0	30,7	30,8	82,9	59,8	71,0	53,3	24,9	69,5	53,3	54,6	37,5	33,8	25,2	47,1
8,0	28,3	28,4	77,9	54,6	65,4	50,0	22,9	66,5	49,5	51,7	34,7	31,7	23,6	44,4
9,0	26,2	26,2	71,4	49,9	60,3	46,9	21,1	62,5	45,8	48,9	32,1	29,7	22,1	41,7
10,0	24,1	24,0	64,2	46,5	56,5	44,0	19,8	58,6	42,1	46,0	29,6	27,8	20,6	39,0
11,0	22,5	22,4	57,9	43,1	52,7	41,1	18,5	55,2	39,2	43,5	27,7	26,2	19,5	36,4
12,0	21,2	21,0	52,6	39,8	49,1	38,3	17,2	52,3	36,7	41,3	26,0	24,9	18,5	33,8
13,0	19,8	19,6	48,1	37,3	46,1	36,1	16,2	48,6	34,3	39,0	24,3	23,6	17,5	31,9
14,0	18,5	18,2	44,2	35,2	43,6	34,3	15,4	44,9	31,8	36,8	22,7	22,3	16,4	30,1
15,0	17,5	17,2	40,8	33,0	41,1	32,5	14,6	41,5	30,0	35,0	21,4	21,3	15,6	28,3
16,0	16,6	16,3	37,8	30,9	38,6	30,7	13,8	38,5	28,5	33,5	20,3	20,4	15,0	26,5
18,0	14,9	14,6	32,9	27,5	34,1	27,7	12,3	33,6	25,5	30,7	18,2	18,7	13,6	23,9
20,0	13,7	13,3	28,1	24,8	29,5	25,4	11,2	28,9	22,6	27,9	16,3	17,1	12,4	21,6
22,0	12,6	12,2	24,1	22,3	25,6	23,2	10,1	24,9	20,6	26,0	14,9	15,9	11,3	19,4
24,0	11,8	11,5	21,0	19,9	22,4	21,4	9,3	21,7	18,7	23,2	13,6	14,8	10,3	17,6
26,0			18,5	17,3	19,8	19,8	8,6	19,2	17,1	20,6	12,5	13,9	9,5	16,2
28,0			16,4	15,2	17,7	18,4	8,0	17,0	15,8	18,4	11,6	13,1	8,8	14,8
30,0								15,2	14,0	16,6	10,8	12,5	8,2	13,7
32,0								13,7	12,5	15,0	10,0	12,0	7,7	12,7
34,0														11,8
36,0														10,5
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	5	5	10	8	8	7	4	8	7	6	5	4	3	5
1	0 +	0 +	46 +	92 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	0 +	0 +	92 +
2	0 +	0 +	46 +	46 +	46 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +	0 +	46 +
3	0 +	0 +	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +	0 +	46 +
4	0 +	0 +	46 +	0 +	46 +	46 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	46 +	46 +	46 +	92 +	46 +
% 6	92 +	46 +	0 +	0 +	0 +	46 +	92 +	0 +	0 +	46 +	46 +	92 +	92 +	0 +
m/s	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	11,1

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	40,3	40,3	40,3	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	54,1	25,5	22,8											
8,0	52,0	23,9	21,2	39,1	32,7	31,3	24,3	21,0						
9,0	49,7	22,6	19,8	37,3	31,0	29,4	23,0	19,8	31,1	28,3	25,0	23,1	19,5	18,6
10,0	47,3	21,4	18,7	35,4	29,4	27,6	21,8	18,7	29,7	27,0	23,7	22,0	18,6	17,7
11,0	44,8	20,2	17,5	33,5	28,1	26,0	20,9	17,7	28,4	25,7	22,4	21,0	17,7	16,9
12,0	42,4	19,1	16,4	31,6	26,9	24,6	19,9	16,8	27,1	24,5	21,3	20,2	16,9	16,1
13,0	40,4	18,2	15,5	29,7	25,6	23,1	18,9	15,9	25,8	23,4	20,3	19,3	16,1	15,4
14,0	38,7	17,4	14,7	27,8	24,4	21,7	18,0	15,0	24,5	22,2	19,2	18,5	15,4	14,7
15,0	37,0	16,6	13,9	26,5	23,5	20,7	17,3	14,4	23,2	21,1	18,2	17,8	14,7	14,0
16,0	35,2	15,8	13,2	25,2	22,6	19,6	16,6	13,8	22,0	20,0	17,3	17,1	14,1	13,4
18,0	32,4	14,6	11,9	22,5	20,8	17,6	15,3	12,6	20,1	18,4	15,8	15,9	13,1	12,3
20,0	29,7	13,5	10,9	20,4	19,4	16,0	14,2	11,5	18,2	16,8	14,3	14,8	12,1	11,2
22,0	25,7	12,4	9,8	18,7	18,2	14,7	13,3	10,7	16,5	15,4	13,0	13,8	11,2	10,2
24,0	22,6	11,5	9,0	17,0	17,0	13,5	12,4	9,8	15,3	14,4	12,1	13,1	10,5	9,5
26,0	19,9	10,7	8,3	15,4	15,9	12,3	11,5	9,0	14,1	13,4	11,1	12,3	9,7	8,7
28,0	17,8	9,8	7,7	14,3	15,2	11,4	10,8	8,4	12,9	12,3	10,1	11,5	9,0	8,0
30,0	15,9	9,2	7,2	13,3	14,4	10,5	10,1	7,9	11,8	11,5	9,3	10,9	8,4	7,4
32,0	14,4	8,6	6,7	12,2	13,7	9,7	9,4	7,4	11,0	10,7	8,7	10,2	8,0	7,0
34,0	13,0	8,1	6,3	11,4	13,1	9,0	8,9	7,0	10,1	10,0	8,0	9,6	7,5	6,5
36,0	11,8	7,7	6,0	10,5	12,4	8,4	8,5	6,6	9,3	9,3	7,4	9,1	7,1	6,1
38,0				9,8	11,3	7,8	8,0	6,3	8,7	8,8	7,0	8,7	6,8	5,8
40,0				9,2	10,4	7,3	7,7	6,0	8,0	8,3	6,6	8,3	6,5	5,4
42,0				7,6	8,8	7,0	7,5	5,9	7,5	7,8	6,2	7,9	6,2	5,1
44,0									7,0	7,4	5,9	7,6	6,0	4,9
46,0									6,6	7,1	5,6	7,4	5,8	4,7
48,0														
50,0														
52,0														
*** n ***	6	3	3	4	4	4	3	3	4	3	3	3	2	2

%														
1	46 +	0 +	0 +	92 +	46 +	0 +	0 +	0 +	92 +	46 +	0 +	46 +	0 +	0 +
2	46 +	0 +	0 +	46 +	46 +	92 +	46 +	0 +	92 +	92 +	92 +	46 +	46 +	0 +
3	46 +	46 +	0 +	46 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +
4	46 +	46 +	92 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +
5	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
6	46 +	92 +	92 +	46 +	92 +	46 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	24,9	22,7	19,5	18,5	17,3									
11,0	24,0	21,8	18,7	17,7	16,6	19,7	17,8	15,8						
12,0	23,2	20,9	17,9	16,9	15,9	19,1	17,2	15,2	16,0	14,6				
13,0	22,3	20,0	17,1	16,2	15,2	18,5	16,7	14,7	15,6	14,2	13,2	12,1		
14,0	21,4	19,2	16,5	15,6	14,7	18,0	16,1	14,1	15,2	13,7	12,9	11,8	11,0	
15,0	20,5	18,4	15,8	15,0	14,1	17,4	15,6	13,7	14,8	13,3	12,6	11,5	10,8	10,6
16,0	19,5	17,5	15,2	14,4	13,6	16,8	15,1	13,2	14,4	12,9	12,3	11,2	10,5	10,4
18,0	17,8	16,0	14,0	13,3	12,5	15,5	14,0	12,3	13,6	12,2	11,7	10,5	9,9	9,8
20,0	16,3	14,8	12,9	12,5	11,5	14,4	13,0	11,5	12,7	11,5	11,0	9,9	9,4	9,3
22,0	15,0	13,6	12,0	11,6	10,6	13,4	12,1	10,7	11,9	10,8	10,4	9,2	8,9	8,7
24,0	13,6	12,5	11,0	10,9	9,8	12,5	11,2	10,0	11,2	10,1	9,7	8,6	8,4	8,2
26,0	12,7	11,7	10,2	10,2	9,2	11,6	10,3	9,2	10,5	9,5	9,2	8,1	7,9	7,6
28,0	11,7	10,9	9,4	9,6	8,5	10,8	9,7	8,6	9,7	8,8	8,7	7,6	7,5	7,1
30,0	10,8	10,0	8,6	9,0	7,9	10,0	9,1	8,1	9,1	8,3	8,2	7,1	7,1	6,6
32,0	9,9	9,3	7,9	8,4	7,4	9,3	8,5	7,5	8,5	7,8	7,8	6,6	6,6	6,2
34,0	9,2	8,7	7,4	8,0	7,0	8,5	7,9	7,0	8,0	7,3	7,4	6,3	6,2	5,7
36,0	8,6	8,2	7,0	7,6	6,6	7,9	7,3	6,5	7,4	6,9	7,0	5,9	5,9	5,3
38,0	7,9	7,6	6,5	7,2	6,2	7,4	7,0	6,1	6,9	6,5	6,6	5,5	5,6	5,0
40,0	7,3	7,2	6,1	6,8	5,9	6,9	6,6	5,8	6,5	6,1	6,2	5,2	5,3	4,7
42,0	6,9	6,8	5,7	6,6	5,6	6,5	6,2	5,4	6,1	5,8	5,9	4,9	5,0	4,3
44,0	6,4	6,4	5,4	6,3	5,3	6,0	5,8	5,1	5,8	5,5	5,6	4,6	4,7	4,0
46,0	6,0	6,1	5,1	6,1	5,1	5,7	5,6	4,9	5,4	5,2	5,3	4,4	4,5	3,7
48,0	5,7	5,9	4,9	5,9	4,9	5,4	5,3	4,6	5,1	5,0	5,0	4,1	4,3	3,5
50,0	5,4	5,6	4,6	5,8	4,7	5,0	5,1	4,4	4,8	4,7	4,7	3,9	4,1	3,2
52,0						4,8	4,8	4,2	4,6	4,5	4,4	3,7	3,8	3,0
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	13,2	17,7	17,7	22,2	22,2	26,8	31,3	13,2	17,7	17,7	22,2	22,2	26,8	26,8
3,0	52,1	47,1	47,2	43,6	43,9			53,8	49,0	49,3	45,7	46,3		
3,5	52,9	46,9	47,2	43,2	43,7			54,6	48,7	49,3	45,3	46,1		
4,0	53,6	46,7	47,1	42,8	43,4	38,3		55,4	48,6	49,3	44,9	45,8	41,8	42,8
4,5	54,2	46,6	47,1	42,4	43,3	37,8		56,0	48,4	49,3	44,5	45,6	41,3	42,5
5,0	54,9	46,5	47,1	42,1	43,1	37,4	18,4	56,7	48,4	49,3	44,2	45,5	40,2	42,2
6,0	56,8	46,5	47,1	41,5	42,8	36,7	17,3	58,7	48,3	49,3	43,6	45,2	38,8	41,7
7,0	60,9	46,5	47,1	41,1	42,7	36,0	16,3	62,7	48,3	49,3	43,1	45,0	38,1	41,3
8,0	65,3	46,5	47,1	39,4	42,7	35,4	15,4	67,1	48,3	49,3	42,8	45,0	37,5	40,7
9,0	71,5	46,5	47,1	39,2	42,7	34,8	14,6	71,5	48,3	49,3	42,5	45,0	37,0	39,3
10,0	63,9	46,5	47,1	39,1	42,7	34,4	13,9	63,9	48,3	49,3	42,4	45,0	36,5	39,2
11,0		46,5	47,1	39,1	42,7	34,0	13,2		48,3	49,3	42,4	45,0	36,1	39,1
12,0		46,5	47,1	39,1	42,7	33,7	12,6		48,3	49,3	42,4	45,0	35,7	39,0
13,0		46,5	47,1	39,1	42,7	33,4	12,0		48,2	48,6	42,4	45,0	35,5	39,0
14,0		44,2	44,2	39,1	42,6	33,3	11,5		44,8	44,8	42,4	44,7	35,3	39,0
15,0		39,0	39,0	39,1	40,7	33,2	11,0		39,6	39,6	41,6	41,6	35,2	39,0
16,0				37,8	37,8	33,2	10,6				38,6	38,6	35,2	38,3
18,0				32,9	32,9	32,2	8,7				33,7	33,7	33,4	33,4
20,0						27,4	8,2						28,7	28,7
22,0						23,5	7,8						24,8	24,8
24,0						19,6	7,5						20,7	20,7
26,0							7,4							
28,0							6,3							
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	8	5	5	5	5	4	2	8	5	5	5	5	5	5
1	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +
3	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +
4	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +
5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	31,3	35,8	13,2	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	40,3	13,2
3,0			55,3	51,8	52,6	47,7	48,5							56,5
3,5			56,1	51,6	52,6	47,2	48,3	44,5	45,6					57,3
4,0			56,9	51,4	52,5	46,8	48,0	44,0	45,3					58,2
4,5			57,5	51,3	52,5	46,5	47,8	43,5	44,9					59,0
5,0	36,8		58,3	51,2	52,5	46,1	47,6	43,1	44,7	39,0	41,8			60,8
6,0	35,9	16,8	61,4	51,1	52,5	45,5	47,4	42,2	44,1	38,1	41,2	35,5		62,8
7,0	35,1	15,8	64,3	51,1	52,5	45,0	47,2	41,5	43,7	37,3	39,3	34,6	15,6	65,7
8,0	34,3	14,9	69,0	51,1	52,5	44,7	47,1	40,6	43,4	36,5	38,8	33,8	14,7	71,3
9,0	33,6	14,1	71,5	51,1	52,5	44,4	47,1	39,0	43,1	35,8	38,4	33,0	13,8	71,5
10,0	33,0	13,3	63,9	51,1	52,5	44,2	46,8	38,5	42,9	35,2	38,0	32,2	13,0	63,9
11,0	32,4	12,6		50,6	51,0	43,8	43,8	38,1	42,8	34,6	37,7	31,6	12,3	
12,0	31,9	12,0		47,5	47,5	40,8	40,8	37,8	42,7	34,1	37,4	31,0	11,7	
13,0	31,4	11,4		44,2	44,2	38,3	38,3	37,5	41,9	33,6	37,2	29,4	11,1	
14,0	31,0	10,8		41,4	41,4	35,8	35,8	37,3	39,0	33,2	37,1	28,6	10,3	
15,0	29,6	9,6		38,9	38,9	33,7	33,7	36,8	36,8	32,8	37,0	28,2	8,9	
16,0	29,1	8,7				31,9	31,9	34,8	34,8	32,5	37,0	27,8	8,4	
18,0	28,7	8,0				28,7	28,7	31,0	31,0	32,0	34,1	27,1	7,7	
20,0	27,9	7,4						28,3	28,3	29,5	29,5	26,5	7,1	
22,0	24,1	6,9						25,8	25,8	25,6	25,6	24,9	6,5	
24,0	21,0	6,5						21,8	21,8	22,4	22,4	21,7	6,1	
26,0	18,5	6,1								19,8	19,8	19,2	5,6	
28,0	16,4	5,8								17,7	17,7	17,0	5,3	
30,0		5,7										15,2	5,0	
32,0		4,2										13,7	4,8	
34,0													4,3	
36,0													3,0	
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	4	2	8	6	6	5	5	5	5	4	5	4	2	8
1	46 -	92 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 +
2	46 +	46 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	0 +
3	46 +	46 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	0 +
4	46 +	46 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
5	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -
m/s	12,8	12,8	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	11,1	14,3

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	17,7	17,7	22,2	22,2	26,8	26,8	31,3	31,3	35,8	35,8	40,3	44,8	49,3	35,8
3,0	53,1	54,1	49,2	51,7										
3,5	52,9	54,1	48,8	51,4										
4,0	52,7	54,1	48,4	51,1	45,8	47,3								
4,5	52,6	54,0	48,0	50,9	45,4	47,0								
5,0	51,7	52,2	47,6	50,3	44,9	46,7	42,4	44,2						
6,0	47,2	47,2	47,0	49,2	44,0	46,2	41,5	43,6	37,7	40,0				21,6
7,0	43,7	43,7	46,5	48,6	43,3	45,8	39,3	43,0	36,8	38,9	34,3			19,3
8,0	40,4	40,4	45,2	45,2	42,6	45,4	38,6	42,5	36,0	38,3	33,4	14,6		18,3
9,0	37,3	37,3	42,0	42,0	42,0	43,9	37,8	42,0	35,2	37,8	32,5	13,8	13,3	17,5
10,0	35,1	35,1	39,0	39,0	40,3	40,3	37,2	41,6	34,4	37,4	31,8	13,0	12,5	16,7
11,0	32,8	32,8	36,0	36,0	37,5	37,5	36,6	40,6	33,7	36,9	31,0	12,3	11,8	16,0
12,0	31,2	31,2	33,6	33,6	35,1	35,1	36,0	38,3	33,1	36,5	29,1	11,6	11,1	15,4
13,0	29,6	29,6	31,6	31,6	32,8	32,8	35,6	36,1	32,5	36,2	28,5	11,0	9,5	14,8
14,0	28,4	28,4	29,6	29,6	30,5	30,5	34,3	34,3	32,0	35,9	28,0	9,3	8,8	14,2
15,0	27,6	27,6	27,8	27,8	28,8	28,8	32,5	32,5	31,5	34,9	27,5	8,8	8,3	13,7
16,0			26,4	26,4	27,3	27,3	30,7	30,7	30,4	33,5	27,0	8,4	7,9	13,2
18,0			23,8	23,8	24,4	24,4	27,7	27,7	29,1	30,7	26,1	7,7	7,2	12,4
20,0					22,2	22,2	25,4	25,4	27,9	27,9	25,4	7,0	6,5	11,6
22,0					20,2	20,2	23,2	23,2	26,0	26,0	24,8	6,5	5,9	11,0
24,0					18,8	18,8	21,4	21,4	23,2	23,2	22,6	6,0	5,4	9,6
26,0							19,8	19,8	20,6	20,6	19,9	5,5	4,9	9,0
28,0							18,4	18,4	18,4	18,4	17,8	5,1	4,5	8,8
30,0									16,6	16,6	15,9	4,8	4,1	8,6
32,0									15,0	15,0	14,4	4,5	3,7	7,5
34,0											13,0	4,3	3,4	
36,0											11,8	4,1	3,2	
38,0												3,3	2,9	
40,0												2,4	2,3	
42,0													1,5	
44,0														
46,0														
48,0														
50,0														
52,0														
*** n ***	6	6	5	6	5	5	5	5	4	4	4	2	2	3
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	92 -	92 -	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	92 -	0 +
3	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
4	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
5	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	11,1	11,1	11,1	12,8

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
3,0														33,1
3,5														32,5
4,0									28,2					31,8
4,5									27,6					31,2
5,0									26,9					29,4
6,0									25,8					28,4
7,0									24,7					27,5
8,0	16,0	31,3							23,8					26,6
9,0	15,1	29,4	28,3		14,8	25,0			22,9					25,0
10,0	14,3	27,6	27,0	12,2	14,0	23,7	22,7		22,2	13,9	19,5			23,2
11,0	13,5	26,0	25,7	11,4	13,3	22,4	21,8	11,4	21,5	13,2	18,7	17,8		21,4
12,0	12,9	24,6	24,5	10,4	12,6	21,3	20,9	10,5	20,8	12,5	17,9	17,2	10,4	20,0
13,0	12,2	23,1	23,4	9,0	12,0	20,3	20,0	8,9	19,1	11,9	17,1	16,7	8,9	18,8
14,0	11,7	21,7	22,2	8,5	11,4	19,2	19,2	8,4	18,2	11,3	16,5	16,1	8,4	17,7
15,0	11,1	20,7	21,1	8,0	10,8	18,2	18,4	8,0	17,2	10,7	15,8	15,6	7,9	16,7
16,0	10,2	19,6	20,0	7,6	10,0	17,3	17,5	7,5	16,3	9,4	15,2	15,1	7,5	15,9
18,0	8,7	17,6	18,4	6,8	8,4	15,8	16,0	6,8	14,6	8,4	14,0	14,0	6,7	14,4
20,0	8,0	16,0	16,8	6,1	7,7	14,3	14,8	6,1	13,3	7,7	12,9	13,0	6,0	
22,0	7,4	14,7	15,4	5,5	7,1	13,0	13,6	5,5	12,2	7,1	12,0	12,1	5,4	
24,0	6,9	13,5	14,4	5,0	6,6	12,1	12,5	4,9	11,5	6,5	11,0	11,2	4,9	
26,0	6,5	12,3	13,4	4,5	6,1	11,1	11,7	4,4		6,0	10,2	10,3	4,4	
28,0	6,0	11,4	12,3	4,0	5,7	10,1	10,9	4,0		5,6	9,4	9,7	3,9	
30,0	5,7	10,5	11,5	3,6	5,3	9,3	10,0	3,6		5,2	8,6	9,1	3,5	
32,0	5,4	9,7	10,7	3,3	4,9	8,7	9,3	3,2		4,8	7,9	8,5	3,1	
34,0	5,1	9,0	10,0	3,0	4,6	8,0	8,7	2,8		4,5	7,4	7,9	2,8	
36,0	4,7	8,4	9,3	2,7	4,4	7,4	8,2	2,5		4,2	7,0	7,3	2,5	
38,0	3,9	7,8	8,8	2,4	4,1	7,0	7,6	2,3		3,9	6,5	7,0	2,2	
40,0	3,0	7,3	8,3	2,1	3,3	6,6	7,2	2,0		3,7	6,1	6,6	2,0	
42,0	2,1	7,0	7,8	1,5	2,7	6,2	6,8	1,8		3,2	5,7	6,2	1,7	
44,0			7,4		2,0	5,9	6,4			2,6	5,4	5,8		
46,0			7,0			5,6	6,1			2,0	5,1	5,6		
48,0							5,9				4,9	5,3		
50,0							5,6				4,6	5,1		
52,0												4,8		
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	22,2	26,8	35,8	44,8	31,3	31,3	35,8	35,8	40,3	40,3	44,8	44,8	49,3	40,3
3,0	46,2													
3,5	43,1													
4,0	40,7	41,7												
4,5	38,4	39,4												
5,0	36,2	37,4			26,1	29,7								
6,0	32,5	34,0	36,5		24,9	27,0	27,1	27,1						
7,0	29,7	30,7	33,8		23,7	24,9	25,2	25,2	25,5	25,5				21,4
8,0	27,0	28,3	31,7	32,7	22,7	22,9	23,6	23,6	23,9	23,9	24,3	24,3		19,2
9,0	25,0	26,2	29,7	31,0	21,1	21,1	22,1	22,1	22,6	22,6	23,0	23,0	23,1	18,3
10,0	23,2	24,1	27,8	29,4	19,8	19,8	20,6	20,6	21,4	21,4	21,8	21,8	22,0	17,5
11,0	21,4	22,5	26,2	28,1	18,5	18,5	19,5	19,5	20,2	20,2	20,9	20,9	21,0	16,8
12,0	20,0	21,2	24,9	26,9	17,2	17,2	18,5	18,5	19,1	19,1	19,9	19,9	20,2	16,1
13,0	18,8	19,8	23,6	25,6	16,2	16,2	17,5	17,5	18,2	18,2	18,9	18,9	19,3	15,4
14,0	17,7	18,5	22,3	24,4	15,4	15,4	16,4	16,4	17,4	17,4	18,0	18,0	18,5	14,7
15,0	16,7	17,5	21,3	23,5	14,6	14,6	15,6	15,6	16,6	16,6	17,3	17,3	17,8	13,9
16,0	15,9	16,6	20,4	22,6	13,8	13,8	15,0	15,0	15,8	15,8	16,6	16,6	17,1	13,2
18,0	14,4	14,9	18,7	20,8	12,3	12,3	13,6	13,6	14,6	14,6	15,3	15,3	15,9	11,9
20,0		13,7	17,1	19,4	11,2	11,2	12,4	12,4	13,5	13,5	14,2	14,2	14,8	10,9
22,0		12,6	15,9	18,2	10,1	10,1	11,3	11,3	12,4	12,4	13,3	13,3	13,8	9,8
24,0		11,8	14,8	17,0	9,3	9,3	10,3	10,3	11,5	11,5	12,4	12,4	13,1	9,0
26,0			13,9	15,9	8,6	8,6	9,5	9,5	10,7	10,7	11,5	11,5	12,3	8,3
28,0			13,1	15,2	8,0	8,0	8,8	8,8	9,8	9,8	10,8	10,8	11,5	7,7
30,0			12,5	14,4			8,2	8,2	9,2	9,2	10,1	10,1	10,9	7,2
32,0			12,0	13,7			7,7	7,7	8,6	8,6	9,4	9,4	10,2	6,7
34,0				13,1					8,1	8,1	8,9	8,9	9,6	6,3
36,0				12,4					7,7	7,7	8,5	8,5	9,1	6,0
38,0				11,3							8,0	8,0	8,7	
40,0				10,4							7,7	7,7	8,3	
42,0				8,8							7,5	7,5	7,9	
44,0													7,6	
46,0													7,4	
48,0														
50,0														
52,0														
*** n ***	5	5	4	4	3	4	3	3	3	3	3	3	3	3
1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 -	46 -	0 +
2	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	0 +
3	0 +	0 +	46 -	46 +	0 +	0 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	0 +
4	0 +	0 +	46 -	46 +	0 +	0 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	0 -	46 -	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
m/s	14,3	12,8	12,8	11,1	12,8	12,8	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	22,8													
8,0	21,2	21,0	21,0											
9,0	19,8	19,8	19,8	19,5	19,5		16,5	18,6						
10,0	18,7	18,7	18,7	18,6	18,6	18,5	15,7	17,7	17,3					
11,0	17,5	17,7	17,7	17,7	17,7	17,7	14,9	16,9	16,6	13,1	15,8			
12,0	16,4	16,8	16,8	16,9	16,9	16,9	14,2	16,1	15,9	12,4	15,2	14,6		13,1
13,0	15,5	15,9	15,9	16,1	16,1	16,2	13,6	15,4	15,2	11,8	14,7	14,2	8,9	12,7
14,0	14,7	15,0	15,0	15,4	15,4	15,6	13,0	14,7	14,7	11,2	14,1	13,7	8,4	12,3
15,0	13,9	14,4	14,4	14,7	14,7	15,0	12,4	14,0	14,1	10,4	13,7	13,3	8,0	11,9
16,0	13,2	13,8	13,8	14,1	14,1	14,4	11,9	13,4	13,6	9,1	13,2	12,9	7,5	11,5
18,0	11,9	12,6	12,6	13,1	13,1	13,3	11,0	12,3	12,5	8,3	12,3	12,2	6,8	10,7
20,0	10,9	11,5	11,5	12,1	12,1	12,5	9,4	11,2	11,5	7,6	11,5	11,5	6,1	9,9
22,0	9,8	10,7	10,7	11,2	11,2	11,6	8,6	10,2	10,6	7,0	10,7	10,8	5,5	9,2
24,0	9,0	9,8	9,8	10,5	10,5	10,9	8,0	9,5	9,8	6,5	10,0	10,1	4,9	8,6
26,0	8,3	9,0	9,0	9,7	9,7	10,2	7,6	8,7	9,2	6,0	9,2	9,5	4,4	8,0
28,0	7,7	8,4	8,4	9,0	9,0	9,6	7,1	8,0	8,5	5,5	8,6	8,8	4,0	7,4
30,0	7,2	7,9	7,9	8,4	8,4	9,0	6,7	7,4	7,9	5,1	8,1	8,3	3,6	6,9
32,0	6,7	7,4	7,4	8,0	8,0	8,4	6,4	7,0	7,4	4,8	7,5	7,8	3,2	6,5
34,0	6,3	7,0	7,0	7,5	7,5	8,0	6,0	6,5	7,0	4,4	7,0	7,3	2,9	6,1
36,0	6,0	6,6	6,6	7,1	7,1	7,6	5,8	6,1	6,6	4,1	6,5	6,9	2,6	5,6
38,0		6,3	6,3	6,8	6,8	7,2	5,5	5,8	6,2	3,8	6,1	6,5	2,3	5,2
40,0		6,0	6,0	6,5	6,5	6,8	5,1	5,4	5,9	3,6	5,8	6,1	2,0	4,9
42,0		5,9	5,9	6,2	6,2	6,6	4,3	5,1	5,6	3,4	5,4	5,8	1,8	4,6
44,0				6,0	6,0	6,3	3,7	4,9	5,3	3,0	5,1	5,5	1,6	4,3
46,0				5,8	5,8	6,1	3,0	4,7	5,1	2,4	4,9	5,2		4,0
48,0						5,9			4,9	2,0	4,6	5,0		3,8
50,0						5,8			4,7	1,5	4,4	4,7		3,5
52,0											4,2	4,5		3,3
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	66,7	71,2	72,0											
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0	12,1													
14,0	11,8	8,3												
15,0	11,5	7,9	5,1											
16,0	11,2	7,4	4,7											
18,0	10,5	6,7	4,0											
20,0	9,9	6,0	3,3											
22,0	9,2	5,4	2,8											
24,0	8,6	4,8	2,3											
26,0	8,1	4,3	1,8											
28,0	7,6	3,9												
30,0	7,1	3,4												
32,0	6,6	3,1												
34,0	6,3	2,7												
36,0	5,9	2,4												
38,0	5,5	2,1												
40,0	5,2	1,9												
42,0	4,9	1,6												
44,0	4,6													
46,0	4,4													
48,0	4,1													
50,0	3,9													
52,0	3,7													
* n *	2	1	1											
% 1	46 -	92 -	100 -											
% 2	100 +	100 +	100 +											
% 3	100 +	100 +	100 +											
% 4	100 +	100 +	100 +											
% 5	100 +	100 +	100 +											
% 6	100 +	100 +	100 +											
m/s	11,1	11,1	11,1											

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	62,8	62,8	67,3	66,7	71,2	72,0
54,0						4,5	4,7	4,0	4,3	4,3	4,2	3,5	3,6	2,7
56,0									4,1	4,2	4,0	3,3	3,5	2,5
58,0									3,9	4,0	3,8	3,1	3,3	2,3
60,0									3,3	3,9	3,6	3,0	3,1	2,1
62,0											3,4	2,8	3,0	1,9
64,0											3,3	2,8	2,9	1,8
66,0													2,8	1,6
68,0													2,7	
*** n ***	3	3	2	2	2	2	2	2	2	2	2	2	2	2
% 1	92 +	46 +	0 +	46 +	0 +	92 +	46 +	0 +	92 +	46 +	92 +	46 +	92 +	100 +
% 2	92 +	92 +	92 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 3	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 4	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +
% 6	46 +	46 +	46 +	92 +	92 +	46 +	46 +	92 +	46 +	92 +	92 +	100 +	100 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°	

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	44,8	44,8	49,3	53,8	49,3	49,3	53,8	58,3	26,8	53,8	53,8	58,3	62,8	22,2
54,0												4,7		
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	2	4	3	2	2	3	3	2	3	2	2	2	2	4
1	0 +	0 -	46 -	92 -	0 +	0 -	46 -	92 -	0 +	0 +	0 -	46 -	92 -	0 +
2	92 -	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
3	92 +	92 +	92 +	92 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
4	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	92 -	92 +	92 +	92 +	0 +
5	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	12,8	11,1	11,1	11,1	11,1	14,3

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	40,3	44,8	44,8	49,3	49,3	53,8	49,3	49,3	53,8	58,3	58,3	62,8	67,3	62,2
54,0											4,0	4,3		3,1
56,0												4,2		2,9
58,0												4,0		2,8
60,0												3,9		
62,0														
64,0														
66,0														
68,0														
*** n ***	3	3	3	2	2	2	2	2	2	2	2	2	1	2
1	0 +	0 +	0 +	0 +	0 -	46 -	0 +	0 +	0 +	0 +	0 -	46 -	92 -	0 -
2	0 +	0 +	0 -	46 -	46 +	46 +	0 +	0 -	46 -	92 -	92 +	92 +	92 +	100 +
3	0 -	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	100 +
4	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72.0 t	8.89 x 8.30 m	! +/-10°		

EN 13000

T	--

045632 02.02

m > < t

CODE >0022< T210.00051

m	66,7	71,2	72,0
54,0	3,5		
56,0	3,3		
58,0	3,1		
60,0	2,9		
62,0	2,8		
64,0	2,7		
66,0			
68,0			
*** n ***	2	1	1
1	46 -	92 -	100 -
2	100 +	100 +	100 +
3	100 +	100 +	100 +
4	100 +	100 +	100 +
5	100 +	100 +	100 +
% 6	100 +	100 +	100 +
m/s	11,1	11,1	11,1

	T --	72.0 t	8.89 x 8.30 m	! +/-10°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0302< T210.22027

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	26,8	31,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9									20,9	
5,0	20,9			20,9									20,9	
6,0	20,8			19,9			19,2						19,9	19,2
7,0	20,4	14,5		16,3			15,8						16,3	15,8
8,0	17,3	13,6		13,4			13,1						13,4	13,1
9,0	14,4	12,7		11,1	14,0		11,0			10,4			11,1	11,0
10,0	12,1	12,0	10,1	9,3	12,0		9,2	11,7		8,8			9,3	9,2
11,0	10,3	11,4	9,7	7,8	10,2		7,8	10,0		7,5			7,8	7,8
12,0	8,8	10,6	9,3	6,6	8,7	10,0	6,6	8,6		6,4			6,6	6,6
13,0	7,6	9,3	9,0	5,5	7,5	9,3	5,6	7,4	9,2	5,5	7,3		5,5	5,6
14,0	6,5	8,0	8,8	4,6	6,4	8,1	4,7	6,4	8,1	4,7	6,4		4,6	4,7
15,0	5,6	6,9	8,2	3,8	5,5	7,0	4,0	5,5	7,0	4,0	5,6		3,8	4,0
16,0	4,8	6,0	7,0	2,9	4,7	6,1	3,1	4,7	6,1	3,3	4,8	6,0	2,9	3,1
17,0	4,1	5,1	6,0	2,1	3,9	5,2	2,4	4,1	5,3	2,5	4,2	5,3	2,1	2,4
18,0	3,5	4,4	5,1	1,5	3,2	4,5	1,7	3,4	4,6	1,9	3,6	4,6	1,5	1,7
19,0	2,8	3,7	4,2	1,0	2,5	3,8	1,2	2,8	3,9	1,4	3,0	4,0	1,0	1,2
20,0	2,2	3,0	3,4		1,8	3,1		2,1	3,4		2,4	3,5		
21,0	1,7	2,5	2,6		1,3	2,5		1,5	2,8		1,8	3,0		
22,0	1,3	1,9				1,8		1,1	2,1		1,4	2,5		
23,0	1,1					1,2			1,6		1,0	1,9		
24,0									1,1			1,4		
26,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	1	1	2	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	46 -	46 -
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 -	46 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 -	46 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	92 +	92 +	92 +	0 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	0.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0302< T210.22027

m	40,3	26,8	31,3	40,3	26,8	31,3	40,3							
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0	10,4	14,0												
10,0	8,8	12,0	11,7											
11,0	7,5	10,2	10,0											
12,0	6,4	8,7	8,6		10,0									
13,0	5,5	7,5	7,4	7,3	9,3	9,2								
14,0	4,7	6,4	6,4	6,4	8,1	8,1								
15,0	4,0	5,5	5,5	5,6	7,0	7,0								
16,0	3,3	4,7	4,7	4,8	6,1	6,1	6,0							
17,0	2,5	3,9	4,1	4,2	5,2	5,3	5,3							
18,0	1,9	3,2	3,4	3,6	4,5	4,6	4,6							
19,0	1,4	2,5	2,8	3,0	3,8	3,9	4,0							
20,0		1,8	2,1	2,4	3,1	3,4	3,5							
21,0		1,3	1,5	1,8	2,5	2,8	3,0							
22,0			1,1	1,4	1,8	2,1	2,5							
23,0				1,0	1,2	1,6	1,9							
24,0						1,1	1,4							
26,0														
*** n ***	2	2	2	1	1	1	1							
xx	0,0	22,5	22,5	22,5	45,0	45,0	45,0							
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
3	0 +	46 -	46 -	0 +	46 -	46 -	0 +							
4	92 -	46 -	46 +	92 -	46 -	46 +	92 -							
5	92 -	46 -	46 +	92 -	46 -	46 +	92 -							
% 6	92 +	0 +	46 +	92 +	0 +	46 +	92 +							
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							

	T	NZK xx° 12.2m	0.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0295< T210.22017

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,5				
9,0	19,2	12,7		20,9	14,4		20,5			18,7			13,1	
10,0	17,7	12,0	10,1	20,1	13,7		19,5	13,7		16,0			12,6	
11,0	16,1	11,4	9,7	17,5	13,2		17,2	13,1		13,7			12,0	
12,0	14,6	10,8	9,3	15,2	12,7	10,0	15,0	12,6		11,8	13,1		11,5	
13,0	13,5	10,3	9,0	13,3	12,2	9,8	13,2	12,2	9,7	10,2	12,4		10,9	9,5
14,0	12,7	9,7	8,8	11,7	11,7	9,5	11,6	11,8	9,5	8,9	11,1		10,3	9,1
15,0	11,8	9,2	8,5	10,3	11,3	9,3	10,3	11,5	9,3	7,7	9,7	9,5	9,8	8,7
16,0	10,9	8,8	8,4	9,1	10,8	9,1	9,2	10,8	9,1	6,7	8,6	9,3	9,0	8,3
17,0	9,7	8,5	8,2	8,1	9,6	9,0	8,2	9,7	9,0	5,8	7,5	9,0	8,1	8,0
18,0	8,6	8,2	8,1	7,2	8,6	8,8	7,3	8,6	8,8	5,0	6,6	8,2	7,2	7,7
19,0	7,7	7,9	8,1	6,4	7,7	8,5	6,5	7,7	8,7	4,3	5,8	7,3	6,5	7,3
20,0	6,8	7,5	7,9	5,7	6,9	8,0	5,8	7,0	8,0	3,7	5,1	6,4	5,8	6,9
21,0	6,1	6,6	6,1	5,0	6,1	7,1	5,2	6,3	7,3	3,1	4,4	5,7	5,2	6,4
22,0	5,5	5,8		4,4	5,5	6,4	4,6	5,6	6,5	2,4	3,8	5,0	4,7	5,8
23,0	5,0			3,9	4,9	5,7	4,1	5,0	5,9	1,8	3,3	4,4	4,2	5,2
24,0				3,4	4,3	5,0	3,6	4,5	5,3	1,3	2,8	3,8	3,7	4,7
26,0				2,6	3,3	3,9	2,8	3,5	4,2		1,7	2,8	2,9	3,8
28,0				1,6	2,4	2,8	2,0	2,7	3,3			1,7	2,2	3,0
30,0					1,5	1,9	1,2	2,0	2,5				1,4	2,4
32,0								1,2	1,6					1,7
34,0														1,0
36,0														
38,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	0.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0295< T210.22017

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	26,8
3,0														
3,5														
4,0														
4,5														20,9
5,0														20,9
6,0														20,9
7,0														20,9
8,0														20,9
9,0		16,3			17,4									20,9
10,0		14,1			15,1			12,7						20,1
11,0		12,0			13,0			11,0			12,4			17,5
12,0		10,3			11,3			9,3			10,8			15,2
13,0		8,8	11,3		9,7			7,9			9,3			13,3
14,0		7,5	9,9		8,5	10,6		6,7			8,1			11,7
15,0		6,4	8,6		7,3	9,3		5,7	7,9		7,0	9,1		10,3
16,0	7,7	5,4	7,5	9,1	6,3	8,2		4,7	6,8		6,1	8,1		9,1
17,0	7,5	4,6	6,5	8,3	5,5	7,2	8,8	3,9	5,9		5,2	7,1		8,1
18,0	7,2	3,9	5,6	7,3	4,7	6,3	7,9	3,1	5,0	6,7	4,5	6,3	7,6	7,2
19,0	7,0	3,1	4,8	6,4	4,0	5,5	7,0	2,3	4,3	5,9	3,8	5,5	6,8	6,4
20,0	6,7	2,4	4,1	5,6	3,4	4,8	6,2	1,6	3,6	5,1	3,2	4,8	6,0	5,7
21,0	6,5	1,6	3,5	4,8	2,8	4,2	5,5		2,9	4,4	2,6	4,2	5,3	5,0
22,0	6,3	1,1	2,9	4,2	2,1	3,6	4,8		2,3	3,7	1,9	3,6	4,7	4,4
23,0	5,9		2,2	3,5	1,6	3,1	4,2		1,6	3,1	1,4	3,1	4,1	3,9
24,0	5,4		1,6	3,0	1,1	2,6	3,7		1,1	2,6		2,6	3,5	3,4
26,0	4,4			1,8		1,4	2,7			1,4		1,5	2,6	2,6
28,0	3,6						1,6						1,6	1,6
30,0	2,8													
32,0	2,2													
34,0	1,5													
36,0														
38,0														
*** n ***	1	2	2	1	2	2	1	2	1	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	0 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	0 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	46 -
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 -
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 -
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	0.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0295< T210.22017

m	31,3	40,3	44,8	49,3	44,8	49,3	40,3	26,8	31,3	40,3	44,8	49,3	44,8	49,3
3,0														
3,5														
4,0														
4,5														
5,0														
6,0	20,9													
7,0	20,9													
8,0	20,8	20,5												
9,0	20,5	18,7	12,3		13,6		13,1	14,4						
10,0	19,5	16,0	11,6	11,0	12,8		12,6	13,7	13,7					
11,0	17,2	13,7	10,8	9,7	12,1	11,7	12,0	13,2	13,1					
12,0	15,0	11,8	9,5	8,5	11,1	10,7	11,5	12,7	12,6	13,1				
13,0	13,2	10,2	8,5	7,8	9,7	9,3	10,9	12,2	12,2	12,4	8,9			
14,0	11,6	8,9	7,5	6,7	8,5	8,1	10,3	11,7	11,8	11,1	8,4		9,8	
15,0	10,3	7,7	6,4	5,7	7,3	7,0	9,8	11,3	11,5	9,7	8,0	7,6	8,9	8,8
16,0	9,2	6,7	5,4	4,7	6,3	6,1	9,0	10,8	10,8	8,6	7,4	6,8	8,1	8,0
17,0	8,2	5,8	4,6	3,9	5,5	5,2	8,1	9,6	9,7	7,5	6,5	5,9	7,2	7,1
18,0	7,3	5,0	3,9	3,1	4,7	4,5	7,2	8,6	8,6	6,6	5,6	5,0	6,3	6,3
19,0	6,5	4,3	3,1	2,3	4,0	3,8	6,5	7,7	7,7	5,8	4,8	4,3	5,5	5,5
20,0	5,8	3,7	2,4	1,6	3,4	3,2	5,8	6,9	7,0	5,1	4,1	3,6	4,8	4,8
21,0	5,2	3,1	1,6		2,8	2,6	5,2	6,1	6,3	4,4	3,5	2,9	4,2	4,2
22,0	4,6	2,4	1,1		2,1	1,9	4,7	5,5	5,6	3,8	2,9	2,3	3,6	3,6
23,0	4,1	1,8			1,6	1,4	4,2	4,9	5,0	3,3	2,2	1,6	3,1	3,1
24,0	3,6	1,3			1,1		3,7	4,3	4,5	2,8	1,6	1,1	2,6	2,6
26,0	2,8						2,9	3,3	3,5	1,7			1,4	1,5
28,0	2,0						2,2	2,4	2,7					
30,0	1,2						1,4	1,5	2,0					
32,0									1,2					
34,0														
36,0														
38,0														
*** n ***	2	2	2	2	2	2	2	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	0 +	46 -	92 -	92 -	0 +	0 +	0 +	0 +	0 +	46 -	92 -	92 -	0 +	0 +
2	0 +	46 +	46 +	92 -	92 -	92 -	0 +	0 +	0 +	46 +	46 +	92 -	92 -	92 -
3	46 -	46 +	46 +	46 +	92 -	92 -	0 +	46 -	46 -	46 +	46 +	46 +	92 -	92 -
4	46 +	46 +	46 +	46 +	46 +	92 -	92 -	46 -	46 +	46 +	46 +	46 +	46 +	92 -
5	46 +	46 +	46 +	46 +	46 +	46 +	92 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	0.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0295< T210.22017

m	40,3	26,8	31,3	40,3	44,8	49,3	44,8	49,3	40,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0		10,0												
13,0	9,5	9,8	9,7											
14,0	9,1	9,5	9,5											
15,0	8,7	9,3	9,3	9,5										
16,0	8,3	9,1	9,1	9,3	8,0				7,7					
17,0	8,0	9,0	9,0	9,0	7,6		8,4		7,5					
18,0	7,7	8,8	8,8	8,2	7,1	6,7	7,8	7,6	7,2					
19,0	7,3	8,5	8,7	7,3	6,4	5,9	7,0	6,8	7,0					
20,0	6,9	8,0	8,0	6,4	5,6	5,1	6,2	6,0	6,7					
21,0	6,4	7,1	7,3	5,7	4,8	4,4	5,5	5,3	6,5					
22,0	5,8	6,4	6,5	5,0	4,2	3,7	4,8	4,7	6,3					
23,0	5,2	5,7	5,9	4,4	3,5	3,1	4,2	4,1	5,9					
24,0	4,7	5,0	5,3	3,8	3,0	2,6	3,7	3,5	5,4					
26,0	3,8	3,9	4,2	2,8	1,8	1,4	2,7	2,6	4,4					
28,0	3,0	2,8	3,3	1,7			1,6	1,6	3,6					
30,0	2,4	1,9	2,5						2,8					
32,0	1,7		1,6						2,2					
34,0	1,0								1,5					
36,0														
38,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	22,5	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	0 +	0 +	0 +	46 -	92 -	92 -	0 +	0 +	0 +					
2	0 +	0 +	0 +	46 +	46 +	92 -	92 -	92 -	0 +					
3	0 +	46 -	46 -	46 +	46 +	46 +	92 -	92 -	0 +					
4	92 -	46 -	46 +	46 +	46 +	46 +	46 +	92 -	92 -					
5	92 -	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -					
% 6	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	0.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0301< T210.22026

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	26,8	31,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9									20,9	
5,0	20,9			20,9									20,9	
6,0	20,8			20,9			20,9						20,9	20,9
7,0	20,6	14,5		20,9			20,9						20,9	20,9
8,0	20,4	13,6		20,9			20,8						20,9	20,8
9,0	19,2	12,7		19,3	14,4		18,8			13,1			19,3	18,8
10,0	17,7	12,0	10,1	16,7	13,7		16,4	13,7		12,6			16,7	16,4
11,0	16,1	11,4	9,7	14,5	13,2		14,3	13,1		12,0			14,5	14,3
12,0	14,6	10,8	9,3	12,8	12,7	10,0	12,6	12,6		11,5			12,8	12,6
13,0	13,4	10,3	9,0	11,3	12,2	9,8	11,2	12,2	9,7	10,8	9,5		11,3	11,2
14,0	12,0	9,7	8,8	10,0	11,6	9,5	9,9	11,6	9,5	9,6	9,1		10,0	9,9
15,0	10,6	9,2	8,5	8,8	10,5	9,3	8,8	10,4	9,3	8,6	8,7		8,8	8,8
16,0	9,4	8,8	8,4	7,8	9,3	9,1	7,9	9,3	9,1	7,8	8,3	7,7	7,8	7,9
17,0	8,4	8,5	8,2	6,9	8,3	9,0	7,0	8,4	9,0	7,0	8,0	7,5	6,9	7,0
18,0	7,5	8,2	8,1	6,2	7,5	8,5	6,3	7,5	8,7	6,2	7,5	7,2	6,2	6,3
19,0	6,6	7,4	7,9	5,5	6,7	7,8	5,6	6,8	7,9	5,6	6,8	7,0	5,5	5,6
20,0	5,9	6,6	6,9	4,9	6,0	7,0	5,0	6,1	7,1	5,0	6,2	6,7	4,9	5,0
21,0	5,3	5,8	5,8	4,3	5,3	6,2	4,4	5,5	6,4	4,5	5,6	6,4	4,3	4,4
22,0	4,8	5,1		3,8	4,7	5,6	3,9	4,9	5,8	4,0	5,1	5,8	3,8	3,9
23,0	4,4			3,3	4,2	5,0	3,5	4,4	5,2	3,6	4,6	5,3	3,3	3,5
24,0				2,9	3,7	4,4	3,1	3,9	4,6	3,1	4,1	4,8	2,9	3,1
26,0				2,0	2,8	3,4	2,3	3,0	3,7	2,4	3,3	3,9	2,0	2,3
28,0				1,2	2,0	2,5	1,4	2,3	2,8	1,6	2,6	3,1	1,2	1,4
30,0					1,1	1,4		1,5	2,1		1,9	2,4		
32,0									1,2		1,2	1,7		
34,0												1,0		
36,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	1	1	2	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +	0 +	46 -	46 -
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 -	46 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 -	46 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	92 +	92 +	92 +	0 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	12.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0301< T210.22026

m	40,3	26,8	31,3	40,3	26,8	31,3	40,3							
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0	13,1	14,4												
10,0	12,6	13,7	13,7											
11,0	12,0	13,2	13,1											
12,0	11,5	12,7	12,6		10,0									
13,0	10,8	12,2	12,2	9,5	9,8	9,7								
14,0	9,6	11,6	11,6	9,1	9,5	9,5								
15,0	8,6	10,5	10,4	8,7	9,3	9,3								
16,0	7,8	9,3	9,3	8,3	9,1	9,1	7,7							
17,0	7,0	8,3	8,4	8,0	9,0	9,0	7,5							
18,0	6,2	7,5	7,5	7,5	8,5	8,7	7,2							
19,0	5,6	6,7	6,8	6,8	7,8	7,9	7,0							
20,0	5,0	6,0	6,1	6,2	7,0	7,1	6,7							
21,0	4,5	5,3	5,5	5,6	6,2	6,4	6,4							
22,0	4,0	4,7	4,9	5,1	5,6	5,8	5,8							
23,0	3,6	4,2	4,4	4,6	5,0	5,2	5,3							
24,0	3,1	3,7	3,9	4,1	4,4	4,6	4,8							
26,0	2,4	2,8	3,0	3,3	3,4	3,7	3,9							
28,0	1,6	2,0	2,3	2,6	2,5	2,8	3,1							
30,0		1,1	1,5	1,9	1,4	2,1	2,4							
32,0				1,2		1,2	1,7							
34,0							1,0							
36,0														
*** n ***	2	2	2	1	1	1	1							
xx	0,0	22,5	22,5	22,5	45,0	45,0	45,0							
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +							
3	0 +	46 -	46 -	0 +	46 -	46 -	0 +							
4	92 -	46 -	46 +	92 -	46 -	46 +	92 -							
5	92 -	46 -	46 +	92 -	46 -	46 +	92 -							
% 6	92 +	0 +	46 +	92 +	0 +	46 +	92 +							
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							

	T	NZK xx° 12.2m	12.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0294< T210.22016

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,9			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		20,8			12,6	
11,0	16,1	11,4	9,7	20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7	10,0	19,6	12,6		19,5	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	17,4	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,1	11,7	9,5	17,7	11,8	9,5	15,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,0	11,3	9,3	16,7	11,5	9,3	14,0	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	15,4	10,9	9,1	15,3	11,1	9,1	12,6	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	14,0	10,4	9,0	13,9	10,8	9,0	11,3	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	12,7	10,1	8,8	12,7	10,5	8,8	10,2	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	11,6	9,9	8,6	11,6	10,2	8,7	9,2	10,6	8,9	8,0	7,3
20,0	8,5	7,7	8,1	10,6	9,6	8,5	10,7	9,9	8,6	8,4	9,8	8,8	7,6	7,1
21,0	8,1	7,5	6,3	9,6	9,3	8,4	9,8	9,7	8,4	7,6	8,9	8,7	7,2	6,8
22,0	7,7	7,4		8,8	9,0	8,3	9,0	9,4	8,4	6,8	8,1	8,6	6,8	6,6
23,0	7,3			7,9	8,7	8,2	8,3	9,1	8,3	6,2	7,4	8,2	6,6	6,4
24,0				7,2	8,1	8,1	7,6	8,4	8,2	5,6	6,7	7,7	6,3	6,2
26,0				6,0	6,7	7,3	6,3	7,1	7,7	4,5	5,5	6,4	5,9	5,7
28,0				4,9	5,5	6,0	5,2	5,9	6,4	3,6	4,5	5,3	5,4	5,4
30,0				4,0	4,6	4,8	4,4	4,9	5,3	2,8	3,6	4,3	4,7	5,0
32,0				3,3	3,7	3,9	3,6	4,1	4,4	2,1	2,8	3,4	4,0	4,5
34,0				2,7	2,9	2,9	3,0	3,4	3,6	1,4	2,2	2,7	3,3	3,9
36,0				2,2	2,3		2,4	2,7	2,8		1,5	2,0	2,7	3,2
38,0							1,9	2,1	2,1			1,2	2,2	2,7
40,0							1,5						1,8	2,2
42,0													1,3	1,7
44,0														1,3
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	12.0 t	8.89 x 8.30 m	360°	

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0294< T210.22016

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,4			17,9			17,3			14,7			
12,0		17,9			17,6			16,4			14,3			14,5
13,0		15,8	12,6		16,6			14,8			13,9			13,8
14,0		14,0	12,2		15,0	11,8		13,1			13,5			12,5
15,0		12,5	11,9		13,4	11,5		11,6	11,7		12,8	10,5		11,1
16,0	7,7	11,1	11,6	9,3	12,1	11,2		10,3	11,5		11,7	10,5		9,8
17,0	7,5	10,0	11,4	9,2	10,9	11,0	9,0	9,2	10,9		10,5	10,5		8,7
18,0	7,2	9,0	10,6	9,0	9,8	10,7	8,9	8,2	10,0	9,0	9,5	10,4	8,8	7,8
19,0	7,0	8,0	9,6	8,9	8,8	10,3	8,8	7,3	9,0	8,8	8,6	10,0	8,7	6,9
20,0	6,7	7,2	8,7	8,8	8,0	9,4	8,7	6,5	8,1	8,7	7,8	9,3	8,6	6,1
21,0	6,5	6,4	7,8	8,7	7,2	8,6	8,6	5,7	7,3	8,5	7,0	8,5	8,5	5,4
22,0	6,3	5,7	7,1	8,4	6,5	7,8	8,5	5,1	6,5	7,9	6,3	7,7	8,4	4,8
23,0	6,1	5,0	6,4	7,6	5,9	7,1	8,2	4,5	5,8	7,1	5,7	7,0	8,0	4,2
24,0	6,0	4,5	5,7	6,9	5,3	6,4	7,5	3,9	5,2	6,4	5,1	6,4	7,3	3,6
26,0	5,6	3,4	4,5	5,6	4,2	5,3	6,2	2,9	4,1	5,2	4,1	5,3	6,1	2,6
28,0	5,3	2,5	3,6	4,5	3,4	4,3	5,1	1,9	3,1	4,1	3,2	4,3	5,0	1,6
30,0	5,0	1,7	2,7	3,5	2,6	3,4	4,2	1,0	2,2	3,1	2,5	3,4	4,1	
32,0	4,6		1,9	2,7	1,9	2,7	3,3		1,3	2,3	1,7	2,7	3,3	
34,0	4,2		1,0	1,9	1,1	2,0	2,6			1,4		2,0	2,6	
36,0	3,5					1,3	1,9					1,3	1,9	
38,0	2,9						1,2						1,2	
40,0	2,3													
42,0	1,8													
44,0	1,3													
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0294< T210.22016

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,5			8,4			8,9		
15,0			10,9			10,7			8,3			8,8		
16,0	10,5		10,5	9,2		9,5			8,1			8,6		
17,0	10,4		10,1	8,9		8,5	10,1		7,9	7,2		8,3		
18,0	9,8		9,3	8,7		7,6	9,4		7,7	7,1		7,5	7,9	
19,0	8,8	8,7	8,4	8,4	8,0	6,7	8,5		7,5	6,9		6,7	7,8	
20,0	7,9	8,6	7,6	8,1	7,8	6,0	7,7	8,4	7,2	6,7	6,3	6,0	7,4	
21,0	7,1	8,3	6,9	7,9	7,5	5,3	6,9	8,1	6,9	6,5	6,2	5,4	6,7	
22,0	6,3	7,6	6,3	7,6	7,3	4,6	6,2	7,4	6,4	6,4	6,1	4,8	6,0	6,9
23,0	5,7	6,8	5,7	7,0	7,1	4,1	5,6	6,7	5,9	6,2	5,9	4,2	5,4	6,5
24,0	5,1	6,1	5,1	6,4	7,0	3,5	5,0	6,0	5,3	6,1	5,8	3,7	4,9	5,9
26,0	4,0	4,9	4,1	5,3	6,1	2,6	3,9	4,8	4,4	5,3	5,6	2,8	3,9	4,8
28,0	3,0	3,9	3,2	4,3	5,1	1,5	3,0	3,8	3,5	4,4	5,1	1,9	3,1	3,9
30,0	2,2	3,0	2,5	3,5	4,2		2,2	2,9	2,8	3,6	4,3	1,0	2,2	3,0
32,0	1,2	2,2	1,7	2,8	3,4		1,2	2,2	2,1	2,9	3,5		1,4	2,2
34,0		1,2	1,0	2,1	2,6			1,3	1,4	2,3	2,8			1,4
36,0				1,4	2,0					1,7	2,2			
38,0					1,3						1,6			
40,0														
42,0														
44,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0294< T210.22016

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5							20,9							
5,0							20,9							
6,0							20,9	20,9						
7,0							20,9	20,9						
8,0							20,9	20,8	20,9					
9,0							20,9	20,5	20,9	12,3		13,6		
10,0							20,7	20,2	20,8	11,6	11,0	12,8		
11,0							20,1	20,0	20,3	10,8	9,7	12,1		11,7
12,0							19,5	19,6	19,5	9,5	8,5	11,4	8,3	11,0
13,0							18,8	18,7	17,4	8,5	8,0	10,7	7,7	9,9
14,0	7,9						18,1	17,7	15,6	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			17,0	16,7	14,0	7,6	7,1	8,6	6,8	8,3
16,0	7,6			7,0			15,4	15,3	12,6	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			14,0	13,9	11,3	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			12,7	12,7	10,2	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,4			11,6	11,6	9,2	6,2	5,6	7,1	5,3	6,8
20,0	6,8	6,5		5,9	6,3		10,6	10,7	8,4	5,8	5,3	6,8	5,0	6,4
21,0	6,2	6,4		5,3	6,1		9,6	9,8	7,6	5,5	5,0	6,4	4,7	6,1
22,0	5,6	6,3	6,0	4,7	5,9		8,8	9,0	6,8	5,3	4,7	6,2	4,4	5,8
23,0	5,1	6,0	5,8	4,2	5,3	5,7	7,9	8,3	6,2	4,9	4,3	5,8	4,0	5,5
24,0	4,6	5,6	5,7	3,7	4,8	5,6	7,2	7,6	5,6	4,4	3,9	5,3	3,5	5,0
26,0	3,7	4,6	5,4	2,9	3,9	4,7	6,0	6,3	4,5	3,4	2,9	4,2	2,6	4,1
28,0	2,9	3,8	4,5	2,1	3,1	3,9	4,9	5,2	3,6	2,5	1,9	3,4	1,6	3,2
30,0	2,2	3,1	3,7		2,4	3,1	4,0	4,4	2,8	1,7	1,0	2,6		2,5
32,0	1,4	2,4	3,0		1,6	2,4	3,3	3,6	2,1			1,9		1,7
34,0		1,7	2,3			1,7	2,7	3,0	1,4			1,1		
36,0			1,7				2,2	2,4						
38,0								1,9						
40,0								1,5						
42,0														
44,0														
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0294< T210.22016

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,6	6,3	10,9	11,1	11,6	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3	7,2	6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0	6,8	6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,6	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	6,8	4,9	9,6	9,9	9,8	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,2	4,5	9,3	9,6	8,9	5,8	5,4	6,7	5,2
22,0	4,1	5,6	4,2	6,8	5,7	5,6	4,2	9,0	9,4	8,1	5,5	5,1	6,4	4,9
23,0	3,8	5,3	4,0	6,6	5,4	5,1	4,0	8,7	9,0	7,4	5,3	4,8	6,1	4,6
24,0	3,5	5,0	3,6	6,3	5,2	4,6	3,7	8,1	8,4	6,7	5,0	4,5	5,8	4,4
26,0	2,6	4,1	2,8	5,9	4,3	3,7	2,9	6,7	7,1	5,5	4,5	4,0	5,2	3,9
28,0	1,5	3,2	1,9	5,4	3,5	2,9	2,1	5,5	5,9	4,5	3,6	3,1	4,3	3,0
30,0		2,5	1,0	4,7	2,8	2,2		4,6	4,9	3,6	2,7	2,2	3,4	2,2
32,0		1,7		4,0	2,1	1,4		3,7	4,1	2,8	1,9	1,3	2,7	1,2
34,0		1,0		3,3	1,4			2,9	3,4	2,2	1,0		2,0	
36,0				2,7				2,3	2,7	1,5			1,3	
38,0				2,2					2,1					
40,0				1,8										
42,0				1,3										
44,0														
* n *	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	12.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0294< T210.22016

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,7		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8	6,5	6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,0	4,5	8,2	8,3	8,2	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	5,6	4,2	8,1	8,2	7,7	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	4,6	3,7	7,3	7,7	6,4	4,8	4,4	5,6
28,0	4,3	3,0	4,3	3,0	5,4	4,4	3,8	3,1	6,0	6,4	5,3	4,3	3,9	5,0
30,0	3,4	2,2	3,5	2,2	5,0	3,6	3,1	2,4	4,8	5,3	4,3	3,5	3,1	4,2
32,0	2,7	1,2	2,8	1,4	4,5	2,9	2,4	1,6	3,9	4,4	3,4	2,7	2,3	3,3
34,0	2,0		2,1		3,9	2,3	1,7		2,9	3,6	2,7	1,9	1,4	2,6
36,0	1,3		1,4		3,2	1,7				2,8	2,0			1,9
38,0					2,7					2,1	1,2			1,2
40,0					2,2									
42,0					1,7									
44,0					1,3									
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0294< T210.22016

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9	6,1	4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,4	4,0					
28,0	3,7	4,8	3,6	4,8	3,5	5,3	4,7	4,5	3,5					
30,0	3,0	4,1	2,9	4,1	3,0	5,0	4,2	3,7	3,1					
32,0	2,2	3,3	2,2	3,4	2,2	4,6	3,5	3,0	2,4					
34,0	1,2	2,6	1,3	2,6	1,4	4,2	2,8	2,3	1,7					
36,0		1,9		2,0		3,5	2,2	1,7						
38,0		1,2		1,3		2,9	1,6							
40,0						2,3								
42,0						1,8								
44,0						1,3								
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0300< T210.22025

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,5			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		18,8			12,6	
11,0	16,1	11,4	9,7	20,0	13,2		19,7	13,1		16,6			12,0	
12,0	14,6	10,8	9,3	17,9	12,7	10,0	17,6	12,6		14,7	13,1		11,5	
13,0	13,5	10,3	9,0	16,1	12,2	9,8	15,9	12,2	9,7	13,1	12,7		10,9	9,5
14,0	12,7	9,7	8,8	14,4	11,7	9,5	14,3	11,8	9,5	11,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	13,0	11,3	9,3	12,9	11,5	9,3	10,4	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	11,7	10,9	9,1	11,7	11,1	9,1	9,4	11,0	9,3	9,3	8,3
17,0	10,3	8,5	8,2	10,6	10,4	9,0	10,6	10,8	9,0	8,4	10,0	9,1	8,8	8,0
18,0	9,7	8,2	8,1	9,7	10,1	8,8	9,7	10,5	8,8	7,5	9,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	8,8	9,8	8,6	8,8	10,0	8,7	6,7	8,1	8,9	8,0	7,3
20,0	8,5	7,7	8,1	8,0	9,1	8,5	8,1	9,2	8,6	6,0	7,4	8,6	7,6	7,1
21,0	8,1	7,5	6,3	7,3	8,3	8,4	7,4	8,4	8,4	5,4	6,6	7,8	7,2	6,8
22,0	7,4	7,4		6,6	7,6	8,2	6,7	7,7	8,3	4,8	6,0	7,1	6,7	6,6
23,0	6,9			6,0	6,9	7,6	6,2	7,1	7,9	4,2	5,4	6,4	6,2	6,4
24,0				5,4	6,2	6,9	5,6	6,5	7,2	3,7	4,8	5,8	5,7	6,2
26,0				4,4	5,1	5,6	4,7	5,4	6,0	2,9	3,8	4,7	4,8	5,6
28,0				3,5	4,1	4,5	3,8	4,4	4,9	2,0	3,0	3,7	4,0	4,8
30,0				2,8	3,3	3,5	3,1	3,6	4,0	1,1	2,2	2,9	3,3	4,0
32,0				2,2	2,5	2,7	2,4	2,9	3,2		1,4	2,2	2,7	3,4
34,0				1,6	1,9	1,9	1,9	2,3	2,5			1,3	2,2	2,8
36,0				1,2	1,3		1,3	1,7	1,8				1,7	2,2
38,0								1,1	1,1				1,1	1,7
40,0														1,2
42,0														
44,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0300< T210.22025

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		18,5			18,5									
10,0		16,8			17,6			15,2						
11,0		15,0			15,9			13,8			14,6			
12,0		13,2			14,1			12,3			13,6			11,5
13,0		11,7	12,6		12,5			10,8			12,1			10,3
14,0		10,3	12,1		11,2	11,8		9,5			10,8			9,0
15,0		9,1	11,1		10,0	11,5		8,4	10,4		9,6	10,5		7,9
16,0	7,7	8,1	10,0	9,3	8,9	10,7		7,4	9,3		8,6	10,2		7,0
17,0	7,5	7,2	8,9	9,2	8,0	9,6	9,0	6,5	8,3		7,7	9,5		6,1
18,0	7,2	6,4	8,0	9,0	7,2	8,7	8,9	5,7	7,4	8,8	6,9	8,5	8,8	5,3
19,0	7,0	5,6	7,1	8,6	6,4	7,8	8,8	5,0	6,6	8,1	6,2	7,7	8,6	4,6
20,0	6,7	4,9	6,4	7,7	5,7	7,0	8,3	4,3	5,8	7,3	5,5	7,0	8,1	4,0
21,0	6,5	4,3	5,7	7,0	5,1	6,4	7,6	3,7	5,1	6,5	4,9	6,3	7,4	3,4
22,0	6,3	3,7	5,0	6,2	4,5	5,7	6,8	3,2	4,5	5,8	4,3	5,7	6,7	2,9
23,0	6,1	3,2	4,4	5,6	4,0	5,1	6,2	2,6	4,0	5,2	3,8	5,1	6,1	2,3
24,0	6,0	2,7	3,9	5,0	3,5	4,6	5,6	2,0	3,4	4,6	3,4	4,6	5,5	1,7
26,0	5,6	1,6	2,9	3,9	2,6	3,6	4,5	1,1	2,5	3,5	2,5	3,6	4,4	
28,0	5,3		2,0	3,0	1,7	2,8	3,6		1,4	2,6	1,6	2,8	3,5	
30,0	4,5		1,1	2,1		2,0	2,8			1,6		2,1	2,7	
32,0	3,8			1,2		1,2	2,0					1,2	2,0	
34,0	3,1						1,2						1,2	
36,0	2,5													
38,0	1,9													
40,0	1,4													
42,0														
44,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0300< T210.22025

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,3			9,8			8,6					
14,0			10,6			8,8			8,4			8,5		
15,0			9,5			7,7			8,3			7,7		
16,0	9,1		8,5	9,2		6,8			8,1			6,8		
17,0	8,1		7,6	8,9		5,9	7,9		7,7	7,2		6,1		
18,0	7,2		6,8	8,4		5,2	7,0		7,0	7,1		5,4	6,9	
19,0	6,4	7,8	6,1	7,6	8,0	4,5	6,3		6,3	6,9		4,7	6,2	
20,0	5,7	7,0	5,4	6,9	7,7	3,9	5,5	6,8	5,7	6,7	6,3	4,1	5,5	
21,0	5,0	6,2	4,9	6,3	7,3	3,3	4,9	6,1	5,1	6,3	6,2	3,5	4,9	
22,0	4,4	5,6	4,3	5,6	6,6	2,8	4,3	5,4	4,6	5,7	6,1	3,0	4,3	5,4
23,0	3,9	4,9	3,8	5,1	6,0	2,2	3,8	4,8	4,1	5,2	5,9	2,5	3,8	4,8
24,0	3,3	4,4	3,4	4,6	5,5	1,6	3,3	4,3	3,6	4,7	5,5	2,0	3,3	4,3
26,0	2,4	3,3	2,5	3,6	4,4		2,3	3,3	2,8	3,8	4,5		2,4	3,3
28,0	1,3	2,4	1,6	2,9	3,6			2,4	2,0	3,0	3,7		1,5	2,5
30,0		1,5		2,2	2,8			1,4	1,3	2,3	2,9			1,6
32,0				1,3	2,1					1,6	2,3			
34,0					1,3						1,6			
36,0														
38,0														
40,0														
42,0														
44,0														
* n *	1	1	2	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0300< T210.22025

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5							20,9							
5,0							20,9							
6,0							20,9	20,9						
7,0							20,9	20,9						
8,0							20,9	20,8	20,9					
9,0							20,9	20,5	20,5	12,3		13,6		
10,0							20,7	20,2	18,8	11,6	11,0	12,8		
11,0							20,0	19,7	16,6	10,8	9,7	12,1		11,7
12,0							17,9	17,6	14,7	9,5	8,5	11,4	8,3	11,0
13,0							16,1	15,9	13,1	8,5	8,0	10,7	7,7	9,9
14,0	7,9						14,4	14,3	11,6	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			13,0	12,9	10,4	7,6	7,1	8,6	6,8	8,3
16,0	7,5			6,6			11,7	11,7	9,4	7,2	6,7	8,2	6,4	7,9
17,0	6,9			5,9			10,6	10,6	8,4	6,8	6,3	7,8	6,0	7,5
18,0	6,2	6,8		5,3			9,7	9,7	7,5	6,2	5,7	7,1	5,3	6,9
19,0	5,6	6,6		4,7			8,8	8,8	6,7	5,6	5,0	6,4	4,6	6,2
20,0	5,0	6,2		4,1	5,4		8,0	8,1	6,0	4,9	4,3	5,7	4,0	5,5
21,0	4,4	5,6		3,6	4,8		7,3	7,4	5,4	4,3	3,7	5,1	3,4	4,9
22,0	3,9	5,1	5,9	3,2	4,3		6,6	6,7	4,8	3,7	3,2	4,5	2,9	4,3
23,0	3,4	4,6	5,5	2,7	3,8	4,8	6,0	6,2	4,2	3,2	2,6	4,0	2,3	3,8
24,0	3,0	4,1	4,9	2,2	3,4	4,3	5,4	5,6	3,7	2,7	2,0	3,5	1,7	3,4
26,0	2,2	3,2	4,0		2,6	3,4	4,4	4,7	2,9	1,6	1,1	2,6		2,5
28,0	1,2	2,4	3,2		1,7	2,6	3,5	3,8	2,0			1,7		1,6
30,0		1,7	2,4			1,8	2,8	3,1	1,1					
32,0			1,7				2,2	2,4						
34,0							1,6	1,9						
36,0							1,2	1,3						
38,0														
40,0														
42,0														
44,0														
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0300< T210.22025

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,5	6,3	10,9	11,1	11,0	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	6,9	5,9	10,4	10,8	10,0	7,2	6,8	8,0	6,7
18,0	5,2	6,8	5,3	8,4	6,9	6,2	5,2	10,1	10,4	9,0	6,8	6,4	7,7	6,3
19,0	4,5	6,1	4,7	8,0	6,3	5,6	4,7	9,8	10,0	8,1	6,5	6,0	7,3	5,9
20,0	3,9	5,4	4,1	7,6	5,7	5,0	4,1	9,1	9,2	7,4	6,1	5,7	7,0	5,5
21,0	3,3	4,9	3,5	7,2	5,1	4,4	3,6	8,3	8,4	6,6	5,7	5,1	6,4	5,0
22,0	2,8	4,3	3,0	6,7	4,6	3,9	3,2	7,6	7,7	6,0	5,0	4,5	5,7	4,4
23,0	2,2	3,8	2,5	6,2	4,1	3,4	2,7	6,9	7,1	5,4	4,4	4,0	5,1	3,9
24,0	1,6	3,4	2,0	5,7	3,6	3,0	2,2	6,2	6,5	4,8	3,9	3,4	4,6	3,3
26,0		2,5		4,8	2,8	2,2		5,1	5,4	3,8	2,9	2,5	3,6	2,4
28,0		1,6		4,0	2,0	1,2		4,1	4,4	3,0	2,0	1,4	2,8	1,3
30,0				3,3	1,3			3,3	3,6	2,2	1,1		2,0	
32,0				2,7				2,5	2,9	1,4			1,2	
34,0				2,2				1,9	2,3					
36,0				1,7				1,3	1,7					
38,0				1,1					1,1					
40,0														
42,0														
44,0														
*** n ***	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0300< T210.22025

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,6		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,8	5,4	6,7	5,3	7,1	6,7	6,2	5,3	8,5	8,6	8,6	6,5	6,2	7,3
21,0	6,3	4,9	6,3	4,9	6,8	6,3	5,6	4,8	8,4	8,4	7,8	6,2	5,8	7,0
22,0	5,7	4,3	5,6	4,3	6,6	5,7	5,1	4,3	8,2	8,3	7,1	5,9	5,5	6,7
23,0	5,1	3,8	5,1	3,8	6,4	5,2	4,6	3,8	7,6	7,9	6,4	5,6	5,1	6,2
24,0	4,6	3,3	4,6	3,3	6,2	4,7	4,1	3,4	6,9	7,2	5,8	5,0	4,6	5,6
26,0	3,6	2,3	3,6	2,4	5,6	3,8	3,2	2,6	5,6	6,0	4,7	3,9	3,5	4,5
28,0	2,8		2,9	1,5	4,8	3,0	2,4	1,7	4,5	4,9	3,7	3,0	2,6	3,6
30,0	2,1		2,2		4,0	2,3	1,7		3,5	4,0	2,9	2,1	1,6	2,8
32,0	1,2		1,3		3,4	1,6			2,7	3,2	2,2	1,2		2,0
34,0					2,8				1,9	2,5	1,3			1,2
36,0					2,2					1,8				
38,0					1,7					1,1				
40,0					1,2									
42,0														
44,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0300< T210.22025

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	5,9						
23,0	4,9	6,0	4,8	6,0	4,8	6,1	5,9	5,5	4,8					
24,0	4,4	5,5	4,3	5,5	4,3	6,0	5,5	4,9	4,3					
26,0	3,3	4,4	3,3	4,4	3,3	5,6	4,5	4,0	3,4					
28,0	2,4	3,5	2,4	3,6	2,5	5,3	3,7	3,2	2,6					
30,0	1,5	2,7	1,4	2,8	1,6	4,5	2,9	2,4	1,8					
32,0		2,0		2,1		3,8	2,3	1,7						
34,0		1,2		1,3		3,1	1,6							
36,0						2,5								
38,0						1,9								
40,0						1,4								
42,0														
44,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,9			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		20,8			12,6	
11,0	16,1	11,4	9,7	20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7	10,0	19,6	12,6		19,8	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	19,2	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,2	11,7	9,5	17,7	11,8	9,5	18,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,4	11,3	9,3	16,8	11,5	9,3	18,0	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	16,6	10,9	9,1	15,9	11,1	9,1	17,1	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	15,8	10,4	9,0	15,0	10,8	9,0	15,8	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	15,0	10,1	8,8	14,4	10,5	8,8	14,6	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	14,2	9,9	8,6	13,9	10,2	8,7	13,3	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	13,4	9,6	8,5	13,4	9,9	8,6	12,3	10,6	8,8	7,6	7,1
21,0	8,1	7,5	6,3	12,7	9,3	8,4	12,8	9,7	8,4	11,3	10,3	8,7	7,2	6,8
22,0	7,7	7,4		12,0	9,0	8,3	12,3	9,4	8,4	10,4	10,1	8,6	6,8	6,6
23,0	7,3			11,1	8,8	8,2	11,4	9,2	8,3	9,6	9,9	8,5	6,6	6,4
24,0				10,3	8,6	8,1	10,6	8,9	8,2	8,8	9,7	8,4	6,3	6,2
26,0				8,8	8,2	8,0	9,1	8,5	8,0	7,5	8,5	8,2	5,9	5,7
28,0				7,5	7,8	8,0	7,8	8,2	7,9	6,4	7,3	8,1	5,4	5,4
30,0				6,5	6,9	7,2	6,7	7,3	7,7	5,4	6,2	6,9	4,9	5,0
32,0				5,5	5,9	6,0	5,8	6,3	6,6	4,5	5,2	5,8	4,6	4,6
34,0				4,8	5,0	3,0	5,0	5,4	5,7	3,7	4,3	4,8	4,3	4,3
36,0				4,1	4,2		4,3	4,7	4,8	3,0	3,6	4,0	4,0	4,0
38,0							3,7	4,0	3,1	2,4	2,9	3,2	3,7	3,8
40,0							3,2			1,9	2,3	2,5	3,5	3,5
42,0										1,3	1,7	1,9	3,0	3,3
44,0											1,2	1,3	2,6	2,9
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,7			17,9			17,3			14,7			
12,0		19,5			17,6			17,2			14,3			14,5
13,0		19,0	12,6		17,0			17,2			13,9			14,4
14,0		18,4	12,2		16,3	11,8		17,0			13,5			14,2
15,0		17,4	11,9		15,6	11,5		16,3	11,7		13,1	10,5		14,0
16,0	7,7	15,9	11,6	9,3	14,9	11,2		15,0	11,5		12,7	10,5		13,8
17,0	7,5	14,5	11,4	9,2	14,2	11,0	9,0	13,6	11,2		12,2	10,5		13,1
18,0	7,2	13,2	11,1	9,0	13,5	10,7	8,9	12,4	11,0	9,0	11,8	10,4	8,8	11,9
19,0	7,0	12,0	10,9	8,9	12,9	10,4	8,8	11,3	10,8	8,8	11,3	10,2	8,7	10,8
20,0	6,7	11,0	10,6	8,8	11,9	10,1	8,7	10,3	10,5	8,7	10,9	9,9	8,6	9,8
21,0	6,5	10,0	10,4	8,7	10,9	9,9	8,6	9,3	10,3	8,6	10,4	9,6	8,5	9,0
22,0	6,3	9,2	10,1	8,6	10,0	9,7	8,5	8,5	9,9	8,6	9,7	9,2	8,4	8,1
23,0	6,1	8,4	9,7	8,5	9,2	9,5	8,4	7,8	9,1	8,5	9,0	8,9	8,3	7,4
24,0	6,0	7,7	8,9	8,4	8,5	9,3	8,3	7,1	8,4	8,4	8,3	8,7	8,2	6,7
26,0	5,6	6,4	7,5	8,1	7,2	8,2	8,2	5,8	7,0	7,9	7,0	8,1	7,9	5,5
28,0	5,3	5,3	6,3	7,3	6,1	7,0	7,8	4,8	5,8	6,8	5,9	7,0	7,5	4,5
30,0	5,0	4,4	5,3	6,1	5,2	6,0	6,8	3,8	4,8	5,7	5,0	6,0	6,7	3,6
32,0	4,6	3,6	4,4	5,1	4,3	5,1	5,8	3,0	3,9	4,7	4,2	5,1	5,7	2,8
34,0	4,3	2,8	3,6	4,2	3,6	4,3	4,9	2,3	3,1	3,8	3,5	4,3	4,8	2,1
36,0	4,1	2,2	2,9	3,4	2,9	3,5	4,0	1,7	2,4	3,1	2,8	3,6	4,1	1,3
38,0	3,8	1,6	2,2	2,7	2,3	2,9	3,3		1,8	2,4	2,3	3,0	3,4	
40,0	3,6		1,6	2,0	1,8	2,3	2,6		1,1	1,8	1,8	2,4	2,7	
42,0	3,3			1,4	1,2	1,7	2,0			1,0	1,2	1,9	2,2	
44,0	2,9					1,2	1,5					1,3	1,6	
* n *	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
% 1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
% 2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
% 4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
% 5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,5			8,3			8,8		
16,0	10,5		10,5	9,2		11,4			8,1			8,7		
17,0	10,5		10,2	8,9		11,2	10,1		7,9	7,2		8,6		
18,0	10,5		9,8	8,7		10,9	9,9		7,7	7,1		8,5	7,9	
19,0	10,5	8,7	9,4	8,4	8,0	10,3	9,6		7,5	6,9		8,3	7,8	
20,0	10,4	8,6	9,1	8,1	7,8	9,5	9,3	8,4	7,2	6,7	6,3	8,1	7,6	
21,0	10,2	8,5	8,7	7,9	7,5	8,6	9,1	8,3	7,0	6,5	6,2	7,9	7,4	
22,0	9,7	8,4	8,4	7,6	7,3	7,9	8,8	8,3	6,8	6,4	6,1	7,7	7,2	7,0
23,0	8,9	8,4	8,1	7,4	7,1	7,2	8,5	8,2	6,6	6,2	5,9	7,1	7,0	6,8
24,0	8,2	8,3	7,8	7,2	7,0	6,5	7,9	8,1	6,4	6,1	5,8	6,6	6,9	6,7
26,0	6,8	7,8	6,9	6,8	6,6	5,4	6,7	7,6	6,1	5,8	5,6	5,5	6,5	6,4
28,0	5,7	6,6	5,9	6,4	6,3	4,4	5,6	6,4	5,8	5,5	5,4	4,5	5,5	6,1
30,0	4,7	5,5	5,0	5,9	6,0	3,5	4,7	5,4	5,2	5,2	5,1	3,7	4,6	5,3
32,0	3,8	4,5	4,2	5,1	5,6	2,7	3,8	4,5	4,4	5,0	4,9	3,0	3,8	4,5
34,0	3,1	3,7	3,5	4,3	4,9	2,0	3,0	3,7	3,8	4,4	4,7	2,3	3,1	3,7
36,0	2,4	2,9	2,9	3,7	4,1	1,3	2,4	2,9	3,2	3,8	4,2	1,6	2,5	3,0
38,0	1,7	2,2	2,3	3,0	3,5		1,8	2,3	2,6	3,2	3,6		1,9	2,4
40,0	1,0	1,6	1,8	2,5	2,9		1,0	1,7	2,1	2,7	3,0		1,2	1,8
42,0			1,3	2,0	2,3				1,6	2,2	2,5			1,1
44,0				1,5	1,8				1,1	1,7	2,0			
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5							20,9							
5,0							20,9							
6,0							20,9	20,9						
7,0							20,9	20,9						
8,0							20,9	20,8	20,9					
9,0							20,9	20,5	20,9	12,3		13,6		
10,0							20,7	20,2	20,8	11,6	11,0	12,8		
11,0							20,1	20,0	20,3	10,8	9,7	12,1		11,7
12,0							19,5	19,6	19,8	9,5	8,5	11,4	8,3	11,0
13,0							18,8	18,7	19,2	8,5	8,0	10,7	7,7	9,9
14,0	7,9						18,2	17,7	18,6	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			17,4	16,8	18,0	7,6	7,1	8,6	6,8	8,3
16,0	7,6			7,0			16,6	15,9	17,1	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			15,8	15,0	15,8	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			15,0	14,4	14,6	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,7			14,2	13,9	13,3	6,2	5,6	7,1	5,3	6,8
20,0	7,0	6,5		6,6	6,3		13,4	13,4	12,3	5,8	5,3	6,8	5,0	6,4
21,0	6,8	6,4		6,5	6,2		12,7	12,8	11,3	5,5	5,0	6,4	4,7	6,1
22,0	6,7	6,3	6,0	6,4	6,0		12,0	12,3	10,4	5,3	4,7	6,2	4,4	5,8
23,0	6,5	6,1	5,8	6,2	5,9	5,7	11,1	11,4	9,6	5,0	4,4	5,9	4,1	5,5
24,0	6,3	6,0	5,7	6,1	5,8	5,6	10,3	10,6	8,8	4,8	4,2	5,6	3,8	5,3
26,0	5,9	5,7	5,5	5,4	5,6	5,4	8,8	9,1	7,5	4,3	3,7	5,1	3,3	4,8
28,0	5,3	5,5	5,3	4,5	5,3	5,2	7,5	7,8	6,4	3,9	3,3	4,7	2,9	4,3
30,0	4,5	5,1	5,1	3,7	4,6	5,0	6,5	6,7	5,4	3,5	2,9	4,3	2,5	3,9
32,0	3,8	4,5	4,9	3,1	3,8	4,5	5,5	5,8	4,5	3,2	2,5	4,0	2,1	3,6
34,0	3,2	3,8	4,4	2,4	3,2	3,8	4,8	5,0	3,7	2,8	2,2	3,6	1,8	3,2
36,0	2,6	3,2	3,7	1,8	2,6	3,1	4,1	4,3	3,0	2,2	1,7	2,9	1,3	2,8
38,0	2,0	2,7	3,1	1,2	2,0	2,5		3,7	2,4	1,6		2,3		2,3
40,0	1,5	2,1	2,6		1,4	2,0		3,2	1,9			1,8		1,8
42,0		1,6	2,0			1,4			1,3			1,2		1,2
44,0		1,1	1,5											
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
% 1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
% 3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
% 4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
% 5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,6	6,3	10,9	11,1	11,6	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3	7,2	6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0	6,8	6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,8	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	7,0	4,9	9,6	9,9	10,5	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,8	4,5	9,3	9,6	10,3	5,8	5,4	6,7	5,2
22,0	4,2	5,6	4,2	6,8	5,7	6,7	4,2	9,0	9,4	10,0	5,5	5,1	6,4	4,9
23,0	3,9	5,4	4,0	6,6	5,4	6,5	4,0	8,8	9,1	9,8	5,3	4,8	6,1	4,6
24,0	3,6	5,1	3,7	6,3	5,2	6,3	3,7	8,6	8,9	9,5	5,0	4,5	5,8	4,4
26,0	3,1	4,6	3,2	5,9	4,7	5,9	3,2	8,2	8,5	8,5	4,5	4,0	5,3	3,9
28,0	2,7	4,2	2,8	5,4	4,2	5,3	2,8	7,8	8,2	7,3	4,1	3,6	4,9	3,4
30,0	2,3	3,7	2,4	4,9	3,8	4,5	2,4	6,9	7,3	6,2	3,7	3,2	4,5	3,0
32,0	1,9	3,4	2,0	4,6	3,4	3,8	2,0	5,9	6,3	5,2	3,4	2,8	4,1	2,6
34,0	1,6	3,0	1,7	4,3	3,1	3,2	1,7	5,0	5,4	4,3	3,0	2,5	3,8	2,2
36,0	1,2	2,7	1,3	4,0	2,8	2,6	1,4	4,2	4,7	3,6	2,7	2,1	3,4	1,9
38,0		2,3		3,7	2,5	2,0	1,0		4,0	2,9	2,2	1,8	2,9	1,6
40,0		1,8		3,5	2,1	1,5				2,3	1,6	1,1	2,3	1,0
42,0		1,3		3,0	1,6					1,7			1,7	
44,0				2,6	1,1					1,2			1,2	
* n *	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,7		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8	6,5	6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,1	4,5	8,2	8,3	8,5	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	6,0	4,2	8,1	8,2	8,4	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	5,7	3,7	8,0	8,0	8,2	4,8	4,4	5,6
28,0	4,7	3,2	4,6	3,2	5,4	4,5	5,5	3,2	8,0	7,9	8,1	4,4	3,9	5,1
30,0	4,3	2,8	4,1	2,8	5,0	4,1	5,1	2,8	7,2	7,7	6,9	4,0	3,5	4,7
32,0	3,9	2,4	3,7	2,4	4,6	3,7	4,5	2,4	6,0	6,6	5,8	3,6	3,1	4,3
34,0	3,6	2,1	3,4	2,0	4,3	3,3	3,8	2,0	3,0	5,7	4,8	3,3	2,8	4,0
36,0	3,2	1,7	3,1	1,7	4,0	3,0	3,2	1,7		4,8	4,0	2,9	2,4	3,6
38,0	2,9	1,4	2,8	1,4	3,8	2,7	2,7	1,4		3,1	3,2	2,6	2,1	3,3
40,0	2,4		2,5	1,1	3,5	2,4	2,1	1,1			2,5	2,0	1,7	2,6
42,0	1,9		2,0		3,3	2,1	1,6				1,9	1,4	1,0	2,0
44,0	1,3		1,5		2,9	1,7	1,1				1,3			1,5
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9	6,1	4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,5	4,0					
28,0	3,7	4,9	3,6	4,8	3,5	5,3	4,7	5,3	3,5					
30,0	3,3	4,5	3,1	4,3	3,1	5,0	4,3	5,1	3,1					
32,0	2,8	4,1	2,7	3,9	2,7	4,6	3,9	4,9	2,7					
34,0	2,5	3,7	2,3	3,6	2,3	4,3	3,5	4,4	2,3					
36,0	2,1	3,4	2,0	3,2	1,9	4,1	3,2	3,7	2,0					
38,0	1,8	3,0	1,7	2,9	1,6	3,8	2,9	3,1	1,7					
40,0	1,5	2,7	1,4	2,6	1,3	3,6	2,6	2,6	1,4					
42,0		2,2		2,3		3,3	2,3	2,0	1,1					
44,0		1,6		1,8		2,9	2,0	1,5						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
46,0													2,2	2,4
48,0													1,9	2,0
50,0													1,6	
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
46,0	2,4													
48,0														
50,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
46,0					1,3					1,2	1,5			
48,0											1,0			
50,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T / NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
46,0				2,2										
48,0				1,9										
50,0				1,6										
*** n ***	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
46,0					2,4	1,2								
48,0					2,0									
50,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0293< T210.22015

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
46,0				1,3		2,4	1,5							
48,0							1,0							
50,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,9			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		20,8			12,6	
11,0	16,1	11,4	9,7	20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7	10,0	19,6	12,6		19,3	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	17,4	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,1	11,7	9,5	17,7	11,8	9,5	15,7	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,1	11,3	9,3	16,7	11,5	9,3	14,3	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	15,6	10,9	9,1	15,5	11,1	9,1	13,0	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	14,3	10,4	9,0	14,2	10,8	9,0	11,8	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	13,1	10,1	8,8	13,1	10,5	8,8	10,8	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	12,0	9,9	8,6	12,1	10,2	8,7	9,8	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	11,0	9,6	8,5	11,1	9,9	8,6	9,0	10,2	8,8	7,6	7,1
21,0	8,1	7,5	6,3	10,1	9,3	8,4	10,3	9,7	8,4	8,2	9,4	8,7	7,2	6,8
22,0	7,7	7,4		9,2	9,0	8,3	9,5	9,4	8,4	7,5	8,7	8,6	6,8	6,6
23,0	7,3			8,5	8,8	8,2	8,8	9,2	8,3	6,8	8,0	8,5	6,6	6,4
24,0				7,8	8,5	8,1	8,1	8,9	8,2	6,2	7,3	8,2	6,3	6,2
26,0				6,5	7,2	7,7	6,8	7,6	8,0	5,2	6,1	7,0	5,9	5,7
28,0				5,5	6,1	6,5	5,8	6,4	6,9	4,3	5,1	5,9	5,4	5,4
30,0				4,6	5,1	5,4	4,9	5,5	5,9	3,5	4,2	4,9	4,9	5,0
32,0				3,9	4,3	4,4	4,2	4,6	4,9	2,8	3,5	4,1	4,5	4,6
34,0				3,3	3,5	3,0	3,5	3,9	4,1	2,2	2,8	3,3	3,8	4,3
36,0				2,7	2,8		2,9	3,3	3,4	1,6	2,2	2,6	3,3	3,8
38,0							2,5	2,7	2,7		1,6	1,9	2,7	3,2
40,0							2,0					1,2	2,3	2,7
42,0													1,9	2,2
44,0													1,5	1,8
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,3			17,9			17,3			14,7			
12,0		17,8			17,6			16,5			14,3			14,5
13,0		15,9	12,6		16,6			15,0			13,9			14,0
14,0		14,3	12,2		15,2	11,8		13,5			13,5			12,9
15,0		12,9	11,9		13,8	11,5		12,1	11,7		13,0	10,5		11,6
16,0	7,7	11,7	11,6	9,3	12,5	11,2		10,9	11,5		12,1	10,5		10,4
17,0	7,5	10,5	11,4	9,2	11,4	11,0	9,0	9,8	11,2		11,0	10,5		9,4
18,0	7,2	9,6	11,1	9,0	10,4	10,7	8,9	8,8	10,5	9,0	10,0	10,4	8,8	8,4
19,0	7,0	8,6	10,2	8,9	9,4	10,4	8,8	8,0	9,6	8,8	9,2	10,2	8,7	7,6
20,0	6,7	7,8	9,3	8,8	8,6	10,0	8,7	7,2	8,7	8,7	8,4	9,7	8,6	6,8
21,0	6,5	7,1	8,4	8,7	7,9	9,1	8,6	6,5	7,9	8,6	7,6	9,0	8,5	6,1
22,0	6,3	6,4	7,7	8,6	7,2	8,4	8,5	5,8	7,1	8,3	7,0	8,3	8,4	5,5
23,0	6,1	5,8	7,0	8,1	6,5	7,7	8,4	5,2	6,5	7,7	6,3	7,6	8,3	4,9
24,0	6,0	5,2	6,4	7,5	6,0	7,1	8,1	4,6	5,9	7,0	5,8	7,0	7,9	4,4
26,0	5,6	4,2	5,2	6,2	4,9	5,9	6,8	3,6	4,7	5,8	4,8	5,9	6,7	3,4
28,0	5,3	3,3	4,2	5,1	4,0	4,9	5,7	2,8	3,8	4,7	3,9	4,9	5,6	2,5
30,0	5,0	2,5	3,4	4,1	3,3	4,1	4,8	2,0	2,9	3,8	3,1	4,1	4,7	1,6
32,0	4,6	1,7	2,6	3,3	2,6	3,3	4,0	1,1	2,2	3,0	2,5	3,3	3,9	
34,0	4,3		1,9	2,6	2,0	2,6	3,2		1,4	2,2	1,8	2,7	3,2	
36,0	4,0		1,1	1,9	1,3	2,0	2,5			1,4	1,1	2,1	2,5	
38,0	3,4			1,1		1,4	1,9					1,5	1,9	
40,0	2,8						1,3						1,3	
42,0	2,3													
44,0	1,8													
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,2			8,3			8,8		
16,0	10,5		10,5	9,2		10,1			8,1			8,7		
17,0	10,5		10,2	8,9		9,1	10,1		7,9	7,2		8,6		
18,0	10,2		9,8	8,7		8,2	9,8		7,7	7,1		8,1	7,9	
19,0	9,4	8,7	9,0	8,4	8,0	7,4	9,1		7,5	6,9		7,4	7,8	
20,0	8,5	8,6	8,3	8,1	7,8	6,7	8,3	8,4	7,2	6,7	6,3	6,7	7,6	
21,0	7,7	8,5	7,6	7,9	7,5	6,0	7,6	8,3	7,0	6,5	6,2	6,1	7,3	
22,0	7,0	8,2	6,9	7,6	7,3	5,4	6,9	8,0	6,8	6,4	6,1	5,5	6,7	7,0
23,0	6,3	7,4	6,3	7,4	7,1	4,8	6,2	7,3	6,4	6,2	5,9	5,0	6,1	6,8
24,0	5,7	6,8	5,7	7,0	7,0	4,2	5,6	6,6	6,0	6,1	5,8	4,5	5,6	6,5
26,0	4,6	5,6	4,8	5,9	6,6	3,3	4,6	5,5	5,0	5,7	5,6	3,5	4,6	5,5
28,0	3,7	4,5	3,9	4,9	5,7	2,5	3,6	4,5	4,2	5,0	5,4	2,7	3,7	4,5
30,0	2,9	3,6	3,1	4,1	4,8	1,6	2,8	3,6	3,4	4,2	4,8	1,9	2,9	3,6
32,0	2,1	2,8	2,5	3,4	4,0		2,1	2,8	2,8	3,5	4,1	1,1	2,2	2,9
34,0	1,3	2,1	1,9	2,7	3,2		1,3	2,1	2,2	2,9	3,4		1,4	2,2
36,0		1,3	1,2	2,1	2,6			1,3	1,6	2,3	2,8			1,4
38,0				1,6	2,0				1,0	1,8	2,2			
40,0					1,5					1,2	1,7			
42,0											1,1			
44,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5							20,9							
5,0							20,9							
6,0							20,9	20,9						
7,0							20,9	20,9						
8,0							20,9	20,8	20,9					
9,0							20,9	20,5	20,9	12,3		13,6		
10,0							20,7	20,2	20,8	11,6	11,0	12,8		
11,0							20,1	20,0	20,3	10,8	9,7	12,1		11,7
12,0							19,5	19,6	19,3	9,5	8,5	11,4	8,3	11,0
13,0							18,8	18,7	17,4	8,5	8,0	10,7	7,7	9,9
14,0	7,9						18,1	17,7	15,7	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			17,1	16,7	14,3	7,6	7,1	8,6	6,8	8,3
16,0	7,6			7,0			15,6	15,5	13,0	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			14,3	14,2	11,8	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			13,1	13,1	10,8	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,7			12,0	12,1	9,8	6,2	5,6	7,1	5,3	6,8
20,0	7,0	6,5		6,5	6,3		11,0	11,1	9,0	5,8	5,3	6,8	5,0	6,4
21,0	6,8	6,4		6,0	6,2		10,1	10,3	8,2	5,5	5,0	6,4	4,7	6,1
22,0	6,3	6,3	6,0	5,4	6,0		9,2	9,5	7,5	5,3	4,7	6,2	4,4	5,8
23,0	5,8	6,1	5,8	4,9	5,9	5,7	8,5	8,8	6,8	5,0	4,4	5,9	4,1	5,5
24,0	5,3	6,0	5,7	4,5	5,5	5,6	7,8	8,1	6,2	4,8	4,2	5,6	3,8	5,3
26,0	4,4	5,3	5,5	3,6	4,6	5,3	6,5	6,8	5,2	4,1	3,6	4,9	3,3	4,7
28,0	3,6	4,5	5,1	2,9	3,8	4,5	5,5	5,8	4,3	3,3	2,8	4,0	2,5	3,9
30,0	2,9	3,7	4,3	2,1	3,0	3,7	4,6	4,9	3,5	2,5	2,0	3,3	1,6	3,1
32,0	2,2	3,0	3,6	1,3	2,4	3,0	3,9	4,2	2,8	1,7	1,1	2,6		2,5
34,0	1,5	2,4	2,9		1,7	2,4	3,3	3,5	2,2			2,0		1,8
36,0		1,8	2,3			1,7	2,7	2,9	1,6			1,3		1,1
38,0		1,1	1,7			1,0		2,5						
40,0			1,1					2,0						
42,0														
44,0														
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,6	6,3	10,9	11,1	11,6	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3	7,2	6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0	6,8	6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,8	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	7,0	4,9	9,6	9,9	10,2	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,8	4,5	9,3	9,6	9,4	5,8	5,4	6,7	5,2
22,0	4,2	5,6	4,2	6,8	5,7	6,3	4,2	9,0	9,4	8,7	5,5	5,1	6,4	4,9
23,0	3,9	5,4	4,0	6,6	5,4	5,8	4,0	8,8	9,1	8,0	5,3	4,8	6,1	4,6
24,0	3,6	5,1	3,7	6,3	5,2	5,3	3,7	8,5	8,9	7,3	5,0	4,5	5,8	4,4
26,0	3,1	4,6	3,2	5,9	4,7	4,4	3,2	7,2	7,6	6,1	4,5	4,0	5,3	3,9
28,0	2,4	3,9	2,7	5,4	4,1	3,6	2,7	6,1	6,4	5,1	4,1	3,6	4,8	3,4
30,0	1,6	3,1	1,9	4,9	3,4	2,9	2,1	5,1	5,5	4,2	3,4	2,9	4,1	2,9
32,0		2,5	1,1	4,5	2,8	2,2	1,3	4,3	4,6	3,5	2,6	2,2	3,3	2,1
34,0		1,9		3,8	2,2	1,5		3,5	3,9	2,8	1,9	1,4	2,6	1,3
36,0		1,2		3,3	1,6			2,8	3,3	2,2	1,1		2,0	
38,0				2,7	1,0				2,7	1,6			1,4	
40,0				2,3										
42,0				1,9										
44,0				1,5										
* n *	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,7		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8	6,5	6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,1	4,5	8,2	8,3	8,5	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	6,0	4,2	8,1	8,2	8,2	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	5,3	3,7	7,7	8,0	7,0	4,8	4,4	5,6
28,0	4,7	3,2	4,6	3,2	5,4	4,5	4,5	3,2	6,5	6,9	5,9	4,4	3,9	5,1
30,0	4,1	2,8	4,1	2,7	5,0	4,1	3,7	2,8	5,4	5,9	4,9	4,0	3,5	4,7
32,0	3,3	2,1	3,4	2,2	4,6	3,5	3,0	2,3	4,4	4,9	4,1	3,3	2,9	4,0
34,0	2,7	1,3	2,7	1,4	4,3	2,9	2,4	1,7	3,0	4,1	3,3	2,6	2,2	3,2
36,0	2,1		2,1		3,8	2,3	1,8			3,4	2,6	1,9	1,4	2,5
38,0	1,5		1,6		3,2	1,8	1,1			2,7	1,9	1,1		1,9
40,0					2,7	1,2					1,2			1,3
42,0					2,2									
44,0					1,8									
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9	6,1	4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,5	4,0					
28,0	3,7	4,9	3,6	4,8	3,5	5,3	4,7	5,1	3,5					
30,0	3,3	4,5	3,1	4,3	3,1	5,0	4,3	4,3	3,1					
32,0	2,7	3,9	2,7	3,9	2,7	4,6	3,9	3,6	2,7					
34,0	2,1	3,2	2,1	3,2	2,2	4,3	3,4	2,9	2,3					
36,0	1,3	2,5	1,3	2,6	1,4	4,0	2,8	2,3	1,7					
38,0		1,9		2,0		3,4	2,2	1,7	1,0					
40,0		1,3		1,5		2,8	1,7	1,1						
42,0						2,3	1,1							
44,0						1,8								
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
46,0													1,2	1,4
48,0														1,0
50,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
% 4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°	

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
46,0	1,4													
48,0														
50,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
46,0				1,2										
48,0														
50,0														
*** n ***	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
46,0					1,4									
48,0					1,0									
50,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0299< T210.22024

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
46,0						1,4								
48,0														
50,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,9			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		20,8			12,6	
11,0	16,1	11,4	9,7	20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7	10,0	19,6	12,6		19,8	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	19,2	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,2	11,7	9,5	17,7	11,8	9,5	18,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,4	11,3	9,3	16,8	11,5	9,3	18,0	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	16,6	10,9	9,1	15,9	11,1	9,1	17,3	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	15,8	10,4	9,0	15,0	10,8	9,0	16,7	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	15,0	10,1	8,8	14,4	10,5	8,8	16,0	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	14,2	9,9	8,6	13,9	10,2	8,7	15,4	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	13,4	9,6	8,5	13,4	9,9	8,6	14,7	10,6	8,8	7,6	7,1
21,0	8,1	7,5	6,3	12,7	9,3	8,4	12,8	9,7	8,4	14,1	10,3	8,7	7,2	6,8
22,0	7,7	7,4		12,2	9,0	8,3	12,3	9,4	8,4	13,6	10,1	8,6	6,8	6,6
23,0	7,3			11,7	8,8	8,2	11,7	9,2	8,3	12,9	9,9	8,5	6,6	6,4
24,0				11,2	8,6	8,1	11,3	8,9	8,2	12,0	9,7	8,4	6,3	6,2
26,0				10,2	8,2	8,0	10,5	8,5	8,0	10,5	9,2	8,2	5,9	5,7
28,0				9,5	7,8	8,0	9,7	8,2	7,9	9,1	8,8	8,1	5,4	5,4
30,0				8,8	7,6	8,0	9,0	7,9	7,8	7,8	8,5	8,0	4,9	5,0
32,0				7,8	7,4	7,0	8,0	7,6	7,7	6,7	7,4	7,9	4,6	4,6
34,0				6,8	7,1	3,0	7,1	7,4	7,5	5,7	6,4	6,9	4,3	4,3
36,0				6,1	6,1		6,3	6,6	5,8	4,9	5,5	5,9	4,0	4,0
38,0							5,6	5,8	3,1	4,2	4,7	5,0	3,7	3,8
40,0							5,0			3,6	4,0	4,3	3,5	3,5
42,0										3,0	3,4	3,6	3,3	3,3
44,0										2,5	2,8	2,9	3,1	3,1
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,7			17,9			17,3			14,7			
12,0		19,5			17,6			17,2			14,3			14,5
13,0		19,0	12,6		17,0			17,2			13,9			14,4
14,0		18,4	12,2		16,3	11,8		17,0			13,5			14,2
15,0		17,7	11,9		15,6	11,5		16,6	11,7		13,1	10,5		14,0
16,0	7,7	17,1	11,6	9,3	14,9	11,2		16,1	11,5		12,7	10,5		13,8
17,0	7,5	16,5	11,4	9,2	14,2	11,0	9,0	15,6	11,2		12,2	10,5		13,4
18,0	7,2	16,0	11,1	9,0	13,6	10,7	8,9	15,2	11,0	9,0	11,8	10,4	8,8	13,0
19,0	7,0	15,4	10,9	8,9	13,0	10,4	8,8	14,6	10,8	8,8	11,3	10,2	8,7	12,6
20,0	6,7	14,6	10,6	8,8	12,5	10,1	8,7	13,8	10,5	8,7	10,9	9,9	8,6	12,2
21,0	6,5	13,6	10,4	8,7	11,9	9,9	8,6	12,9	10,3	8,6	10,5	9,6	8,5	11,8
22,0	6,3	12,7	10,2	8,6	11,4	9,7	8,5	11,9	10,1	8,6	10,0	9,2	8,4	11,3
23,0	6,1	11,7	9,9	8,5	10,9	9,5	8,4	11,0	10,0	8,5	9,6	8,9	8,3	10,6
24,0	6,0	10,9	9,7	8,4	10,4	9,3	8,3	10,2	9,8	8,4	9,2	8,7	8,2	9,8
26,0	5,6	9,3	9,3	8,3	9,6	9,0	8,2	8,7	9,4	8,2	8,4	8,1	7,9	8,4
28,0	5,3	8,1	8,9	8,1	8,8	8,5	8,0	7,5	8,5	8,1	7,7	7,6	7,5	7,2
30,0	5,0	6,9	7,9	8,0	7,7	8,0	7,7	6,4	7,3	7,9	7,2	7,0	7,0	6,1
32,0	4,6	5,9	6,8	7,4	6,6	7,3	7,3	5,4	6,3	7,1	6,6	6,6	6,6	5,1
34,0	4,3	5,0	5,7	6,4	5,7	6,4	6,8	4,6	5,4	6,1	5,7	6,2	6,2	4,3
36,0	4,1	4,2	4,9	5,4	4,9	5,5	6,0	3,8	4,6	5,2	4,9	5,6	5,8	3,6
38,0	3,8	3,5	4,1	4,5	4,2	4,7	5,1	3,2	3,8	4,4	4,2	4,8	5,2	2,9
40,0	3,6	2,8	3,4	3,8	3,5	4,0	4,4	2,5	3,1	3,6	3,5	4,1	4,5	2,3
42,0	3,3	2,3	2,7	3,1	2,9	3,4	3,7	2,0	2,5	2,9	2,9	3,5	3,8	1,8
44,0	3,1	1,8	2,2	2,4	2,4	2,8	3,0	1,4	1,9	2,3	2,4	2,9	3,2	1,3
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,5			8,3			8,8		
16,0	10,5		10,5	9,2		11,4			8,1			8,7		
17,0	10,5		10,2	8,9		11,2	10,1		7,9	7,2		8,6		
18,0	10,5		9,8	8,7		10,9	9,9		7,7	7,1		8,5	7,9	
19,0	10,5	8,7	9,4	8,4	8,0	10,6	9,6		7,5	6,9		8,3	7,8	
20,0	10,4	8,6	9,1	8,1	7,8	10,3	9,3	8,4	7,2	6,7	6,3	8,1	7,6	
21,0	10,2	8,5	8,7	7,9	7,5	10,0	9,1	8,3	7,0	6,5	6,2	7,9	7,4	
22,0	10,1	8,4	8,4	7,6	7,3	9,6	8,8	8,3	6,8	6,4	6,1	7,7	7,2	7,0
23,0	9,9	8,4	8,1	7,4	7,1	9,3	8,6	8,2	6,6	6,2	5,9	7,5	7,0	6,8
24,0	9,8	8,3	7,8	7,2	7,0	9,0	8,3	8,1	6,4	6,1	5,8	7,3	6,9	6,7
26,0	9,4	8,2	7,3	6,8	6,6	8,0	7,9	7,7	6,1	5,8	5,6	6,8	6,6	6,4
28,0	8,3	8,0	6,8	6,4	6,3	6,9	7,4	7,3	5,8	5,5	5,4	6,5	6,3	6,1
30,0	7,2	7,7	6,3	6,1	6,0	5,9	7,0	7,0	5,5	5,2	5,1	5,9	6,0	5,9
32,0	6,2	6,9	5,9	5,8	5,7	5,0	6,0	6,6	5,2	5,0	4,9	5,1	5,7	5,7
34,0	5,3	5,9	5,5	5,5	5,5	4,2	5,2	5,8	4,9	4,7	4,7	4,4	5,1	5,4
36,0	4,5	5,0	4,9	5,2	5,2	3,5	4,4	5,0	4,7	4,5	4,5	3,7	4,4	4,9
38,0	3,8	4,2	4,3	4,9	4,9	2,9	3,7	4,2	4,4	4,3	4,3	3,1	3,7	4,2
40,0	3,1	3,5	3,6	4,3	4,6	2,3	3,1	3,6	3,9	4,1	4,1	2,5	3,1	3,6
42,0	2,5	2,9	3,1	3,7	4,0	1,8	2,5	2,9	3,4	3,8	3,9	2,0	2,6	3,0
44,0	2,0	2,3	2,6	3,1	3,4	1,2	2,0	2,3	2,9	3,4	3,6	1,5	2,1	2,5
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5							20,9							
5,0							20,9							
6,0							20,9	20,9						
7,0							20,9	20,9						
8,0							20,9	20,8	20,9					
9,0							20,9	20,5	20,9	12,3		13,6		
10,0							20,7	20,2	20,8	11,6	11,0	12,8		
11,0							20,1	20,0	20,3	10,8	9,7	12,1		11,7
12,0							19,5	19,6	19,8	9,5	8,5	11,4	8,3	11,0
13,0							18,8	18,7	19,2	8,5	8,0	10,7	7,7	9,9
14,0	7,9						18,2	17,7	18,6	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			17,4	16,8	18,0	7,6	7,1	8,6	6,8	8,3
16,0	7,6			7,0			16,6	15,9	17,3	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			15,8	15,0	16,7	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			15,0	14,4	16,0	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,7			14,2	13,9	15,4	6,2	5,6	7,1	5,3	6,8
20,0	7,0	6,5		6,6	6,3		13,4	13,4	14,7	5,8	5,3	6,8	5,0	6,4
21,0	6,8	6,4		6,5	6,2		12,7	12,8	14,1	5,5	5,0	6,4	4,7	6,1
22,0	6,7	6,3	6,0	6,4	6,0		12,2	12,3	13,6	5,3	4,7	6,2	4,4	5,8
23,0	6,5	6,1	5,8	6,2	5,9	5,7	11,7	11,7	12,9	5,0	4,4	5,9	4,1	5,5
24,0	6,3	6,0	5,7	6,1	5,8	5,6	11,2	11,3	12,0	4,8	4,2	5,6	3,8	5,3
26,0	6,0	5,7	5,5	5,8	5,6	5,4	10,2	10,5	10,5	4,3	3,7	5,1	3,3	4,8
28,0	5,7	5,5	5,3	5,5	5,3	5,2	9,5	9,7	9,1	3,9	3,3	4,7	2,9	4,3
30,0	5,4	5,2	5,1	5,3	5,1	5,0	8,8	9,0	7,8	3,5	2,9	4,3	2,5	3,9
32,0	5,2	5,0	4,9	5,0	4,9	4,8	7,8	8,0	6,7	3,2	2,5	4,0	2,1	3,6
34,0	4,9	4,8	4,7	4,4	4,7	4,6	6,8	7,1	5,7	2,9	2,2	3,6	1,8	3,2
36,0	4,5	4,6	4,5	3,8	4,4	4,5	6,1	6,3	4,9	2,6	1,9	3,3	1,5	2,9
38,0	3,9	4,3	4,3	3,2	3,8	4,2		5,6	4,2	2,4	1,7	3,1	1,2	2,7
40,0	3,3	3,9	4,1	2,6	3,2	3,7		5,0	3,6	2,1	1,4	2,8		2,4
42,0	2,8	3,3	3,7	2,2	2,7	3,1			3,0	2,0	1,2	2,6		2,2
44,0	2,4	2,8	3,2	1,7	2,2	2,6			2,5	1,8	1,0	2,1		1,9
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,6	6,3	10,9	11,1	11,6	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3	7,2	6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0	6,8	6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,8	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	7,0	4,9	9,6	9,9	10,5	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,8	4,5	9,3	9,6	10,3	5,8	5,4	6,7	5,2
22,0	4,2	5,6	4,2	6,8	5,7	6,7	4,2	9,0	9,4	10,0	5,5	5,1	6,4	4,9
23,0	3,9	5,4	4,0	6,6	5,4	6,5	4,0	8,8	9,1	9,8	5,3	4,8	6,1	4,6
24,0	3,6	5,1	3,7	6,3	5,2	6,3	3,7	8,6	8,9	9,5	5,0	4,5	5,8	4,4
26,0	3,1	4,6	3,2	5,9	4,7	6,0	3,2	8,2	8,5	9,2	4,5	4,0	5,3	3,9
28,0	2,7	4,2	2,8	5,4	4,2	5,7	2,8	7,8	8,2	8,8	4,1	3,6	4,9	3,4
30,0	2,3	3,7	2,4	4,9	3,8	5,4	2,4	7,6	7,9	8,5	3,7	3,2	4,5	3,0
32,0	1,9	3,4	2,0	4,6	3,4	5,2	2,0	7,4	7,6	7,4	3,4	2,8	4,1	2,6
34,0	1,6	3,0	1,7	4,3	3,1	4,9	1,7	7,1	7,4	6,4	3,0	2,5	3,8	2,2
36,0	1,3	2,7	1,4	4,0	2,8	4,5	1,4	6,1	6,6	5,5	2,8	2,1	3,5	1,9
38,0	1,0	2,5	1,1	3,7	2,5	3,9	1,1		5,8	4,7	2,5	1,9	3,2	1,6
40,0		2,2		3,5	2,3	3,3				4,0	2,2	1,6	2,9	1,4
42,0		2,0		3,3	2,0	2,8				3,4	2,0	1,4	2,7	1,1
44,0		1,8		3,1	1,8	2,4				2,8	1,9	1,2	2,5	
* n *	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,7		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8	6,5	6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,1	4,5	8,2	8,3	8,5	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	6,0	4,2	8,1	8,2	8,4	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	5,7	3,7	8,0	8,0	8,2	4,8	4,4	5,6
28,0	4,7	3,2	4,6	3,2	5,4	4,5	5,5	3,2	8,0	7,9	8,1	4,4	3,9	5,1
30,0	4,3	2,8	4,1	2,8	5,0	4,1	5,2	2,8	8,0	7,8	8,0	4,0	3,5	4,7
32,0	3,9	2,4	3,7	2,4	4,6	3,7	5,0	2,4	6,9	7,7	7,9	3,6	3,1	4,3
34,0	3,6	2,1	3,4	2,0	4,3	3,3	4,8	2,0	3,0	7,5	6,9	3,3	2,8	4,0
36,0	3,2	1,7	3,1	1,7	4,0	3,0	4,6	1,7		5,7	5,9	2,9	2,4	3,6
38,0	2,9	1,4	2,8	1,4	3,8	2,7	4,3	1,4		3,1	5,0	2,7	2,1	3,3
40,0	2,7	1,2	2,5	1,1	3,5	2,4	3,9	1,1			4,3	2,4	1,8	3,1
42,0	2,4		2,2		3,3	2,2	3,3				3,6	2,2	1,6	2,8
44,0	2,2		2,0		3,1	2,0	2,8				2,9	2,0	1,3	2,6
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9	6,1	4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,5	4,0					
28,0	3,7	4,9	3,6	4,8	3,5	5,3	4,7	5,3	3,5					
30,0	3,3	4,5	3,1	4,3	3,1	5,0	4,3	5,1	3,1					
32,0	2,8	4,1	2,7	3,9	2,7	4,6	3,9	4,9	2,7					
34,0	2,5	3,7	2,3	3,6	2,3	4,3	3,5	4,7	2,3					
36,0	2,1	3,4	2,0	3,2	1,9	4,1	3,2	4,5	2,0					
38,0	1,8	3,0	1,7	2,9	1,6	3,8	2,9	4,3	1,7					
40,0	1,5	2,8	1,4	2,6	1,3	3,6	2,6	4,1	1,4					
42,0	1,2	2,5	1,1	2,3	1,0	3,3	2,3	3,7	1,1					
44,0	1,0	2,3		2,1		3,1	2,1	3,2						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
46,0										2,1	2,3	2,3	2,9	2,9
48,0										1,7			2,7	2,8
50,0										1,4			2,7	
52,0														
54,0														
56,0														
58,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
% 4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
46,0	3,0	1,3	1,7	1,8	2,0	2,3	2,5		1,4	1,7	2,0	2,4	2,6	
48,0			1,2	1,3	1,6	1,8	1,9			1,1	1,6	2,0	2,1	
50,0					1,2	1,4	1,4				1,2	1,5	1,6	
52,0												1,1	1,2	
54,0														
56,0														
58,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
46,0	1,5	1,7	2,1	2,6	2,8		1,5	1,8	2,4	2,8	3,1		1,6	2,0
48,0		1,2	1,7	2,1	2,3			1,3	2,0	2,4	2,6		1,1	1,5
50,0			1,3	1,7	1,9				1,6	2,0	2,1			
52,0				1,3	1,4				1,2	1,6	1,7			
54,0										1,2	1,3			
56,0														
58,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
46,0	2,0	2,4	2,7	1,2	1,8	2,1			2,1	1,2		1,6		1,4
48,0	1,6	2,0	2,2		1,4	1,7			1,7			1,1		
50,0	1,1	1,6	1,8			1,2			1,4					
52,0		1,2	1,4											
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
46,0		1,4		2,9	1,6	2,0				2,3	1,7		2,0	
48,0				2,7	1,4	1,6					1,1		1,4	
50,0				2,0		1,1								
52,0														
54,0														
56,0														
58,0														
*** n ***	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
46,0	2,0		1,8		2,9	1,7	2,4				2,3	1,8	1,1	2,4
48,0	1,6		1,6		2,8	1,5	2,0					1,3		1,7
50,0	1,1		1,2			1,3	1,6							1,0
52,0							1,2							
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0292< T210.22014

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
46,0		2,0		1,9		3,0	1,8	2,7						
48,0		1,8		1,7			1,6	2,2						
50,0		1,2		1,3			1,4	1,8						
52,0							1,1	1,4						
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,9			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		20,8			12,6	
11,0	16,1	11,4	9,7	20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7	10,0	19,6	12,6		19,8	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	19,2	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,2	11,7	9,5	17,7	11,8	9,5	18,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,4	11,3	9,3	16,8	11,5	9,3	17,8	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	16,6	10,9	9,1	15,9	11,1	9,1	16,6	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	15,8	10,4	9,0	15,0	10,8	9,0	15,2	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	15,0	10,1	8,8	14,4	10,5	8,8	14,0	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	14,2	9,9	8,6	13,9	10,2	8,7	12,9	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	13,4	9,6	8,5	13,4	9,9	8,6	11,9	10,6	8,8	7,6	7,1
21,0	8,1	7,5	6,3	12,6	9,3	8,4	12,8	9,7	8,4	11,0	10,3	8,7	7,2	6,8
22,0	7,7	7,4		11,7	9,0	8,3	12,0	9,4	8,4	10,2	10,1	8,6	6,8	6,6
23,0	7,3			10,9	8,8	8,2	11,2	9,2	8,3	9,4	9,9	8,5	6,6	6,4
24,0				10,1	8,6	8,1	10,4	8,9	8,2	8,7	9,7	8,4	6,3	6,2
26,0				8,7	8,2	8,0	9,0	8,5	8,0	7,5	8,4	8,2	5,9	5,7
28,0				7,5	7,8	8,0	7,8	8,2	7,9	6,4	7,3	8,0	5,4	5,4
30,0				6,5	7,0	7,3	6,8	7,3	7,7	5,5	6,3	6,9	4,9	5,0
32,0				5,6	6,0	6,1	5,9	6,4	6,7	4,6	5,3	5,8	4,6	4,6
34,0				4,9	5,1	3,0	5,1	5,5	5,7	3,8	4,5	4,9	4,3	4,3
36,0				4,3	4,4		4,5	4,8	4,9	3,2	3,7	4,1	4,0	4,0
38,0							3,9	4,1	3,1	2,6	3,1	3,4	3,7	3,8
40,0							3,4			2,1	2,5	2,7	3,5	3,5
42,0										1,6	2,0	2,1	3,2	3,3
44,0										1,1	1,5	1,6	2,7	3,0
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,7			17,9			17,3			14,7			
12,0		19,5			17,6			17,2			14,3			14,5
13,0		19,0	12,6		17,0			17,2			13,9			14,4
14,0		18,1	12,2		16,3	11,8		16,8			13,5			14,2
15,0		16,7	11,9		15,6	11,5		15,8	11,7		13,1	10,5		14,0
16,0	7,7	15,2	11,6	9,3	14,9	11,2		14,4	11,5		12,7	10,5		13,7
17,0	7,5	13,9	11,4	9,2	14,2	11,0	9,0	13,1	11,2		12,2	10,5		12,6
18,0	7,2	12,8	11,1	9,0	13,4	10,7	8,9	12,0	11,0	9,0	11,8	10,4	8,8	11,5
19,0	7,0	11,7	10,9	8,9	12,5	10,4	8,8	11,0	10,8	8,8	11,3	10,2	8,7	10,5
20,0	6,7	10,7	10,6	8,8	11,5	10,1	8,7	10,1	10,5	8,7	10,9	9,9	8,6	9,6
21,0	6,5	9,8	10,4	8,7	10,6	9,9	8,6	9,2	10,3	8,6	10,3	9,6	8,5	8,8
22,0	6,3	9,1	10,0	8,6	9,8	9,7	8,5	8,4	9,8	8,6	9,6	9,2	8,4	8,1
23,0	6,1	8,3	9,5	8,5	9,1	9,5	8,4	7,7	9,0	8,5	8,9	8,9	8,3	7,4
24,0	6,0	7,6	8,8	8,4	8,4	9,3	8,3	7,1	8,3	8,4	8,2	8,7	8,2	6,7
26,0	5,6	6,4	7,5	8,1	7,2	8,2	8,2	5,9	7,0	7,9	7,0	8,1	7,9	5,6
28,0	5,3	5,4	6,4	7,3	6,2	7,0	7,8	4,9	5,9	6,8	6,0	7,0	7,5	4,6
30,0	5,0	4,5	5,4	6,2	5,3	6,1	6,8	4,0	4,9	5,8	5,1	6,0	6,7	3,7
32,0	4,6	3,7	4,5	5,2	4,5	5,2	5,8	3,2	4,1	4,8	4,3	5,2	5,8	3,0
34,0	4,3	3,0	3,7	4,3	3,8	4,4	5,0	2,5	3,3	4,0	3,6	4,4	4,9	2,3
36,0	4,1	2,4	3,0	3,6	3,1	3,7	4,2	1,9	2,6	3,2	3,0	3,8	4,2	1,6
38,0	3,8	1,8	2,4	2,9	2,5	3,1	3,5	1,2	2,0	2,6	2,5	3,1	3,5	
40,0	3,6	1,2	1,9	2,2	2,0	2,5	2,8		1,4	1,9	2,0	2,6	2,9	
42,0	3,3		1,2	1,6	1,5	1,9	2,2			1,3	1,5	2,1	2,3	
44,0	3,1					1,4	1,7					1,6	1,8	
* n *	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
% 1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
% 2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
% 4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
% 5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,5			8,3			8,8		
16,0	10,5		10,5	9,2		11,4			8,1			8,7		
17,0	10,5		10,2	8,9		11,2	10,1		7,9	7,2		8,6		
18,0	10,5		9,8	8,7		10,9	9,9		7,7	7,1		8,5	7,9	
19,0	10,5	8,7	9,4	8,4	8,0	10,2	9,6		7,5	6,9		8,3	7,8	
20,0	10,4	8,6	9,1	8,1	7,8	9,4	9,3	8,4	7,2	6,7	6,3	8,1	7,6	
21,0	10,2	8,5	8,7	7,9	7,5	8,6	9,1	8,3	7,0	6,5	6,2	7,9	7,4	
22,0	9,6	8,4	8,4	7,6	7,3	7,9	8,8	8,3	6,8	6,4	6,1	7,7	7,2	7,0
23,0	8,8	8,4	8,1	7,4	7,1	7,2	8,5	8,2	6,6	6,2	5,9	7,2	7,0	6,8
24,0	8,1	8,3	7,8	7,2	7,0	6,6	8,0	8,1	6,4	6,1	5,8	6,7	6,9	6,7
26,0	6,9	7,8	6,9	6,8	6,6	5,5	6,8	7,6	6,1	5,8	5,6	5,6	6,5	6,4
28,0	5,8	6,6	6,0	6,4	6,3	4,5	5,7	6,5	5,8	5,5	5,4	4,7	5,7	6,1
30,0	4,8	5,6	5,1	6,0	6,0	3,7	4,8	5,5	5,3	5,2	5,1	3,9	4,8	5,5
32,0	4,0	4,7	4,3	5,2	5,7	2,9	3,9	4,6	4,6	5,0	4,9	3,2	4,0	4,6
34,0	3,2	3,8	3,6	4,5	5,0	2,3	3,2	3,8	3,9	4,6	4,7	2,5	3,3	3,9
36,0	2,6	3,1	3,0	3,8	4,3	1,6	2,5	3,1	3,3	3,9	4,3	1,9	2,6	3,2
38,0	2,0	2,4	2,5	3,2	3,6		2,0	2,4	2,8	3,3	3,8	1,2	2,1	2,6
40,0	1,3	1,8	2,0	2,7	3,0		1,3	1,9	2,3	2,8	3,2		1,5	2,0
42,0		1,2	1,5	2,2	2,5			1,2	1,8	2,3	2,7			1,4
44,0				1,7	2,0				1,4	1,9	2,2			
* n *	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5														
5,0							20,9							
6,0							20,9							
7,0							20,9	20,9						
8,0							20,9	20,8						
9,0							20,9	20,5	20,9			13,6		
10,0							20,7	20,2	20,8	11,6	11,0	12,8		
11,0							20,1	20,0	20,3	10,8	9,7	12,1		11,7
12,0							19,5	19,6	19,8	9,5	8,5	11,4	8,3	11,0
13,0							18,8	18,7	19,2	8,5	8,0	10,7	7,7	9,9
14,0	7,9						18,2	17,7	18,6	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			17,4	16,8	17,8	7,6	7,1	8,6	6,8	8,3
16,0	7,6			7,0			16,6	15,9	16,6	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			15,8	15,0	15,2	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			15,0	14,4	14,0	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,7			14,2	13,9	12,9	6,2	5,6	7,1	5,3	6,8
20,0	7,0	6,5		6,6	6,3		13,4	13,4	11,9	5,8	5,3	6,8	5,0	6,4
21,0	6,8	6,4		6,5	6,2		12,6	12,8	11,0	5,5	5,0	6,4	4,7	6,1
22,0	6,7	6,3	6,0	6,4	6,0		11,7	12,0	10,2	5,3	4,7	6,2	4,4	5,8
23,0	6,5	6,1	5,8	6,2	5,9	5,7	10,9	11,2	9,4	5,0	4,4	5,9	4,1	5,5
24,0	6,3	6,0	5,7	6,1	5,8	5,6	10,1	10,4	8,7	4,8	4,2	5,6	3,8	5,3
26,0	5,9	5,7	5,5	5,5	5,6	5,4	8,7	9,0	7,5	4,3	3,7	5,1	3,3	4,8
28,0	5,5	5,5	5,3	4,7	5,3	5,2	7,5	7,8	6,4	3,9	3,3	4,7	2,9	4,3
30,0	4,7	5,1	5,1	3,9	4,8	5,0	6,5	6,8	5,5	3,5	2,9	4,3	2,5	3,9
32,0	4,0	4,7	4,9	3,3	4,0	4,7	5,6	5,9	4,6	3,2	2,5	4,0	2,1	3,6
34,0	3,4	4,0	4,5	2,7	3,4	3,9	4,9	5,1	3,8	2,9	2,2	3,6	1,8	3,2
36,0	2,8	3,4	3,9	2,1	2,8	3,3	4,3	4,5	3,2	2,4	1,9	3,1	1,5	2,9
38,0	2,2	2,8	3,3	1,5	2,2	2,7		3,9	2,6	1,8	1,2	2,5		2,5
40,0	1,7	2,3	2,7		1,7	2,2		3,4	2,1	1,2		2,0		2,0
42,0	1,2	1,8	2,2		1,1	1,6			1,6			1,5		1,5
44,0		1,3	1,7			1,1			1,1					
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,6	6,3	10,9	11,1	11,6	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3	7,2	6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0	6,8	6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,8	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	7,0	4,9	9,6	9,9	10,5	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,8	4,5	9,3	9,6	10,3	5,8	5,4	6,7	5,2
22,0	4,2	5,6	4,2	6,8	5,7	6,7	4,2	9,0	9,4	10,0	5,5	5,1	6,4	4,9
23,0	3,9	5,4	4,0	6,6	5,4	6,5	4,0	8,8	9,1	9,8	5,3	4,8	6,1	4,6
24,0	3,6	5,1	3,7	6,3	5,2	6,3	3,7	8,6	8,9	9,5	5,0	4,5	5,8	4,4
26,0	3,1	4,6	3,2	5,9	4,7	5,9	3,2	8,2	8,5	8,4	4,5	4,0	5,3	3,9
28,0	2,7	4,2	2,8	5,4	4,2	5,5	2,8	7,8	8,2	7,3	4,1	3,6	4,9	3,4
30,0	2,3	3,7	2,4	4,9	3,8	4,7	2,4	7,0	7,3	6,3	3,7	3,2	4,5	3,0
32,0	1,9	3,4	2,0	4,6	3,4	4,0	2,0	6,0	6,4	5,3	3,4	2,8	4,1	2,6
34,0	1,6	3,0	1,7	4,3	3,1	3,4	1,7	5,1	5,5	4,5	3,0	2,5	3,8	2,2
36,0	1,3	2,7	1,4	4,0	2,8	2,8	1,4	4,4	4,8	3,7	2,8	2,1	3,5	1,9
38,0		2,4	1,0	3,7	2,5	2,2	1,1		4,1	3,1	2,4	1,9	3,0	1,6
40,0		2,0		3,5	2,2	1,7				2,5	1,9	1,4	2,5	1,3
42,0		1,5		3,2	1,8	1,2				2,0	1,2		1,9	
44,0				2,7	1,4					1,5			1,4	
* n *	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,7		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8	6,5	6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,1	4,5	8,2	8,3	8,5	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	6,0	4,2	8,1	8,2	8,4	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	5,7	3,7	8,0	8,0	8,2	4,8	4,4	5,6
28,0	4,7	3,2	4,6	3,2	5,4	4,5	5,5	3,2	8,0	7,9	8,0	4,4	3,9	5,1
30,0	4,3	2,8	4,1	2,8	5,0	4,1	5,1	2,8	7,3	7,7	6,9	4,0	3,5	4,7
32,0	3,9	2,4	3,7	2,4	4,6	3,7	4,7	2,4	6,0	6,7	5,8	3,6	3,1	4,3
34,0	3,6	2,1	3,4	2,0	4,3	3,3	4,0	2,0	3,0	5,7	4,9	3,3	2,8	4,0
36,0	3,2	1,7	3,1	1,7	4,0	3,0	3,4	1,7		4,9	4,1	2,9	2,4	3,6
38,0	2,9	1,4	2,8	1,4	3,8	2,7	2,8	1,4		3,1	3,4	2,7	2,1	3,3
40,0	2,6	1,2	2,5	1,1	3,5	2,4	2,3	1,1			2,7	2,2	1,8	2,8
42,0	2,1		2,2		3,3	2,2	1,8				2,1	1,6	1,3	2,2
44,0	1,6		1,7		3,0	1,9	1,3				1,6			1,7
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9	6,1	4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,5	4,0					
28,0	3,7	4,9	3,6	4,8	3,5	5,3	4,7	5,3	3,5					
30,0	3,3	4,5	3,1	4,3	3,1	5,0	4,3	5,1	3,1					
32,0	2,8	4,1	2,7	3,9	2,7	4,6	3,9	4,9	2,7					
34,0	2,5	3,7	2,3	3,6	2,3	4,3	3,5	4,5	2,3					
36,0	2,1	3,4	2,0	3,2	1,9	4,1	3,2	3,9	2,0					
38,0	1,8	3,0	1,7	2,9	1,6	3,8	2,9	3,3	1,7					
40,0	1,5	2,8	1,4	2,6	1,3	3,6	2,6	2,7	1,4					
42,0	1,1	2,3	1,1	2,3	1,0	3,3	2,3	2,2	1,1					
44,0		1,8		2,0		3,1	2,1	1,7						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
46,0													2,4	2,6
48,0													2,0	2,2
50,0													1,8	
52,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
46,0	2,6						1,1					1,0	1,3	
48,0														
50,0														
52,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
46,0				1,2	1,5					1,5	1,7			
48,0											1,3			
50,0														
52,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
46,0			1,2											
48,0														
50,0														
52,0														
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
46,0				2,4										
48,0				2,0										
50,0				1,8										
52,0														
*** n ***	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
46,0	1,0		1,2		2,6	1,5								1,1
48,0					2,2									
50,0														
52,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0298< T210.22023

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
46,0		1,3		1,5		2,6	1,7	1,2						
48,0							1,3							
50,0														
52,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,9			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		20,8			12,6	
11,0	16,1	11,4	9,7	20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7	10,0	19,6	12,6		19,8	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	19,2	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,2	11,7	9,5	17,7	11,8	9,5	18,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,4	11,3	9,3	16,8	11,5	9,3	18,0	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	16,6	10,9	9,1	15,9	11,1	9,1	17,3	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	15,8	10,4	9,0	15,0	10,8	9,0	16,7	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	15,0	10,1	8,8	14,4	10,5	8,8	16,0	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	14,2	9,9	8,6	13,9	10,2	8,7	15,4	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	13,4	9,6	8,5	13,4	9,9	8,6	14,7	10,6	8,8	7,6	7,1
21,0	8,1	7,5	6,3	12,7	9,3	8,4	12,8	9,7	8,4	14,1	10,3	8,7	7,2	6,8
22,0	7,7	7,4		12,2	9,0	8,3	12,3	9,4	8,4	13,6	10,1	8,6	6,8	6,6
23,0	7,3			11,7	8,8	8,2	11,7	9,2	8,3	13,2	9,9	8,5	6,6	6,4
24,0				11,2	8,6	8,1	11,3	8,9	8,2	12,8	9,7	8,4	6,3	6,2
26,0				10,2	8,2	8,0	10,5	8,5	8,0	12,0	9,2	8,2	5,9	5,7
28,0				9,5	7,8	8,0	9,7	8,2	7,9	11,1	8,8	8,1	5,4	5,4
30,0				8,8	7,6	8,0	9,0	7,9	7,8	10,2	8,5	8,0	4,9	5,0
32,0				8,2	7,4	7,0	8,5	7,6	7,7	8,9	8,2	7,9	4,6	4,6
34,0				7,7	7,4	3,0	8,0	7,4	7,5	7,8	8,0	7,8	4,3	4,3
36,0				7,4	6,8		7,5	7,1	5,8	6,9	7,4	7,6	4,0	4,0
38,0							7,2	6,9	3,1	6,0	6,5	6,9	3,7	3,8
40,0							6,7			5,3	5,7	6,0	3,5	3,5
42,0										4,6	5,0	5,2	3,3	3,3
44,0										4,1	4,4	4,5	3,1	3,1
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,7			17,9			17,3			14,7			
12,0		19,5			17,6			17,2			14,3			14,5
13,0		19,0	12,6		17,0			17,2			13,9			14,4
14,0		18,4	12,2		16,3	11,8		17,0			13,5			14,2
15,0		17,7	11,9		15,6	11,5		16,6	11,7		13,1	10,5		14,0
16,0	7,7	17,1	11,6	9,3	14,9	11,2		16,1	11,5		12,7	10,5		13,8
17,0	7,5	16,5	11,4	9,2	14,2	11,0	9,0	15,6	11,2		12,2	10,5		13,4
18,0	7,2	16,0	11,1	9,0	13,6	10,7	8,9	15,2	11,0	9,0	11,8	10,4	8,8	13,0
19,0	7,0	15,4	10,9	8,9	13,0	10,4	8,8	14,7	10,8	8,8	11,3	10,2	8,7	12,6
20,0	6,7	14,9	10,6	8,8	12,5	10,1	8,7	14,2	10,5	8,7	10,9	9,9	8,6	12,2
21,0	6,5	14,4	10,4	8,7	11,9	9,9	8,6	13,7	10,3	8,6	10,5	9,6	8,5	11,8
22,0	6,3	13,9	10,2	8,6	11,4	9,7	8,5	13,2	10,1	8,6	10,0	9,2	8,4	11,4
23,0	6,1	13,4	9,9	8,5	10,9	9,5	8,4	12,8	10,0	8,5	9,6	8,9	8,3	11,1
24,0	6,0	13,0	9,7	8,4	10,4	9,3	8,3	12,3	9,8	8,4	9,2	8,7	8,2	10,7
26,0	5,6	12,2	9,3	8,3	9,6	9,0	8,2	11,3	9,4	8,2	8,4	8,1	7,9	9,9
28,0	5,3	10,8	8,9	8,1	8,9	8,5	8,0	10,1	9,0	8,1	7,7	7,6	7,5	9,2
30,0	5,0	9,4	8,6	8,0	8,2	8,0	7,7	8,9	8,6	8,0	7,2	7,0	7,0	8,4
32,0	4,6	8,2	8,4	8,0	7,4	7,4	7,3	7,8	8,3	7,8	6,7	6,6	6,6	7,4
34,0	4,3	7,1	7,8	7,9	6,9	6,9	6,9	6,8	7,6	7,6	6,2	6,2	6,2	6,5
36,0	4,1	6,1	6,8	7,3	6,5	6,4	6,5	5,8	6,6	7,1	5,7	5,8	5,9	5,7
38,0	3,8	5,3	5,9	6,4	5,9	6,1	6,2	5,0	5,7	6,2	5,3	5,4	5,5	4,9
40,0	3,6	4,6	5,1	5,5	5,2	5,7	5,8	4,3	4,8	5,3	5,0	5,1	5,2	4,2
42,0	3,3	3,9	4,4	4,7	4,6	5,0	5,3	3,6	4,1	4,5	4,6	4,8	4,8	3,5
44,0	3,1	3,3	3,7	4,0	4,0	4,4	4,6	3,0	3,5	3,8	4,0	4,4	4,5	2,9
* n *	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
% 1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
% 2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
% 4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
% 5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,5			8,3			8,8		
16,0	10,5		10,5	9,2		11,4			8,1			8,7		
17,0	10,5		10,2	8,9		11,2	10,1		7,9	7,2		8,6		
18,0	10,5		9,8	8,7		10,9	9,9		7,7	7,1		8,5	7,9	
19,0	10,5	8,7	9,4	8,4	8,0	10,6	9,6		7,5	6,9		8,3	7,8	
20,0	10,4	8,6	9,1	8,1	7,8	10,3	9,3	8,4	7,2	6,7	6,3	8,1	7,6	
21,0	10,2	8,5	8,7	7,9	7,5	10,0	9,1	8,3	7,0	6,5	6,2	7,9	7,4	
22,0	10,1	8,4	8,4	7,6	7,3	9,6	8,8	8,3	6,8	6,4	6,1	7,7	7,2	7,0
23,0	9,9	8,4	8,1	7,4	7,1	9,3	8,6	8,2	6,6	6,2	5,9	7,5	7,0	6,8
24,0	9,8	8,3	7,8	7,2	7,0	9,0	8,3	8,1	6,4	6,1	5,8	7,3	6,9	6,7
26,0	9,4	8,2	7,3	6,8	6,6	8,5	7,9	7,7	6,1	5,8	5,6	6,8	6,6	6,4
28,0	8,9	8,0	6,8	6,4	6,3	7,9	7,4	7,3	5,8	5,5	5,4	6,5	6,3	6,1
30,0	8,3	7,8	6,3	6,1	6,0	7,4	7,1	7,0	5,5	5,2	5,1	6,2	6,0	5,9
32,0	7,8	7,5	5,9	5,8	5,7	6,9	6,7	6,6	5,2	5,0	4,9	5,9	5,8	5,7
34,0	7,3	7,3	5,6	5,5	5,5	6,2	6,4	6,3	4,9	4,7	4,7	5,6	5,5	5,4
36,0	6,5	6,9	5,2	5,2	5,2	5,5	6,0	6,0	4,7	4,5	4,5	5,3	5,2	5,2
38,0	5,7	6,2	4,8	4,9	4,9	4,8	5,5	5,8	4,4	4,3	4,3	4,9	5,0	5,0
40,0	4,9	5,3	4,5	4,6	4,7	4,1	4,9	5,3	4,2	4,1	4,1	4,3	4,7	4,8
42,0	4,2	4,6	4,2	4,3	4,4	3,5	4,2	4,6	3,9	3,9	3,9	3,7	4,2	4,5
44,0	3,5	3,9	4,0	4,1	4,2	3,0	3,6	4,0	3,7	3,7	3,7	3,2	3,7	4,1
* n *	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5							20,9							
5,0							20,9							
6,0							20,9	20,9						
7,0							20,9	20,9						
8,0							20,9	20,8	20,9					
9,0							20,9	20,5	20,9	12,3		13,6		
10,0							20,7	20,2	20,8	11,6	11,0	12,8		
11,0							20,1	20,0	20,3	10,8	9,7	12,1		11,7
12,0							19,5	19,6	19,8	9,5	8,5	11,4	8,3	11,0
13,0							18,8	18,7	19,2	8,5	8,0	10,7	7,7	9,9
14,0	7,9						18,2	17,7	18,6	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			17,4	16,8	18,0	7,6	7,1	8,6	6,8	8,3
16,0	7,6			7,0			16,6	15,9	17,3	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			15,8	15,0	16,7	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			15,0	14,4	16,0	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,7			14,2	13,9	15,4	6,2	5,6	7,1	5,3	6,8
20,0	7,0	6,5		6,6	6,3		13,4	13,4	14,7	5,8	5,3	6,8	5,0	6,4
21,0	6,8	6,4		6,5	6,2		12,7	12,8	14,1	5,5	5,0	6,4	4,7	6,1
22,0	6,7	6,3	6,0	6,4	6,0		12,2	12,3	13,6	5,3	4,7	6,2	4,4	5,8
23,0	6,5	6,1	5,8	6,2	5,9	5,7	11,7	11,7	13,2	5,0	4,4	5,9	4,1	5,5
24,0	6,3	6,0	5,7	6,1	5,8	5,6	11,2	11,3	12,8	4,8	4,2	5,6	3,8	5,3
26,0	6,0	5,7	5,5	5,8	5,6	5,4	10,2	10,5	12,0	4,3	3,7	5,1	3,3	4,8
28,0	5,7	5,5	5,3	5,5	5,3	5,2	9,5	9,7	11,1	3,9	3,3	4,7	2,9	4,3
30,0	5,4	5,2	5,1	5,3	5,1	5,0	8,8	9,0	10,2	3,5	2,9	4,3	2,5	3,9
32,0	5,2	5,0	4,9	5,1	4,9	4,8	8,2	8,5	8,9	3,2	2,5	4,0	2,1	3,6
34,0	4,9	4,8	4,7	4,8	4,7	4,6	7,7	8,0	7,8	2,9	2,2	3,6	1,8	3,2
36,0	4,7	4,6	4,5	4,6	4,5	4,5	7,4	7,5	6,9	2,6	1,9	3,3	1,5	2,9
38,0	4,5	4,4	4,3	4,4	4,3	4,3		7,2	6,0	2,4	1,7	3,1	1,2	2,7
40,0	4,3	4,2	4,2	4,2	4,2	4,1		6,7	5,3	2,1	1,4	2,8		2,4
42,0	4,1	4,0	4,0	3,8	4,0	4,0			4,6	2,0	1,2	2,6		2,2
44,0	3,8	3,8	3,8	3,3	3,7	3,8			4,1	1,8	1,0	2,1		1,9
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,6	6,3	10,9	11,1	11,6	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3	7,2	6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0	6,8	6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,8	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	7,0	4,9	9,6	9,9	10,5	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,8	4,5	9,3	9,6	10,3	5,8	5,4	6,7	5,2
22,0	4,2	5,6	4,2	6,8	5,7	6,7	4,2	9,0	9,4	10,0	5,5	5,1	6,4	4,9
23,0	3,9	5,4	4,0	6,6	5,4	6,5	4,0	8,8	9,1	9,8	5,3	4,8	6,1	4,6
24,0	3,6	5,1	3,7	6,3	5,2	6,3	3,7	8,6	8,9	9,5	5,0	4,5	5,8	4,4
26,0	3,1	4,6	3,2	5,9	4,7	6,0	3,2	8,2	8,5	9,2	4,5	4,0	5,3	3,9
28,0	2,7	4,2	2,8	5,4	4,2	5,7	2,8	7,8	8,2	8,8	4,1	3,6	4,9	3,4
30,0	2,3	3,7	2,4	4,9	3,8	5,4	2,4	7,6	7,9	8,5	3,7	3,2	4,5	3,0
32,0	1,9	3,4	2,0	4,6	3,4	5,2	2,0	7,4	7,6	8,2	3,4	2,8	4,1	2,6
34,0	1,6	3,0	1,7	4,3	3,1	4,9	1,7	7,4	7,4	8,0	3,0	2,5	3,8	2,2
36,0	1,3	2,7	1,4	4,0	2,8	4,7	1,4	6,7	7,1	7,4	2,8	2,1	3,5	1,9
38,0	1,0	2,5	1,1	3,7	2,5	4,5	1,1		6,9	6,5	2,5	1,9	3,2	1,6
40,0		2,2		3,5	2,3	4,3				5,7	2,2	1,6	2,9	1,4
42,0		2,0		3,3	2,0	4,1				5,0	2,0	1,4	2,7	1,1
44,0		1,8		3,1	1,8	3,8				4,4	1,9	1,2	2,5	
* n *	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,7		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8	6,5	6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,1	4,5	8,2	8,3	8,5	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	6,0	4,2	8,1	8,2	8,4	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	5,7	3,7	8,0	8,0	8,2	4,8	4,4	5,6
28,0	4,7	3,2	4,6	3,2	5,4	4,5	5,5	3,2	8,0	7,9	8,1	4,4	3,9	5,1
30,0	4,3	2,8	4,1	2,8	5,0	4,1	5,2	2,8	8,0	7,8	8,0	4,0	3,5	4,7
32,0	3,9	2,4	3,7	2,4	4,6	3,7	5,0	2,4	6,9	7,7	7,9	3,6	3,1	4,3
34,0	3,6	2,1	3,4	2,0	4,3	3,3	4,8	2,0	3,0	7,5	7,8	3,3	2,8	4,0
36,0	3,2	1,7	3,1	1,7	4,0	3,0	4,6	1,7		5,7	7,6	2,9	2,4	3,6
38,0	2,9	1,4	2,8	1,4	3,8	2,7	4,4	1,4		3,1	6,9	2,7	2,1	3,3
40,0	2,7	1,2	2,5	1,1	3,5	2,4	4,2	1,1			6,0	2,4	1,8	3,1
42,0	2,4		2,2		3,3	2,2	4,0				5,2	2,2	1,6	2,8
44,0	2,2		2,0		3,1	2,0	3,8				4,5	2,0	1,3	2,6
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9	6,1	4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,5	4,0					
28,0	3,7	4,9	3,6	4,8	3,5	5,3	4,7	5,3	3,5					
30,0	3,3	4,5	3,1	4,3	3,1	5,0	4,3	5,1	3,1					
32,0	2,8	4,1	2,7	3,9	2,7	4,6	3,9	4,9	2,7					
34,0	2,5	3,7	2,3	3,6	2,3	4,3	3,5	4,7	2,3					
36,0	2,1	3,4	2,0	3,2	1,9	4,1	3,2	4,5	2,0					
38,0	1,8	3,0	1,7	2,9	1,6	3,8	2,9	4,3	1,7					
40,0	1,5	2,8	1,4	2,6	1,3	3,6	2,6	4,2	1,4					
42,0	1,2	2,5	1,1	2,3	1,0	3,3	2,3	4,0	1,1					
44,0	1,0	2,3		2,1		3,1	2,1	3,8						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
46,0										3,5	3,8	3,2	2,9	2,9
48,0										3,1			2,7	2,8
50,0										2,7			2,7	
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
46,0	3,0	2,8	3,1	3,3	3,5	3,8	3,9	2,5	2,9	3,2	3,4	3,9	4,1	2,4
48,0		2,3	2,6	2,7	3,0	3,2	3,3	2,0	2,4	2,6	3,0	3,4	3,5	1,9
50,0		1,9	2,1	2,1	2,6	2,7	2,8	1,6	1,9	2,1	2,5	2,9	3,0	1,5
52,0		1,5	1,7	1,6	2,2	2,3	2,1	1,2	1,5	1,5	2,1	2,4	2,5	1,0
54,0		1,2			1,8					1,0	1,8	2,0	2,0	
56,0											1,4	1,6	1,5	
58,0											1,2	1,3		
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
46,0	3,0	3,2	3,6	3,8	3,9	2,4	3,1	3,4	3,5	3,5	3,6	2,7	3,2	3,5
48,0	2,4	2,6	3,1	3,5	3,6	2,0	2,5	2,8	3,3	3,3	3,4	2,2	2,7	3,0
50,0	1,9	2,1	2,6	3,1	3,2	1,5	2,0	2,3	2,9	3,1	3,2	1,8	2,2	2,5
52,0	1,5	1,6	2,2	2,6	2,7	1,1	1,6	1,8	2,5	2,8	3,0	1,4	1,8	2,0
54,0	1,0	1,1	1,9	2,2	2,3		1,2	1,3	2,2	2,4	2,6		1,4	1,6
56,0			1,5	1,8	1,8				1,8	2,1	2,2			1,1
58,0			1,2	1,5	1,4				1,5	1,7	1,8			
60,0				1,1	1,0				1,2	1,4	1,4			
62,0										1,1	1,1			
64,0														
66,0														
68,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
46,0	3,4	3,6	3,7	2,8	3,3	3,6			3,5	1,2		1,6		1,4
48,0	3,0	3,4	3,5	2,4	2,8	3,1			3,1			1,1		
50,0	2,6	3,0	3,2	2,0	2,4	2,7			2,7					
52,0	2,1	2,5	2,7	1,6	2,0	2,2								
54,0	1,8	2,1	2,3	1,2	1,6	1,8								
56,0	1,4	1,7	1,9		1,3	1,5								
58,0	1,1	1,4	1,5			1,0								
60,0		1,0	1,1											
62,0														
64,0														
66,0														
68,0														
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
46,0		1,4		2,9	1,6	3,4				3,8	1,7		2,0	
48,0				2,7	1,4	3,0					1,1		1,4	
50,0				2,0		2,6								
52,0						2,1								
54,0						1,8								
56,0						1,4								
58,0						1,1								
60,0														
62,0														
64,0														
66,0														
68,0														
*** n ***	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
46,0	2,0		1,8		2,9	1,7	3,6				3,2	1,8	1,1	2,4
48,0	1,6		1,6		2,8	1,5	3,4					1,4		1,7
50,0	1,1		1,2			1,3	3,0							1,0
52,0							2,5							
54,0							2,1							
56,0							1,7							
58,0							1,4							
60,0							1,0							
62,0														
64,0														
66,0														
68,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0291< T210.22013

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
46,0		2,0		1,9		3,0	1,8	3,7						
48,0		1,8		1,7			1,6	3,5						
50,0		1,2		1,3			1,4	3,2						
52,0							1,1	2,7						
54,0								2,3						
56,0								1,9						
58,0								1,5						
60,0								1,1						
62,0														
64,0														
66,0														
68,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0297< T210.22022

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
5,0	20,9													
6,0	20,8			20,9										
7,0	20,6			20,9			20,9							
8,0	20,4			20,9			20,8			20,9				
9,0	19,2	12,7		20,9			20,5			20,9			13,1	
10,0	17,7	12,0		20,7	13,7		20,2			20,8			12,6	
11,0	16,1	11,4		20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7		19,6	12,6		19,8	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	19,2	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,2	11,7	9,5	17,7	11,8	9,5	18,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,4	11,3	9,3	16,8	11,5	9,3	18,0	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	16,6	10,9	9,1	15,9	11,1	9,1	17,3	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	15,8	10,4	9,0	15,0	10,8	9,0	16,7	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	15,0	10,1	8,8	14,4	10,5	8,8	16,0	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	14,2	9,9	8,6	13,9	10,2	8,7	15,4	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	13,4	9,6	8,5	13,4	9,9	8,6	14,7	10,6	8,8	7,6	7,1
21,0	8,1	7,5	6,3	12,7	9,3	8,4	12,8	9,7	8,4	13,9	10,3	8,7	7,2	6,8
22,0	7,7	7,4		12,2	9,0	8,3	12,3	9,4	8,4	12,9	10,1	8,6	6,8	6,6
23,0	7,3			11,7	8,8	8,2	11,7	9,2	8,3	12,1	9,9	8,5	6,6	6,4
24,0				11,2	8,6	8,1	11,3	8,9	8,2	11,2	9,7	8,4	6,3	6,2
26,0				10,2	8,2	8,0	10,5	8,5	8,0	9,8	9,2	8,2	5,9	5,7
28,0				9,5	7,8	8,0	9,7	8,2	7,9	8,5	8,8	8,1	5,4	5,4
30,0				8,4	7,6	8,0	8,7	7,9	7,8	7,4	8,1	8,0	4,9	5,0
32,0				7,4	7,4	7,0	7,7	7,6	7,7	6,4	7,0	7,6	4,6	4,6
34,0				6,5	6,8	3,0	6,8	7,1	7,4	5,5	6,1	6,6	4,3	4,3
36,0				5,8	5,9		6,0	6,3	5,8	4,7	5,3	5,7	4,0	4,0
38,0							5,3	5,6	3,1	4,0	4,5	4,8	3,7	3,8
40,0							4,8			3,4	3,8	4,1	3,5	3,5
42,0										2,9	3,2	3,4	3,3	3,3
44,0										2,4	2,7	2,8	3,1	3,1
46,0										2,0	2,2	2,2	2,9	2,9
48,0										1,6			2,7	2,8
50,0										1,3			2,7	
52,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0297< T210.22022

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,7			17,9			17,3			14,7			
12,0		19,5			17,6			17,2			14,3			14,5
13,0		19,0	12,6		17,0			17,2			13,9			14,4
14,0		18,4	12,2		16,3	11,8		17,0			13,5			14,2
15,0		17,7	11,9		15,6	11,5		16,6	11,7		13,1	10,5		14,0
16,0	7,7	17,1	11,6	9,3	14,9	11,2		16,1	11,5		12,7	10,5		13,8
17,0	7,5	16,5	11,4	9,2	14,2	11,0	9,0	15,6	11,2		12,2	10,5		13,4
18,0	7,2	15,6	11,1	9,0	13,6	10,7	8,9	15,0	11,0	9,0	11,8	10,4	8,8	13,0
19,0	7,0	14,7	10,9	8,9	13,0	10,4	8,8	14,0	10,8	8,8	11,3	10,2	8,7	12,6
20,0	6,7	13,7	10,6	8,8	12,5	10,1	8,7	13,0	10,5	8,7	10,9	9,9	8,6	12,2
21,0	6,5	12,6	10,4	8,7	11,9	9,9	8,6	12,0	10,3	8,6	10,5	9,6	8,5	11,5
22,0	6,3	11,8	10,2	8,6	11,4	9,7	8,5	11,1	10,1	8,6	10,0	9,2	8,4	10,7
23,0	6,1	10,9	9,9	8,5	10,9	9,5	8,4	10,3	10,0	8,5	9,6	8,9	8,3	9,9
24,0	6,0	10,1	9,7	8,4	10,4	9,3	8,3	9,5	9,8	8,4	9,2	8,7	8,2	9,2
26,0	5,6	8,7	9,3	8,3	9,5	9,0	8,2	8,2	9,2	8,2	8,4	8,1	7,9	7,8
28,0	5,3	7,5	8,5	8,1	8,3	8,5	8,0	7,0	8,0	8,1	7,7	7,6	7,5	6,7
30,0	5,0	6,5	7,4	8,0	7,3	7,9	7,7	6,0	6,9	7,7	7,1	7,0	7,0	5,7
32,0	4,6	5,6	6,4	7,1	6,3	7,0	7,3	5,1	5,9	6,7	6,2	6,6	6,6	4,8
34,0	4,3	4,8	5,5	6,1	5,4	6,1	6,6	4,3	5,1	5,8	5,4	6,2	6,2	4,1
36,0	4,1	4,0	4,6	5,1	4,6	5,2	5,7	3,6	4,3	4,9	4,7	5,4	5,8	3,4
38,0	3,8	3,3	3,9	4,3	4,0	4,5	4,9	3,0	3,6	4,2	4,0	4,6	5,0	2,7
40,0	3,6	2,7	3,2	3,6	3,4	3,8	4,2	2,4	3,0	3,4	3,4	4,0	4,3	2,2
42,0	3,3	2,2	2,6	2,9	2,8	3,2	3,5	1,9	2,4	2,8	2,8	3,4	3,6	1,7
44,0	3,1	1,7	2,1	2,3	2,3	2,7	2,9	1,3	1,9	2,2	2,3	2,8	3,1	1,1
46,0	3,0	1,2	1,6	1,8	1,9	2,2	2,4		1,3	1,7	1,9	2,3	2,5	
48,0			1,1	1,2	1,5	1,8	1,9			1,1	1,5	1,9	2,0	
50,0					1,1	1,4	1,4				1,1	1,5	1,6	
52,0												1,0	1,1	
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0297< T210.22022

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,5			8,3			8,8		
16,0	10,5		10,5	9,2		11,4			8,1			8,7		
17,0	10,5		10,2	8,9		11,2	10,1		7,9	7,2		8,6		
18,0	10,5		9,8	8,7		10,9	9,9		7,7	7,1		8,5	7,9	
19,0	10,5	8,7	9,4	8,4	8,0	10,6	9,6		7,5	6,9		8,3	7,8	
20,0	10,4	8,6	9,1	8,1	7,8	10,3	9,3	8,4	7,2	6,7	6,3	8,1	7,6	
21,0	10,2	8,5	8,7	7,9	7,5	10,0	9,1	8,3	7,0	6,5	6,2	7,9	7,4	
22,0	10,1	8,4	8,4	7,6	7,3	9,6	8,8	8,3	6,8	6,4	6,1	7,7	7,2	7,0
23,0	9,9	8,4	8,1	7,4	7,1	9,2	8,6	8,2	6,6	6,2	5,9	7,5	7,0	6,8
24,0	9,8	8,3	7,8	7,2	7,0	8,9	8,3	8,1	6,4	6,1	5,8	7,3	6,9	6,7
26,0	9,1	8,2	7,3	6,8	6,6	7,6	7,9	7,7	6,1	5,8	5,6	6,8	6,6	6,4
28,0	7,9	8,0	6,8	6,4	6,3	6,6	7,4	7,3	5,8	5,5	5,4	6,5	6,3	6,1
30,0	6,8	7,4	6,3	6,1	6,0	5,6	6,7	7,0	5,5	5,2	5,1	5,7	6,0	5,9
32,0	5,8	6,5	5,9	5,8	5,7	4,8	5,8	6,3	5,2	5,0	4,9	4,9	5,7	5,7
34,0	5,0	5,6	5,4	5,5	5,5	4,0	4,9	5,6	4,9	4,7	4,7	4,2	4,9	5,4
36,0	4,2	4,8	4,7	5,2	5,2	3,3	4,2	4,8	4,7	4,5	4,5	3,5	4,2	4,8
38,0	3,6	4,0	4,1	4,8	4,9	2,7	3,5	4,0	4,3	4,3	4,3	2,9	3,6	4,1
40,0	2,9	3,3	3,5	4,1	4,5	2,1	2,9	3,4	3,8	4,1	4,1	2,4	3,0	3,5
42,0	2,4	2,7	2,9	3,5	3,8	1,6	2,4	2,8	3,3	3,7	3,9	1,9	2,5	2,9
44,0	1,9	2,2	2,5	3,0	3,3	1,0	1,9	2,2	2,8	3,2	3,5	1,4	2,0	2,3
46,0	1,4	1,7	2,0	2,5	2,7		1,4	1,7	2,3	2,7	3,0		1,5	1,8
48,0		1,1	1,6	2,1	2,2			1,2	1,9	2,3	2,5			1,4
50,0			1,2	1,7	1,8				1,5	1,9	2,1			
52,0				1,3	1,4				1,2	1,5	1,7			
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0297< T210.22022

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
5,0														
6,0														
7,0														
8,0														
9,0							20,9							
10,0							20,7							
11,0							20,1	20,0			9,7	12,1		
12,0							19,5	19,6			8,5	11,4	8,3	
13,0							18,8	18,7			8,0	10,7	7,7	
14,0	7,9						18,2	17,7	18,6		7,6	9,4	7,3	
15,0	7,7			7,1			17,4	16,8	18,0		7,1	8,6	6,8	8,3
16,0	7,6			7,0			16,6	15,9	17,3	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			15,8	15,0	16,7	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			15,0	14,4	16,0	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,7			14,2	13,9	15,4	6,2	5,6	7,1	5,3	6,8
20,0	7,0	6,5		6,6	6,3		13,4	13,4	14,7	5,8	5,3	6,8	5,0	6,4
21,0	6,8	6,4		6,5	6,2		12,7	12,8	13,9	5,5	5,0	6,4	4,7	6,1
22,0	6,7	6,3	6,0	6,4	6,0		12,2	12,3	12,9	5,3	4,7	6,2	4,4	5,8
23,0	6,5	6,1	5,8	6,2	5,9	5,7	11,7	11,7	12,1	5,0	4,4	5,9	4,1	5,5
24,0	6,3	6,0	5,7	6,1	5,8	5,6	11,2	11,3	11,2	4,8	4,2	5,6	3,8	5,3
26,0	6,0	5,7	5,5	5,8	5,6	5,4	10,2	10,5	9,8	4,3	3,7	5,1	3,3	4,8
28,0	5,7	5,5	5,3	5,5	5,3	5,2	9,5	9,7	8,5	3,9	3,3	4,7	2,9	4,3
30,0	5,4	5,2	5,1	5,3	5,1	5,0	8,4	8,7	7,4	3,5	2,9	4,3	2,5	3,9
32,0	5,2	5,0	4,9	4,8	4,9	4,8	7,4	7,7	6,4	3,2	2,5	4,0	2,1	3,6
34,0	4,8	4,8	4,7	4,2	4,7	4,6	6,5	6,8	5,5	2,9	2,2	3,6	1,8	3,2
36,0	4,3	4,6	4,5	3,6	4,2	4,5	5,8	6,0	4,7	2,6	1,9	3,3	1,5	2,9
38,0	3,7	4,2	4,3	3,1	3,7	4,1		5,3	4,0	2,4	1,7	3,1	1,2	2,7
40,0	3,2	3,7	4,0	2,5	3,1	3,6		4,8	3,4	2,1	1,4	2,8		2,4
42,0	2,7	3,2	3,6	2,1	2,6	3,0			2,9	2,0	1,2	2,6		2,2
44,0	2,3	2,8	3,1	1,6	2,1	2,5			2,4	1,7	1,0	2,1		1,9
46,0	1,8	2,3	2,6	1,1	1,7	2,0			2,0	1,2		1,6		1,4
48,0	1,4	1,9	2,2		1,2	1,6			1,6			1,1		
50,0	1,0	1,5	1,7			1,1			1,3					
52,0		1,1	1,3											
*** n ***	1	1	1	1	1	1	2	2	2	1	2	2	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0297< T210.22022

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0				11,5										
13,0	7,6			10,9	8,6			12,2						
14,0	7,1		7,2	10,3	8,4	7,9		11,7						
15,0	6,6		6,7	9,8	8,2	7,7	6,7	11,3	11,5				8,9	
16,0	6,2		6,3	9,3	7,8	7,6	6,3	10,9	11,1			7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3		6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0		6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,8	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	7,0	4,9	9,6	9,9	10,5	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,8	4,5	9,3	9,6	10,3	5,8	5,4	6,7	5,2
22,0	4,2	5,6	4,2	6,8	5,7	6,7	4,2	9,0	9,4	10,0	5,5	5,1	6,4	4,9
23,0	3,9	5,4	4,0	6,6	5,4	6,5	4,0	8,8	9,1	9,8	5,3	4,8	6,1	4,6
24,0	3,6	5,1	3,7	6,3	5,2	6,3	3,7	8,6	8,9	9,5	5,0	4,5	5,8	4,4
26,0	3,1	4,6	3,2	5,9	4,7	6,0	3,2	8,2	8,5	9,2	4,5	4,0	5,3	3,9
28,0	2,7	4,2	2,8	5,4	4,2	5,7	2,8	7,8	8,2	8,8	4,1	3,6	4,9	3,4
30,0	2,3	3,7	2,4	4,9	3,8	5,4	2,4	7,6	7,9	8,1	3,7	3,2	4,5	3,0
32,0	1,9	3,4	2,0	4,6	3,4	5,2	2,0	7,4	7,6	7,0	3,4	2,8	4,1	2,6
34,0	1,6	3,0	1,7	4,3	3,1	4,8	1,7	6,8	7,1	6,1	3,0	2,5	3,8	2,2
36,0	1,3	2,7	1,4	4,0	2,8	4,3	1,4	5,9	6,3	5,3	2,8	2,1	3,5	1,9
38,0	1,0	2,5	1,1	3,7	2,5	3,7	1,1		5,6	4,5	2,5	1,9	3,2	1,6
40,0		2,2		3,5	2,3	3,2				3,8	2,2	1,6	2,9	1,4
42,0		2,0		3,3	2,0	2,7				3,2	2,0	1,4	2,7	1,1
44,0		1,8		3,1	1,8	2,3				2,7	1,9	1,2	2,5	
46,0		1,4		2,9	1,6	1,8				2,2	1,6		2,0	
48,0				2,7	1,4	1,4					1,1		1,4	
50,0				2,0		1,0								
52,0														
*** n ***	1	1	1	2	1	1	1	2	2	2	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0297< T210.22022

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0									9,3					
16,0					8,3				9,1					
17,0		6,5			8,0	7,2			9,0	9,0				
18,0	7,6	6,1		6,1	7,7	7,1	6,8		8,8	8,8			6,9	8,0
19,0	7,2	5,8		5,7	7,3	6,9	6,7		8,6	8,7	8,9		6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8		6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,1	4,5	8,2	8,3	8,5	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	6,0	4,2	8,1	8,2	8,4	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	5,7	3,7	8,0	8,0	8,2	4,8	4,4	5,6
28,0	4,7	3,2	4,6	3,2	5,4	4,5	5,5	3,2	8,0	7,9	8,1	4,4	3,9	5,1
30,0	4,3	2,8	4,1	2,8	5,0	4,1	5,2	2,8	8,0	7,8	8,0	4,0	3,5	4,7
32,0	3,9	2,4	3,7	2,4	4,6	3,7	5,0	2,4	6,9	7,7	7,6	3,6	3,1	4,3
34,0	3,6	2,1	3,4	2,0	4,3	3,3	4,8	2,0	3,0	7,4	6,6	3,3	2,8	4,0
36,0	3,2	1,7	3,1	1,7	4,0	3,0	4,6	1,7		5,7	5,7	2,9	2,4	3,6
38,0	2,9	1,4	2,8	1,4	3,8	2,7	4,2	1,4		3,1	4,8	2,7	2,1	3,3
40,0	2,7	1,2	2,5	1,1	3,5	2,4	3,7	1,1			4,1	2,4	1,8	3,1
42,0	2,4		2,2		3,3	2,2	3,2				3,4	2,2	1,6	2,8
44,0	2,2		2,0		3,1	2,0	2,8				2,8	2,0	1,3	2,6
46,0	2,0		1,8		2,9	1,7	2,3				2,2	1,7	1,1	2,4
48,0	1,6		1,6		2,8	1,5	1,9					1,2		1,7
50,0	1,1		1,2			1,3	1,5							1,0
52,0							1,1							
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0297< T210.22022

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0						7,2								
19,0	6,3					7,0								
20,0	6,0		5,9			6,7	6,3							
21,0	5,6	6,8	5,5			6,5	6,2							
22,0	5,3	6,5	5,2		5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9		4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,5	4,0					
28,0	3,7	4,9	3,6	4,8	3,5	5,3	4,7	5,3	3,5					
30,0	3,3	4,5	3,1	4,3	3,1	5,0	4,3	5,1	3,1					
32,0	2,8	4,1	2,7	3,9	2,7	4,6	3,9	4,9	2,7					
34,0	2,5	3,7	2,3	3,6	2,3	4,3	3,5	4,7	2,3					
36,0	2,1	3,4	2,0	3,2	1,9	4,1	3,2	4,5	2,0					
38,0	1,8	3,0	1,7	2,9	1,6	3,8	2,9	4,3	1,7					
40,0	1,5	2,8	1,4	2,6	1,3	3,6	2,6	4,0	1,4					
42,0	1,2	2,5	1,1	2,3	1,0	3,3	2,3	3,6	1,1					
44,0	1,0	2,3		2,1		3,1	2,1	3,1						
46,0		2,0		1,9		3,0	1,8	2,6						
48,0		1,8		1,7			1,6	2,2						
50,0		1,2		1,3			1,4	1,7						
52,0							1,1	1,3						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	52.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0297< T210.22022

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
54,0										1,1	1,3			
56,0														
58,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,9			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		20,8			12,6	
11,0	16,1	11,4	9,7	20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7	10,0	19,6	12,6		19,8	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	19,2	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,2	11,7	9,5	17,7	11,8	9,5	18,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,4	11,3	9,3	16,8	11,5	9,3	18,0	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	16,6	10,9	9,1	15,9	11,1	9,1	17,3	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	15,8	10,4	9,0	15,0	10,8	9,0	16,7	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	15,0	10,1	8,8	14,4	10,5	8,8	16,0	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	14,2	9,9	8,6	13,9	10,2	8,7	15,4	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	13,4	9,6	8,5	13,4	9,9	8,6	14,7	10,6	8,8	7,6	7,1
21,0	8,1	7,5	6,3	12,7	9,3	8,4	12,8	9,7	8,4	14,1	10,3	8,7	7,2	6,8
22,0	7,7	7,4		12,2	9,0	8,3	12,3	9,4	8,4	13,6	10,1	8,6	6,8	6,6
23,0	7,3			11,7	8,8	8,2	11,7	9,2	8,3	13,2	9,9	8,5	6,6	6,4
24,0				11,2	8,6	8,1	11,3	8,9	8,2	12,8	9,7	8,4	6,3	6,2
26,0				10,2	8,2	8,0	10,5	8,5	8,0	12,0	9,2	8,2	5,9	5,7
28,0				9,5	7,8	8,0	9,7	8,2	7,9	11,1	8,8	8,1	5,4	5,4
30,0				8,8	7,6	8,0	9,0	7,9	7,8	10,4	8,5	8,0	4,9	5,0
32,0				8,2	7,4	7,0	8,5	7,6	7,7	9,9	8,2	7,9	4,6	4,6
34,0				7,7	7,4	3,0	8,0	7,4	7,5	9,3	8,0	7,8	4,3	4,3
36,0				7,4	6,8		7,5	7,1	5,8	8,7	7,7	7,7	4,0	4,0
38,0							7,2	6,9	3,1	7,8	7,5	7,5	3,7	3,8
40,0							6,9			7,0	7,3	7,4	3,5	3,5
42,0										6,3	6,6	6,8	3,3	3,3
44,0										5,6	5,9	5,3	3,1	3,1
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,7			17,9			17,3			14,7			
12,0		19,5			17,6			17,2			14,3			14,5
13,0		19,0	12,6		17,0			17,2			13,9			14,4
14,0		18,4	12,2		16,3	11,8		17,0			13,5			14,2
15,0		17,7	11,9		15,6	11,5		16,6	11,7		13,1	10,5		14,0
16,0	7,7	17,1	11,6	9,3	14,9	11,2		16,1	11,5		12,7	10,5		13,8
17,0	7,5	16,5	11,4	9,2	14,2	11,0	9,0	15,6	11,2		12,2	10,5		13,4
18,0	7,2	16,0	11,1	9,0	13,6	10,7	8,9	15,2	11,0	9,0	11,8	10,4	8,8	13,0
19,0	7,0	15,4	10,9	8,9	13,0	10,4	8,8	14,7	10,8	8,8	11,3	10,2	8,7	12,6
20,0	6,7	14,9	10,6	8,8	12,5	10,1	8,7	14,2	10,5	8,7	10,9	9,9	8,6	12,2
21,0	6,5	14,4	10,4	8,7	11,9	9,9	8,6	13,7	10,3	8,6	10,5	9,6	8,5	11,8
22,0	6,3	13,9	10,2	8,6	11,4	9,7	8,5	13,2	10,1	8,6	10,0	9,2	8,4	11,4
23,0	6,1	13,4	9,9	8,5	10,9	9,5	8,4	12,8	10,0	8,5	9,6	8,9	8,3	11,1
24,0	6,0	13,0	9,7	8,4	10,4	9,3	8,3	12,3	9,8	8,4	9,2	8,7	8,2	10,7
26,0	5,6	12,2	9,3	8,3	9,6	9,0	8,2	11,3	9,4	8,2	8,4	8,1	7,9	9,9
28,0	5,3	11,5	8,9	8,1	8,9	8,5	8,0	10,5	9,0	8,1	7,7	7,6	7,5	9,2
30,0	5,0	10,8	8,6	8,0	8,2	8,0	7,7	9,8	8,6	8,0	7,2	7,0	7,0	8,5
32,0	4,6	10,1	8,4	8,0	7,4	7,4	7,3	9,0	8,3	7,8	6,7	6,6	6,6	7,9
34,0	4,3	9,1	8,1	7,9	6,9	6,9	6,9	8,3	7,9	7,6	6,2	6,2	6,2	7,4
36,0	4,1	8,0	7,9	7,8	6,5	6,4	6,5	7,6	7,6	7,4	5,7	5,8	5,9	6,9
38,0	3,8	7,1	7,6	7,6	6,0	6,1	6,2	6,8	7,1	7,2	5,3	5,4	5,5	6,3
40,0	3,6	6,3	6,8	7,2	5,6	5,7	5,8	6,0	6,5	6,8	5,0	5,1	5,2	5,8
42,0	3,3	5,5	6,0	6,3	5,3	5,3	5,4	5,2	5,8	6,2	4,7	4,8	4,8	5,1
44,0	3,1	4,9	5,3	5,5	5,0	5,0	5,1	4,6	5,0	5,4	4,3	4,5	4,5	4,5
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,5			8,3			8,8		
16,0	10,5		10,5	9,2		11,4			8,1			8,7		
17,0	10,5		10,2	8,9		11,2	10,1		7,9	7,2		8,6		
18,0	10,5		9,8	8,7		10,9	9,9		7,7	7,1		8,5	7,9	
19,0	10,5	8,7	9,4	8,4	8,0	10,6	9,6		7,5	6,9		8,3	7,8	
20,0	10,4	8,6	9,1	8,1	7,8	10,3	9,3	8,4	7,2	6,7	6,3	8,1	7,6	
21,0	10,2	8,5	8,7	7,9	7,5	10,0	9,1	8,3	7,0	6,5	6,2	7,9	7,4	
22,0	10,1	8,4	8,4	7,6	7,3	9,6	8,8	8,3	6,8	6,4	6,1	7,7	7,2	7,0
23,0	9,9	8,4	8,1	7,4	7,1	9,3	8,6	8,2	6,6	6,2	5,9	7,5	7,0	6,8
24,0	9,8	8,3	7,8	7,2	7,0	9,0	8,3	8,1	6,4	6,1	5,8	7,3	6,9	6,7
26,0	9,4	8,2	7,3	6,8	6,6	8,5	7,9	7,7	6,1	5,8	5,6	6,8	6,6	6,4
28,0	8,9	8,0	6,8	6,4	6,3	7,9	7,4	7,3	5,8	5,5	5,4	6,5	6,3	6,1
30,0	8,3	7,8	6,3	6,1	6,0	7,4	7,1	7,0	5,5	5,2	5,1	6,2	6,0	5,9
32,0	7,8	7,5	5,9	5,8	5,7	6,9	6,7	6,6	5,2	5,0	4,9	5,9	5,8	5,7
34,0	7,3	7,3	5,6	5,5	5,5	6,5	6,4	6,3	4,9	4,7	4,7	5,6	5,5	5,4
36,0	6,9	6,9	5,2	5,2	5,2	6,1	6,0	6,0	4,7	4,5	4,5	5,3	5,2	5,2
38,0	6,5	6,5	4,8	4,9	4,9	5,7	5,7	5,8	4,4	4,3	4,3	5,1	5,0	5,0
40,0	6,0	6,1	4,5	4,6	4,7	5,4	5,4	5,5	4,2	4,1	4,1	4,8	4,7	4,8
42,0	5,6	5,7	4,2	4,3	4,4	5,0	5,1	5,2	3,9	3,9	3,9	4,6	4,5	4,6
44,0	5,1	5,3	4,0	4,1	4,2	4,5	4,8	4,9	3,7	3,7	3,7	4,3	4,3	4,4
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5							20,9							
5,0							20,9							
6,0							20,9	20,9						
7,0							20,9	20,9						
8,0							20,9	20,8	20,9					
9,0							20,9	20,5	20,9	12,3		13,6		
10,0							20,7	20,2	20,8	11,6	11,0	12,8		
11,0							20,1	20,0	20,3	10,8	9,7	12,1		11,7
12,0							19,5	19,6	19,8	9,5	8,5	11,4	8,3	11,0
13,0							18,8	18,7	19,2	8,5	8,0	10,7	7,7	9,9
14,0	7,9						18,2	17,7	18,6	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			17,4	16,8	18,0	7,6	7,1	8,6	6,8	8,3
16,0	7,6			7,0			16,6	15,9	17,3	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			15,8	15,0	16,7	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			15,0	14,4	16,0	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,7			14,2	13,9	15,4	6,2	5,6	7,1	5,3	6,8
20,0	7,0	6,5		6,6	6,3		13,4	13,4	14,7	5,8	5,3	6,8	5,0	6,4
21,0	6,8	6,4		6,5	6,2		12,7	12,8	14,1	5,5	5,0	6,4	4,7	6,1
22,0	6,7	6,3	6,0	6,4	6,0		12,2	12,3	13,6	5,3	4,7	6,2	4,4	5,8
23,0	6,5	6,1	5,8	6,2	5,9	5,7	11,7	11,7	13,2	5,0	4,4	5,9	4,1	5,5
24,0	6,3	6,0	5,7	6,1	5,8	5,6	11,2	11,3	12,8	4,8	4,2	5,6	3,8	5,3
26,0	6,0	5,7	5,5	5,8	5,6	5,4	10,2	10,5	12,0	4,3	3,7	5,1	3,3	4,8
28,0	5,7	5,5	5,3	5,5	5,3	5,2	9,5	9,7	11,1	3,9	3,3	4,7	2,9	4,3
30,0	5,4	5,2	5,1	5,3	5,1	5,0	8,8	9,0	10,4	3,5	2,9	4,3	2,5	3,9
32,0	5,2	5,0	4,9	5,1	4,9	4,8	8,2	8,5	9,9	3,2	2,5	4,0	2,1	3,6
34,0	4,9	4,8	4,7	4,8	4,7	4,6	7,7	8,0	9,3	2,9	2,2	3,6	1,8	3,2
36,0	4,7	4,6	4,5	4,6	4,5	4,5	7,4	7,5	8,7	2,6	1,9	3,3	1,5	2,9
38,0	4,5	4,4	4,3	4,4	4,3	4,3		7,2	7,8	2,4	1,7	3,1	1,2	2,7
40,0	4,3	4,2	4,2	4,2	4,2	4,1		6,9	7,0	2,1	1,4	2,8		2,4
42,0	4,1	4,0	4,0	4,0	4,0	4,0			6,3	2,0	1,2	2,6		2,2
44,0	3,8	3,8	3,8	3,9	3,8	3,8			5,6	1,8	1,0	2,1		1,9
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,6	6,3	10,9	11,1	11,6	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3	7,2	6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0	6,8	6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,8	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	7,0	4,9	9,6	9,9	10,5	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,8	4,5	9,3	9,6	10,3	5,8	5,4	6,7	5,2
22,0	4,2	5,6	4,2	6,8	5,7	6,7	4,2	9,0	9,4	10,0	5,5	5,1	6,4	4,9
23,0	3,9	5,4	4,0	6,6	5,4	6,5	4,0	8,8	9,1	9,8	5,3	4,8	6,1	4,6
24,0	3,6	5,1	3,7	6,3	5,2	6,3	3,7	8,6	8,9	9,5	5,0	4,5	5,8	4,4
26,0	3,1	4,6	3,2	5,9	4,7	6,0	3,2	8,2	8,5	9,2	4,5	4,0	5,3	3,9
28,0	2,7	4,2	2,8	5,4	4,2	5,7	2,8	7,8	8,2	8,8	4,1	3,6	4,9	3,4
30,0	2,3	3,7	2,4	4,9	3,8	5,4	2,4	7,6	7,9	8,5	3,7	3,2	4,5	3,0
32,0	1,9	3,4	2,0	4,6	3,4	5,2	2,0	7,4	7,6	8,2	3,4	2,8	4,1	2,6
34,0	1,6	3,0	1,7	4,3	3,1	4,9	1,7	7,4	7,4	8,0	3,0	2,5	3,8	2,2
36,0	1,3	2,7	1,4	4,0	2,8	4,7	1,4	6,7	7,1	7,7	2,8	2,1	3,5	1,9
38,0	1,0	2,5	1,1	3,7	2,5	4,5	1,1		6,9	7,5	2,5	1,9	3,2	1,6
40,0		2,2		3,5	2,3	4,3				7,3	2,2	1,6	2,9	1,4
42,0		2,0		3,3	2,0	4,1				6,6	2,0	1,4	2,7	1,1
44,0		1,8		3,1	1,8	3,8				5,9	1,9	1,2	2,5	
* n *	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,7		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8	6,5	6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,1	4,5	8,2	8,3	8,5	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	6,0	4,2	8,1	8,2	8,4	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	5,7	3,7	8,0	8,0	8,2	4,8	4,4	5,6
28,0	4,7	3,2	4,6	3,2	5,4	4,5	5,5	3,2	8,0	7,9	8,1	4,4	3,9	5,1
30,0	4,3	2,8	4,1	2,8	5,0	4,1	5,2	2,8	8,0	7,8	8,0	4,0	3,5	4,7
32,0	3,9	2,4	3,7	2,4	4,6	3,7	5,0	2,4	6,9	7,7	7,9	3,6	3,1	4,3
34,0	3,6	2,1	3,4	2,0	4,3	3,3	4,8	2,0	3,0	7,5	7,8	3,3	2,8	4,0
36,0	3,2	1,7	3,1	1,7	4,0	3,0	4,6	1,7		5,7	7,7	2,9	2,4	3,6
38,0	2,9	1,4	2,8	1,4	3,8	2,7	4,4	1,4		3,1	7,5	2,7	2,1	3,3
40,0	2,7	1,2	2,5	1,1	3,5	2,4	4,2	1,1			7,4	2,4	1,8	3,1
42,0	2,4		2,2		3,3	2,2	4,0				6,8	2,2	1,6	2,8
44,0	2,2		2,0		3,1	2,0	3,8				5,2	2,0	1,3	2,6
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9	6,1	4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,5	4,0					
28,0	3,7	4,9	3,6	4,8	3,5	5,3	4,7	5,3	3,5					
30,0	3,3	4,5	3,1	4,3	3,1	5,0	4,3	5,1	3,1					
32,0	2,8	4,1	2,7	3,9	2,7	4,6	3,9	4,9	2,7					
34,0	2,5	3,7	2,3	3,6	2,3	4,3	3,5	4,7	2,3					
36,0	2,1	3,4	2,0	3,2	1,9	4,1	3,2	4,5	2,0					
38,0	1,8	3,0	1,7	2,9	1,6	3,8	2,9	4,3	1,7					
40,0	1,5	2,8	1,4	2,6	1,3	3,6	2,6	4,2	1,4					
42,0	1,2	2,5	1,1	2,3	1,0	3,3	2,3	4,0	1,1					
44,0	1,0	2,3		2,1		3,1	2,1	3,8						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
46,0										5,0	5,2	3,2	2,9	2,9
48,0										4,5			2,7	2,8
50,0										3,8			2,7	
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
70,0														
72,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
% 4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
46,0	3,0	4,3	4,6	4,8	4,7	4,7	4,8	4,0	4,4	4,7	4,0	4,2	4,2	3,9
48,0		3,7	4,0	4,1	4,4	4,4	4,5	3,4	3,8	4,0	3,8	3,9	4,0	3,3
50,0		3,3	3,5	3,3	3,9	4,1	3,3	2,9	3,2	3,4	3,6	3,7	3,7	2,8
52,0		2,8	3,0	2,1	3,5	3,6	2,1	2,5	2,7	2,8	3,3	3,4	3,4	2,4
54,0		2,4			3,1			2,1	2,3	2,3	3,0	3,2	3,2	1,9
56,0								1,7	1,9	1,8	2,6	2,8	2,3	1,6
58,0								1,4			2,3	2,4		1,2
60,0														
62,0														
64,0														
66,0														
68,0														
70,0														
72,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
46,0	4,4	4,7	3,7	3,8	3,9	3,9	4,5	4,6	3,5	3,5	3,6	4,0	4,1	4,2
48,0	3,8	4,1	3,4	3,6	3,6	3,4	3,9	4,2	3,3	3,3	3,4	3,7	3,9	3,9
50,0	3,3	3,5	3,2	3,3	3,4	2,9	3,4	3,6	3,1	3,1	3,2	3,1	3,6	3,7
52,0	2,8	2,9	3,0	3,1	3,2	2,4	2,9	3,1	2,9	2,9	3,0	2,7	3,1	3,3
54,0	2,3	2,4	2,8	2,9	3,0	2,0	2,4	2,6	2,7	2,7	2,8	2,3	2,6	2,8
56,0	1,9	1,9	2,6	2,7	2,7	1,6	2,0	2,1	2,5	2,6	2,6	1,9	2,2	2,4
58,0	1,5	1,5	2,4	2,5	2,6	1,3	1,6	1,7	2,3	2,4	2,4	1,5	1,8	1,9
60,0	1,1	1,0	2,1	2,2	2,2		1,2	1,3	2,2	2,2	2,2	1,2	1,5	1,5
62,0			1,8	1,9					2,0	2,1	2,1		1,1	1,2
64,0									1,7	1,8	1,8			
66,0									1,5	1,5				
68,0									1,2					
70,0														
72,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
46,0	3,6	3,6	3,7	3,7	3,7	3,7			5,0	1,2		1,6		1,4
48,0	3,4	3,4	3,5	3,5	3,5	3,5			4,5			1,1		
50,0	3,3	3,3	3,3	3,3	3,3	3,4			3,8					
52,0	3,1	3,1	3,1	2,9	3,2	3,2								
54,0	2,9	2,9	3,0	2,5	2,9	3,0								
56,0	2,6	2,8	2,8	2,1	2,5	2,7								
58,0	2,2	2,5	2,6	1,7	2,1	2,2								
60,0	1,9	2,2	2,2	1,4	1,7	1,8								
62,0	1,6	1,8	1,9	1,1	1,4	1,5								
64,0	1,3	1,5	1,5		1,0	1,1								
66,0	1,0	1,2	1,2											
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
46,0		1,4		2,9	1,6	3,6				5,2	1,7		2,0	
48,0				2,7	1,4	3,4					1,1		1,4	
50,0				2,0		3,3								
52,0						3,1								
54,0						2,9								
56,0						2,6								
58,0						2,2								
60,0						1,9								
62,0						1,6								
64,0						1,3								
66,0						1,0								
68,0														
70,0														
72,0														
*** n ***	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
46,0	2,0		1,8		2,9	1,7	3,6				3,2	1,8	1,1	2,4
48,0	1,6		1,6		2,8	1,5	3,4					1,4		1,7
50,0	1,1		1,2			1,3	3,3							1,0
52,0							3,1							
54,0							2,9							
56,0							2,8							
58,0							2,5							
60,0							2,2							
62,0							1,8							
64,0							1,5							
66,0							1,2							
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0290< T210.22012

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
46,0		2,0		1,9		3,0	1,8	3,7						
48,0		1,8		1,7			1,6	3,5						
50,0		1,2		1,3			1,4	3,3						
52,0							1,1	3,1						
54,0								3,0						
56,0								2,8						
58,0								2,6						
60,0								2,2						
62,0								1,9						
64,0								1,5						
66,0								1,2						
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
10,0	17,7			20,7										
11,0	16,1			20,1						20,4				
12,0	14,6			19,5			19,6			19,8				
13,0	13,5	10,3		18,8			18,7			19,2				
14,0	12,7	9,7		18,2	11,7		17,7			18,6	12,3			
15,0	11,8	9,2	8,5	17,4	11,3		16,8	11,5		18,0	11,9		9,8	
16,0	11,0	8,8	8,4	16,6	10,9	9,1	15,9	11,1		17,3	11,6		9,3	
17,0	10,3	8,5	8,2	15,8	10,4	9,0	15,0	10,8	9,0	16,7	11,3	9,1	8,8	
18,0	9,7	8,2	8,1	15,0	10,1	8,8	14,4	10,5	8,8	16,0	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	14,2	9,9	8,6	13,9	10,2	8,7	15,4	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	13,4	9,6	8,5	13,4	9,9	8,6	14,7	10,6	8,8	7,6	7,1
21,0	8,1	7,5	6,3	12,7	9,3	8,4	12,8	9,7	8,4	14,1	10,3	8,7	7,2	6,8
22,0	7,7	7,4		12,2	9,0	8,3	12,3	9,4	8,4	13,6	10,1	8,6	6,8	6,6
23,0	7,3			11,7	8,8	8,2	11,7	9,2	8,3	13,2	9,9	8,5	6,6	6,4
24,0				11,2	8,6	8,1	11,3	8,9	8,2	12,8	9,7	8,4	6,3	6,2
26,0				10,2	8,2	8,0	10,5	8,5	8,0	12,0	9,2	8,2	5,9	5,7
28,0				9,5	7,8	8,0	9,7	8,2	7,9	11,1	8,8	8,1	5,4	5,4
30,0				8,8	7,6	8,0	9,0	7,9	7,8	10,4	8,5	8,0	4,9	5,0
32,0				8,2	7,4	7,0	8,5	7,6	7,7	9,7	8,2	7,9	4,6	4,6
34,0				7,7	7,4	3,0	8,0	7,4	7,5	8,7	8,0	7,8	4,3	4,3
36,0				7,4	6,8		7,5	7,1	5,8	7,7	7,7	7,7	4,0	4,0
38,0							7,2	6,9	3,1	6,9	7,3	7,5	3,7	3,8
40,0							6,9			6,1	6,5	6,8	3,5	3,5
42,0										5,4	5,8	6,0	3,3	3,3
44,0										4,8	5,1	5,2	3,1	3,1
46,0										4,3	4,5	3,2	2,9	2,9
48,0										3,8			2,7	2,8
50,0										3,4			2,7	
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
*** n ***	2	1	1	2	2	1	2	2	1	2	2	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
10,0														
11,0		19,7						17,3						
12,0		19,5			17,6			17,2						14,5
13,0		19,0			17,0			17,2			13,9			14,4
14,0		18,4	12,2		16,3			17,0			13,5			14,2
15,0		17,7	11,9		15,6			16,6			13,1			14,0
16,0		17,1	11,6		14,9	11,2		16,1	11,5		12,7	10,5		13,8
17,0		16,5	11,4	9,2	14,2	11,0		15,6	11,2		12,2	10,5		13,4
18,0		16,0	11,1	9,0	13,6	10,7	8,9	15,2	11,0	9,0	11,8	10,4		13,0
19,0		15,4	10,9	8,9	13,0	10,4	8,8	14,7	10,8	8,8	11,3	10,2		12,6
20,0		14,9	10,6	8,8	12,5	10,1	8,7	14,2	10,5	8,7	10,9	9,9	8,6	12,2
21,0	6,5	14,4	10,4	8,7	11,9	9,9	8,6	13,7	10,3	8,6	10,5	9,6	8,5	11,8
22,0	6,3	13,9	10,2	8,6	11,4	9,7	8,5	13,2	10,1	8,6	10,0	9,2	8,4	11,4
23,0	6,1	13,4	9,9	8,5	10,9	9,5	8,4	12,8	10,0	8,5	9,6	8,9	8,3	11,1
24,0	6,0	13,0	9,7	8,4	10,4	9,3	8,3	12,3	9,8	8,4	9,2	8,7	8,2	10,7
26,0	5,6	12,2	9,3	8,3	9,6	9,0	8,2	11,3	9,4	8,2	8,4	8,1	7,9	9,9
28,0	5,3	11,5	8,9	8,1	8,9	8,5	8,0	10,5	9,0	8,1	7,7	7,6	7,5	9,2
30,0	5,0	10,3	8,6	8,0	8,2	8,0	7,7	9,8	8,6	8,0	7,2	7,0	7,0	8,5
32,0	4,6	9,0	8,4	8,0	7,4	7,4	7,3	8,7	8,3	7,8	6,7	6,6	6,6	7,9
34,0	4,3	7,9	8,1	7,9	6,9	6,9	6,9	7,6	7,9	7,6	6,2	6,2	6,2	7,3
36,0	4,1	7,0	7,6	7,8	6,5	6,4	6,5	6,7	7,4	7,4	5,7	5,8	5,9	6,6
38,0	3,8	6,1	6,7	7,2	6,0	6,1	6,2	5,8	6,5	6,9	5,3	5,4	5,5	5,8
40,0	3,6	5,4	5,9	6,3	5,6	5,7	5,8	5,1	5,7	6,1	5,0	5,1	5,2	5,0
42,0	3,3	4,7	5,2	5,5	5,3	5,3	5,4	4,4	4,9	5,3	4,7	4,8	4,8	4,3
44,0	3,1	4,1	4,5	4,8	4,8	5,0	5,1	3,8	4,3	4,6	4,3	4,5	4,5	3,7
46,0	3,0	3,6	3,9	4,1	4,2	4,5	4,7	3,3	3,7	4,0	4,0	4,2	4,2	3,2
48,0		3,1	3,4	3,5	3,7	4,0	4,1	2,8	3,1	3,3	3,7	3,9	4,0	2,7
50,0		2,6	2,8	2,9	3,3	3,5	3,3	2,3	2,6	2,8	3,2	3,6	3,7	2,2
52,0		2,2	2,4	2,1	2,9	3,0	2,1	1,9	2,2	2,3	2,8	3,1	3,2	1,8
54,0		1,9			2,5			1,5	1,7	1,8	2,5	2,7	2,7	1,4
56,0								1,2	1,3	1,3	2,1	2,3	2,2	1,1
58,0											1,8	1,9		
60,0														
62,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
10,0														
11,0														
12,0														
13,0			11,4			11,9								
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,5			8,3			8,8		
16,0	10,5		10,5			11,4			8,1			8,7		
17,0	10,5		10,2			11,2	10,1		7,9			8,6		
18,0	10,5		9,8	8,7		10,9	9,9		7,7	7,1		8,5	7,9	
19,0	10,5	8,7	9,4	8,4		10,6	9,6		7,5	6,9		8,3	7,8	
20,0	10,4	8,6	9,1	8,1	7,8	10,3	9,3	8,4	7,2	6,7		8,1	7,6	
21,0	10,2	8,5	8,7	7,9	7,5	10,0	9,1	8,3	7,0	6,5	6,2	7,9	7,4	
22,0	10,1	8,4	8,4	7,6	7,3	9,6	8,8	8,3	6,8	6,4	6,1	7,7	7,2	7,0
23,0	9,9	8,4	8,1	7,4	7,1	9,3	8,6	8,2	6,6	6,2	5,9	7,5	7,0	6,8
24,0	9,8	8,3	7,8	7,2	7,0	9,0	8,3	8,1	6,4	6,1	5,8	7,3	6,9	6,7
26,0	9,4	8,2	7,3	6,8	6,6	8,5	7,9	7,7	6,1	5,8	5,6	6,8	6,6	6,4
28,0	8,9	8,0	6,8	6,4	6,3	7,9	7,4	7,3	5,8	5,5	5,4	6,5	6,3	6,1
30,0	8,3	7,8	6,3	6,1	6,0	7,4	7,1	7,0	5,5	5,2	5,1	6,2	6,0	5,9
32,0	7,8	7,5	5,9	5,8	5,7	6,9	6,7	6,6	5,2	5,0	4,9	5,9	5,8	5,7
34,0	7,3	7,3	5,6	5,5	5,5	6,5	6,4	6,3	4,9	4,7	4,7	5,6	5,5	5,4
36,0	6,9	6,9	5,2	5,2	5,2	6,1	6,0	6,0	4,7	4,5	4,5	5,3	5,2	5,2
38,0	6,4	6,5	4,8	4,9	4,9	5,6	5,7	5,8	4,4	4,3	4,3	5,1	5,0	5,0
40,0	5,7	6,1	4,5	4,6	4,7	5,0	5,4	5,5	4,2	4,1	4,1	4,8	4,7	4,8
42,0	5,0	5,3	4,2	4,3	4,4	4,4	5,0	5,2	3,9	3,9	3,9	4,5	4,5	4,6
44,0	4,3	4,6	4,0	4,1	4,2	3,8	4,4	4,8	3,7	3,7	3,7	4,0	4,3	4,4
46,0	3,7	4,0	3,7	3,8	3,9	3,2	3,8	4,1	3,5	3,5	3,6	3,5	3,9	4,2
48,0	3,2	3,4	3,4	3,6	3,6	2,7	3,3	3,5	3,3	3,3	3,4	3,0	3,5	3,7
50,0	2,7	2,8	3,2	3,3	3,4	2,3	2,8	3,0	3,1	3,1	3,2	2,5	3,0	3,2
52,0	2,2	2,3	2,9	3,1	3,2	1,8	2,3	2,5	2,9	2,9	3,0	2,1	2,5	2,7
54,0	1,8	1,9	2,5	2,9	2,9	1,5	1,9	2,0	2,7	2,7	2,8	1,7	2,1	2,3
56,0	1,4	1,4	2,2	2,5	2,5	1,1	1,5	1,6	2,5	2,6	2,6	1,4	1,7	1,8
58,0			1,9	2,1	2,1		1,1	1,2	2,1	2,3	2,4		1,3	1,4
60,0			1,6	1,8	1,7				1,8	2,0	2,0			1,0
62,0			1,3	1,4					1,5	1,7	1,7			
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
10,0														
11,0														
12,0														
13,0														
14,0	7,9												7,3	
15,0	7,7			7,1									6,8	
16,0	7,6			7,0									6,4	
17,0	7,5			6,9			15,8						6,0	
18,0	7,3	6,8		6,8			15,0				6,0		5,6	
19,0	7,2	6,7		6,7			14,2				5,6	7,1	5,3	
20,0	7,0	6,5		6,6	6,3		13,4	13,4			5,3	6,8	5,0	
21,0	6,8	6,4		6,5	6,2		12,7	12,8			5,0	6,4	4,7	
22,0	6,7	6,3	6,0	6,4	6,0		12,2	12,3			4,7	6,2	4,4	
23,0	6,5	6,1	5,8	6,2	5,9	5,7	11,7	11,7			4,4	5,9	4,1	5,5
24,0	6,3	6,0	5,7	6,1	5,8	5,6	11,2	11,3			4,2	5,6	3,8	5,3
26,0	6,0	5,7	5,5	5,8	5,6	5,4	10,2	10,5	12,0		3,7	5,1	3,3	4,8
28,0	5,7	5,5	5,3	5,5	5,3	5,2	9,5	9,7	11,1	3,9	3,3	4,7	2,9	4,3
30,0	5,4	5,2	5,1	5,3	5,1	5,0	8,8	9,0	10,4	3,5	2,9	4,3	2,5	3,9
32,0	5,2	5,0	4,9	5,1	4,9	4,8	8,2	8,5	9,7	3,2	2,5	4,0	2,1	3,6
34,0	4,9	4,8	4,7	4,8	4,7	4,6	7,7	8,0	8,7	2,9	2,2	3,6	1,8	3,2
36,0	4,7	4,6	4,5	4,6	4,5	4,5	7,4	7,5	7,7	2,6	1,9	3,3	1,5	2,9
38,0	4,5	4,4	4,3	4,4	4,3	4,3		7,2	6,9	2,4	1,7	3,1	1,2	2,7
40,0	4,3	4,2	4,2	4,2	4,2	4,1		6,9	6,1	2,1	1,4	2,8		2,4
42,0	4,1	4,0	4,0	4,0	4,0	4,0			5,4	2,0	1,2	2,6		2,2
44,0	3,8	3,8	3,8	3,9	3,8	3,8			4,8	1,8	1,0	2,1		1,9
46,0	3,6	3,6	3,7	3,5	3,7	3,7			4,3	1,2		1,6		1,4
48,0	3,4	3,4	3,5	3,1	3,5	3,5			3,8			1,1		
50,0	3,2	3,3	3,3	2,7	3,1	3,3			3,4					
52,0	2,8	3,1	3,1	2,3	2,7	3,0								
54,0	2,5	2,8	2,9	2,0	2,3	2,5								
56,0	2,1	2,4	2,5	1,6	1,9	2,1								
58,0	1,8	2,0	2,1	1,3	1,6	1,7								
60,0	1,4	1,7	1,8		1,2	1,4								
62,0	1,2	1,4	1,4											
*** n ***	1	1	1	1	1	1	2	2	2	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
10,0														
11,0														
12,0														
13,0														
14,0														
15,0	6,6		6,7			7,7								
16,0	6,2		6,3			7,6	6,3							
17,0	5,8		5,9			7,5	5,9							
18,0	5,5		5,5			7,3	5,5							6,3
19,0	5,1		5,2			7,2	5,2							5,9
20,0	4,8		4,8	7,6	6,3	7,0	4,9	9,6						5,6
21,0	4,5		4,5	7,2	6,0	6,8	4,5	9,3						5,2
22,0	4,2		4,2	6,8	5,7	6,7	4,2	9,0	9,4			5,1	6,4	4,9
23,0	3,9		4,0	6,6	5,4	6,5	4,0	8,8	9,1			4,8	6,1	4,6
24,0	3,6		3,7	6,3	5,2	6,3	3,7	8,6	8,9			4,5	5,8	4,4
26,0	3,1		3,2	5,9	4,7	6,0	3,2	8,2	8,5	9,2		4,0	5,3	3,9
28,0	2,7		2,8	5,4	4,2	5,7	2,8	7,8	8,2	8,8		3,6	4,9	3,4
30,0	2,3	3,7	2,4	4,9	3,8	5,4	2,4	7,6	7,9	8,5	3,7	3,2	4,5	3,0
32,0	1,9	3,4	2,0	4,6	3,4	5,2	2,0	7,4	7,6	8,2	3,4	2,8	4,1	2,6
34,0	1,6	3,0	1,7	4,3	3,1	4,9	1,7	7,4	7,4	8,0	3,0	2,5	3,8	2,2
36,0	1,3	2,7	1,4	4,0	2,8	4,7	1,4	6,7	7,1	7,7	2,8	2,1	3,5	1,9
38,0	1,0	2,5	1,1	3,7	2,5	4,5	1,1		6,9	7,3	2,5	1,9	3,2	1,6
40,0		2,2		3,5	2,3	4,3				6,5	2,2	1,6	2,9	1,4
42,0		2,0		3,3	2,0	4,1				5,8	2,0	1,4	2,7	1,1
44,0		1,8		3,1	1,8	3,8				5,1	1,9	1,2	2,5	
46,0		1,4		2,9	1,6	3,6				4,5	1,7		2,0	
48,0				2,7	1,4	3,4					1,1		1,4	
50,0				2,0		3,2								
52,0						2,8								
54,0						2,5								
56,0						2,1								
58,0						1,8								
60,0						1,4								
62,0						1,2								
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0		6,1												
19,0		5,8					6,7							
20,0		5,4		5,4			6,5	5,4						
21,0		5,1		5,0			6,4	5,1						
22,0		4,8		4,7			6,3	4,8	8,3					
23,0		4,5		4,5		5,8	6,1	4,5	8,2				5,2	
24,0		4,2		4,2	6,2	5,5	6,0	4,2	8,1	8,2			4,9	
26,0		3,7		3,7	5,7	5,0	5,7	3,7	8,0	8,0			4,4	5,6
28,0	4,7	3,2		3,2	5,4	4,5	5,5	3,2	8,0	7,9			3,9	5,1
30,0	4,3	2,8		2,8	5,0	4,1	5,2	2,8	8,0	7,8	8,0		3,5	4,7
32,0	3,9	2,4		2,4	4,6	3,7	5,0	2,4	6,9	7,7	7,9	3,6	3,1	4,3
34,0	3,6	2,1	3,4	2,0	4,3	3,3	4,8	2,0	3,0	7,5	7,8	3,3	2,8	4,0
36,0	3,2	1,7	3,1	1,7	4,0	3,0	4,6	1,7		5,7	7,7	2,9	2,4	3,6
38,0	2,9	1,4	2,8	1,4	3,8	2,7	4,4	1,4		3,1	7,5	2,7	2,1	3,3
40,0	2,7	1,2	2,5	1,1	3,5	2,4	4,2	1,1			6,8	2,4	1,8	3,1
42,0	2,4		2,2		3,3	2,2	4,0				6,0	2,2	1,6	2,8
44,0	2,2		2,0		3,1	2,0	3,8				5,1	2,0	1,3	2,6
46,0	2,0		1,8		2,9	1,7	3,6				3,2	1,8	1,1	2,4
48,0	1,6		1,6		2,8	1,5	3,4					1,4		1,7
50,0	1,1		1,2			1,3	3,3							1,0
52,0							3,1							
54,0							2,8							
56,0							2,4							
58,0							2,0							
60,0							1,7							
62,0							1,4							
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0	5,6													
22,0	5,3		5,2		5,2			6,0						
23,0	5,0		4,9		4,8			5,8	4,9					
24,0	4,7		4,6		4,6			5,7	4,6					
26,0	4,2		4,1		4,0	5,6	5,2	5,5	4,0					
28,0	3,7		3,6		3,5	5,3	4,7	5,3	3,5					
30,0	3,3	4,5	3,1		3,1	5,0	4,3	5,1	3,1					
32,0	2,8	4,1	2,7		2,7	4,6	3,9	4,9	2,7					
34,0	2,5	3,7	2,3	3,6	2,3	4,3	3,5	4,7	2,3					
36,0	2,1	3,4	2,0	3,2	1,9	4,1	3,2	4,5	2,0					
38,0	1,8	3,0	1,7	2,9	1,6	3,8	2,9	4,3	1,7					
40,0	1,5	2,8	1,4	2,6	1,3	3,6	2,6	4,2	1,4					
42,0	1,2	2,5	1,1	2,3	1,0	3,3	2,3	4,0	1,1					
44,0	1,0	2,3		2,1		3,1	2,1	3,8						
46,0		2,0		1,9		3,0	1,8	3,7						
48,0		1,8		1,7			1,6	3,5						
50,0		1,2		1,3			1,4	3,3						
52,0							1,1	3,1						
54,0								2,9						
56,0								2,5						
58,0								2,1						
60,0								1,8						
62,0								1,4						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
64,0									1,3	1,4	1,3			
66,0									1,0	1,1				
68,0														
70,0														
* n *	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
64,0		1,1	1,1											
66,0														
68,0														
70,0														
*** n ***	1	1	1	1	1	1	2	2	2	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°	

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
64,0							1,1							
66,0														
68,0														
70,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0296< T210.22021

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
64,0								1,1						
66,0														
68,0														
70,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,0	20,9													
3,5	20,9													
4,0	20,9													
4,5	20,9			20,9										
5,0	20,9			20,9										
6,0	20,8			20,9			20,9							
7,0	20,6	14,5		20,9			20,9							
8,0	20,4	13,6		20,9			20,8			20,9				
9,0	19,2	12,7		20,9	14,4		20,5			20,9			13,1	
10,0	17,7	12,0	10,1	20,7	13,7		20,2	13,7		20,8			12,6	
11,0	16,1	11,4	9,7	20,1	13,2		20,0	13,1		20,4			12,0	
12,0	14,6	10,8	9,3	19,5	12,7	10,0	19,6	12,6		19,8	13,1		11,5	
13,0	13,5	10,3	9,0	18,8	12,2	9,8	18,7	12,2	9,7	19,2	12,7		10,9	9,5
14,0	12,7	9,7	8,8	18,2	11,7	9,5	17,7	11,8	9,5	18,6	12,3		10,3	9,1
15,0	11,8	9,2	8,5	17,4	11,3	9,3	16,8	11,5	9,3	18,0	11,9	9,5	9,8	8,7
16,0	11,0	8,8	8,4	16,6	10,9	9,1	15,9	11,1	9,1	17,3	11,6	9,3	9,3	8,3
17,0	10,3	8,5	8,2	15,8	10,4	9,0	15,0	10,8	9,0	16,7	11,3	9,1	8,8	8,0
18,0	9,7	8,2	8,1	15,0	10,1	8,8	14,4	10,5	8,8	16,0	11,0	9,0	8,4	7,7
19,0	9,1	7,9	8,1	14,2	9,9	8,6	13,9	10,2	8,7	15,4	10,8	8,9	8,0	7,3
20,0	8,5	7,7	8,1	13,4	9,6	8,5	13,4	9,9	8,6	14,7	10,6	8,8	7,6	7,1
21,0	8,1	7,5	6,3	12,7	9,3	8,4	12,8	9,7	8,4	14,1	10,3	8,7	7,2	6,8
22,0	7,7	7,4		12,2	9,0	8,3	12,3	9,4	8,4	13,6	10,1	8,6	6,8	6,6
23,0	7,3			11,7	8,8	8,2	11,7	9,2	8,3	13,2	9,9	8,5	6,6	6,4
24,0				11,2	8,6	8,1	11,3	8,9	8,2	12,8	9,7	8,4	6,3	6,2
26,0				10,2	8,2	8,0	10,5	8,5	8,0	12,0	9,2	8,2	5,9	5,7
28,0				9,5	7,8	8,0	9,7	8,2	7,9	11,1	8,8	8,1	5,4	5,4
30,0				8,8	7,6	8,0	9,0	7,9	7,8	10,4	8,5	8,0	4,9	5,0
32,0				8,2	7,4	7,0	8,5	7,6	7,7	9,9	8,2	7,9	4,6	4,6
34,0				7,7	7,4	3,0	8,0	7,4	7,5	9,3	8,0	7,8	4,3	4,3
36,0				7,4	6,8		7,5	7,1	5,8	8,8	7,7	7,7	4,0	4,0
38,0							7,2	6,9	3,1	8,4	7,5	7,5	3,7	3,8
40,0							6,9			8,0	7,3	7,4	3,5	3,5
42,0										7,7	7,1	7,3	3,3	3,3
44,0										7,3	7,0	5,3	3,1	3,1
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0		19,8			18,5									
10,0		19,7			18,2			17,3						
11,0		19,7			17,9			17,3			14,7			
12,0		19,5			17,6			17,2			14,3			14,5
13,0		19,0	12,6		17,0			17,2			13,9			14,4
14,0		18,4	12,2		16,3	11,8		17,0			13,5			14,2
15,0		17,7	11,9		15,6	11,5		16,6	11,7		13,1	10,5		14,0
16,0	7,7	17,1	11,6	9,3	14,9	11,2		16,1	11,5		12,7	10,5		13,8
17,0	7,5	16,5	11,4	9,2	14,2	11,0	9,0	15,6	11,2		12,2	10,5		13,4
18,0	7,2	16,0	11,1	9,0	13,6	10,7	8,9	15,2	11,0	9,0	11,8	10,4	8,8	13,0
19,0	7,0	15,4	10,9	8,9	13,0	10,4	8,8	14,7	10,8	8,8	11,3	10,2	8,7	12,6
20,0	6,7	14,9	10,6	8,8	12,5	10,1	8,7	14,2	10,5	8,7	10,9	9,9	8,6	12,2
21,0	6,5	14,4	10,4	8,7	11,9	9,9	8,6	13,7	10,3	8,6	10,5	9,6	8,5	11,8
22,0	6,3	13,9	10,2	8,6	11,4	9,7	8,5	13,2	10,1	8,6	10,0	9,2	8,4	11,4
23,0	6,1	13,4	9,9	8,5	10,9	9,5	8,4	12,8	10,0	8,5	9,6	8,9	8,3	11,1
24,0	6,0	13,0	9,7	8,4	10,4	9,3	8,3	12,3	9,8	8,4	9,2	8,7	8,2	10,7
26,0	5,6	12,2	9,3	8,3	9,6	9,0	8,2	11,3	9,4	8,2	8,4	8,1	7,9	9,9
28,0	5,3	11,5	8,9	8,1	8,9	8,5	8,0	10,5	9,0	8,1	7,7	7,6	7,5	9,2
30,0	5,0	10,8	8,6	8,0	8,2	8,0	7,7	9,8	8,6	8,0	7,2	7,0	7,0	8,5
32,0	4,6	10,1	8,4	8,0	7,4	7,4	7,3	9,0	8,3	7,8	6,7	6,6	6,6	7,9
34,0	4,3	9,4	8,1	7,9	6,9	6,9	6,9	8,3	7,9	7,6	6,2	6,2	6,2	7,4
36,0	4,1	8,8	7,9	7,8	6,5	6,4	6,5	7,6	7,6	7,4	5,7	5,8	5,9	6,9
38,0	3,8	8,2	7,7	7,6	6,0	6,1	6,2	7,1	7,1	7,2	5,3	5,4	5,5	6,3
40,0	3,6	7,6	7,5	7,5	5,6	5,7	5,8	6,7	6,7	6,8	5,0	5,1	5,2	5,8
42,0	3,3	7,0	7,1	7,3	5,3	5,3	5,4	6,2	6,3	6,4	4,7	4,8	4,8	5,5
44,0	3,1	6,6	6,7	6,8	5,0	5,0	5,1	5,8	5,9	6,0	4,3	4,5	4,5	5,2
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0			11,7											
13,0			11,4			11,9			8,6					
14,0			11,1			11,7			8,4			8,9		
15,0			10,9			11,5			8,3			8,8		
16,0	10,5		10,5	9,2		11,4			8,1			8,7		
17,0	10,5		10,2	8,9		11,2	10,1		7,9	7,2		8,6		
18,0	10,5		9,8	8,7		10,9	9,9		7,7	7,1		8,5	7,9	
19,0	10,5	8,7	9,4	8,4	8,0	10,6	9,6		7,5	6,9		8,3	7,8	
20,0	10,4	8,6	9,1	8,1	7,8	10,3	9,3	8,4	7,2	6,7	6,3	8,1	7,6	
21,0	10,2	8,5	8,7	7,9	7,5	10,0	9,1	8,3	7,0	6,5	6,2	7,9	7,4	
22,0	10,1	8,4	8,4	7,6	7,3	9,6	8,8	8,3	6,8	6,4	6,1	7,7	7,2	7,0
23,0	9,9	8,4	8,1	7,4	7,1	9,3	8,6	8,2	6,6	6,2	5,9	7,5	7,0	6,8
24,0	9,8	8,3	7,8	7,2	7,0	9,0	8,3	8,1	6,4	6,1	5,8	7,3	6,9	6,7
26,0	9,4	8,2	7,3	6,8	6,6	8,5	7,9	7,7	6,1	5,8	5,6	6,8	6,6	6,4
28,0	8,9	8,0	6,8	6,4	6,3	7,9	7,4	7,3	5,8	5,5	5,4	6,5	6,3	6,1
30,0	8,3	7,8	6,3	6,1	6,0	7,4	7,1	7,0	5,5	5,2	5,1	6,2	6,0	5,9
32,0	7,8	7,5	5,9	5,8	5,7	6,9	6,7	6,6	5,2	5,0	4,9	5,9	5,8	5,7
34,0	7,3	7,3	5,6	5,5	5,5	6,5	6,4	6,3	4,9	4,7	4,7	5,6	5,5	5,4
36,0	6,9	6,9	5,2	5,2	5,2	6,1	6,0	6,0	4,7	4,5	4,5	5,3	5,2	5,2
38,0	6,5	6,5	4,8	4,9	4,9	5,7	5,7	5,8	4,4	4,3	4,3	5,1	5,0	5,0
40,0	6,0	6,1	4,5	4,6	4,7	5,4	5,4	5,5	4,2	4,1	4,1	4,8	4,7	4,8
42,0	5,6	5,7	4,2	4,3	4,4	5,0	5,1	5,2	3,9	3,9	3,9	4,6	4,5	4,6
44,0	5,3	5,4	4,0	4,1	4,2	4,7	4,8	4,9	3,7	3,7	3,7	4,3	4,3	4,4
* n *	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,0														
3,5														
4,0														
4,5							20,9							
5,0							20,9							
6,0							20,9	20,9						
7,0							20,9	20,9						
8,0							20,9	20,8	20,9					
9,0							20,9	20,5	20,9	12,3		13,6		
10,0							20,7	20,2	20,8	11,6	11,0	12,8		
11,0							20,1	20,0	20,3	10,8	9,7	12,1		11,7
12,0							19,5	19,6	19,8	9,5	8,5	11,4	8,3	11,0
13,0							18,8	18,7	19,2	8,5	8,0	10,7	7,7	9,9
14,0	7,9						18,2	17,7	18,6	8,1	7,6	9,4	7,3	8,8
15,0	7,7			7,1			17,4	16,8	18,0	7,6	7,1	8,6	6,8	8,3
16,0	7,6			7,0			16,6	15,9	17,3	7,2	6,7	8,2	6,4	7,9
17,0	7,5			6,9			15,8	15,0	16,7	6,8	6,3	7,8	6,0	7,5
18,0	7,3	6,8		6,8			15,0	14,4	16,0	6,5	6,0	7,4	5,6	7,1
19,0	7,2	6,7		6,7			14,2	13,9	15,4	6,2	5,6	7,1	5,3	6,8
20,0	7,0	6,5		6,6	6,3		13,4	13,4	14,7	5,8	5,3	6,8	5,0	6,4
21,0	6,8	6,4		6,5	6,2		12,7	12,8	14,1	5,5	5,0	6,4	4,7	6,1
22,0	6,7	6,3	6,0	6,4	6,0		12,2	12,3	13,6	5,3	4,7	6,2	4,4	5,8
23,0	6,5	6,1	5,8	6,2	5,9	5,7	11,7	11,7	13,2	5,0	4,4	5,9	4,1	5,5
24,0	6,3	6,0	5,7	6,1	5,8	5,6	11,2	11,3	12,8	4,8	4,2	5,6	3,8	5,3
26,0	6,0	5,7	5,5	5,8	5,6	5,4	10,2	10,5	12,0	4,3	3,7	5,1	3,3	4,8
28,0	5,7	5,5	5,3	5,5	5,3	5,2	9,5	9,7	11,1	3,9	3,3	4,7	2,9	4,3
30,0	5,4	5,2	5,1	5,3	5,1	5,0	8,8	9,0	10,4	3,5	2,9	4,3	2,5	3,9
32,0	5,2	5,0	4,9	5,1	4,9	4,8	8,2	8,5	9,9	3,2	2,5	4,0	2,1	3,6
34,0	4,9	4,8	4,7	4,8	4,7	4,6	7,7	8,0	9,3	2,9	2,2	3,6	1,8	3,2
36,0	4,7	4,6	4,5	4,6	4,5	4,5	7,4	7,5	8,8	2,6	1,9	3,3	1,5	2,9
38,0	4,5	4,4	4,3	4,4	4,3	4,3		7,2	8,4	2,4	1,7	3,1	1,2	2,7
40,0	4,3	4,2	4,2	4,2	4,2	4,1		6,9	8,0	2,1	1,4	2,8		2,4
42,0	4,1	4,0	4,0	4,0	4,0	4,0			7,7	2,0	1,2	2,6		2,2
44,0	3,8	3,8	3,8	3,9	3,8	3,8			7,3	1,8	1,0	2,1		1,9
* n *	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
% 1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
% 3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
% 4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
% 5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0				13,1				14,4						
10,0				12,6				13,7	13,7					
11,0				12,0				13,2	13,1					
12,0		10,9		11,5				12,7	12,6	13,1				
13,0	7,6	9,7		10,9	8,6			12,2	12,2	12,7	8,9			
14,0	7,1	8,6	7,2	10,3	8,4	7,9		11,7	11,8	12,3	8,4		9,8	
15,0	6,6	8,1	6,7	9,8	8,2	7,7	6,7	11,3	11,5	11,9	8,0	7,6	8,9	
16,0	6,2	7,7	6,3	9,3	7,8	7,6	6,3	10,9	11,1	11,6	7,6	7,2	8,4	7,1
17,0	5,8	7,3	5,9	8,8	7,4	7,5	5,9	10,4	10,8	11,3	7,2	6,8	8,0	6,7
18,0	5,5	6,9	5,5	8,4	7,0	7,3	5,5	10,1	10,5	11,0	6,8	6,4	7,7	6,3
19,0	5,1	6,6	5,2	8,0	6,7	7,2	5,2	9,9	10,1	10,8	6,5	6,0	7,3	5,9
20,0	4,8	6,3	4,8	7,6	6,3	7,0	4,9	9,6	9,9	10,5	6,1	5,7	7,0	5,6
21,0	4,5	5,9	4,5	7,2	6,0	6,8	4,5	9,3	9,6	10,3	5,8	5,4	6,7	5,2
22,0	4,2	5,6	4,2	6,8	5,7	6,7	4,2	9,0	9,4	10,0	5,5	5,1	6,4	4,9
23,0	3,9	5,4	4,0	6,6	5,4	6,5	4,0	8,8	9,1	9,8	5,3	4,8	6,1	4,6
24,0	3,6	5,1	3,7	6,3	5,2	6,3	3,7	8,6	8,9	9,5	5,0	4,5	5,8	4,4
26,0	3,1	4,6	3,2	5,9	4,7	6,0	3,2	8,2	8,5	9,2	4,5	4,0	5,3	3,9
28,0	2,7	4,2	2,8	5,4	4,2	5,7	2,8	7,8	8,2	8,8	4,1	3,6	4,9	3,4
30,0	2,3	3,7	2,4	4,9	3,8	5,4	2,4	7,6	7,9	8,5	3,7	3,2	4,5	3,0
32,0	1,9	3,4	2,0	4,6	3,4	5,2	2,0	7,4	7,6	8,2	3,4	2,8	4,1	2,6
34,0	1,6	3,0	1,7	4,3	3,1	4,9	1,7	7,4	7,4	8,0	3,0	2,5	3,8	2,2
36,0	1,3	2,7	1,4	4,0	2,8	4,7	1,4	6,7	7,1	7,7	2,8	2,1	3,5	1,9
38,0	1,0	2,5	1,1	3,7	2,5	4,5	1,1		6,9	7,5	2,5	1,9	3,2	1,6
40,0		2,2		3,5	2,3	4,3				7,3	2,2	1,6	2,9	1,4
42,0		2,0		3,3	2,0	4,1				7,1	2,0	1,4	2,7	1,1
44,0		1,8		3,1	1,8	3,8				7,0	1,9	1,2	2,5	
* n *	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0									10,0					
13,0					9,5				9,8	9,7				
14,0					9,1				9,5	9,5				
15,0	8,8				8,7				9,3	9,3	9,5			
16,0	8,3		8,2		8,3				9,1	9,1	9,3	8,0		
17,0	7,9	6,5	7,8		8,0	7,2			9,0	9,0	9,1	7,6		8,4
18,0	7,6	6,1	7,4	6,1	7,7	7,1	6,8		8,8	8,8	9,0	7,2	6,9	8,0
19,0	7,2	5,8	7,1	5,7	7,3	6,9	6,7		8,6	8,7	8,9	6,8	6,5	7,6
20,0	6,9	5,4	6,7	5,4	7,1	6,7	6,5	5,4	8,5	8,6	8,8	6,5	6,2	7,3
21,0	6,5	5,1	6,4	5,0	6,8	6,3	6,4	5,1	8,4	8,4	8,7	6,2	5,8	7,0
22,0	6,2	4,8	6,1	4,7	6,6	6,0	6,3	4,8	8,3	8,4	8,6	5,9	5,5	6,7
23,0	5,9	4,5	5,8	4,5	6,4	5,8	6,1	4,5	8,2	8,3	8,5	5,6	5,2	6,4
24,0	5,7	4,2	5,5	4,2	6,2	5,5	6,0	4,2	8,1	8,2	8,4	5,3	4,9	6,1
26,0	5,2	3,7	5,0	3,7	5,7	5,0	5,7	3,7	8,0	8,0	8,2	4,8	4,4	5,6
28,0	4,7	3,2	4,6	3,2	5,4	4,5	5,5	3,2	8,0	7,9	8,1	4,4	3,9	5,1
30,0	4,3	2,8	4,1	2,8	5,0	4,1	5,2	2,8	8,0	7,8	8,0	4,0	3,5	4,7
32,0	3,9	2,4	3,7	2,4	4,6	3,7	5,0	2,4	6,9	7,7	7,9	3,6	3,1	4,3
34,0	3,6	2,1	3,4	2,0	4,3	3,3	4,8	2,0	3,0	7,5	7,8	3,3	2,8	4,0
36,0	3,2	1,7	3,1	1,7	4,0	3,0	4,6	1,7		5,7	7,7	2,9	2,4	3,6
38,0	2,9	1,4	2,8	1,4	3,8	2,7	4,4	1,4		3,1	7,5	2,7	2,1	3,3
40,0	2,7	1,2	2,5	1,1	3,5	2,4	4,2	1,1			7,4	2,4	1,8	3,1
42,0	2,4		2,2		3,3	2,2	4,0				7,3	2,2	1,6	2,8
44,0	2,2		2,0		3,1	2,0	3,8				5,2	2,0	1,3	2,6
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0						7,7								
17,0						7,5								
18,0		7,8				7,2								
19,0	6,3	7,4		7,4		7,0								
20,0	6,0	7,1	5,9	7,0		6,7	6,3							
21,0	5,6	6,8	5,5	6,7		6,5	6,2							
22,0	5,3	6,5	5,2	6,4	5,2	6,3	6,1	6,0						
23,0	5,0	6,2	4,9	6,1	4,8	6,1	5,9	5,8	4,9					
24,0	4,7	5,9	4,6	5,8	4,6	6,0	5,7	5,7	4,6					
26,0	4,2	5,4	4,1	5,2	4,0	5,6	5,2	5,5	4,0					
28,0	3,7	4,9	3,6	4,8	3,5	5,3	4,7	5,3	3,5					
30,0	3,3	4,5	3,1	4,3	3,1	5,0	4,3	5,1	3,1					
32,0	2,8	4,1	2,7	3,9	2,7	4,6	3,9	4,9	2,7					
34,0	2,5	3,7	2,3	3,6	2,3	4,3	3,5	4,7	2,3					
36,0	2,1	3,4	2,0	3,2	1,9	4,1	3,2	4,5	2,0					
38,0	1,8	3,0	1,7	2,9	1,6	3,8	2,9	4,3	1,7					
40,0	1,5	2,8	1,4	2,6	1,3	3,6	2,6	4,2	1,4					
42,0	1,2	2,5	1,1	2,3	1,0	3,3	2,3	4,0	1,1					
44,0	1,0	2,3		2,1		3,1	2,1	3,8						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
46,0										7,1	6,8	3,2	2,9	2,9
48,0										6,9			2,7	2,8
50,0										3,8			2,7	
52,0														
54,0														
56,0														
58,0														
60,0														
62,0														
64,0														
66,0														
68,0														
70,0														
72,0														
74,0														
76,0														
*** n ***	2	2	1	2	2	1	2	2	1	2	2	1	2	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
46,0	3,0	6,2	6,3	6,4	4,7	4,7	4,8	5,4	5,5	5,6	4,0	4,2	4,2	4,8
48,0		5,8	5,9	5,1	4,4	4,4	4,5	5,1	5,2	5,3	3,8	3,9	4,0	4,5
50,0		5,5	5,6	3,3	4,1	4,2	3,3	4,8	4,9	4,9	3,6	3,7	3,7	4,2
52,0		5,2	5,2	2,1	3,9	3,9	2,1	4,4	4,5	4,6	3,3	3,4	3,4	4,0
54,0		4,3			3,8			4,2	4,2	3,3	3,1	3,2	3,2	3,7
56,0								3,9	4,0	2,3	3,0	3,0	2,3	3,4
58,0								3,5			2,8	2,9		3,2
60,0														3,0
62,0														2,6
64,0														
66,0														
68,0														
70,0														
72,0														
74,0														
76,0														
*** n ***	1	2	2	1	2	2	1	2	2	1	2	1	1	2
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
46,0	5,0	5,1	3,7	3,8	3,9	4,4	4,5	4,6	3,5	3,5	3,6	4,1	4,1	4,2
48,0	4,7	4,7	3,4	3,6	3,6	4,1	4,3	4,3	3,3	3,3	3,4	3,8	3,9	3,9
50,0	4,3	4,4	3,2	3,3	3,4	3,8	4,0	4,1	3,1	3,1	3,2	3,6	3,7	3,7
52,0	4,1	4,1	3,0	3,1	3,2	3,6	3,7	3,8	2,9	2,9	3,0	3,4	3,5	3,5
54,0	3,8	3,9	2,8	2,9	3,0	3,3	3,5	3,5	2,7	2,7	2,8	3,2	3,2	3,3
56,0	3,6	3,6	2,6	2,7	2,7	3,1	3,2	3,3	2,5	2,6	2,6	2,9	3,0	3,1
58,0	3,3	3,3	2,5	2,5	2,6	2,9	3,0	3,1	2,3	2,4	2,4	2,7	2,8	2,9
60,0	3,1	2,4	2,3	2,4	2,4	2,7	2,8	2,8	2,2	2,2	2,2	2,5	2,6	2,7
62,0	2,7		2,2	2,2		2,5	2,6	2,6	2,0	2,1	2,1	2,4	2,4	2,5
64,0						2,3	2,4	2,4	1,9	1,9	1,9	2,2	2,3	2,3
66,0						2,0	2,1		1,8	1,8		2,0	2,1	2,1
68,0									1,3			1,8	1,9	1,9
70,0												1,6	1,7	
72,0												1,1		
74,0														
76,0														
*** n ***	1	1	2	1	1	2	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
46,0	3,6	3,6	3,7	3,7	3,7	3,7			7,1	1,2		1,6		1,4
48,0	3,4	3,4	3,5	3,5	3,5	3,5			6,9			1,1		
50,0	3,3	3,3	3,3	3,3	3,3	3,4			3,8					
52,0	3,1	3,1	3,1	3,1	3,2	3,2								
54,0	2,9	2,9	3,0	2,9	3,0	3,0								
56,0	2,7	2,8	2,8	2,8	2,8	2,9								
58,0	2,5	2,6	2,6	2,6	2,7	2,7								
60,0	2,4	2,5	2,5	2,4	2,5	2,5								
62,0	2,3	2,3	2,3	2,2	2,3	2,4								
64,0	2,1	2,2	2,2	2,1	2,1	2,2								
66,0	2,0	2,0	2,0	1,9	2,0	2,0								
68,0	1,9	1,9	1,9	1,7	1,8	1,8								
70,0	1,8	1,8		1,6	1,6	1,6								
72,0	1,7			1,4	1,5	1,5								
74,0				1,3	1,4									
76,0				1,1										
*** n ***	1	1	1	1	1	1	2	2	2	2	2	2	1	2
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
46,0		1,4		2,9	1,6	3,6				6,8	1,7		2,0	
48,0				2,7	1,4	3,4					1,1		1,4	
50,0				2,0		3,3								
52,0						3,1								
54,0						2,9								
56,0						2,7								
58,0						2,5								
60,0						2,4								
62,0						2,3								
64,0						2,1								
66,0						2,0								
68,0						1,9								
70,0						1,8								
72,0						1,7								
74,0														
76,0														
*** n ***	1	2	1	2	1	1	1	2	2	2	1	1	2	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
46,0	2,0		1,8		2,9	1,7	3,6				3,2	1,8	1,1	2,4
48,0	1,6		1,6		2,8	1,5	3,4					1,4		1,7
50,0	1,1		1,2			1,3	3,3							1,0
52,0							3,1							
54,0							2,9							
56,0							2,8							
58,0							2,6							
60,0							2,5							
62,0							2,3							
64,0							2,2							
66,0							2,0							
68,0							1,9							
70,0							1,8							
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 12.2m

045632 02.02

m > < t

CODE >0289< T210.22011

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
46,0		2,0		1,9		3,0	1,8	3,7						
48,0		1,8		1,7			1,6	3,5						
50,0		1,2		1,3			1,4	3,3						
52,0							1,1	3,1						
54,0								3,0						
56,0								2,8						
58,0								2,6						
60,0								2,5						
62,0								2,3						
64,0								2,2						
66,0								2,0						
68,0								1,9						
70,0														
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 12.2m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,1	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	7,4	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	6,7	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	6,2	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,0	5,8	5,1	5,1	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	5,9	5,7	5,0	6,1	5,6	5,0	4,2	5,7	5,0	4,5	4,2
30,0	4,2	5,0	4,9	5,0	5,5	5,0	5,2	5,4	4,8	3,5	4,9	4,9	4,3	4,0
32,0	3,9	5,0		4,2	5,3	4,9	4,4	5,2	4,7	2,8	4,1	4,8	4,0	3,8
34,0				3,6	4,5	4,9	3,8	4,7	4,6	2,2	3,4	4,4	3,7	3,6
36,0				3,0	3,8	4,3	3,2	4,0	4,5	1,6	2,8	3,7	3,3	3,4
38,0				2,5	3,2	3,6	2,7	3,4	3,9	1,0	2,2	3,0	2,8	3,2
40,0				2,1	2,6	2,9	2,2	2,8	3,2		1,7	2,4	2,3	3,0
42,0				1,7	2,1	2,2	1,8	2,3	2,6		1,1	1,9	1,9	2,6
44,0				1,3	1,6		1,4	1,9	2,1			1,3	1,5	2,1
46,0				1,1			1,0	1,5	1,5				1,1	1,7
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,6			7,3			7,0
20,0		7,6	6,5		7,9	6,4		7,0	6,4		7,3			6,5
21,0		7,0	6,4		7,5	6,3		6,3	6,3		7,1	6,1		5,9
22,0		6,3	6,3		6,9	6,2		5,6	6,2		6,7	6,0		5,2
23,0		5,7	6,2		6,4	6,1		5,1	6,1		6,1	5,9		4,7
24,0		5,1	6,2		5,8	6,1		4,5	6,1		5,5	5,9		4,2
26,0	4,1	4,1	6,0	5,1	4,8	5,9	5,0	3,5	5,6	5,0	4,6	5,7	5,0	3,2
28,0	3,9	3,3	5,1	5,0	3,9	5,5	5,0	2,7	4,6	5,0	3,7	5,4	4,9	2,4
30,0	3,8	2,5	4,2	4,9	3,2	4,7	4,9	1,9	3,7	4,9	3,0	4,5	4,9	1,5
32,0	3,7	1,8	3,4	4,6	2,5	3,9	4,8	1,1	2,9	4,3	2,3	3,8	4,7	
34,0	3,5	1,1	2,7	3,8	1,9	3,2	4,3		2,2	3,5	1,7	3,1	4,2	
36,0	3,3		2,0	3,1	1,3	2,6	3,6		1,5	2,7	1,0	2,5	3,4	
38,0	3,2		1,4	2,4		2,0	2,9			2,1		1,9	2,8	
40,0	3,0			1,8		1,5	2,3			1,4		1,3	2,2	
42,0	2,9			1,1			1,8						1,7	
44,0	2,5						1,2						1,1	
46,0	2,1													
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,4			5,3			5,4		
20,0			6,2			6,1			5,2			5,4		
21,0			6,1			5,5			5,1			5,2		
22,0	6,0		6,0			4,9			5,0			4,7		
23,0	6,0		5,8	5,6		4,4	5,7		4,9			4,2		
24,0	5,9		5,4	5,5		3,9	5,6		4,9	4,4		3,7		
26,0	5,3		4,5	5,2		3,1	5,0		4,3	4,3		2,9	4,7	
28,0	4,3	4,9	3,6	5,0	4,8	2,2	4,1		3,6	4,1		2,2	3,9	
30,0	3,4	4,9	2,9	4,4	4,6	1,3	3,3	4,7	2,9	3,9	3,7	1,4	3,2	
32,0	2,7	4,1	2,3	3,7	4,5		2,6	3,9	2,3	3,6	3,6		2,5	3,8
34,0	2,0	3,3	1,6	3,0	4,1		1,9	3,2	1,7	3,0	3,5		1,9	3,1
36,0	1,3	2,6		2,4	3,4		1,2	2,5	1,1	2,5	3,3		1,2	2,5
38,0		1,9		1,9	2,8			1,8		2,0	2,8			1,9
40,0		1,2		1,3	2,2			1,2		1,4	2,3			1,2
42,0					1,7						1,8			
44,0					1,2						1,3			
46,0														
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0							11,2							
7,0							11,3	9,5						
8,0							11,3	9,6						
9,0							11,2	9,7	8,9					
10,0							11,0	9,7	9,0	8,4		8,2		
11,0							10,8	9,6	9,1	8,5	7,8	8,2		
12,0							10,6	9,5	9,1	8,6	7,9	8,3		7,4
13,0							10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4
14,0							10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5
15,0	5,1						9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,1	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	7,4	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,0			7,6	7,6	6,7	4,9	4,4	5,7	4,1	5,4
24,0	4,4			3,6			7,4	7,4	6,2	4,6	4,1	5,5	3,8	5,1
26,0	3,6	4,2		2,9			6,9	7,0	5,1	4,0	3,5	4,8	3,2	4,5
28,0	2,9	4,0		2,2	3,8		5,9	6,1	4,2	3,3	2,7	3,9	2,4	3,7
30,0	2,3	3,7		1,4	3,1		5,0	5,2	3,5	2,5	1,9	3,2	1,5	3,0
32,0	1,7	3,1	3,6		2,5		4,2	4,4	2,8	1,8	1,1	2,5		2,3
34,0		2,5	3,4		1,9	3,0	3,6	3,8	2,2	1,1		1,9		1,7
36,0		2,0	2,9		1,3	2,4	3,0	3,2	1,6			1,3		1,0
38,0		1,4	2,4			1,9	2,5	2,7	1,0					
40,0			1,9			1,3	2,1	2,2						
42,0			1,3				1,7	1,8						
44,0							1,3	1,4						
46,0							1,1	1,0						
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0				7,1										
11,0				7,1										
12,0				7,2										
13,0		6,4		7,2										
14,0	6,4	6,4		7,1	5,5									
15,0	6,4	6,4	5,5	6,9	5,4	5,1		7,4						
16,0	6,2	6,4	5,5	6,7	5,4	5,0		7,2	7,1					
17,0	5,8	6,4	5,4	6,5	5,4	5,0	4,6	7,1	6,9					
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9	6,8	6,8				
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7	6,6	6,7	6,6		6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5	6,6	6,3	6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4	6,5	6,0	5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4	5,7	5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,4	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,0	4,4	2,9	4,9	4,3	3,6	2,9	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,2	3,6	2,2	4,5	3,6	2,9	2,2	5,7	5,6	5,7	4,3	3,9	4,9	3,6
30,0	1,3	2,9	1,4	4,3	2,9	2,3	1,4	5,5	5,4	4,9	3,9	3,4	4,5	3,2
32,0		2,3		4,0	2,3	1,7		5,3	5,2	4,1	3,4	2,9	3,9	2,6
34,0		1,6		3,7	1,7			4,5	4,7	3,4	2,7	2,2	3,2	2,0
36,0				3,3	1,1			3,8	4,0	2,8	2,0	1,5	2,6	1,3
38,0				2,8				3,2	3,4	2,2	1,4		2,0	
40,0				2,3				2,6	2,8	1,7			1,5	
42,0				1,9				2,1	2,3	1,1				
44,0				1,5				1,6	1,9					
46,0				1,1					1,5					
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0					5,4									
20,0					5,3									
21,0	6,1				5,1				5,4					
22,0	6,0				5,0				5,3	5,3				
23,0	5,9	4,8	5,6		4,9				5,3	5,2				
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2	5,2			
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1	5,1	4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,7	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,7	2,6	3,6	2,5	3,8	3,6	3,1	2,5	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,1	1,9	3,0	1,9	3,6	3,0	2,5	1,9	4,9	4,6	4,4	3,5	3,1	4,1
36,0	2,5	1,2	2,4	1,2	3,4	2,5	2,0	1,3	4,3	4,5	3,7	3,1	2,7	3,6
38,0	1,9		1,9		3,2	2,0	1,4		3,6	3,9	3,0	2,4	2,1	2,9
40,0	1,3		1,3		3,0	1,4			2,9	3,2	2,4	1,8	1,4	2,3
42,0					2,6				2,2	2,6	1,9	1,1		1,8
44,0					2,1					2,1	1,3			1,2
46,0					1,7					1,5				
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,5	3,4	2,4	3,4	2,4	3,3	3,3	2,9	2,4					
38,0	1,9	2,8	1,8	2,8	1,9	3,2	2,8	2,4	1,9					
40,0	1,2	2,2	1,2	2,2	1,2	3,0	2,3	1,9	1,3					
42,0		1,7		1,7		2,9	1,8	1,3						
44,0		1,1		1,2		2,5	1,3							
46,0						2,1								
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
48,0								1,0						1,4
50,0														
52,0														
54,0														
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
48,0	1,6													
50,0	1,2													
52,0														
54,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
48,0									1,0					
50,0														
52,0														
54,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
48,0					1,4									
50,0														
52,0														
54,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0319< T210.24016

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
48,0						1,6								
50,0						1,2								
52,0														
54,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	12.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0324< T210.24025

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,6			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		7,9	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		7,2	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		6,5	6,6		5,9	5,3
21,0	6,2	5,9	5,2	7,8	6,5	5,4	7,8	6,4		5,9	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,2	6,3	5,3	7,2	6,3	5,3	5,3	6,4		5,5	5,0
23,0	5,6	5,6	5,1	6,6	6,2	5,3	6,7	6,2	5,2	4,8	6,3		5,4	4,9
24,0	5,4	5,5	5,0	6,1	6,1	5,2	6,2	6,0	5,2	4,3	6,1	5,2	5,2	4,7
26,0	4,9	5,3	4,9	5,2	5,9	5,1	5,3	5,8	5,1	3,5	5,2	5,1	4,9	4,5
28,0	4,5	5,1	4,9	4,4	5,7	5,0	4,5	5,5	5,0	2,7	4,3	5,0	4,3	4,2
30,0	4,2	5,0	4,9	3,7	4,8	5,0	3,8	4,9	4,8	2,1	3,5	4,7	3,7	4,0
32,0	3,9	4,5		3,0	4,0	4,8	3,2	4,2	4,7	1,3	2,8	3,9	3,1	3,8
34,0				2,5	3,4	4,0	2,6	3,5	4,2		2,2	3,2	2,6	3,5
36,0				2,0	2,8	3,3	2,1	2,9	3,5		1,6	2,5	2,1	3,0
38,0				1,5	2,2	2,6	1,7	2,4	2,9			1,9	1,7	2,5
40,0				1,0	1,7	2,0	1,2	1,9	2,3			1,3	1,2	2,1
42,0					1,2	1,3		1,5	1,8					1,7
44,0									1,2					1,2
46,0														
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0324< T210.24025

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,0			7,5			7,3
16,0		8,3			8,2			7,7			7,5			7,1
17,0		7,6			8,1			6,9			7,5			6,4
18,0		6,8			7,5			6,1			7,1			5,7
19,0		6,1	6,6		6,8	6,5		5,4			6,5			5,1
20,0		5,4	6,5		6,1	6,4		4,8	6,4		5,8			4,5
21,0		4,9	6,4		5,5	6,3		4,2	6,3		5,3	6,1		3,9
22,0		4,3	6,3		5,0	6,2		3,7	6,1		4,7	6,0		3,4
23,0		3,8	5,9		4,5	6,1		3,3	5,5		4,3	5,9		2,9
24,0		3,4	5,4		4,0	5,9		2,8	4,9		3,8	5,6		2,4
26,0	4,1	2,5	4,4	5,1	3,2	4,9	5,0	1,8	3,9	5,0	3,0	4,7	5,0	
28,0	3,9	1,6	3,5	4,9	2,5	4,1	5,0		3,1	4,7	2,2	3,9	4,9	
30,0	3,8		2,8	4,1	1,7	3,3	4,5		2,3	3,8	1,4	3,1	4,4	
32,0	3,7		2,1	3,3	1,0	2,6	3,7		1,6	3,0		2,5	3,6	
34,0	3,5		1,3	2,6		2,0	3,0			2,2		1,8	2,9	
36,0	3,3			1,9		1,3	2,4			1,6		1,2	2,3	
38,0	3,1			1,2			1,8						1,7	
40,0	2,6						1,2						1,1	
42,0	2,2													
44,0	1,7													
46,0	1,3													
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0324< T210.24025

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,3			5,4			5,5		
17,0			6,4			6,1			5,4			5,4		
18,0			6,4			5,5			5,3			5,1		
19,0			6,2			4,8			5,3			4,6		
20,0			5,7			4,3			5,2			4,1		
21,0			5,1			3,7			5,0			3,6		
22,0	5,7		4,6			3,2			4,6			3,2		
23,0	5,2		4,1	5,6		2,8	4,9		4,1			2,7		
24,0	4,6		3,7	5,4		2,2	4,5		3,7	4,4		2,2		
26,0	3,7		2,9	4,6			3,5		3,0	4,3		1,2	3,4	
28,0	2,8	4,4	2,2	3,8	4,8		2,7		2,2	3,8			2,7	
30,0	2,1	3,6	1,4	3,1	4,3		2,0	3,5	1,5	3,1	3,7		2,0	
32,0	1,3	2,8		2,4	3,6			2,7		2,5	3,5		1,1	2,7
34,0		2,1		1,8	2,9			2,0		1,9	3,0			2,0
36,0		1,4		1,2	2,3			1,3		1,3	2,4			1,3
38,0					1,7						1,8			
40,0					1,1						1,3			
42,0														
44,0														
46,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0324< T210.24025

m	62,8	62,8	62,8	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3	58,3	53,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0				11,2										
7,0				11,3	9,5									
8,0				11,3	9,6									
9,0				11,2	9,7	8,9								
10,0				11,0	9,7	9,0	8,4		8,2					
11,0				10,8	9,6	9,1	8,5	7,8	8,2					
12,0				10,6	9,5	9,1	8,6	7,9	8,3		7,4			
13,0				10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4		6,4	
14,0				10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5	6,4	6,4	
15,0	5,1			9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5	6,4	6,4	5,5
16,0	5,0			9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5	6,2	6,4	5,5
17,0	5,0			9,2	8,8	8,6	6,7	6,2	7,6	5,9	7,3	5,8	6,4	5,4
18,0	4,9			8,9	8,6	7,9	6,3	5,9	7,2	5,6	6,9	5,4	6,4	5,1
19,0	4,9			8,6	8,4	7,2	6,0	5,4	6,7	5,0	6,4	4,8	6,2	4,6
20,0	4,6			8,3	8,2	6,5	5,4	4,8	6,1	4,5	5,8	4,3	5,7	4,1
21,0	4,3			7,8	7,8	5,9	4,9	4,2	5,5	3,9	5,3	3,7	5,1	3,6
22,0	3,8			7,2	7,2	5,3	4,3	3,7	5,0	3,4	4,7	3,2	4,6	3,2
23,0	3,4			6,6	6,7	4,8	3,8	3,3	4,5	2,9	4,3	2,8	4,1	2,7
24,0	3,0			6,1	6,2	4,3	3,4	2,8	4,0	2,4	3,8	2,2	3,7	2,2
26,0	2,3	3,9		5,2	5,3	3,5	2,5	1,8	3,2		3,0		2,9	1,2
28,0	1,5	3,2		4,4	4,5	2,7	1,6		2,5		2,2		2,2	
30,0		2,6		3,7	3,8	2,1			1,7		1,4		1,4	
32,0		2,0	3,1	3,0	3,2	1,3			1,0					
34,0		1,3	2,5	2,5	2,6									
36,0			2,0	2,0	2,1									
38,0			1,4	1,5	1,7									
40,0				1,0	1,2									
42,0														
44,0														
46,0														
*** n ***	1	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +	92 -	0 +	92 -
2	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -	92 +	92 -	92 +
3	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 -	92 +
4	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 -	92 +
5	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
% 6	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0324< T210.24025

m	40,3	58,3	62,8	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3	58,3	53,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0	7,1													
11,0	7,1													
12,0	7,2													
13,0	7,2													
14,0	7,1	5,5												
15,0	6,9	5,4	5,1	7,4										
16,0	6,7	5,4	5,0	7,2	7,1									
17,0	6,5	5,4	5,0	7,1	6,9									
18,0	6,3	5,3	4,9	6,9	6,8	6,8								
19,0	6,1	5,3	4,9	6,7	6,6	6,7	6,6		6,5					
20,0	5,9	5,2	4,6	6,6	6,5	6,6	6,3	6,0	6,4					
21,0	5,7	5,0	4,3	6,5	6,4	6,5	6,0	5,7	6,3		6,1			
22,0	5,5	4,6	3,8	6,3	6,3	6,4	5,7	5,4	6,2	5,2	6,0			
23,0	5,4	4,1	3,4	6,2	6,2	6,3	5,4	5,1	6,1	4,9	5,9	4,7	5,6	
24,0	5,2	3,7	3,0	6,1	6,0	6,1	5,2	4,8	5,9	4,6	5,6	4,4	5,4	
26,0	4,9	3,0	2,3	5,9	5,8	5,2	4,4	3,9	4,9	3,7	4,7	3,5	4,6	3,4
28,0	4,3	2,2	1,5	5,7	5,5	4,3	3,5	3,1	4,1	2,8	3,9	2,7	3,8	2,7
30,0	3,7	1,5		4,8	4,9	3,5	2,8	2,3	3,3	2,1	3,1	2,0	3,1	2,0
32,0	3,1			4,0	4,2	2,8	2,1	1,6	2,6	1,3	2,5		2,4	1,1
34,0	2,6			3,4	3,5	2,2	1,3		2,0		1,8		1,8	
36,0	2,1			2,8	2,9	1,6			1,3		1,2		1,2	
38,0	1,7			2,2	2,4									
40,0	1,2			1,7	1,9									
42,0				1,2	1,5									
44,0														
46,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	0 +	0 +	46 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +	92 -	0 +	92 -
2	0 +	92 -	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -	92 +	92 -	92 +
3	0 +	92 -	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 -	92 +
4	92 -	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 -	92 +
5	92 -	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
% 6	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0324< T210.24025

m	40,3	58,3	62,8	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3	58,3	53,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0	5,4													
20,0	5,3													
21,0	5,1			5,4										
22,0	5,0			5,3	5,3									
23,0	4,9			5,3	5,2									
24,0	4,7	4,4		5,2	5,2	5,2								
26,0	4,5	4,3	3,9	5,1	5,1	5,1	5,1	4,9	5,0		5,0			
28,0	4,2	3,8	3,2	5,0	5,0	5,0	4,7	4,4	5,0	4,2	4,9		4,8	
30,0	4,0	3,1	2,6	5,0	4,8	4,7	4,1	3,8	4,5	3,6	4,4	3,5	4,3	
32,0	3,8	2,5	2,0	4,8	4,7	3,9	3,3	3,0	3,7	2,8	3,6	2,7	3,6	2,7
34,0	3,5	1,9	1,3	4,0	4,2	3,2	2,6	2,2	3,0	2,1	2,9	2,0	2,9	2,0
36,0	3,0	1,3		3,3	3,5	2,5	1,9	1,6	2,4	1,4	2,3	1,3	2,3	1,3
38,0	2,5			2,6	2,9	1,9	1,2		1,8		1,7		1,7	
40,0	2,1			2,0	2,3	1,3			1,2		1,1		1,1	
42,0	1,7			1,3	1,8									
44,0	1,2				1,2									
46,0														
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	0 +	46 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +	92 -	0 +	92 -
% 2	0 +	92 -	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -	92 +	92 -	92 +
% 3	0 +	92 -	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 -	92 +
% 4	92 -	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 -	92 +
% 5	92 -	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +
% 6	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0324< T210.24025

m	40,3	58,3	62,8											
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0	4,1													
28,0	3,9													
30,0	3,8	3,7												
32,0	3,7	3,5	3,1											
34,0	3,5	3,0	2,5											
36,0	3,3	2,4	2,0											
38,0	3,1	1,8	1,4											
40,0	2,6	1,3												
42,0	2,2													
44,0	1,7													
46,0	1,3													
* n *	1	1	1											
xx	45,0	45,0	45,0											
% 1	0 +	0 +	46 -											
% 2	0 +	92 -	92 +											
% 3	0 +	92 -	92 +											
% 4	92 -	92 +	92 +											
% 5	92 -	92 +	92 +											
% 6	92 +	92 +	92 +											
m/s	9,0	9,0	9,0											

	T	NZK xx° 22.0m	22.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,2	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	8,0	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	7,9	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	7,7	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	7,4	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,5	5,7	5,0	6,7	5,6	5,0	6,9	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	6,2	5,5	5,0	6,3	5,4	4,8	6,0	5,7	4,9	4,3	4,0
32,0	3,9	5,0		5,8	5,3	4,9	6,0	5,2	4,7	5,2	5,5	4,8	4,0	3,8
34,0				5,4	5,2	4,9	5,7	5,0	4,6	4,5	5,3	4,7	3,7	3,6
36,0				4,9	5,1	4,9	5,1	4,8	4,5	3,8	4,9	4,6	3,5	3,4
38,0				4,3	5,0	4,9	4,5	4,6	4,4	3,2	4,2	4,6	3,2	3,2
40,0				3,8	4,4	4,6	3,9	4,5	4,4	2,6	3,6	4,2	3,0	3,1
42,0				3,3	3,7	3,8	3,4	4,0	4,2	2,1	3,0	3,6	2,8	2,9
44,0				2,9	3,2		3,0	3,4	3,6	1,7	2,5	3,0	2,6	2,7
46,0				2,6			2,6	3,0	3,0	1,3	2,0	2,4	2,5	2,5
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,8			7,3			7,3
20,0		8,2	6,5		7,9	6,4		7,7	6,4		7,3			7,2
21,0		8,1	6,4		7,8	6,3		7,7	6,3		7,2	6,1		7,1
22,0		7,9	6,3		7,7	6,2		7,6	6,2		7,1	6,0		7,1
23,0		7,8	6,2		7,5	6,1		7,5	6,1		7,0	5,9		7,0
24,0		7,6	6,2		7,4	6,1		7,4	6,1		6,9	5,9		6,7
26,0	4,1	6,9	6,0	5,1	7,2	5,9	5,0	6,4	5,9	5,0	6,6	5,7	5,0	5,9
28,0	3,9	5,9	5,8	5,0	6,5	5,7	5,0	5,3	5,8	5,0	6,2	5,6	4,9	5,0
30,0	3,8	5,0	5,7	4,9	5,7	5,6	4,9	4,5	5,6	4,9	5,5	5,5	4,9	4,1
32,0	3,7	4,2	5,4	4,9	4,9	5,4	4,8	3,7	5,2	4,8	4,7	5,3	4,7	3,4
34,0	3,5	3,5	4,9	4,8	4,2	5,2	4,7	3,0	4,5	4,7	4,0	5,0	4,6	2,7
36,0	3,3	2,9	4,2	4,7	3,5	4,7	4,6	2,4	3,7	4,6	3,3	4,5	4,6	2,1
38,0	3,2	2,3	3,5	4,4	3,0	4,0	4,5	1,8	3,1	4,1	2,8	3,9	4,5	1,5
40,0	3,0	1,8	2,9	3,7	2,5	3,4	4,2	1,2	2,5	3,4	2,3	3,3	4,1	
42,0	2,9	1,3	2,3	3,1	2,0	2,9	3,6		1,9	2,8	1,8	2,8	3,5	
44,0	2,7		1,8	2,5	1,6	2,4	3,0		1,4	2,2	1,4	2,3	2,9	
46,0	2,6		1,3	1,9	1,1	1,9	2,4			1,6		1,8	2,4	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,4			5,1			5,3		
22,0	6,0		6,0			6,3			5,0			5,3		
23,0	6,0		5,9	5,6		6,3	5,7		4,9			5,2		
24,0	5,9		5,8	5,5		6,2	5,6		4,9	4,4		5,2		
26,0	5,8		5,6	5,2		5,6	5,5		4,7	4,3		5,1	5,0	
28,0	5,6	4,9	5,4	5,0	4,8	4,7	5,4		4,5	4,1		4,5	4,8	
30,0	5,5	4,9	5,1	4,8	4,6	3,9	5,3	4,8	4,3	3,9	3,7	3,8	4,6	
32,0	4,9	4,8	4,5	4,6	4,5	3,2	4,7	4,7	4,1	3,8	3,6	3,1	4,4	4,4
34,0	4,2	4,7	3,9	4,4	4,3	2,6	4,0	4,6	3,7	3,6	3,5	2,5	3,9	4,2
36,0	3,5	4,5	3,3	4,2	4,1	1,9	3,3	4,4	3,3	3,5	3,4	2,0	3,2	4,1
38,0	2,8	3,9	2,7	3,8	4,0	1,3	2,7	3,8	2,7	3,4	3,2	1,4	2,7	3,7
40,0	2,2	3,2	2,2	3,3	3,8		2,2	3,1	2,3	3,1	3,1		2,2	3,1
42,0	1,7	2,6	1,8	2,8	3,5		1,6	2,6	1,9	2,8	3,0		1,7	2,5
44,0	1,1	2,0	1,3	2,3	3,0		1,0	2,0	1,4	2,3	2,9		1,1	2,0
46,0		1,5		1,8	2,5			1,5		1,9	2,5			1,5
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0							11,2							
7,0							11,3	9,5						
8,0							11,3	9,6						
9,0							11,2	9,7	8,9					
10,0							11,0	9,7	9,0	8,4		8,2		
11,0							10,8	9,6	9,1	8,5	7,8	8,2		
12,0							10,6	9,5	9,1	8,6	7,9	8,3		7,4
13,0							10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4
14,0							10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5
15,0	5,1						9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,2	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	8,0	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,3			7,6	7,6	7,9	4,9	4,4	5,7	4,1	5,4
24,0	4,6			4,3			7,4	7,4	7,7	4,6	4,1	5,5	3,8	5,1
26,0	4,5	4,2		4,2			6,9	7,1	7,4	4,2	3,7	5,0	3,3	4,7
28,0	4,4	4,0		4,1	3,9		6,5	6,7	6,9	3,8	3,2	4,5	2,9	4,2
30,0	4,1	3,9		3,6	3,8		6,2	6,3	6,0	3,4	2,9	4,2	2,5	3,8
32,0	3,8	3,7	3,6	3,1	3,6		5,8	6,0	5,2	3,1	2,5	3,8	2,2	3,5
34,0	3,2	3,6	3,4	2,5	3,5	3,4	5,4	5,7	4,5	2,8	2,2	3,5	1,8	3,1
36,0	2,7	3,5	3,3	2,0	3,2	3,3	4,9	5,1	3,8	2,5	1,9	3,2	1,5	2,8
38,0	2,2	3,2	3,2	1,4	2,6	3,2	4,3	4,5	3,2	2,2	1,6	2,9	1,2	2,6
40,0	1,7	2,7	3,1		2,1	3,0	3,8	3,9	2,6	1,8	1,2	2,5		2,2
42,0	1,2	2,3	2,9		1,7	2,5	3,3	3,4	2,1	1,3		2,0		1,8
44,0		1,8	2,5		1,2	2,1	2,9	3,0	1,7			1,6		1,4
46,0		1,4	2,1			1,6	2,6	2,6	1,3			1,1		
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0				7,1										
11,0				7,1										
12,0				7,2										
13,0		6,4		7,2										
14,0	6,4	6,4		7,1	5,5									
15,0	6,4	6,4	5,5	6,9	5,4	5,1		7,4						
16,0	6,2	6,4	5,5	6,7	5,4	5,0		7,2	7,1					
17,0	5,8	6,4	5,4	6,5	5,4	5,0	4,6	7,1	6,9					
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9	6,8	6,8				
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7	6,6	6,7	6,6		6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5	6,6	6,3	6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4	6,5	6,0	5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4	5,7	5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,6	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,2	4,5	3,1	4,9	4,4	4,5	3,0	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,7	4,0	2,6	4,5	4,0	4,4	2,6	5,7	5,6	5,8	4,3	3,9	4,9	3,6
30,0	2,3	3,7	2,2	4,3	3,6	4,1	2,2	5,5	5,4	5,7	3,9	3,4	4,5	3,2
32,0	2,0	3,3	1,9	4,0	3,2	3,8	1,9	5,3	5,2	5,5	3,5	3,1	4,1	2,8
34,0	1,6	3,0	1,5	3,7	2,9	3,2	1,5	5,2	5,0	5,3	3,1	2,7	3,8	2,4
36,0	1,3	2,7	1,2	3,5	2,6	2,7	1,2	5,1	4,8	4,9	2,8	2,4	3,5	2,1
38,0	1,0	2,4		3,2	2,3	2,2		5,0	4,6	4,2	2,6	2,1	3,2	1,8
40,0		2,1		3,0	2,0	1,7		4,4	4,5	3,6	2,3	1,8	2,9	1,5
42,0		1,8		2,8	1,8	1,2		3,7	4,0	3,0	2,1	1,6	2,7	1,3
44,0		1,3		2,6	1,4			3,2	3,4	2,5	1,8	1,3	2,4	
46,0				2,5					3,0	2,0	1,3		1,9	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0					5,4									
20,0					5,3									
21,0	6,1				5,1				5,4					
22,0	6,0				5,0				5,3	5,3				
23,0	5,9	4,8	5,6		4,9				5,3	5,2				
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2	5,2			
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1	5,1	4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,9	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,9	2,7	3,8	2,6	3,8	3,7	3,7	2,6	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,5	2,3	3,4	2,2	3,6	3,4	3,6	2,2	4,9	4,6	4,7	3,5	3,1	4,1
36,0	3,2	2,0	3,1	1,9	3,4	3,0	3,5	1,9	4,9	4,5	4,6	3,1	2,8	3,7
38,0	2,9	1,6	2,8	1,6	3,2	2,7	3,2	1,6	4,9	4,4	4,6	2,8	2,5	3,4
40,0	2,6	1,4	2,5	1,3	3,1	2,4	2,7	1,3	4,6	4,4	4,2	2,5	2,1	3,1
42,0	2,4	1,1	2,2	1,0	2,9	2,2	2,3	1,0	3,8	4,2	3,6	2,3	1,9	2,8
44,0	2,1		2,0		2,7	1,9	1,8			3,6	3,0	2,0	1,6	2,6
46,0	1,8		1,7		2,5	1,7	1,4			3,0	2,4	1,8	1,4	2,3
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5	3,4	2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1	3,1	2,1	3,2	3,1	3,2	2,1					
40,0	1,9	2,9	1,8	2,8	1,8	3,0	2,8	3,1	1,8					
42,0	1,6	2,6	1,5	2,5	1,5	2,9	2,5	2,9	1,5					
44,0	1,3	2,4	1,2	2,2	1,2	2,7	2,2	2,5	1,2					
46,0	1,1	2,1		2,0		2,6	2,0	2,1						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
48,0							2,3	2,5			1,5	1,9	2,3	2,4
50,0							1,9	2,0			1,1	1,4	2,0	2,2
52,0													1,7	2,0
54,0													1,4	1,7
56,0													1,1	1,4
58,0														1,1
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
% 4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
48,0	2,4			1,4		1,5	1,9			1,0		1,4	1,9	
50,0	2,3						1,4						1,5	
52,0	2,1													
54,0	1,7													
56,0	1,2													
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
48,0				1,4	2,0					1,5	2,1			
50,0					1,6					1,1	1,7			
52,0					1,1						1,3			
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
48,0			1,7			1,1		2,3						
50,0			1,3					1,9						
52,0														
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
% 1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
% 3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
% 4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
% 5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
48,0				2,3					2,5	1,5			1,5	
50,0				2,0					2,0	1,1				
52,0				1,7										
54,0				1,4										
56,0				1,1										
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
48,0	1,4		1,4		2,4	1,5					1,9	1,4		1,9
50,0					2,2	1,1					1,4			1,4
52,0					2,0									
54,0					1,7									
56,0					1,4									
58,0					1,1									
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0318< T210.24015

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
48,0		1,9		1,8		2,4	1,7	1,7						
50,0		1,5		1,5		2,3	1,5	1,3						
52,0				1,1		2,1	1,3							
54,0						1,7								
56,0						1,2								
58,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	22.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,1	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	7,8	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	7,3	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	6,8	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	5,7	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,4	5,7	5,0	6,5	5,6	5,0	4,8	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	5,5	5,5	5,0	5,7	5,4	4,8	4,1	5,5	4,9	4,3	4,0
32,0	3,9	5,0		4,8	5,3	4,9	4,9	5,2	4,7	3,4	4,7	4,8	4,0	3,8
34,0				4,1	5,0	4,9	4,3	5,0	4,6	2,8	4,0	4,7	3,7	3,6
36,0				3,5	4,3	4,8	3,7	4,5	4,5	2,3	3,3	4,2	3,5	3,4
38,0				3,0	3,7	4,1	3,2	3,8	4,3	1,8	2,8	3,5	3,2	3,2
40,0				2,5	3,1	3,4	2,7	3,3	3,7	1,2	2,2	2,9	2,8	3,1
42,0				2,1	2,6	2,7	2,3	2,8	3,1		1,8	2,4	2,4	2,9
44,0				1,8	2,1		1,9	2,3	2,5		1,3	1,8	2,0	2,6
46,0				1,5			1,6	1,9	2,0			1,3	1,6	2,2
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,8			7,3			7,3
20,0		8,1	6,5		7,9	6,4		7,5	6,4		7,3			7,0
21,0		7,6	6,4		7,7	6,3		6,9	6,3		7,2	6,1		6,5
22,0		6,9	6,3		7,4	6,2		6,3	6,2		7,0	6,0		5,9
23,0		6,3	6,2		7,0	6,1		5,7	6,1		6,6	5,9		5,3
24,0		5,7	6,2		6,4	6,1		5,1	6,1		6,1	5,9		4,8
26,0	4,1	4,8	6,0	5,1	5,4	5,9	5,0	4,2	5,9	5,0	5,2	5,7	5,0	3,9
28,0	3,9	3,9	5,6	5,0	4,6	5,7	5,0	3,4	5,1	5,0	4,3	5,6	4,9	3,0
30,0	3,8	3,1	4,7	4,9	3,8	5,2	4,9	2,6	4,3	4,9	3,6	5,1	4,9	2,3
32,0	3,7	2,5	3,9	4,9	3,1	4,5	4,8	1,9	3,5	4,8	2,9	4,3	4,7	1,6
34,0	3,5	1,8	3,2	4,3	2,5	3,8	4,7	1,2	2,8	4,0	2,4	3,6	4,6	
36,0	3,3	1,2	2,6	3,6	2,0	3,1	4,1		2,2	3,3	1,8	3,0	3,9	
38,0	3,2		2,0	2,9	1,4	2,6	3,4		1,6	2,6	1,2	2,4	3,3	
40,0	3,0		1,4	2,3		2,1	2,8			2,0		1,9	2,7	
42,0	2,9			1,8		1,6	2,3			1,4		1,4	2,2	
44,0	2,7			1,1		1,0	1,7						1,7	
46,0	2,5						1,2						1,2	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,2			5,1			5,3		
22,0	6,0		6,0			5,6			5,0			5,3		
23,0	6,0		5,9	5,6		5,1	5,7		4,9			4,9		
24,0	5,9		5,7	5,5		4,6	5,6		4,9	4,4		4,4		
26,0	5,7		5,1	5,2		3,7	5,4		4,6	4,3		3,6	5,0	
28,0	4,9	4,9	4,2	5,0	4,8	2,9	4,7		4,2	4,1		2,9	4,5	
30,0	4,0	4,9	3,5	4,8	4,6	2,2	3,9	4,8	3,5	3,9	3,7	2,2	3,8	
32,0	3,3	4,6	2,9	4,2	4,5	1,4	3,1	4,4	2,9	3,8	3,6	1,4	3,1	4,3
34,0	2,6	3,8	2,3	3,6	4,3		2,5	3,7	2,4	3,5	3,5		2,5	3,6
36,0	2,0	3,1	1,7	3,0	3,9		1,9	3,0	1,8	3,0	3,4		1,9	3,0
38,0	1,3	2,4	1,2	2,4	3,3		1,2	2,4	1,3	2,5	3,2		1,2	2,4
40,0		1,8		1,9	2,7			1,8		2,0	2,8			1,8
42,0		1,2		1,4	2,2			1,2		1,5	2,3			1,2
44,0					1,7						1,8			
46,0					1,2						1,4			
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0							11,2							
7,0							11,3	9,5						
8,0							11,3	9,6						
9,0							11,2	9,7	8,9					
10,0							11,0	9,7	9,0	8,4		8,2		
11,0							10,8	9,6	9,1	8,5	7,8	8,2		
12,0							10,6	9,5	9,1	8,6	7,9	8,3		7,4
13,0							10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4
14,0							10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5
15,0	5,1						9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,1	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	7,8	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,3			7,6	7,6	7,3	4,9	4,4	5,7	4,1	5,4
24,0	4,6			4,2			7,4	7,4	6,8	4,6	4,1	5,5	3,8	5,1
26,0	4,2	4,2		3,5			6,9	7,1	5,7	4,2	3,7	5,0	3,3	4,7
28,0	3,6	4,0		2,8	3,9		6,4	6,5	4,8	3,8	3,2	4,5	2,9	4,2
30,0	2,9	3,9		2,2	3,6		5,5	5,7	4,1	3,1	2,6	3,8	2,3	3,6
32,0	2,3	3,6	3,6	1,6	3,0		4,8	4,9	3,4	2,5	1,9	3,1	1,6	2,9
34,0	1,7	3,0	3,4		2,5	3,4	4,1	4,3	2,8	1,8	1,2	2,5		2,4
36,0	1,1	2,5	3,3		1,9	2,9	3,5	3,7	2,3	1,2		2,0		1,8
38,0		2,0	2,9		1,4	2,4	3,0	3,2	1,8			1,4		1,2
40,0		1,5	2,4			1,9	2,5	2,7	1,2					
42,0			1,9			1,4	2,1	2,3						
44,0			1,4				1,8	1,9						
46,0							1,5	1,6						
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0				7,1										
11,0				7,1										
12,0				7,2										
13,0		6,4		7,2										
14,0	6,4	6,4		7,1	5,5									
15,0	6,4	6,4	5,5	6,9	5,4	5,1		7,4						
16,0	6,2	6,4	5,5	6,7	5,4	5,0		7,2	7,1					
17,0	5,8	6,4	5,4	6,5	5,4	5,0	4,6	7,1	6,9					
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9	6,8	6,8				
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7	6,6	6,7	6,6		6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5	6,6	6,3	6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4	6,5	6,0	5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4	5,7	5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,6	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,2	4,5	3,1	4,9	4,4	4,2	3,0	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,7	4,0	2,6	4,5	4,0	3,6	2,6	5,7	5,6	5,8	4,3	3,9	4,9	3,6
30,0	2,2	3,5	2,1	4,3	3,5	2,9	2,2	5,5	5,4	5,5	3,9	3,4	4,5	3,2
32,0	1,4	2,9	1,4	4,0	2,9	2,3	1,6	5,3	5,2	4,7	3,5	3,1	4,1	2,8
34,0		2,3		3,7	2,4	1,7		5,0	5,0	4,0	3,1	2,7	3,7	2,4
36,0		1,7		3,5	1,8	1,1		4,3	4,5	3,3	2,6	2,2	3,1	2,0
38,0		1,2		3,2	1,3			3,7	3,8	2,8	2,0	1,6	2,6	1,3
40,0				2,8				3,1	3,3	2,2	1,4		2,1	
42,0				2,4				2,6	2,8	1,8			1,6	
44,0				2,0				2,1	2,3	1,3			1,0	
46,0				1,6					1,9					
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0					5,4									
20,0					5,3									
21,0	6,1				5,1				5,4					
22,0	6,0				5,0				5,3	5,3				
23,0	5,9	4,8	5,6		4,9				5,3	5,2				
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2	5,2			
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1	5,1	4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,9	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,9	2,7	3,8	2,6	3,8	3,7	3,6	2,6	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,5	2,3	3,4	2,2	3,6	3,4	3,0	2,2	4,9	4,6	4,7	3,5	3,1	4,1
36,0	3,0	1,8	3,0	1,9	3,4	3,0	2,5	1,8	4,8	4,5	4,2	3,1	2,8	3,7
38,0	2,4	1,2	2,4	1,2	3,2	2,5	2,0	1,4	4,1	4,3	3,5	2,8	2,4	3,4
40,0	1,9		1,9		3,1	2,0	1,5		3,4	3,7	2,9	2,3	2,0	2,8
42,0	1,4		1,4		2,9	1,5			2,7	3,1	2,4	1,8	1,4	2,3
44,0					2,6					2,5	1,8	1,1		1,7
46,0					2,2					2,0	1,3			1,2
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5	3,4	2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1	3,1	2,1	3,2	3,1	2,9	2,1					
40,0	1,8	2,7	1,7	2,7	1,7	3,0	2,7	2,4	1,8					
42,0	1,2	2,2	1,2	2,2	1,2	2,9	2,3	1,9	1,3					
44,0		1,7		1,7		2,7	1,8	1,4						
46,0		1,2		1,2		2,5	1,4							
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
48,0							1,3	1,5					1,3	1,8
50,0							1,0	1,1						1,4
52,0														1,1
54,0														
56,0														
58,0														
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
48,0	2,0													
50,0	1,6													
52,0	1,2													
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
48,0								1,3						
50,0								1,0						
52,0														
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
48,0				1,3					1,5					
50,0									1,1					
52,0														
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
48,0					1,8									
50,0					1,4									
52,0					1,1									
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0323< T210.24024

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
48,0						2,0								
50,0						1,6								
52,0						1,2								
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	32.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,2	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	8,0	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	7,9	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	7,7	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	7,4	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,5	5,7	5,0	6,7	5,6	5,0	7,1	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	6,2	5,5	5,0	6,3	5,4	4,8	6,8	5,7	4,9	4,3	4,0
32,0	3,9	5,0		5,8	5,3	4,9	6,0	5,2	4,7	6,5	5,5	4,8	4,0	3,8
34,0				5,4	5,2	4,9	5,7	5,0	4,6	6,2	5,3	4,7	3,7	3,6
36,0				5,0	5,1	4,9	5,4	4,8	4,5	5,7	5,1	4,6	3,5	3,4
38,0				4,7	5,0	4,9	5,1	4,6	4,4	5,0	5,0	4,6	3,2	3,2
40,0				4,5	4,9	4,9	4,9	4,5	4,4	4,4	4,8	4,5	3,0	3,1
42,0				4,2	4,9	4,9	4,6	4,3	4,3	3,8	4,5	4,4	2,8	2,9
44,0				4,0	4,7		4,4	4,2	4,3	3,3	4,0	4,3	2,6	2,7
46,0				3,9			4,1	4,1	4,3	2,8	3,5	3,9	2,5	2,5
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
% 4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,8			7,3			7,3
20,0		8,2	6,5		7,9	6,4		7,7	6,4		7,3			7,2
21,0		8,1	6,4		7,8	6,3		7,7	6,3		7,2	6,1		7,1
22,0		7,9	6,3		7,7	6,2		7,6	6,2		7,1	6,0		7,1
23,0		7,8	6,2		7,5	6,1		7,5	6,1		7,0	5,9		7,0
24,0		7,6	6,2		7,4	6,1		7,4	6,1		6,9	5,9		6,9
26,0	4,1	7,4	6,0	5,1	7,2	5,9	5,0	7,2	5,9	5,0	6,6	5,7	5,0	6,8
28,0	3,9	7,1	5,8	5,0	6,9	5,7	5,0	7,0	5,8	5,0	6,3	5,6	4,9	6,6
30,0	3,8	6,8	5,7	4,9	6,6	5,6	4,9	6,6	5,6	4,9	6,0	5,5	4,9	6,3
32,0	3,7	6,4	5,5	4,9	6,3	5,4	4,8	6,0	5,5	4,8	5,7	5,3	4,7	5,6
34,0	3,5	5,7	5,4	4,8	6,0	5,2	4,7	5,2	5,3	4,7	5,4	5,1	4,6	4,8
36,0	3,3	5,0	5,2	4,7	5,5	5,1	4,6	4,4	5,2	4,7	5,1	4,9	4,6	4,1
38,0	3,2	4,3	5,0	4,6	4,9	5,0	4,5	3,8	4,9	4,6	4,7	4,7	4,5	3,5
40,0	3,0	3,6	4,7	4,5	4,2	4,8	4,5	3,2	4,3	4,5	4,1	4,5	4,4	2,9
42,0	2,9	3,1	4,1	4,4	3,6	4,5	4,4	2,7	3,7	4,4	3,6	4,3	4,3	2,4
44,0	2,7	2,5	3,4	4,1	3,1	3,9	4,3	2,2	3,2	3,9	3,0	3,9	4,1	1,9
46,0	2,6	2,1	2,9	3,4	2,6	3,4	3,9	1,7	2,6	3,3	2,6	3,4	3,9	1,5
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,4			5,1			5,3		
22,0	6,0		6,0			6,3			5,0			5,3		
23,0	6,0		5,9	5,6		6,3	5,7		4,9			5,2		
24,0	5,9		5,8	5,5		6,2	5,6		4,9	4,4		5,2		
26,0	5,8		5,6	5,2		6,2	5,5		4,7	4,3		5,1	5,0	
28,0	5,6	4,9	5,4	5,0	4,8	6,0	5,4		4,5	4,1		5,0	4,8	
30,0	5,5	4,9	5,1	4,8	4,6	5,9	5,3	4,8	4,3	3,9	3,7	4,9	4,6	
32,0	5,4	4,8	4,9	4,6	4,5	5,2	5,2	4,7	4,1	3,8	3,6	4,7	4,4	4,4
34,0	5,3	4,7	4,6	4,4	4,3	4,6	5,1	4,6	3,9	3,6	3,5	4,3	4,3	4,2
36,0	5,1	4,6	4,4	4,2	4,1	3,9	4,9	4,5	3,7	3,5	3,4	3,8	4,1	4,1
38,0	4,7	4,5	4,2	4,0	4,0	3,3	4,5	4,5	3,5	3,4	3,2	3,2	4,0	3,9
40,0	4,1	4,5	3,9	3,8	3,8	2,8	3,9	4,4	3,4	3,2	3,1	2,7	3,7	3,8
42,0	3,5	4,3	3,5	3,7	3,7	2,3	3,3	4,2	3,2	3,1	3,0	2,2	3,3	3,6
44,0	2,9	3,7	3,0	3,5	3,5	1,8	2,8	3,6	3,0	3,0	2,9	1,8	2,8	3,4
46,0	2,4	3,1	2,6	3,3	3,4	1,3	2,4	3,1	2,6	2,9	2,8	1,3	2,3	3,0
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0							11,2							
7,0							11,3	9,5						
8,0							11,3	9,6						
9,0							11,2	9,7	8,9					
10,0							11,0	9,7	9,0	8,4		8,2		
11,0							10,8	9,6	9,1	8,5	7,8	8,2		
12,0							10,6	9,5	9,1	8,6	7,9	8,3		7,4
13,0							10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4
14,0							10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5
15,0	5,1						9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,2	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	8,0	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,3			7,6	7,6	7,9	4,9	4,4	5,7	4,1	5,4
24,0	4,6			4,3			7,4	7,4	7,7	4,6	4,1	5,5	3,8	5,1
26,0	4,5	4,2		4,2			6,9	7,1	7,4	4,2	3,7	5,0	3,3	4,7
28,0	4,4	4,0		4,1	3,9		6,5	6,7	7,1	3,8	3,2	4,5	2,9	4,2
30,0	4,2	3,9		4,0	3,8		6,2	6,3	6,8	3,4	2,9	4,2	2,5	3,8
32,0	4,1	3,7	3,6	3,9	3,6		5,8	6,0	6,5	3,1	2,5	3,8	2,2	3,5
34,0	3,9	3,6	3,4	3,8	3,5	3,4	5,4	5,7	6,2	2,8	2,2	3,5	1,8	3,1
36,0	3,7	3,5	3,3	3,6	3,4	3,3	5,0	5,4	5,7	2,5	1,9	3,2	1,5	2,8
38,0	3,6	3,3	3,2	3,2	3,3	3,2	4,7	5,1	5,0	2,2	1,6	2,9	1,3	2,6
40,0	3,4	3,2	3,1	2,7	3,2	3,1	4,5	4,9	4,4	2,0	1,4	2,7	1,0	2,3
42,0	2,9	3,1	3,0	2,2	3,0	3,0	4,2	4,6	3,8	1,8	1,2	2,4		2,1
44,0	2,5	3,0	2,9	1,8	2,8	2,9	4,0	4,4	3,3	1,6		2,2		1,9
46,0	2,1	2,9	2,9	1,4	2,3	2,8	3,9	4,1	2,8	1,4		2,0		1,7
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
% 1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
% 3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
% 4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
% 5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0				7,1										
11,0				7,1										
12,0				7,2										
13,0		6,4		7,2										
14,0	6,4	6,4		7,1	5,5									
15,0	6,4	6,4	5,5	6,9	5,4	5,1		7,4						
16,0	6,2	6,4	5,5	6,7	5,4	5,0		7,2	7,1					
17,0	5,8	6,4	5,4	6,5	5,4	5,0	4,6	7,1	6,9					
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9	6,8	6,8				
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7	6,6	6,7	6,6		6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5	6,6	6,3	6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4	6,5	6,0	5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4	5,7	5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,6	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,2	4,5	3,1	4,9	4,4	4,5	3,0	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,7	4,0	2,6	4,5	4,0	4,4	2,6	5,7	5,6	5,8	4,3	3,9	4,9	3,6
30,0	2,3	3,7	2,2	4,3	3,6	4,2	2,2	5,5	5,4	5,7	3,9	3,4	4,5	3,2
32,0	2,0	3,3	1,9	4,0	3,2	4,1	1,9	5,3	5,2	5,5	3,5	3,1	4,1	2,8
34,0	1,6	3,0	1,5	3,7	2,9	3,9	1,5	5,2	5,0	5,3	3,1	2,7	3,8	2,4
36,0	1,3	2,7	1,2	3,5	2,6	3,7	1,2	5,1	4,8	5,1	2,8	2,4	3,5	2,1
38,0	1,1	2,4		3,2	2,3	3,6		5,0	4,6	5,0	2,6	2,1	3,2	1,8
40,0		2,1		3,0	2,0	3,4		4,9	4,5	4,8	2,3	1,8	2,9	1,5
42,0		1,9		2,8	1,8	2,9		4,9	4,3	4,5	2,1	1,6	2,7	1,3
44,0		1,7		2,6	1,6	2,5		4,7	4,2	4,0	1,8	1,3	2,4	1,0
46,0		1,4		2,5	1,4	2,1			4,1	3,5	1,6	1,1	2,2	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0					5,4									
20,0					5,3									
21,0	6,1				5,1				5,4					
22,0	6,0				5,0				5,3	5,3				
23,0	5,9	4,8	5,6		4,9				5,3	5,2				
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2	5,2			
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1	5,1	4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,9	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,9	2,7	3,8	2,6	3,8	3,7	3,7	2,6	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,5	2,3	3,4	2,2	3,6	3,4	3,6	2,2	4,9	4,6	4,7	3,5	3,1	4,1
36,0	3,2	2,0	3,1	1,9	3,4	3,0	3,5	1,9	4,9	4,5	4,6	3,1	2,8	3,7
38,0	2,9	1,6	2,8	1,6	3,2	2,7	3,3	1,6	4,9	4,4	4,6	2,8	2,5	3,4
40,0	2,6	1,4	2,5	1,3	3,1	2,4	3,2	1,3	4,9	4,4	4,5	2,5	2,1	3,1
42,0	2,4	1,1	2,2	1,0	2,9	2,2	3,1	1,0	4,9	4,3	4,4	2,3	1,9	2,8
44,0	2,1		2,0		2,7	1,9	3,0			4,3	4,3	2,0	1,6	2,6
46,0	1,9		1,8		2,5	1,7	2,9			4,3	3,9	1,8	1,4	2,4
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5	3,4	2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1	3,1	2,1	3,2	3,1	3,2	2,1					
40,0	1,9	2,9	1,8	2,8	1,8	3,0	2,8	3,1	1,8					
42,0	1,6	2,6	1,5	2,5	1,5	2,9	2,5	3,0	1,5					
44,0	1,3	2,4	1,2	2,2	1,2	2,7	2,2	2,9	1,2					
46,0	1,1	2,1		2,0		2,6	2,0	2,9						
* n *	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
% 1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
% 2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
% 3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
% 4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
48,0							3,7	3,9		2,4	3,0	3,3	2,3	2,4
50,0							3,3	3,4		2,0	2,5	2,7	2,2	2,2
52,0										1,6	2,1	2,2	2,0	2,1
54,0										1,3	1,7	1,7	1,9	1,9
56,0										1,0	1,3	1,1	1,8	1,8
58,0													1,7	1,7
60,0														
62,0														
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
48,0	2,4	1,7	2,4	2,9	2,2	2,9	3,3	1,3	2,1	2,7	2,1	2,9	3,4	
50,0	2,3	1,3	1,9	2,3	1,8	2,4	2,8		1,7	2,2	1,8	2,4	2,9	
52,0	2,1		1,5	1,8	1,5	2,0	2,3		1,3	1,7	1,4	2,0	2,4	
54,0	2,0		1,1	1,3	1,1	1,6	1,8			1,2	1,0	1,6	1,9	
56,0	1,9					1,3	1,4					1,3	1,5	
58,0													1,1	
60,0														
62,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
48,0	2,0	2,6	2,2	2,9	3,3		1,9	2,6	2,2	2,8	2,8		1,9	2,6
50,0	1,5	2,1	1,8	2,5	3,0		1,5	2,1	1,9	2,5	2,7		1,5	2,1
52,0	1,0	1,6	1,4	2,1	2,5			1,6	1,6	2,2	2,5		1,0	1,7
54,0		1,1	1,1	1,7	2,1			1,2	1,2	1,9	2,3			1,3
56,0				1,4	1,7					1,5	1,9			
58,0					1,3					1,2	1,5			
60,0											1,2			
62,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
48,0	1,7	2,5	2,8		1,9	2,6		3,7	2,4	1,3		1,9		1,5
50,0	1,4	2,1	2,6		1,6	2,2		3,3	2,0	1,1		1,6		1,3
52,0		1,7	2,2		1,2	1,8			1,6			1,1		
54,0		1,4	1,9			1,4			1,3					
56,0		1,1	1,5						1,0					
58,0			1,2											
60,0														
62,0														
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
48,0		1,3		2,3	1,2	1,7			3,9	3,0	1,5		2,0	
50,0		1,1		2,2		1,4			3,4	2,5	1,3		1,8	
52,0				2,0						2,1	1,1		1,7	
54,0				1,9						1,7	1,0		1,3	
56,0				1,8						1,3				
58,0				1,5										
60,0														
62,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
48,0	1,7		1,6		2,4	1,5	2,5				3,3	1,6	1,1	2,1
50,0	1,5		1,4		2,2	1,3	2,1				2,7	1,4		1,9
52,0	1,3		1,2		2,1	1,1	1,7				2,2	1,2		1,8
54,0	1,1		1,0		1,9		1,4				1,7	1,1		1,5
56,0					1,8		1,1				1,1			1,0
58,0					1,7									
60,0														
62,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0317< T210.24014

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
48,0		1,9		1,8		2,4	1,7	2,8						
50,0		1,7		1,5		2,3	1,5	2,6						
52,0		1,5		1,3		2,1	1,3	2,2						
54,0		1,3		1,1		2,0	1,1	1,9						
56,0		1,0				1,9		1,5						
58,0								1,2						
60,0														
62,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	32.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,2	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	8,0	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	7,9	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	7,7	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	7,4	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,5	5,7	5,0	6,7	5,6	5,0	6,9	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	6,2	5,5	5,0	6,3	5,4	4,8	6,0	5,7	4,9	4,3	4,0
32,0	3,9	5,0		5,8	5,3	4,9	6,0	5,2	4,7	5,3	5,5	4,8	4,0	3,8
34,0				5,4	5,2	4,9	5,7	5,0	4,6	4,6	5,3	4,7	3,7	3,6
36,0				5,0	5,1	4,9	5,2	4,8	4,5	3,9	4,9	4,6	3,5	3,4
38,0				4,4	5,0	4,9	4,6	4,6	4,4	3,3	4,3	4,6	3,2	3,2
40,0				3,9	4,5	4,7	4,1	4,5	4,4	2,8	3,7	4,3	3,0	3,1
42,0				3,4	3,9	4,0	3,6	4,1	4,3	2,3	3,1	3,7	2,8	2,9
44,0				3,0	3,3		3,1	3,6	3,8	1,9	2,6	3,1	2,6	2,7
46,0				2,7			2,8	3,1	3,1	1,5	2,1	2,5	2,5	2,5
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,8			7,3			7,3
20,0		8,2	6,5		7,9	6,4		7,7	6,4		7,3			7,2
21,0		8,1	6,4		7,8	6,3		7,7	6,3		7,2	6,1		7,1
22,0		7,9	6,3		7,7	6,2		7,6	6,2		7,1	6,0		7,1
23,0		7,8	6,2		7,5	6,1		7,5	6,1		7,0	5,9		7,0
24,0		7,6	6,2		7,4	6,1		7,4	6,1		6,9	5,9		6,7
26,0	4,1	6,9	6,0	5,1	7,2	5,9	5,0	6,4	5,9	5,0	6,6	5,7	5,0	6,0
28,0	3,9	6,0	5,8	5,0	6,6	5,7	5,0	5,4	5,8	5,0	6,2	5,6	4,9	5,1
30,0	3,8	5,1	5,7	4,9	5,7	5,6	4,9	4,5	5,6	4,9	5,5	5,5	4,9	4,2
32,0	3,7	4,3	5,4	4,9	5,0	5,4	4,8	3,8	5,2	4,8	4,7	5,3	4,7	3,5
34,0	3,5	3,6	5,0	4,8	4,3	5,2	4,7	3,1	4,5	4,7	4,1	5,1	4,6	2,8
36,0	3,3	3,0	4,2	4,7	3,7	4,8	4,6	2,5	3,8	4,6	3,5	4,6	4,6	2,2
38,0	3,2	2,5	3,6	4,5	3,1	4,1	4,5	2,0	3,2	4,2	2,9	4,0	4,5	1,7
40,0	3,0	2,0	3,0	3,8	2,6	3,6	4,3	1,4	2,6	3,5	2,4	3,4	4,2	1,1
42,0	2,9	1,5	2,5	3,2	2,1	3,0	3,7		2,1	2,9	2,0	2,9	3,6	
44,0	2,7		2,0	2,6	1,7	2,5	3,1		1,6	2,3	1,6	2,4	3,1	
46,0	2,6		1,5	2,1	1,3	2,1	2,6		1,0	1,8	1,1	2,0	2,5	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,4			5,1			5,3		
22,0	6,0		6,0			6,3			5,0			5,3		
23,0	6,0		5,9	5,6		6,3	5,7		4,9			5,2		
24,0	5,9		5,8	5,5		6,2	5,6		4,9	4,4		5,2		
26,0	5,8		5,6	5,2		5,7	5,5		4,7	4,3		5,1	5,0	
28,0	5,6	4,9	5,4	5,0	4,8	4,9	5,4		4,5	4,1		4,6	4,8	
30,0	5,5	4,9	5,1	4,8	4,6	4,1	5,3	4,8	4,3	3,9	3,7	4,0	4,6	
32,0	5,0	4,8	4,6	4,6	4,5	3,4	4,8	4,7	4,1	3,8	3,6	3,3	4,4	4,4
34,0	4,3	4,7	4,0	4,4	4,3	2,7	4,1	4,6	3,8	3,6	3,5	2,7	4,0	4,2
36,0	3,6	4,5	3,4	4,2	4,1	2,1	3,5	4,5	3,4	3,5	3,4	2,1	3,4	4,1
38,0	3,0	4,0	2,9	3,9	4,0	1,6	2,9	3,9	2,9	3,4	3,2	1,6	2,9	3,8
40,0	2,4	3,3	2,4	3,4	3,8		2,3	3,3	2,4	3,2	3,1		2,3	3,2
42,0	1,9	2,7	1,9	2,9	3,6		1,8	2,7	2,0	2,9	3,0		1,8	2,7
44,0	1,4	2,2	1,5	2,4	3,1		1,3	2,1	1,6	2,5	2,9		1,3	2,2
46,0		1,6	1,0	2,0	2,6			1,6	1,2	2,1	2,7			1,7
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0							11,2							
7,0							11,3	9,5						
8,0							11,3	9,6						
9,0							11,2	9,7	8,9					
10,0							11,0	9,7	9,0	8,4		8,2		
11,0							10,8	9,6	9,1	8,5	7,8	8,2		
12,0							10,6	9,5	9,1	8,6	7,9	8,3		7,4
13,0							10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4
14,0							10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5
15,0	5,1						9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,2	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	8,0	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,3			7,6	7,6	7,9	4,9	4,4	5,7	4,1	5,4
24,0	4,6			4,3			7,4	7,4	7,7	4,6	4,1	5,5	3,8	5,1
26,0	4,5	4,2		4,2			6,9	7,1	7,4	4,2	3,7	5,0	3,3	4,7
28,0	4,4	4,0		4,1	3,9		6,5	6,7	6,9	3,8	3,2	4,5	2,9	4,2
30,0	4,2	3,9		3,7	3,8		6,2	6,3	6,0	3,4	2,9	4,2	2,5	3,8
32,0	4,0	3,7	3,6	3,3	3,6		5,8	6,0	5,3	3,1	2,5	3,8	2,2	3,5
34,0	3,4	3,6	3,4	2,7	3,5	3,4	5,4	5,7	4,6	2,8	2,2	3,5	1,8	3,1
36,0	2,8	3,5	3,3	2,2	3,3	3,3	5,0	5,2	3,9	2,5	1,9	3,2	1,5	2,8
38,0	2,4	3,3	3,2	1,6	2,8	3,2	4,4	4,6	3,3	2,2	1,6	2,9	1,3	2,6
40,0	1,9	2,9	3,1	1,1	2,3	3,1	3,9	4,1	2,8	1,9	1,3	2,6		2,3
42,0	1,4	2,4	3,0		1,9	2,7	3,4	3,6	2,3	1,5		2,1		2,0
44,0		2,0	2,7		1,4	2,2	3,0	3,1	1,9			1,7		1,6
46,0		1,6	2,3			1,8	2,7	2,8	1,5			1,3		1,1
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0				7,1										
11,0				7,1										
12,0				7,2										
13,0		6,4		7,2										
14,0	6,4	6,4		7,1	5,5									
15,0	6,4	6,4	5,5	6,9	5,4	5,1		7,4						
16,0	6,2	6,4	5,5	6,7	5,4	5,0		7,2	7,1					
17,0	5,8	6,4	5,4	6,5	5,4	5,0	4,6	7,1	6,9					
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9	6,8	6,8				
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7	6,6	6,7	6,6		6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5	6,6	6,3	6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4	6,5	6,0	5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4	5,7	5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,6	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,2	4,5	3,1	4,9	4,4	4,5	3,0	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,7	4,0	2,6	4,5	4,0	4,4	2,6	5,7	5,6	5,8	4,3	3,9	4,9	3,6
30,0	2,3	3,7	2,2	4,3	3,6	4,2	2,2	5,5	5,4	5,7	3,9	3,4	4,5	3,2
32,0	2,0	3,3	1,9	4,0	3,2	4,0	1,9	5,3	5,2	5,5	3,5	3,1	4,1	2,8
34,0	1,6	3,0	1,5	3,7	2,9	3,4	1,5	5,2	5,0	5,3	3,1	2,7	3,8	2,4
36,0	1,3	2,7	1,2	3,5	2,6	2,8	1,2	5,1	4,8	4,9	2,8	2,4	3,5	2,1
38,0	1,1	2,4		3,2	2,3	2,4		5,0	4,6	4,3	2,6	2,1	3,2	1,8
40,0		2,1		3,0	2,0	1,9		4,5	4,5	3,7	2,3	1,8	2,9	1,5
42,0		1,9		2,8	1,8	1,4		3,9	4,1	3,1	2,1	1,6	2,7	1,3
44,0		1,5		2,6	1,6			3,3	3,6	2,6	1,8	1,3	2,4	1,0
46,0		1,0		2,5	1,2				3,1	2,1	1,5		2,1	
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0					5,4									
20,0					5,3									
21,0	6,1				5,1				5,4					
22,0	6,0				5,0				5,3	5,3				
23,0	5,9	4,8	5,6		4,9				5,3	5,2				
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2	5,2			
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1	5,1	4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,9	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,9	2,7	3,8	2,6	3,8	3,7	3,7	2,6	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,5	2,3	3,4	2,2	3,6	3,4	3,6	2,2	4,9	4,6	4,7	3,5	3,1	4,1
36,0	3,2	2,0	3,1	1,9	3,4	3,0	3,5	1,9	4,9	4,5	4,6	3,1	2,8	3,7
38,0	2,9	1,6	2,8	1,6	3,2	2,7	3,3	1,6	4,9	4,4	4,6	2,8	2,5	3,4
40,0	2,6	1,4	2,5	1,3	3,1	2,4	2,9	1,3	4,7	4,4	4,3	2,5	2,1	3,1
42,0	2,4	1,1	2,2	1,0	2,9	2,2	2,4	1,0	4,0	4,3	3,7	2,3	1,9	2,8
44,0	2,1		2,0		2,7	1,9	2,0			3,8	3,1	2,0	1,6	2,6
46,0	1,9		1,8		2,5	1,7	1,6			3,1	2,5	1,8	1,4	2,4
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5	3,4	2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1	3,1	2,1	3,2	3,1	3,2	2,1					
40,0	1,9	2,9	1,8	2,8	1,8	3,0	2,8	3,1	1,8					
42,0	1,6	2,6	1,5	2,5	1,5	2,9	2,5	3,0	1,5					
44,0	1,3	2,4	1,2	2,2	1,2	2,7	2,2	2,7	1,2					
46,0	1,1	2,1		2,0		2,6	2,0	2,3						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
48,0							2,4	2,6		1,0	1,7	2,0	2,3	2,4
50,0							2,1	2,2			1,3	1,6	2,1	2,2
52,0												1,0	1,8	2,1
54,0													1,6	1,8
56,0													1,3	1,5
58,0													1,1	1,2
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
48,0	2,4			1,6		1,7	2,1			1,2		1,6	2,1	
50,0	2,3			1,0		1,2	1,6					1,1	1,6	
52,0	2,1						1,1						1,2	
54,0	1,8													
56,0	1,4													
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
48,0		1,1		1,6	2,1			1,1		1,7	2,2			1,2
50,0				1,2	1,7					1,3	1,8			
52,0					1,3						1,4			
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
48,0		1,1	1,8			1,3		2,4	1,0					
50,0			1,4					2,1						
52,0														
54,0														
56,0														
58,0														
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
% 1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
% 3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
% 4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
% 5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
48,0				2,3					2,6	1,7			1,7	
50,0				2,1					2,2	1,3			1,2	
52,0				1,8										
54,0				1,6										
56,0				1,3										
58,0				1,1										
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
48,0	1,6		1,5		2,4	1,5	1,1				2,0	1,5	1,1	2,1
50,0	1,1		1,2		2,2	1,3					1,6	1,0		1,6
52,0					2,1						1,0			1,1
54,0					1,8									
56,0					1,5									
58,0					1,2									
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0322< T210.24023

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
48,0		1,9		1,8		2,4	1,7	1,8						
50,0		1,6		1,5		2,3	1,5	1,4						
52,0		1,2		1,3		2,1	1,3							
54,0						1,8								
56,0						1,4								
58,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	42.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,2	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	8,0	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	7,9	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	7,7	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	7,4	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,5	5,7	5,0	6,7	5,6	5,0	7,1	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	6,2	5,5	5,0	6,3	5,4	4,8	6,8	5,7	4,9	4,3	4,0
32,0	3,9	5,0		5,8	5,3	4,9	6,0	5,2	4,7	6,5	5,5	4,8	4,0	3,8
34,0				5,4	5,2	4,9	5,7	5,0	4,6	6,2	5,3	4,7	3,7	3,6
36,0				5,0	5,1	4,9	5,4	4,8	4,5	6,0	5,1	4,6	3,5	3,4
38,0				4,7	5,0	4,9	5,1	4,6	4,4	5,7	5,0	4,6	3,2	3,2
40,0				4,5	4,9	4,9	4,9	4,5	4,4	5,5	4,8	4,5	3,0	3,1
42,0				4,2	4,9	4,9	4,6	4,3	4,3	5,2	4,7	4,4	2,8	2,9
44,0				4,0	4,9		4,4	4,2	4,3	4,8	4,5	4,3	2,6	2,7
46,0				3,9			4,3	4,1	4,3	4,3	4,4	4,3	2,5	2,5
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,8			7,3			7,3
20,0		8,2	6,5		7,9	6,4		7,7	6,4		7,3			7,2
21,0		8,1	6,4		7,8	6,3		7,7	6,3		7,2	6,1		7,1
22,0		7,9	6,3		7,7	6,2		7,6	6,2		7,1	6,0		7,1
23,0		7,8	6,2		7,5	6,1		7,5	6,1		7,0	5,9		7,0
24,0		7,6	6,2		7,4	6,1		7,4	6,1		6,9	5,9		6,9
26,0	4,1	7,4	6,0	5,1	7,2	5,9	5,0	7,2	5,9	5,0	6,6	5,7	5,0	6,8
28,0	3,9	7,1	5,8	5,0	6,9	5,7	5,0	7,0	5,8	5,0	6,3	5,6	4,9	6,6
30,0	3,8	6,8	5,7	4,9	6,6	5,6	4,9	6,7	5,6	4,9	6,0	5,5	4,9	6,4
32,0	3,7	6,6	5,5	4,9	6,3	5,4	4,8	6,5	5,5	4,8	5,7	5,3	4,7	6,3
34,0	3,5	6,3	5,4	4,8	6,0	5,2	4,7	6,3	5,3	4,7	5,4	5,1	4,6	6,1
36,0	3,3	6,1	5,2	4,7	5,7	5,1	4,6	6,1	5,2	4,7	5,1	4,9	4,6	5,8
38,0	3,2	5,9	5,0	4,6	5,4	5,0	4,5	5,7	5,0	4,6	4,8	4,7	4,5	5,3
40,0	3,0	5,3	4,9	4,5	5,1	4,8	4,5	5,0	4,9	4,5	4,5	4,5	4,4	4,7
42,0	2,9	4,7	4,7	4,4	4,8	4,7	4,4	4,4	4,8	4,4	4,2	4,3	4,3	4,1
44,0	2,7	4,1	4,6	4,4	4,5	4,5	4,3	3,8	4,6	4,4	4,0	4,1	4,1	3,6
46,0	2,6	3,6	4,4	4,3	4,1	4,3	4,2	3,2	4,1	4,3	3,8	3,9	3,9	3,1
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,4			5,1			5,3		
22,0	6,0		6,0			6,3			5,0			5,3		
23,0	6,0		5,9	5,6		6,3	5,7		4,9			5,2		
24,0	5,9		5,8	5,5		6,2	5,6		4,9	4,4		5,2		
26,0	5,8		5,6	5,2		6,2	5,5		4,7	4,3		5,1	5,0	
28,0	5,6	4,9	5,4	5,0	4,8	6,0	5,4		4,5	4,1		5,0	4,8	
30,0	5,5	4,9	5,1	4,8	4,6	5,9	5,3	4,8	4,3	3,9	3,7	4,9	4,6	
32,0	5,4	4,8	4,9	4,6	4,5	5,6	5,2	4,7	4,1	3,8	3,6	4,7	4,4	4,4
34,0	5,3	4,7	4,6	4,4	4,3	5,4	5,1	4,6	3,9	3,6	3,5	4,5	4,3	4,2
36,0	5,1	4,6	4,4	4,2	4,1	5,1	4,9	4,5	3,7	3,5	3,4	4,3	4,1	4,1
38,0	5,0	4,5	4,2	4,0	4,0	4,8	4,8	4,5	3,5	3,4	3,2	4,2	4,0	3,9
40,0	4,9	4,5	4,0	3,8	3,8	4,5	4,6	4,4	3,4	3,2	3,1	4,0	3,8	3,8
42,0	4,7	4,4	3,8	3,7	3,7	3,9	4,4	4,3	3,2	3,1	3,0	3,8	3,7	3,6
44,0	4,5	4,3	3,6	3,5	3,5	3,4	4,2	4,2	3,1	3,0	2,9	3,3	3,5	3,5
46,0	4,0	4,3	3,3	3,4	3,4	2,9	3,8	4,1	2,9	2,9	2,8	2,9	3,4	3,4
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0							11,2							
7,0							11,3	9,5						
8,0							11,3	9,6						
9,0							11,2	9,7	8,9					
10,0							11,0	9,7	9,0	8,4		8,2		
11,0							10,8	9,6	9,1	8,5	7,8	8,2		
12,0							10,6	9,5	9,1	8,6	7,9	8,3		7,4
13,0							10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4
14,0							10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5
15,0	5,1						9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,2	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	8,0	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,3			7,6	7,6	7,9	4,9	4,4	5,7	4,1	5,4
24,0	4,6			4,3			7,4	7,4	7,7	4,6	4,1	5,5	3,8	5,1
26,0	4,5	4,2		4,2			6,9	7,1	7,4	4,2	3,7	5,0	3,3	4,7
28,0	4,4	4,0		4,1	3,9		6,5	6,7	7,1	3,8	3,2	4,5	2,9	4,2
30,0	4,2	3,9		4,0	3,8		6,2	6,3	6,8	3,4	2,9	4,2	2,5	3,8
32,0	4,1	3,7	3,6	3,9	3,6		5,8	6,0	6,5	3,1	2,5	3,8	2,2	3,5
34,0	3,9	3,6	3,4	3,8	3,5	3,4	5,4	5,7	6,2	2,8	2,2	3,5	1,8	3,1
36,0	3,7	3,5	3,3	3,7	3,4	3,3	5,0	5,4	6,0	2,5	1,9	3,2	1,5	2,8
38,0	3,6	3,3	3,2	3,5	3,3	3,2	4,7	5,1	5,7	2,2	1,6	2,9	1,3	2,6
40,0	3,4	3,2	3,1	3,4	3,2	3,1	4,5	4,9	5,5	2,0	1,4	2,7	1,0	2,3
42,0	3,3	3,1	3,0	3,2	3,1	3,0	4,2	4,6	5,2	1,8	1,2	2,4		2,1
44,0	3,1	3,0	2,9	3,1	3,0	2,9	4,0	4,4	4,8	1,6		2,2		1,9
46,0	3,0	2,9	2,9	2,8	2,9	2,8	3,9	4,2	4,3	1,4		2,0		1,7
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0				7,1										
11,0				7,1										
12,0				7,2										
13,0		6,4		7,2										
14,0	6,4	6,4		7,1	5,5									
15,0	6,4	6,4	5,5	6,9	5,4	5,1		7,4						
16,0	6,2	6,4	5,5	6,7	5,4	5,0		7,2	7,1					
17,0	5,8	6,4	5,4	6,5	5,4	5,0	4,6	7,1	6,9					
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9	6,8	6,8				
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7	6,6	6,7	6,6		6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5	6,6	6,3	6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4	6,5	6,0	5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4	5,7	5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,6	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,2	4,5	3,1	4,9	4,4	4,5	3,0	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,7	4,0	2,6	4,5	4,0	4,4	2,6	5,7	5,6	5,8	4,3	3,9	4,9	3,6
30,0	2,3	3,7	2,2	4,3	3,6	4,2	2,2	5,5	5,4	5,7	3,9	3,4	4,5	3,2
32,0	2,0	3,3	1,9	4,0	3,2	4,1	1,9	5,3	5,2	5,5	3,5	3,1	4,1	2,8
34,0	1,6	3,0	1,5	3,7	2,9	3,9	1,5	5,2	5,0	5,3	3,1	2,7	3,8	2,4
36,0	1,3	2,7	1,2	3,5	2,6	3,7	1,2	5,1	4,8	5,1	2,8	2,4	3,5	2,1
38,0	1,1	2,4		3,2	2,3	3,6		5,0	4,6	5,0	2,6	2,1	3,2	1,8
40,0		2,1		3,0	2,0	3,4		4,9	4,5	4,8	2,3	1,8	2,9	1,5
42,0		1,9		2,8	1,8	3,3		4,9	4,3	4,7	2,1	1,6	2,7	1,3
44,0		1,7		2,6	1,6	3,1		4,9	4,2	4,5	1,8	1,3	2,4	1,0
46,0		1,4		2,5	1,4	3,0			4,1	4,4	1,6	1,1	2,2	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0					5,4									
20,0					5,3									
21,0	6,1				5,1				5,4					
22,0	6,0				5,0				5,3	5,3				
23,0	5,9	4,8	5,6		4,9				5,3	5,2				
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2	5,2			
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1	5,1	4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,9	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,9	2,7	3,8	2,6	3,8	3,7	3,7	2,6	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,5	2,3	3,4	2,2	3,6	3,4	3,6	2,2	4,9	4,6	4,7	3,5	3,1	4,1
36,0	3,2	2,0	3,1	1,9	3,4	3,0	3,5	1,9	4,9	4,5	4,6	3,1	2,8	3,7
38,0	2,9	1,6	2,8	1,6	3,2	2,7	3,3	1,6	4,9	4,4	4,6	2,8	2,5	3,4
40,0	2,6	1,4	2,5	1,3	3,1	2,4	3,2	1,3	4,9	4,4	4,5	2,5	2,1	3,1
42,0	2,4	1,1	2,2	1,0	2,9	2,2	3,1	1,0	4,9	4,3	4,4	2,3	1,9	2,8
44,0	2,1		2,0		2,7	1,9	3,0			4,3	4,3	2,0	1,6	2,6
46,0	1,9		1,8		2,5	1,7	2,9			4,3	4,3	1,8	1,4	2,4
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5	3,4	2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1	3,1	2,1	3,2	3,1	3,2	2,1					
40,0	1,9	2,9	1,8	2,8	1,8	3,0	2,8	3,1	1,8					
42,0	1,6	2,6	1,5	2,5	1,5	2,9	2,5	3,0	1,5					
44,0	1,3	2,4	1,2	2,2	1,2	2,7	2,2	2,9	1,2					
46,0	1,1	2,1		2,0		2,6	2,0	2,9						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
48,0							4,1	4,1		3,8	4,3	4,3	2,3	2,4
50,0							3,9	4,1		3,3	3,8	4,1	2,2	2,2
52,0										2,9	3,4	3,5	2,0	2,1
54,0										2,5	2,9	2,9	1,9	1,9
56,0										2,2	2,5	2,3	1,8	1,8
58,0										1,9	2,1		1,7	1,7
60,0														
62,0														
64,0														
66,0														
68,0														
70,0														
72,0														
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
% 1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
% 3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
% 4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
48,0	2,4	3,1	3,8	4,2	3,6	4,1	4,1	2,7	3,6	4,1	3,5	3,7	3,8	2,6
50,0	2,3	2,6	3,3	3,7	3,2	3,8	4,0	2,3	3,0	3,5	3,1	3,5	3,6	2,1
52,0	2,1	2,2	2,8	3,1	2,8	3,3	3,6	1,9	2,6	3,0	2,7	3,2	3,3	1,7
54,0	2,0	1,8	2,3	2,6	2,4	2,9	3,1	1,5	2,1	2,4	2,3	2,9	3,1	1,3
56,0	1,9	1,5	1,9	2,1	2,0	2,4	2,6	1,1	1,7	2,0	2,0	2,5	2,7	
58,0		1,2	1,5	1,6	1,7	2,1	2,1		1,3	1,5	1,6	2,1	2,2	
60,0			1,2	1,0	1,4	1,7	1,6			1,0	1,3	1,7	1,8	
62,0					1,2	1,3					1,1	1,4	1,4	
64,0												1,1		
66,0														
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
48,0	3,5	4,1	3,1	3,2	3,3	2,5	3,3	3,9	2,8	2,8	2,8	2,4	3,2	3,3
50,0	2,9	3,5	3,0	3,0	3,1	2,1	2,9	3,5	2,6	2,6	2,7	2,1	2,9	3,2
52,0	2,5	3,0	2,7	2,9	3,0	1,7	2,5	3,0	2,5	2,5	2,6	1,7	2,4	3,0
54,0	2,0	2,5	2,4	2,7	2,8	1,3	2,1	2,5	2,3	2,4	2,5	1,4	2,1	2,6
56,0	1,6	2,0	2,0	2,5	2,6		1,7	2,1	2,1	2,3	2,3		1,7	2,2
58,0	1,2	1,5	1,7	2,2	2,4		1,3	1,7	1,8	2,2	2,2		1,4	1,8
60,0		1,1	1,4	1,8	2,0			1,2	1,5	2,0	2,1		1,0	1,4
62,0			1,1	1,5	1,6				1,2	1,7	1,9			1,0
64,0				1,2	1,3					1,4	1,5			
66,0										1,1	1,2			
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
48,0	2,9	2,8	2,8	2,5	2,8	2,8		4,1	3,8	1,3		1,9		1,5
50,0	2,7	2,7	2,7	2,1	2,7	2,7		3,9	3,3	1,1		1,6		1,3
52,0	2,4	2,6	2,6	1,7	2,4	2,6			2,9			1,1		
54,0	2,0	2,5	2,5	1,4	2,1	2,5			2,5					
56,0	1,7	2,3	2,4	1,1	1,8	2,2			2,2					
58,0	1,4	2,0	2,3		1,4	1,9			1,9					
60,0	1,1	1,7	2,0		1,1	1,5								
62,0		1,3	1,6			1,2								
64,0		1,0	1,3											
66,0														
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
48,0		1,3		2,3	1,2	2,9			4,0	4,3	1,5		2,0	
50,0		1,1		2,2		2,7			4,0	3,8	1,3		1,8	
52,0				2,0		2,4				3,4	1,1		1,7	
54,0				1,9		2,0				2,9	1,0		1,3	
56,0				1,8		1,7				2,5				
58,0				1,5		1,4				2,1				
60,0						1,1								
62,0														
64,0														
66,0														
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
48,0	1,7		1,6		2,4	1,5	2,8				4,3	1,6	1,1	2,1
50,0	1,5		1,4		2,2	1,3	2,7				4,1	1,4		1,9
52,0	1,3		1,2		2,1	1,1	2,6				3,5	1,2		1,8
54,0	1,1		1,0		1,9		2,5				2,9	1,1		1,5
56,0					1,8		2,3				2,3			1,0
58,0					1,7		2,0							
60,0							1,7							
62,0							1,3							
64,0							1,0							
66,0														
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0316< T210.24013

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
48,0		1,9		1,8		2,4	1,7	2,8						
50,0		1,7		1,5		2,3	1,5	2,7						
52,0		1,5		1,3		2,1	1,3	2,6						
54,0		1,3		1,1		2,0	1,1	2,5						
56,0		1,0				1,9		2,4						
58,0								2,3						
60,0								2,0						
62,0								1,6						
64,0								1,3						
66,0														
68,0														
70,0														
72,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	42.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
7,0				11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7			10,6			9,5			9,1			7,2	
13,0	9,2			10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4		8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,2	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	8,0	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	7,9	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	7,7	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	7,4	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,5	5,7	5,0	6,7	5,6	5,0	7,1	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	6,2	5,5	5,0	6,3	5,4	4,8	6,8	5,7	4,9	4,3	4,0
32,0	3,9	5,0		5,8	5,3	4,9	6,0	5,2	4,7	6,5	5,5	4,8	4,0	3,8
34,0				5,4	5,2	4,9	5,7	5,0	4,6	6,2	5,3	4,7	3,7	3,6
36,0				5,0	5,1	4,9	5,4	4,8	4,5	5,5	5,1	4,6	3,5	3,4
38,0				4,7	5,0	4,9	5,1	4,6	4,4	4,8	5,0	4,6	3,2	3,2
40,0				4,5	4,9	4,9	4,9	4,5	4,4	4,2	4,8	4,5	3,0	3,1
42,0				4,2	4,9	4,9	4,6	4,3	4,3	3,6	4,4	4,4	2,8	2,9
44,0				4,0	4,6		4,4	4,2	4,3	3,1	3,8	4,3	2,6	2,7
46,0				3,9			3,9	4,1	4,3	2,7	3,3	3,7	2,5	2,5
48,0							3,5	3,8		2,3	2,8	3,2	2,3	2,4
50,0							3,2	3,3		1,9	2,4	2,6	2,2	2,2
52,0										1,6	2,0	2,1	2,0	2,1
54,0										1,3	1,6	1,6	1,9	1,9
56,0											1,2	1,1	1,8	1,8
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,8			7,3			7,3
20,0		8,2	6,5		7,9	6,4		7,7	6,4		7,3			7,2
21,0		8,1	6,4		7,8	6,3		7,7	6,3		7,2	6,1		7,1
22,0		7,9	6,3		7,7	6,2		7,6	6,2		7,1	6,0		7,1
23,0		7,8	6,2		7,5	6,1		7,5	6,1		7,0	5,9		7,0
24,0		7,6	6,2		7,4	6,1		7,4	6,1		6,9	5,9		6,9
26,0	4,1	7,4	6,0	5,1	7,2	5,9	5,0	7,2	5,9	5,0	6,6	5,7	5,0	6,8
28,0	3,9	7,1	5,8	5,0	6,9	5,7	5,0	7,0	5,8	5,0	6,3	5,6	4,9	6,6
30,0	3,8	6,8	5,7	4,9	6,6	5,6	4,9	6,4	5,6	4,9	6,0	5,5	4,9	6,0
32,0	3,7	6,2	5,5	4,9	6,3	5,4	4,8	5,6	5,5	4,8	5,7	5,3	4,7	5,3
34,0	3,5	5,4	5,4	4,8	5,9	5,2	4,7	4,9	5,3	4,7	5,4	5,1	4,6	4,6
36,0	3,3	4,7	5,2	4,7	5,3	5,1	4,6	4,2	5,1	4,7	5,0	4,9	4,6	3,9
38,0	3,2	4,1	5,0	4,6	4,7	5,0	4,5	3,5	4,8	4,6	4,5	4,7	4,5	3,3
40,0	3,0	3,5	4,5	4,5	4,0	4,8	4,5	3,0	4,1	4,5	3,9	4,5	4,4	2,7
42,0	2,9	2,9	3,9	4,4	3,5	4,4	4,4	2,5	3,5	4,3	3,4	4,2	4,3	2,2
44,0	2,7	2,4	3,3	3,9	3,0	3,8	4,3	2,0	3,0	3,7	2,9	3,8	4,1	1,8
46,0	2,6	2,0	2,8	3,3	2,5	3,3	3,7	1,6	2,5	3,1	2,5	3,2	3,8	1,3
48,0	2,4	1,6	2,3	2,7	2,1	2,8	3,2	1,1	2,0	2,6	2,1	2,8	3,3	
50,0	2,3	1,2	1,8	2,2	1,7	2,3	2,7		1,6	2,1	1,7	2,3	2,7	
52,0	2,1		1,4	1,7	1,4	1,9	2,2		1,2	1,6	1,3	1,9	2,3	
54,0	2,0			1,3	1,1	1,6	1,8			1,1		1,6	1,8	
56,0	1,9					1,2	1,3					1,2	1,4	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,4			5,1			5,3		
22,0	6,0		6,0			6,3			5,0			5,3		
23,0	6,0		5,9	5,6		6,3	5,7		4,9			5,2		
24,0	5,9		5,8	5,5		6,2	5,6		4,9	4,4		5,2		
26,0	5,8		5,6	5,2		6,2	5,5		4,7	4,3		5,1	5,0	
28,0	5,6	4,9	5,4	5,0	4,8	6,0	5,4		4,5	4,1		5,0	4,8	
30,0	5,5	4,9	5,1	4,8	4,6	5,8	5,3	4,8	4,3	3,9	3,7	4,9	4,6	
32,0	5,4	4,8	4,9	4,6	4,5	5,1	5,2	4,7	4,1	3,8	3,6	4,7	4,4	4,4
34,0	5,3	4,7	4,6	4,4	4,3	4,4	5,1	4,6	3,9	3,6	3,5	4,2	4,3	4,2
36,0	5,0	4,6	4,4	4,2	4,1	3,7	4,8	4,5	3,7	3,5	3,4	3,6	4,1	4,1
38,0	4,5	4,5	4,2	4,0	4,0	3,1	4,3	4,5	3,5	3,4	3,2	3,1	4,0	3,9
40,0	3,9	4,4	3,8	3,8	3,8	2,6	3,8	4,3	3,4	3,2	3,1	2,6	3,6	3,8
42,0	3,3	4,2	3,4	3,7	3,7	2,1	3,2	4,0	3,2	3,1	3,0	2,1	3,1	3,6
44,0	2,8	3,5	2,9	3,5	3,5	1,7	2,7	3,5	2,9	3,0	2,9	1,7	2,7	3,4
46,0	2,3	3,0	2,5	3,3	3,4	1,1	2,2	2,9	2,5	2,9	2,8	1,2	2,2	2,9
48,0	1,8	2,4	2,1	2,8	3,2		1,8	2,4	2,2	2,8	2,8		1,8	2,5
50,0	1,4	2,0	1,7	2,4	2,9		1,3	1,9	1,8	2,5	2,7		1,4	2,0
52,0		1,5	1,4	2,0	2,4			1,5	1,5	2,1	2,5			1,6
54,0				1,7	2,0			1,0	1,1	1,8	2,2			1,1
56,0				1,3	1,6					1,4	1,8			
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
7,0														
8,0														
9,0														
10,0														
11,0							10,8				7,8			
12,0							10,6				7,9	8,3		
13,0							10,4	9,4			7,8	8,4	7,2	
14,0							10,1	9,3			7,4	8,4	7,0	
15,0	5,1						9,8	9,2	8,9		7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8		6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,2	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	8,0	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,3			7,6	7,6	7,9	4,9	4,4	5,7	4,1	5,4
24,0	4,6			4,3			7,4	7,4	7,7	4,6	4,1	5,5	3,8	5,1
26,0	4,5	4,2		4,2			6,9	7,1	7,4	4,2	3,7	5,0	3,3	4,7
28,0	4,4	4,0		4,1	3,9		6,5	6,7	7,1	3,8	3,2	4,5	2,9	4,2
30,0	4,2	3,9		4,0	3,8		6,2	6,3	6,8	3,4	2,9	4,2	2,5	3,8
32,0	4,1	3,7	3,6	3,9	3,6		5,8	6,0	6,5	3,1	2,5	3,8	2,2	3,5
34,0	3,9	3,6	3,4	3,8	3,5	3,4	5,4	5,7	6,2	2,8	2,2	3,5	1,8	3,1
36,0	3,7	3,5	3,3	3,5	3,4	3,3	5,0	5,4	5,5	2,5	1,9	3,2	1,5	2,8
38,0	3,5	3,3	3,2	3,1	3,3	3,2	4,7	5,1	4,8	2,2	1,6	2,9	1,3	2,6
40,0	3,2	3,2	3,1	2,6	3,2	3,1	4,5	4,9	4,2	2,0	1,4	2,7	1,0	2,3
42,0	2,8	3,1	3,0	2,2	3,0	3,0	4,2	4,6	3,6	1,8	1,2	2,4		2,1
44,0	2,4	3,0	2,9	1,8	2,7	2,9	4,0	4,4	3,1	1,6		2,2		1,9
46,0	2,0	2,8	2,9	1,3	2,2	2,8	3,9	3,9	2,7	1,4		2,0		1,7
48,0	1,6	2,4	2,8		1,9	2,5		3,5	2,3	1,3		1,9		1,5
50,0	1,2	2,0	2,6		1,5	2,1		3,2	1,9	1,1		1,6		1,3
52,0		1,7	2,2		1,1	1,7			1,6			1,1		
54,0		1,3	1,8			1,3			1,3					
56,0			1,4											
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0				7,2										
14,0	6,4			7,1	5,5									
15,0	6,4		5,5	6,9	5,4	5,1								
16,0	6,2		5,5	6,7	5,4	5,0								
17,0	5,8		5,4	6,5	5,4	5,0	4,6							
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9						
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7					6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5			6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4			5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4		5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,6	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,2	4,5	3,1	4,9	4,4	4,5	3,0	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,7	4,0	2,6	4,5	4,0	4,4	2,6	5,7	5,6	5,8	4,3	3,9	4,9	3,6
30,0	2,3	3,7	2,2	4,3	3,6	4,2	2,2	5,5	5,4	5,7	3,9	3,4	4,5	3,2
32,0	2,0	3,3	1,9	4,0	3,2	4,1	1,9	5,3	5,2	5,5	3,5	3,1	4,1	2,8
34,0	1,6	3,0	1,5	3,7	2,9	3,9	1,5	5,2	5,0	5,3	3,1	2,7	3,8	2,4
36,0	1,3	2,7	1,2	3,5	2,6	3,7	1,2	5,1	4,8	5,1	2,8	2,4	3,5	2,1
38,0	1,1	2,4		3,2	2,3	3,5		5,0	4,6	5,0	2,6	2,1	3,2	1,8
40,0		2,1		3,0	2,0	3,2		4,9	4,5	4,8	2,3	1,8	2,9	1,5
42,0		1,9		2,8	1,8	2,8		4,9	4,3	4,4	2,1	1,6	2,7	1,3
44,0		1,7		2,6	1,6	2,4		4,6	4,2	3,8	1,8	1,3	2,4	1,0
46,0		1,4		2,5	1,4	2,0			4,1	3,3	1,6	1,1	2,2	
48,0		1,3		2,3	1,2	1,6			3,8	2,8	1,5		2,0	
50,0		1,1		2,2		1,2			3,3	2,4	1,3		1,8	
52,0				2,0						2,0	1,1		1,7	
54,0				1,9						1,6			1,3	
56,0				1,8						1,2				
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0					5,3									
21,0					5,1									
22,0	6,0				5,0				5,3					
23,0	5,9	4,8			4,9				5,3					
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2				
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1		4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,9	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,9	2,7	3,8	2,6	3,8	3,7	3,7	2,6	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,5	2,3	3,4	2,2	3,6	3,4	3,6	2,2	4,9	4,6	4,7	3,5	3,1	4,1
36,0	3,2	2,0	3,1	1,9	3,4	3,0	3,5	1,9	4,9	4,5	4,6	3,1	2,8	3,7
38,0	2,9	1,6	2,8	1,6	3,2	2,7	3,3	1,6	4,9	4,4	4,6	2,8	2,5	3,4
40,0	2,6	1,4	2,5	1,3	3,1	2,4	3,2	1,3	4,9	4,4	4,5	2,5	2,1	3,1
42,0	2,4	1,1	2,2	1,0	2,9	2,2	3,1	1,0	4,9	4,3	4,4	2,3	1,9	2,8
44,0	2,1		2,0		2,7	1,9	3,0			4,3	4,3	2,0	1,6	2,6
46,0	1,9		1,8		2,5	1,7	2,8			4,3	3,7	1,8	1,4	2,4
48,0	1,7		1,6		2,4	1,5	2,4				3,2	1,6	1,1	2,1
50,0	1,5		1,4		2,2	1,3	2,0				2,6	1,4		1,9
52,0	1,3		1,2		2,1	1,1	1,7				2,1	1,2		1,8
54,0	1,1		1,0		1,9		1,3				1,6	1,1		1,5
56,0					1,8						1,1			1,0
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5	3,4	2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1	3,1	2,1	3,2	3,1	3,2	2,1					
40,0	1,9	2,9	1,8	2,8	1,8	3,0	2,8	3,1	1,8					
42,0	1,6	2,6	1,5	2,5	1,5	2,9	2,5	3,0	1,5					
44,0	1,3	2,4	1,2	2,2	1,2	2,7	2,2	2,9	1,2					
46,0	1,1	2,1		2,0		2,6	2,0	2,9						
48,0		1,9		1,8		2,4	1,7	2,8						
50,0		1,7		1,5		2,3	1,5	2,6						
52,0		1,5		1,3		2,1	1,3	2,2						
54,0		1,3		1,1		2,0	1,1	1,8						
56,0		1,0				1,9		1,4						
* n *	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
% 1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
% 2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
% 3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
% 4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
58,0													1,7	1,7
60,0														
62,0														
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
58,0													1,0	
60,0														
62,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
58,0					1,2					1,1	1,4			
60,0											1,1			
62,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
58,0			1,1											
60,0														
62,0														
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
% 1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
% 3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
% 4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
% 5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
58,0 60,0				1,5										
62,0														
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
% 1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
% 2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
% 3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
% 4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
58,0					1,7									
60,0														
62,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0321< T210.24022

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
58,0 60,0								1,1						
62,0														
* n *	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
% 1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
% 2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
% 3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
% 4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	52.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,2	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	8,0	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	7,9	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	7,7	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	7,4	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,5	5,7	5,0	6,7	5,6	5,0	7,1	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	6,2	5,5	5,0	6,3	5,4	4,8	6,8	5,7	4,9	4,3	4,0
32,0	3,9	5,0		5,8	5,3	4,9	6,0	5,2	4,7	6,5	5,5	4,8	4,0	3,8
34,0				5,4	5,2	4,9	5,7	5,0	4,6	6,2	5,3	4,7	3,7	3,6
36,0				5,0	5,1	4,9	5,4	4,8	4,5	6,0	5,1	4,6	3,5	3,4
38,0				4,7	5,0	4,9	5,1	4,6	4,4	5,7	5,0	4,6	3,2	3,2
40,0				4,5	4,9	4,9	4,9	4,5	4,4	5,5	4,8	4,5	3,0	3,1
42,0				4,2	4,9	4,9	4,6	4,3	4,3	5,2	4,7	4,4	2,8	2,9
44,0				4,0	4,9		4,4	4,2	4,3	5,0	4,5	4,3	2,6	2,7
46,0				3,9			4,3	4,1	4,3	4,8	4,4	4,3	2,5	2,5
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,8			7,3			7,3
20,0		8,2	6,5		7,9	6,4		7,7	6,4		7,3			7,2
21,0		8,1	6,4		7,8	6,3		7,7	6,3		7,2	6,1		7,1
22,0		7,9	6,3		7,7	6,2		7,6	6,2		7,1	6,0		7,1
23,0		7,8	6,2		7,5	6,1		7,5	6,1		7,0	5,9		7,0
24,0		7,6	6,2		7,4	6,1		7,4	6,1		6,9	5,9		6,9
26,0	4,1	7,4	6,0	5,1	7,2	5,9	5,0	7,2	5,9	5,0	6,6	5,7	5,0	6,8
28,0	3,9	7,1	5,8	5,0	6,9	5,7	5,0	7,0	5,8	5,0	6,3	5,6	4,9	6,6
30,0	3,8	6,8	5,7	4,9	6,6	5,6	4,9	6,7	5,6	4,9	6,0	5,5	4,9	6,4
32,0	3,7	6,6	5,5	4,9	6,3	5,4	4,8	6,5	5,5	4,8	5,7	5,3	4,7	6,3
34,0	3,5	6,3	5,4	4,8	6,0	5,2	4,7	6,3	5,3	4,7	5,4	5,1	4,6	6,1
36,0	3,3	6,1	5,2	4,7	5,7	5,1	4,6	6,1	5,2	4,7	5,1	4,9	4,6	5,9
38,0	3,2	5,9	5,0	4,6	5,4	5,0	4,5	5,9	5,0	4,6	4,8	4,7	4,5	5,6
40,0	3,0	5,6	4,9	4,5	5,1	4,8	4,5	5,7	4,9	4,5	4,5	4,5	4,4	5,3
42,0	2,9	5,4	4,7	4,4	4,8	4,7	4,4	5,5	4,8	4,4	4,2	4,3	4,3	5,0
44,0	2,7	5,2	4,6	4,4	4,5	4,5	4,3	5,2	4,7	4,4	4,0	4,1	4,1	4,8
46,0	2,6	5,0	4,5	4,3	4,3	4,3	4,2	4,7	4,5	4,3	3,8	3,9	3,9	4,5
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,4			5,1			5,3		
22,0	6,0		6,0			6,3			5,0			5,3		
23,0	6,0		5,9	5,6		6,3	5,7		4,9			5,2		
24,0	5,9		5,8	5,5		6,2	5,6		4,9	4,4		5,2		
26,0	5,8		5,6	5,2		6,2	5,5		4,7	4,3		5,1	5,0	
28,0	5,6	4,9	5,4	5,0	4,8	6,0	5,4		4,5	4,1		5,0	4,8	
30,0	5,5	4,9	5,1	4,8	4,6	5,9	5,3	4,8	4,3	3,9	3,7	4,9	4,6	
32,0	5,4	4,8	4,9	4,6	4,5	5,6	5,2	4,7	4,1	3,8	3,6	4,7	4,4	4,4
34,0	5,3	4,7	4,6	4,4	4,3	5,4	5,1	4,6	3,9	3,6	3,5	4,5	4,3	4,2
36,0	5,1	4,6	4,4	4,2	4,1	5,1	4,9	4,5	3,7	3,5	3,4	4,3	4,1	4,1
38,0	5,0	4,5	4,2	4,0	4,0	4,9	4,8	4,5	3,5	3,4	3,2	4,2	4,0	3,9
40,0	4,9	4,5	4,0	3,8	3,8	4,6	4,6	4,4	3,4	3,2	3,1	4,0	3,8	3,8
42,0	4,7	4,4	3,8	3,7	3,7	4,4	4,4	4,3	3,2	3,1	3,0	3,8	3,7	3,6
44,0	4,6	4,3	3,6	3,5	3,5	4,2	4,2	4,2	3,1	3,0	2,9	3,6	3,5	3,5
46,0	4,4	4,3	3,3	3,4	3,4	4,0	4,0	4,1	2,9	2,9	2,8	3,5	3,4	3,4
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0							11,2							
7,0							11,3	9,5						
8,0							11,3	9,6						
9,0							11,2	9,7	8,9					
10,0							11,0	9,7	9,0	8,4		8,2		
11,0							10,8	9,6	9,1	8,5	7,8	8,2		
12,0							10,6	9,5	9,1	8,6	7,9	8,3		7,4
13,0							10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4
14,0							10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5
15,0	5,1						9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,2	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	8,0	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,3			7,6	7,6	7,9	4,9	4,4	5,7	4,1	5,4
24,0	4,6			4,3			7,4	7,4	7,7	4,6	4,1	5,5	3,8	5,1
26,0	4,5	4,2		4,2			6,9	7,1	7,4	4,2	3,7	5,0	3,3	4,7
28,0	4,4	4,0		4,1	3,9		6,5	6,7	7,1	3,8	3,2	4,5	2,9	4,2
30,0	4,2	3,9		4,0	3,8		6,2	6,3	6,8	3,4	2,9	4,2	2,5	3,8
32,0	4,1	3,7	3,6	3,9	3,6		5,8	6,0	6,5	3,1	2,5	3,8	2,2	3,5
34,0	3,9	3,6	3,4	3,8	3,5	3,4	5,4	5,7	6,2	2,8	2,2	3,5	1,8	3,1
36,0	3,7	3,5	3,3	3,7	3,4	3,3	5,0	5,4	6,0	2,5	1,9	3,2	1,5	2,8
38,0	3,6	3,3	3,2	3,5	3,3	3,2	4,7	5,1	5,7	2,2	1,6	2,9	1,3	2,6
40,0	3,4	3,2	3,1	3,4	3,2	3,1	4,5	4,9	5,5	2,0	1,4	2,7	1,0	2,3
42,0	3,3	3,1	3,0	3,2	3,1	3,0	4,2	4,6	5,2	1,8	1,2	2,4		2,1
44,0	3,1	3,0	2,9	3,1	3,0	2,9	4,0	4,4	5,0	1,6		2,2		1,9
46,0	3,0	2,9	2,9	3,0	2,9	2,8	3,9	4,2	4,8	1,4		2,0		1,7
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0				7,1										
11,0				7,1										
12,0				7,2										
13,0		6,4		7,2										
14,0	6,4	6,4		7,1	5,5									
15,0	6,4	6,4	5,5	6,9	5,4	5,1		7,4						
16,0	6,2	6,4	5,5	6,7	5,4	5,0		7,2	7,1					
17,0	5,8	6,4	5,4	6,5	5,4	5,0	4,6	7,1	6,9					
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9	6,8	6,8				
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7	6,6	6,7	6,6		6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5	6,6	6,3	6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4	6,5	6,0	5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4	5,7	5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,6	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,2	4,5	3,1	4,9	4,4	4,5	3,0	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,7	4,0	2,6	4,5	4,0	4,4	2,6	5,7	5,6	5,8	4,3	3,9	4,9	3,6
30,0	2,3	3,7	2,2	4,3	3,6	4,2	2,2	5,5	5,4	5,7	3,9	3,4	4,5	3,2
32,0	2,0	3,3	1,9	4,0	3,2	4,1	1,9	5,3	5,2	5,5	3,5	3,1	4,1	2,8
34,0	1,6	3,0	1,5	3,7	2,9	3,9	1,5	5,2	5,0	5,3	3,1	2,7	3,8	2,4
36,0	1,3	2,7	1,2	3,5	2,6	3,7	1,2	5,1	4,8	5,1	2,8	2,4	3,5	2,1
38,0	1,1	2,4		3,2	2,3	3,6		5,0	4,6	5,0	2,6	2,1	3,2	1,8
40,0		2,1		3,0	2,0	3,4		4,9	4,5	4,8	2,3	1,8	2,9	1,5
42,0		1,9		2,8	1,8	3,3		4,9	4,3	4,7	2,1	1,6	2,7	1,3
44,0		1,7		2,6	1,6	3,1		4,9	4,2	4,5	1,8	1,3	2,4	1,0
46,0		1,4		2,5	1,4	3,0			4,1	4,4	1,6	1,1	2,2	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0					5,4									
20,0					5,3									
21,0	6,1				5,1				5,4					
22,0	6,0				5,0				5,3	5,3				
23,0	5,9	4,8	5,6		4,9				5,3	5,2				
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2	5,2			
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1	5,1	4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,9	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,9	2,7	3,8	2,6	3,8	3,7	3,7	2,6	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,5	2,3	3,4	2,2	3,6	3,4	3,6	2,2	4,9	4,6	4,7	3,5	3,1	4,1
36,0	3,2	2,0	3,1	1,9	3,4	3,0	3,5	1,9	4,9	4,5	4,6	3,1	2,8	3,7
38,0	2,9	1,6	2,8	1,6	3,2	2,7	3,3	1,6	4,9	4,4	4,6	2,8	2,5	3,4
40,0	2,6	1,4	2,5	1,3	3,1	2,4	3,2	1,3	4,9	4,4	4,5	2,5	2,1	3,1
42,0	2,4	1,1	2,2	1,0	2,9	2,2	3,1	1,0	4,9	4,3	4,4	2,3	1,9	2,8
44,0	2,1		2,0		2,7	1,9	3,0			4,3	4,3	2,0	1,6	2,6
46,0	1,9		1,8		2,5	1,7	2,9			4,3	4,3	1,8	1,4	2,4
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5	3,4	2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1	3,1	2,1	3,2	3,1	3,2	2,1					
40,0	1,9	2,9	1,8	2,8	1,8	3,0	2,8	3,1	1,8					
42,0	1,6	2,6	1,5	2,5	1,5	2,9	2,5	3,0	1,5					
44,0	1,3	2,4	1,2	2,2	1,2	2,7	2,2	2,9	1,2					
46,0	1,1	2,1		2,0		2,6	2,0	2,9						
* n *	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
% 1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
% 2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
% 3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
% 4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
48,0							4,1	4,1		4,6	4,3	4,3	2,3	2,4
50,0							3,9	4,1		4,5	4,2	4,2	2,2	2,2
52,0										4,2	4,1	4,2	2,0	2,1
54,0										3,8	4,0	4,2	1,9	1,9
56,0										3,4	3,7	2,5	1,8	1,8
58,0										3,1	3,2		1,7	1,7
60,0														
62,0														
64,0														
66,0														
68,0														
70,0														
72,0														
74,0														
76,0														
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
48,0	2,4	4,5	4,4	4,3	4,0	4,1	4,1	4,1	4,4	4,3	3,5	3,7	3,8	4,0
50,0	2,3	4,0	4,3	4,2	3,8	3,9	4,0	3,6	4,3	4,2	3,3	3,5	3,6	3,5
52,0	2,1	3,5	4,1	4,2	3,6	3,7	3,8	3,2	3,8	4,1	3,1	3,2	3,3	3,0
54,0	2,0	3,1	3,6	3,8	3,4	3,5	3,5	2,7	3,4	3,7	2,9	3,0	3,1	2,6
56,0	1,9	2,7	3,1	3,3	3,2	3,3	3,3	2,3	2,9	3,2	2,7	2,8	2,9	2,2
58,0		2,3	2,7	2,7	2,9	3,1	3,1	2,0	2,5	2,7	2,6	2,7	2,7	1,8
60,0		2,0	2,3	2,1	2,5	2,8	2,6	1,7	2,1	2,2	2,4	2,5	2,5	1,5
62,0		1,7	1,9		2,2	2,4		1,3	1,7	1,7	2,1	2,3	2,3	1,2
64,0		1,5			2,0			1,1	1,3	1,2	1,9	2,1	2,0	
66,0											1,6	1,8		
68,0											1,4			
70,0														
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
48,0	4,3	4,2	3,1	3,2	3,3	3,8	3,8	3,9	2,8	2,8	2,8	3,3	3,3	3,3
50,0	4,1	4,2	3,0	3,0	3,1	3,4	3,7	3,7	2,6	2,6	2,7	3,1	3,1	3,2
52,0	3,8	4,1	2,8	2,9	3,0	3,0	3,5	3,6	2,5	2,5	2,6	3,0	3,0	3,1
54,0	3,3	3,7	2,6	2,7	2,8	2,6	3,3	3,4	2,3	2,4	2,5	2,6	2,9	2,9
56,0	2,8	3,2	2,4	2,6	2,6	2,2	2,9	3,2	2,2	2,3	2,3	2,3	2,8	2,8
58,0	2,4	2,7	2,3	2,4	2,5	1,8	2,4	2,8	2,1	2,2	2,2	1,9	2,5	2,7
60,0	2,0	2,2	2,1	2,2	2,3	1,5	2,0	2,4	1,9	2,0	2,1	1,6	2,2	2,5
62,0	1,6	1,8	2,0	2,1	2,1	1,2	1,7	1,9	1,8	1,9	2,0	1,2	1,8	2,1
64,0	1,3	1,4	1,8	1,9	2,0		1,3	1,5	1,6	1,8	1,8		1,5	1,7
66,0			1,6	1,8	1,8		1,0	1,2	1,5	1,6	1,7		1,2	1,4
68,0			1,4	1,6	1,5				1,4	1,5	1,5			1,0
70,0			1,1	1,3					1,2	1,4	1,3			
72,0				1,0					1,0	1,2	1,2			
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
48,0	2,9	2,8	2,8	2,8	2,8	2,8		4,1	4,6	1,3		1,9		1,5
50,0	2,7	2,7	2,7	2,7	2,7	2,7		3,9	4,5	1,1		1,6		1,3
52,0	2,6	2,6	2,6	2,6	2,6	2,6			4,2			1,1		
54,0	2,4	2,5	2,5	2,5	2,5	2,5			3,8					
56,0	2,3	2,4	2,4	2,3	2,4	2,4			3,4					
58,0	2,2	2,3	2,3	2,0	2,3	2,3			3,1					
60,0	2,0	2,1	2,2	1,7	2,2	2,3								
62,0	1,9	2,0	2,1	1,4	1,9	2,2								
64,0	1,6	1,9	2,0	1,1	1,6	2,0								
66,0	1,3	1,7	1,9		1,3	1,6								
68,0	1,1	1,5	1,6		1,1	1,3								
70,0		1,2	1,3											
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
% 1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
% 3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
% 4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
% 5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
48,0		1,3		2,3	1,2	2,9			4,0	4,3	1,5		2,0	
50,0		1,1		2,2		2,7			4,0	4,2	1,3		1,8	
52,0				2,0		2,6				4,1	1,1		1,7	
54,0				1,9		2,4				4,0	1,0		1,3	
56,0				1,8		2,3				3,7				
58,0				1,5		2,2				3,2				
60,0						2,0								
62,0						1,9								
64,0						1,6								
66,0						1,3								
68,0						1,1								
70,0														
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
48,0	1,7		1,6		2,4	1,5	2,8				4,3	1,6	1,1	2,1
50,0	1,5		1,4		2,2	1,3	2,7				4,2	1,4		1,9
52,0	1,3		1,2		2,1	1,1	2,6				4,2	1,2		1,8
54,0	1,1		1,0		1,9		2,5				4,2	1,1		1,5
56,0					1,8		2,4				2,5			1,0
58,0					1,7		2,3							
60,0							2,1							
62,0							2,0							
64,0							1,9							
66,0							1,7							
68,0							1,5							
70,0							1,2							
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0315< T210.24012

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
48,0		1,9		1,8		2,4	1,7	2,8						
50,0		1,7		1,5		2,3	1,5	2,7						
52,0		1,5		1,3		2,1	1,3	2,6						
54,0		1,3		1,1		2,0	1,1	2,5						
56,0		1,0				1,9		2,4						
58,0								2,3						
60,0								2,2						
62,0								2,1						
64,0								2,0						
66,0								1,9						
68,0								1,6						
70,0								1,3						
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	52.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
11,0														
12,0										9,1				
13,0				10,4						9,1				
14,0	8,9			10,1			9,3			9,0				
15,0	8,5			9,8			9,2			8,9				
16,0	8,1			9,5			9,0			8,8			6,7	
17,0	7,7			9,2			8,8			8,8			6,5	
18,0	7,3			8,9			8,6			8,7			6,3	
19,0	6,9			8,6			8,4			8,5			6,1	
20,0	6,5	6,0		8,3	6,6		8,2			8,4	6,6		5,9	
21,0	6,2	5,9		8,1	6,5		8,0	6,4		8,2	6,5		5,7	
22,0	5,9	5,7		7,8	6,3		7,8	6,3		8,0	6,4		5,5	
23,0	5,6	5,6	5,1	7,6	6,2		7,6	6,2		7,9	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0		7,7	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	7,4	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,5	5,7	5,0	6,7	5,6	5,0	7,1	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	6,2	5,5	5,0	6,3	5,4	4,8	6,8	5,7	4,9	4,3	4,0
32,0	3,9	5,0		5,8	5,3	4,9	6,0	5,2	4,7	6,5	5,5	4,8	4,0	3,8
34,0				5,4	5,2	4,9	5,7	5,0	4,6	6,2	5,3	4,7	3,7	3,6
36,0				5,0	5,1	4,9	5,4	4,8	4,5	6,0	5,1	4,6	3,5	3,4
38,0				4,7	5,0	4,9	5,1	4,6	4,4	5,7	5,0	4,6	3,2	3,2
40,0				4,5	4,9	4,9	4,9	4,5	4,4	5,5	4,8	4,5	3,0	3,1
42,0				4,2	4,9	4,9	4,6	4,3	4,3	5,2	4,7	4,4	2,8	2,9
44,0				4,0	4,9		4,4	4,2	4,3	5,0	4,5	4,3	2,6	2,7
46,0				3,9			4,3	4,1	4,3	4,8	4,4	4,3	2,5	2,5
48,0							4,1	4,1		4,5	4,3	4,3	2,3	2,4
50,0							3,9	4,1		4,0	4,2	4,2	2,2	2,2
52,0										3,6	4,0	4,1	2,0	2,1
54,0										3,2	3,5	3,6	1,9	1,9
56,0										2,8	3,1	2,5	1,8	1,8
58,0										2,5	2,7		1,7	1,7
60,0														
62,0														
64,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
11,0		8,5						7,8						
12,0		8,6						7,9						
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0			7,8			7,3			7,3
20,0		8,2	6,5		7,9	6,4		7,7	6,4		7,3			7,2
21,0		8,1	6,4		7,8	6,3		7,7	6,3		7,2	6,1		7,1
22,0		7,9	6,3		7,7	6,2		7,6	6,2		7,1	6,0		7,1
23,0		7,8	6,2		7,5	6,1		7,5	6,1		7,0	5,9		7,0
24,0		7,6	6,2		7,4	6,1		7,4	6,1		6,9	5,9		6,9
26,0		7,4	6,0	5,1	7,2	5,9	5,0	7,2	5,9	5,0	6,6	5,7	5,0	6,8
28,0	3,9	7,1	5,8	5,0	6,9	5,7	5,0	7,0	5,8	5,0	6,3	5,6	4,9	6,6
30,0	3,8	6,8	5,7	4,9	6,6	5,6	4,9	6,7	5,6	4,9	6,0	5,5	4,9	6,4
32,0	3,7	6,6	5,5	4,9	6,3	5,4	4,8	6,5	5,5	4,8	5,7	5,3	4,7	6,3
34,0	3,5	6,3	5,4	4,8	6,0	5,2	4,7	6,3	5,3	4,7	5,4	5,1	4,6	6,1
36,0	3,3	6,1	5,2	4,7	5,7	5,1	4,6	6,1	5,2	4,7	5,1	4,9	4,6	5,9
38,0	3,2	5,9	5,0	4,6	5,4	5,0	4,5	5,9	5,0	4,6	4,8	4,7	4,5	5,6
40,0	3,0	5,6	4,9	4,5	5,1	4,8	4,5	5,6	4,9	4,5	4,5	4,5	4,4	5,3
42,0	2,9	5,4	4,7	4,4	4,8	4,7	4,4	5,1	4,8	4,4	4,2	4,3	4,3	4,9
44,0	2,7	4,8	4,6	4,4	4,5	4,5	4,3	4,5	4,7	4,4	4,0	4,1	4,1	4,4
46,0	2,6	4,3	4,5	4,3	4,3	4,3	4,2	4,0	4,5	4,3	3,8	3,9	3,9	3,8
48,0	2,4	3,8	4,4	4,3	4,0	4,1	4,1	3,4	4,2	4,3	3,5	3,7	3,8	3,3
50,0	2,3	3,3	4,0	4,2	3,8	3,9	4,0	3,0	3,7	4,2	3,3	3,5	3,6	2,8
52,0	2,1	2,9	3,5	3,8	3,4	3,7	3,8	2,6	3,2	3,6	3,1	3,2	3,3	2,4
54,0	2,0	2,5	3,0	3,2	3,0	3,5	3,5	2,2	2,8	3,1	2,9	3,0	3,1	2,0
56,0	1,9	2,1	2,6	2,7	2,7	3,1	3,2	1,8	2,3	2,6	2,6	2,8	2,9	1,7
58,0		1,8	2,2	2,2	2,4	2,7	2,7	1,5	1,9	2,1	2,3	2,6	2,7	1,3
60,0		1,5	1,8	1,6	2,1	2,3	2,2	1,2	1,6	1,7	2,0	2,3	2,4	
62,0		1,2	1,4		1,8	1,9			1,2	1,2	1,7	2,0	2,0	
64,0		1,0			1,5						1,4	1,6	1,5	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
11,0														
12,0														
13,0														
14,0			6,4			6,4								
15,0			6,4			6,4						5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,4			5,1			5,3		
22,0	6,0		6,0			6,3			5,0			5,3		
23,0	6,0		5,9	5,6		6,3	5,7		4,9			5,2		
24,0	5,9		5,8	5,5		6,2	5,6		4,9	4,4		5,2		
26,0	5,8		5,6	5,2		6,2	5,5		4,7	4,3		5,1	5,0	
28,0	5,6	4,9	5,4	5,0	4,8	6,0	5,4		4,5	4,1		5,0	4,8	
30,0	5,5	4,9	5,1	4,8	4,6	5,9	5,3	4,8	4,3	3,9	3,7	4,9	4,6	
32,0	5,4	4,8	4,9	4,6	4,5	5,6	5,2	4,7	4,1	3,8	3,6	4,7	4,4	4,4
34,0	5,3	4,7	4,6	4,4	4,3	5,4	5,1	4,6	3,9	3,6	3,5	4,5	4,3	4,2
36,0	5,1	4,6	4,4	4,2	4,1	5,1	4,9	4,5	3,7	3,5	3,4	4,3	4,1	4,1
38,0	5,0	4,5	4,2	4,0	4,0	4,9	4,8	4,5	3,5	3,4	3,2	4,2	4,0	3,9
40,0	4,9	4,5	4,0	3,8	3,8	4,6	4,6	4,4	3,4	3,2	3,1	4,0	3,8	3,8
42,0	4,7	4,4	3,8	3,7	3,7	4,4	4,4	4,3	3,2	3,1	3,0	3,8	3,7	3,6
44,0	4,6	4,3	3,6	3,5	3,5	4,1	4,2	4,2	3,1	3,0	2,9	3,6	3,5	3,5
46,0	4,4	4,3	3,3	3,4	3,4	3,7	4,0	4,1	2,9	2,9	2,8	3,5	3,4	3,4
48,0	4,2	4,2	3,1	3,2	3,3	3,2	3,8	3,9	2,8	2,8	2,8	3,2	3,3	3,3
50,0	3,6	4,1	3,0	3,0	3,1	2,8	3,6	3,7	2,6	2,6	2,7	2,8	3,1	3,2
52,0	3,1	3,6	2,8	2,9	3,0	2,4	3,2	3,6	2,5	2,5	2,6	2,4	3,0	3,1
54,0	2,7	3,1	2,6	2,7	2,8	2,0	2,7	3,2	2,3	2,4	2,5	2,1	2,7	2,9
56,0	2,3	2,6	2,4	2,6	2,6	1,6	2,3	2,7	2,2	2,3	2,3	1,7	2,4	2,8
58,0	1,9	2,2	2,3	2,4	2,5	1,3	1,9	2,3	2,1	2,2	2,2	1,4	2,0	2,4
60,0	1,5	1,7	2,0	2,2	2,3		1,6	1,9	1,9	2,0	2,1	1,1	1,7	2,0
62,0	1,2	1,3	1,7	2,1	2,1		1,2	1,5	1,8	1,9	2,0		1,3	1,7
64,0			1,4	1,8	1,8			1,1	1,5	1,8	1,8		1,0	1,3
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
11,0														
12,0														
13,0														
14,0														
15,0	5,1												6,7	
16,0	5,0												6,3	
17,0	5,0			4,6									5,9	
18,0	4,9			4,5									5,6	
19,0	4,9			4,5							5,5		5,2	
20,0	4,8			4,4							5,2	6,6	4,9	
21,0	4,8			4,4			8,1				4,9	6,3	4,6	
22,0	4,7			4,4			7,8				4,6	6,0	4,3	
23,0	4,7			4,3			7,6	7,6			4,4	5,7	4,1	
24,0	4,6			4,3			7,4	7,4			4,1	5,5	3,8	5,1
26,0	4,5	4,2		4,2			6,9	7,1			3,7	5,0	3,3	4,7
28,0	4,4	4,0		4,1	3,9		6,5	6,7	7,1		3,2	4,5	2,9	4,2
30,0	4,2	3,9		4,0	3,8		6,2	6,3	6,8	3,4	2,9	4,2	2,5	3,8
32,0	4,1	3,7	3,6	3,9	3,6		5,8	6,0	6,5	3,1	2,5	3,8	2,2	3,5
34,0	3,9	3,6	3,4	3,8	3,5	3,4	5,4	5,7	6,2	2,8	2,2	3,5	1,8	3,1
36,0	3,7	3,5	3,3	3,7	3,4	3,3	5,0	5,4	6,0	2,5	1,9	3,2	1,5	2,8
38,0	3,6	3,3	3,2	3,5	3,3	3,2	4,7	5,1	5,7	2,2	1,6	2,9	1,3	2,6
40,0	3,4	3,2	3,1	3,4	3,2	3,1	4,5	4,9	5,5	2,0	1,4	2,7	1,0	2,3
42,0	3,3	3,1	3,0	3,2	3,1	3,0	4,2	4,6	5,2	1,8	1,2	2,4		2,1
44,0	3,1	3,0	2,9	3,1	3,0	2,9	4,0	4,4	5,0	1,6		2,2		1,9
46,0	3,0	2,9	2,9	3,0	2,9	2,8	3,9	4,2	4,8	1,4		2,0		1,7
48,0	2,9	2,8	2,8	2,8	2,8	2,8		4,1	4,5	1,3		1,9		1,5
50,0	2,7	2,7	2,7	2,7	2,7	2,7		3,9	4,0	1,1		1,6		1,3
52,0	2,6	2,6	2,6	2,4	2,6	2,6			3,6			1,1		
54,0	2,4	2,5	2,5	2,1	2,5	2,5			3,2					
56,0	2,3	2,4	2,4	1,8	2,4	2,4			2,8					
58,0	2,0	2,3	2,3	1,5	2,1	2,3			2,5					
60,0	1,7	2,1	2,2	1,2	1,8	2,1								
62,0	1,4	1,9	2,1		1,5	1,8								
64,0	1,2	1,6	1,9		1,2	1,5								
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
11,0														
12,0														
13,0														
14,0														
15,0	6,4													
16,0	6,2		5,5			5,0								
17,0	5,8		5,4			5,0	4,6							
18,0	5,4		5,3			4,9	4,5							
19,0	5,1		5,0			4,9	4,5							
20,0	4,7		4,7		5,2	4,8	4,4							
21,0	4,4		4,3		5,1	4,8	4,3							
22,0	4,1		4,1	5,5	5,0	4,7	4,0							5,2
23,0	3,9		3,8	5,4	4,9	4,7	3,8							4,9
24,0	3,6		3,5	5,2	4,8	4,6	3,5							4,6
26,0	3,2		3,1	4,9	4,4	4,5	3,0	5,9				4,3		4,1
28,0	2,7		2,6	4,5	4,0	4,4	2,6	5,7				3,9	4,9	3,6
30,0	2,3	3,7	2,2	4,3	3,6	4,2	2,2	5,5	5,4			3,4	4,5	3,2
32,0	2,0	3,3	1,9	4,0	3,2	4,1	1,9	5,3	5,2			3,1	4,1	2,8
34,0	1,6	3,0	1,5	3,7	2,9	3,9	1,5	5,2	5,0	5,3		2,7	3,8	2,4
36,0	1,3	2,7	1,2	3,5	2,6	3,7	1,2	5,1	4,8	5,1	2,8	2,4	3,5	2,1
38,0	1,1	2,4		3,2	2,3	3,6		5,0	4,6	5,0	2,6	2,1	3,2	1,8
40,0		2,1		3,0	2,0	3,4		4,9	4,5	4,8	2,3	1,8	2,9	1,5
42,0		1,9		2,8	1,8	3,3		4,9	4,3	4,7	2,1	1,6	2,7	1,3
44,0		1,7		2,6	1,6	3,1		4,9	4,2	4,5	1,8	1,3	2,4	1,0
46,0		1,4		2,5	1,4	3,0			4,1	4,4	1,6	1,1	2,2	
48,0		1,3		2,3	1,2	2,9			4,0	4,3	1,5		2,0	
50,0		1,1		2,2		2,7			4,0	4,2	1,3		1,8	
52,0				2,0		2,6				4,0	1,1		1,7	
54,0				1,9		2,4				3,5	1,0		1,3	
56,0				1,8		2,3				3,1				
58,0				1,5		2,0				2,7				
60,0						1,7								
62,0						1,4								
64,0						1,2								
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0		4,8												
24,0		4,5												
26,0		4,0		3,9			4,2							
28,0		3,5		3,4		4,1	4,0	3,4						
30,0		3,1		3,0	4,0	3,9	3,9	3,0	5,0				3,9	
32,0	3,9	2,7		2,6	3,8	3,7	3,7	2,6	4,9	4,7			3,5	4,4
34,0	3,5	2,3		2,2	3,6	3,4	3,6	2,2	4,9	4,6	4,7		3,1	4,1
36,0	3,2	2,0	3,1	1,9	3,4	3,0	3,5	1,9	4,9	4,5	4,6	3,1	2,8	3,7
38,0	2,9	1,6	2,8	1,6	3,2	2,7	3,3	1,6	4,9	4,4	4,6	2,8	2,5	3,4
40,0	2,6	1,4	2,5	1,3	3,1	2,4	3,2	1,3	4,9	4,4	4,5	2,5	2,1	3,1
42,0	2,4	1,1	2,2	1,0	2,9	2,2	3,1	1,0	4,9	4,3	4,4	2,3	1,9	2,8
44,0	2,1		2,0		2,7	1,9	3,0			4,3	4,3	2,0	1,6	2,6
46,0	1,9		1,8		2,5	1,7	2,9			4,3	4,3	1,8	1,4	2,4
48,0	1,7		1,6		2,4	1,5	2,8				4,3	1,6	1,1	2,1
50,0	1,5		1,4		2,2	1,3	2,7				4,2	1,4		1,9
52,0	1,3		1,2		2,1	1,1	2,6				4,1	1,2		1,8
54,0	1,1		1,0		1,9		2,5				3,6	1,1		1,5
56,0					1,8		2,4				2,5			1,0
58,0					1,7		2,3							
60,0							2,1							
62,0							1,9							
64,0							1,6							
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0														
28,0	4,2													
30,0	3,8		3,7											
32,0	3,3		3,2		3,2	3,7	3,6	3,6						
34,0	2,9		2,8		2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5		2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1		2,1	3,2	3,1	3,2	2,1					
40,0	1,9	2,9	1,8	2,8	1,8	3,0	2,8	3,1	1,8					
42,0	1,6	2,6	1,5	2,5	1,5	2,9	2,5	3,0	1,5					
44,0	1,3	2,4	1,2	2,2	1,2	2,7	2,2	2,9	1,2					
46,0	1,1	2,1		2,0		2,6	2,0	2,9						
48,0		1,9		1,8		2,4	1,7	2,8						
50,0		1,7		1,5		2,3	1,5	2,7						
52,0		1,5		1,3		2,1	1,3	2,6						
54,0		1,3		1,1		2,0	1,1	2,5						
56,0		1,0				1,9		2,4						
58,0								2,3						
60,0								2,2						
62,0								2,1						
64,0								1,9						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
66,0											1,2	1,3		
68,0														
70,0														
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
66,0			1,2	1,5	1,5				1,3	1,6	1,7			
68,0				1,2	1,1				1,1	1,4	1,4			
70,0										1,1	1,1			
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
66,0		1,3	1,5			1,2								
68,0		1,0	1,2											
70,0														
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°	

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
66,0							1,3							
68,0							1,0							
70,0														
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0320< T210.24021

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
66,0								1,5						
68,0								1,2						
70,0														
72,0														
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	72.0 t	8.89 x 5.50 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
3,5	12,1													
4,0	12,2													
4,5	12,2													
5,0	12,3													
6,0	12,0			11,2										
7,0	11,7			11,3			9,5							
8,0	11,4			11,3			9,6							
9,0	11,1			11,2			9,7			8,9				
10,0	10,6			11,0			9,7			9,0			7,1	
11,0	10,1			10,8			9,6			9,1			7,1	
12,0	9,7	7,8		10,6			9,5			9,1			7,2	
13,0	9,2	7,6		10,4			9,4			9,1			7,2	
14,0	8,9	7,3		10,1			9,3			9,0			7,1	
15,0	8,5	7,1		9,8	7,4		9,2			8,9			6,9	
16,0	8,1	6,8		9,5	7,2		9,0	7,1		8,8			6,7	
17,0	7,7	6,6		9,2	7,1		8,8	6,9		8,8			6,5	
18,0	7,3	6,4	5,5	8,9	6,9		8,6	6,8		8,7	6,8		6,3	
19,0	6,9	6,2	5,4	8,6	6,7		8,4	6,6		8,5	6,7		6,1	5,4
20,0	6,5	6,0	5,3	8,3	6,6		8,2	6,5		8,4	6,6		5,9	5,3
21,0	6,2	5,9	5,2	8,1	6,5	5,4	8,0	6,4		8,2	6,5		5,7	5,1
22,0	5,9	5,7	5,2	7,8	6,3	5,3	7,8	6,3	5,3	8,0	6,4		5,5	5,0
23,0	5,6	5,6	5,1	7,6	6,2	5,3	7,6	6,2	5,2	7,9	6,3		5,4	4,9
24,0	5,4	5,5	5,0	7,4	6,1	5,2	7,4	6,0	5,2	7,7	6,2	5,2	5,2	4,7
26,0	4,9	5,3	4,9	6,9	5,9	5,1	7,1	5,8	5,1	7,4	6,0	5,1	4,9	4,5
28,0	4,5	5,1	4,9	6,5	5,7	5,0	6,7	5,6	5,0	7,1	5,8	5,0	4,5	4,2
30,0	4,2	5,0	4,9	6,2	5,5	5,0	6,3	5,4	4,8	6,8	5,7	4,9	4,3	4,0
32,0	3,9	5,0		5,8	5,3	4,9	6,0	5,2	4,7	6,5	5,5	4,8	4,0	3,8
34,0				5,4	5,2	4,9	5,7	5,0	4,6	6,2	5,3	4,7	3,7	3,6
36,0				5,0	5,1	4,9	5,4	4,8	4,5	6,0	5,1	4,6	3,5	3,4
38,0				4,7	5,0	4,9	5,1	4,6	4,4	5,7	5,0	4,6	3,2	3,2
40,0				4,5	4,9	4,9	4,9	4,5	4,4	5,5	4,8	4,5	3,0	3,1
42,0				4,2	4,9	4,9	4,6	4,3	4,3	5,2	4,7	4,4	2,8	2,9
44,0				4,0	4,9		4,4	4,2	4,3	5,0	4,5	4,3	2,6	2,7
46,0				3,9			4,3	4,1	4,3	4,8	4,4	4,3	2,5	2,5
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0		8,4			8,2									
11,0		8,5			8,2			7,8						
12,0		8,6			8,3			7,9			7,4			
13,0		8,6			8,4			8,0			7,4			7,2
14,0		8,6			8,4			8,0			7,5			7,2
15,0		8,6			8,3			8,1			7,5			7,3
16,0		8,5			8,2			8,0			7,5			7,3
17,0		8,4			8,1			8,0			7,5			7,4
18,0		8,3			8,1			7,9			7,4			7,3
19,0		8,3	6,6		8,0	6,5		7,8			7,3			7,3
20,0		8,2	6,5		7,9	6,4		7,7	6,4		7,3			7,2
21,0		8,1	6,4		7,8	6,3		7,7	6,3		7,2	6,1		7,1
22,0		7,9	6,3		7,7	6,2		7,6	6,2		7,1	6,0		7,1
23,0		7,8	6,2		7,5	6,1		7,5	6,1		7,0	5,9		7,0
24,0		7,6	6,2		7,4	6,1		7,4	6,1		6,9	5,9		6,9
26,0	4,1	7,4	6,0	5,1	7,2	5,9	5,0	7,2	5,9	5,0	6,6	5,7	5,0	6,8
28,0	3,9	7,1	5,8	5,0	6,9	5,7	5,0	7,0	5,8	5,0	6,3	5,6	4,9	6,6
30,0	3,8	6,8	5,7	4,9	6,6	5,6	4,9	6,7	5,6	4,9	6,0	5,5	4,9	6,4
32,0	3,7	6,6	5,5	4,9	6,3	5,4	4,8	6,5	5,5	4,8	5,7	5,3	4,7	6,3
34,0	3,5	6,3	5,4	4,8	6,0	5,2	4,7	6,3	5,3	4,7	5,4	5,1	4,6	6,1
36,0	3,3	6,1	5,2	4,7	5,7	5,1	4,6	6,1	5,2	4,7	5,1	4,9	4,6	5,9
38,0	3,2	5,9	5,0	4,6	5,4	5,0	4,5	5,9	5,0	4,6	4,8	4,7	4,5	5,6
40,0	3,0	5,6	4,9	4,5	5,1	4,8	4,5	5,7	4,9	4,5	4,5	4,5	4,4	5,3
42,0	2,9	5,4	4,7	4,4	4,8	4,7	4,4	5,5	4,8	4,4	4,2	4,3	4,3	5,0
44,0	2,7	5,2	4,6	4,4	4,5	4,5	4,3	5,3	4,7	4,4	4,0	4,1	4,1	4,8
46,0	2,6	5,0	4,5	4,3	4,3	4,3	4,2	5,0	4,5	4,3	3,8	3,9	3,9	4,5
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0			6,4											
14,0			6,4			6,4			5,5					
15,0			6,4			6,4			5,4			5,5		
16,0			6,4			6,4			5,4			5,5		
17,0			6,4			6,4			5,4			5,5		
18,0			6,4			6,4			5,3			5,4		
19,0			6,3			6,5			5,3			5,4		
20,0			6,2			6,4			5,2			5,4		
21,0			6,1			6,4			5,1			5,3		
22,0	6,0		6,0			6,3			5,0			5,3		
23,0	6,0		5,9	5,6		6,3	5,7		4,9			5,2		
24,0	5,9		5,8	5,5		6,2	5,6		4,9	4,4		5,2		
26,0	5,8		5,6	5,2		6,2	5,5		4,7	4,3		5,1	5,0	
28,0	5,6	4,9	5,4	5,0	4,8	6,0	5,4		4,5	4,1		5,0	4,8	
30,0	5,5	4,9	5,1	4,8	4,6	5,9	5,3	4,8	4,3	3,9	3,7	4,9	4,6	
32,0	5,4	4,8	4,9	4,6	4,5	5,6	5,2	4,7	4,1	3,8	3,6	4,7	4,4	4,4
34,0	5,3	4,7	4,6	4,4	4,3	5,4	5,1	4,6	3,9	3,6	3,5	4,5	4,3	4,2
36,0	5,1	4,6	4,4	4,2	4,1	5,1	4,9	4,5	3,7	3,5	3,4	4,3	4,1	4,1
38,0	5,0	4,5	4,2	4,0	4,0	4,9	4,8	4,5	3,5	3,4	3,2	4,2	4,0	3,9
40,0	4,9	4,5	4,0	3,8	3,8	4,6	4,6	4,4	3,4	3,2	3,1	4,0	3,8	3,8
42,0	4,7	4,4	3,8	3,7	3,7	4,4	4,4	4,3	3,2	3,1	3,0	3,8	3,7	3,6
44,0	4,6	4,3	3,6	3,5	3,5	4,2	4,2	4,2	3,1	3,0	2,9	3,6	3,5	3,5
46,0	4,4	4,3	3,3	3,4	3,4	4,0	4,0	4,1	2,9	2,9	2,8	3,5	3,4	3,4
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
% 1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
% 2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
% 5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
3,5														
4,0														
4,5														
5,0														
6,0							11,2							
7,0							11,3	9,5						
8,0							11,3	9,6						
9,0							11,2	9,7	8,9					
10,0							11,0	9,7	9,0	8,4		8,2		
11,0							10,8	9,6	9,1	8,5	7,8	8,2		
12,0							10,6	9,5	9,1	8,6	7,9	8,3		7,4
13,0							10,4	9,4	9,1	8,3	7,8	8,4	7,2	7,4
14,0							10,1	9,3	9,0	7,9	7,4	8,4	7,0	7,5
15,0	5,1						9,8	9,2	8,9	7,5	7,0	8,3	6,7	7,5
16,0	5,0						9,5	9,0	8,8	7,1	6,6	8,0	6,3	7,5
17,0	5,0			4,6			9,2	8,8	8,8	6,7	6,2	7,6	5,9	7,3
18,0	4,9			4,5			8,9	8,6	8,7	6,3	5,9	7,2	5,6	6,9
19,0	4,9			4,5			8,6	8,4	8,5	6,0	5,5	6,9	5,2	6,6
20,0	4,8			4,4			8,3	8,2	8,4	5,7	5,2	6,6	4,9	6,3
21,0	4,8			4,4			8,1	8,0	8,2	5,4	4,9	6,3	4,6	6,0
22,0	4,7			4,4			7,8	7,8	8,0	5,2	4,6	6,0	4,3	5,7
23,0	4,7			4,3			7,6	7,6	7,9	4,9	4,4	5,7	4,1	5,4
24,0	4,6			4,3			7,4	7,4	7,7	4,6	4,1	5,5	3,8	5,1
26,0	4,5	4,2		4,2			6,9	7,1	7,4	4,2	3,7	5,0	3,3	4,7
28,0	4,4	4,0		4,1	3,9		6,5	6,7	7,1	3,8	3,2	4,5	2,9	4,2
30,0	4,2	3,9		4,0	3,8		6,2	6,3	6,8	3,4	2,9	4,2	2,5	3,8
32,0	4,1	3,7	3,6	3,9	3,6		5,8	6,0	6,5	3,1	2,5	3,8	2,2	3,5
34,0	3,9	3,6	3,4	3,8	3,5	3,4	5,4	5,7	6,2	2,8	2,2	3,5	1,8	3,1
36,0	3,7	3,5	3,3	3,7	3,4	3,3	5,0	5,4	6,0	2,5	1,9	3,2	1,5	2,8
38,0	3,6	3,3	3,2	3,5	3,3	3,2	4,7	5,1	5,7	2,2	1,6	2,9	1,3	2,6
40,0	3,4	3,2	3,1	3,4	3,2	3,1	4,5	4,9	5,5	2,0	1,4	2,7	1,0	2,3
42,0	3,3	3,1	3,0	3,2	3,1	3,0	4,2	4,6	5,2	1,8	1,2	2,4		2,1
44,0	3,1	3,0	2,9	3,1	3,0	2,9	4,0	4,4	5,0	1,6		2,2		1,9
46,0	3,0	2,9	2,9	3,0	2,9	2,8	3,9	4,2	4,8	1,4		2,0		1,7
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0				7,1										
11,0				7,1										
12,0				7,2										
13,0		6,4		7,2										
14,0	6,4	6,4		7,1	5,5									
15,0	6,4	6,4	5,5	6,9	5,4	5,1		7,4						
16,0	6,2	6,4	5,5	6,7	5,4	5,0		7,2	7,1					
17,0	5,8	6,4	5,4	6,5	5,4	5,0	4,6	7,1	6,9					
18,0	5,4	6,4	5,3	6,3	5,3	4,9	4,5	6,9	6,8	6,8				
19,0	5,1	6,3	5,0	6,1	5,3	4,9	4,5	6,7	6,6	6,7	6,6		6,5	
20,0	4,7	6,1	4,7	5,9	5,2	4,8	4,4	6,6	6,5	6,6	6,3	6,0	6,4	
21,0	4,4	5,8	4,3	5,7	5,1	4,8	4,3	6,5	6,4	6,5	6,0	5,7	6,3	
22,0	4,1	5,5	4,1	5,5	5,0	4,7	4,0	6,3	6,3	6,4	5,7	5,4	6,2	5,2
23,0	3,9	5,2	3,8	5,4	4,9	4,7	3,8	6,2	6,2	6,3	5,4	5,1	6,1	4,9
24,0	3,6	5,0	3,5	5,2	4,8	4,6	3,5	6,1	6,0	6,2	5,2	4,8	5,9	4,6
26,0	3,2	4,5	3,1	4,9	4,4	4,5	3,0	5,9	5,8	6,0	4,7	4,3	5,4	4,1
28,0	2,7	4,0	2,6	4,5	4,0	4,4	2,6	5,7	5,6	5,8	4,3	3,9	4,9	3,6
30,0	2,3	3,7	2,2	4,3	3,6	4,2	2,2	5,5	5,4	5,7	3,9	3,4	4,5	3,2
32,0	2,0	3,3	1,9	4,0	3,2	4,1	1,9	5,3	5,2	5,5	3,5	3,1	4,1	2,8
34,0	1,6	3,0	1,5	3,7	2,9	3,9	1,5	5,2	5,0	5,3	3,1	2,7	3,8	2,4
36,0	1,3	2,7	1,2	3,5	2,6	3,7	1,2	5,1	4,8	5,1	2,8	2,4	3,5	2,1
38,0	1,1	2,4		3,2	2,3	3,6		5,0	4,6	5,0	2,6	2,1	3,2	1,8
40,0		2,1		3,0	2,0	3,4		4,9	4,5	4,8	2,3	1,8	2,9	1,5
42,0		1,9		2,8	1,8	3,3		4,9	4,3	4,7	2,1	1,6	2,7	1,3
44,0		1,7		2,6	1,6	3,1		4,9	4,2	4,5	1,8	1,3	2,4	1,0
46,0		1,4		2,5	1,4	3,0			4,1	4,4	1,6	1,1	2,2	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0					5,4									
20,0					5,3									
21,0	6,1				5,1				5,4					
22,0	6,0				5,0				5,3	5,3				
23,0	5,9	4,8	5,6		4,9				5,3	5,2				
24,0	5,7	4,5	5,5		4,7	4,4			5,2	5,2	5,2			
26,0	5,2	4,0	5,1	3,9	4,5	4,3	4,2		5,1	5,1	5,1	5,1	4,9	5,0
28,0	4,7	3,5	4,6	3,4	4,2	4,1	4,0	3,4	5,0	5,0	5,0	4,7	4,4	5,0
30,0	4,3	3,1	4,2	3,0	4,0	3,9	3,9	3,0	5,0	4,8	4,9	4,2	3,9	4,8
32,0	3,9	2,7	3,8	2,6	3,8	3,7	3,7	2,6	4,9	4,7	4,8	3,8	3,5	4,4
34,0	3,5	2,3	3,4	2,2	3,6	3,4	3,6	2,2	4,9	4,6	4,7	3,5	3,1	4,1
36,0	3,2	2,0	3,1	1,9	3,4	3,0	3,5	1,9	4,9	4,5	4,6	3,1	2,8	3,7
38,0	2,9	1,6	2,8	1,6	3,2	2,7	3,3	1,6	4,9	4,4	4,6	2,8	2,5	3,4
40,0	2,6	1,4	2,5	1,3	3,1	2,4	3,2	1,3	4,9	4,4	4,5	2,5	2,1	3,1
42,0	2,4	1,1	2,2	1,0	2,9	2,2	3,1	1,0	4,9	4,3	4,4	2,3	1,9	2,8
44,0	2,1		2,0		2,7	1,9	3,0			4,3	4,3	2,0	1,6	2,6
46,0	1,9		1,8		2,5	1,7	2,9			4,3	4,3	1,8	1,4	2,4
* n *	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
% 1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
% 2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
% 3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
% 4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
13,0														
14,0														
15,0														
16,0														
17,0														
18,0														
19,0														
20,0														
21,0														
22,0														
23,0														
24,0														
26,0		5,0				4,1								
28,0	4,2	4,9		4,8		3,9								
30,0	3,8	4,7	3,7	4,6		3,8	3,7							
32,0	3,3	4,3	3,2	4,2	3,2	3,7	3,6	3,6						
34,0	2,9	3,9	2,8	3,8	2,8	3,5	3,5	3,4	2,8					
36,0	2,6	3,5	2,5	3,4	2,4	3,3	3,4	3,3	2,4					
38,0	2,2	3,2	2,1	3,1	2,1	3,2	3,1	3,2	2,1					
40,0	1,9	2,9	1,8	2,8	1,8	3,0	2,8	3,1	1,8					
42,0	1,6	2,6	1,5	2,5	1,5	2,9	2,5	3,0	1,5					
44,0	1,3	2,4	1,2	2,2	1,2	2,7	2,2	2,9	1,2					
46,0	1,1	2,1		2,0		2,6	2,0	2,9						
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	13,2	13,2	13,2	26,8	26,8	26,8	31,3	31,3	31,3	40,3	40,3	40,3	40,3	40,3
48,0							4,1	4,1		4,6	4,3	4,3	2,3	2,4
50,0							3,9	4,1		4,5	4,2	4,2	2,2	2,2
52,0										4,3	4,1	4,2	2,0	2,1
54,0										4,2	4,0	4,2	1,9	1,9
56,0										4,1	4,0	2,5	1,8	1,8
58,0										4,0	4,0		1,7	1,7
60,0														
62,0														
64,0														
66,0														
68,0														
70,0														
72,0														
74,0														
76,0														
78,0														
80,0														
82,0														
84,0														
*** n ***	2	1	1	2	1	1	1	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5
1	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
2	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	0 +	0 +
3	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	0 +	0 +
4	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
5	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
% 6	0 +	0 +	0 +	0 +	0 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	40,3	44,8	44,8	44,8	44,8	44,8	44,8	49,3	49,3	49,3	49,3	49,3	49,3	53,8
48,0	2,4	4,8	4,4	4,3	4,0	4,1	4,1	4,8	4,4	4,3	3,5	3,7	3,8	4,2
50,0	2,3	4,7	4,3	4,2	3,8	3,9	4,0	4,5	4,3	4,2	3,3	3,5	3,6	4,0
52,0	2,1	4,5	4,2	4,2	3,6	3,7	3,8	4,3	4,2	4,2	3,1	3,2	3,3	3,8
54,0	2,0	4,4	4,1	4,2	3,4	3,5	3,5	4,0	4,1	4,2	2,9	3,0	3,1	3,5
56,0	1,9	4,2	4,1	4,2	3,2	3,3	3,3	3,8	3,9	4,0	2,7	2,8	2,9	3,3
58,0		4,1	4,0	4,2	3,0	3,1	3,1	3,6	3,7	3,8	2,6	2,7	2,7	3,1
60,0		3,9	3,9	2,7	2,8	2,9	2,7	3,4	3,5	3,6	2,4	2,5	2,5	2,9
62,0		3,7	3,8		2,7	2,7		3,2	3,3	3,3	2,2	2,3	2,3	2,7
64,0		2,4			2,6			3,0	3,1	2,8	2,1	2,2	2,2	2,6
66,0								2,7	2,8		2,0	2,0		2,4
68,0								2,3			1,9			2,2
70,0														1,9
72,0														1,7
74,0														
76,0														
78,0														
80,0														
82,0														
84,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0
1	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +
2	0 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	0 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +
4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +
5	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	53,8	53,8	53,8	53,8	53,8	58,3	58,3	58,3	58,3	58,3	58,3	62,8	62,8	62,8
48,0	4,3	4,2	3,1	3,2	3,3	3,8	3,8	3,9	2,8	2,8	2,8	3,3	3,3	3,3
50,0	4,2	4,2	3,0	3,0	3,1	3,6	3,7	3,7	2,6	2,6	2,7	3,1	3,1	3,2
52,0	4,0	4,1	2,8	2,9	3,0	3,4	3,5	3,6	2,5	2,5	2,6	3,0	3,0	3,1
54,0	3,7	3,8	2,6	2,7	2,8	3,2	3,3	3,4	2,3	2,4	2,5	2,8	2,9	2,9
56,0	3,5	3,6	2,4	2,6	2,6	3,0	3,1	3,2	2,2	2,3	2,3	2,6	2,8	2,8
58,0	3,3	3,4	2,3	2,4	2,5	2,8	2,9	3,1	2,1	2,2	2,2	2,5	2,6	2,7
60,0	3,1	3,2	2,1	2,2	2,3	2,6	2,7	2,9	1,9	2,0	2,1	2,3	2,5	2,6
62,0	2,9	2,9	2,0	2,1	2,1	2,4	2,6	2,7	1,8	1,9	2,0	2,1	2,3	2,4
64,0	2,7	2,7	1,8	1,9	2,0	2,2	2,4	2,5	1,6	1,8	1,8	2,0	2,1	2,2
66,0	2,5	2,5	1,7	1,8	1,8	2,1	2,2	2,2	1,5	1,6	1,7	1,8	2,0	2,1
68,0	2,3	2,3	1,6	1,6	1,6	1,9	2,0	2,0	1,4	1,5	1,5	1,6	1,8	1,9
70,0	2,1		1,5	1,5		1,7	1,9	1,8	1,2	1,4	1,3	1,5	1,6	1,7
72,0	1,7		1,4	1,4		1,6	1,7	1,6	1,1	1,2	1,2	1,4	1,5	1,5
74,0						1,4	1,5		1,0	1,1		1,2	1,3	1,3
76,0						1,1	1,2			1,0		1,1	1,2	1,1
78,0													1,0	
80,0														
82,0														
84,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0	0,0	22,5	45,0
1	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +	0 +	0 +	0 +	92 +	92 +	92 +
2	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
3	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
4	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
5	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	92 +	92 +
% 6	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	62,8	62,8	62,8	67,3	67,3	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8	49,3
48,0	2,9	2,8	2,8	2,8	2,8	2,8		4,1	4,6	1,3		1,9		1,5
50,0	2,7	2,7	2,7	2,7	2,7	2,7		3,9	4,5	1,1		1,6		1,3
52,0	2,6	2,6	2,6	2,6	2,6	2,6			4,3			1,1		
54,0	2,4	2,5	2,5	2,5	2,5	2,5			4,2					
56,0	2,3	2,4	2,4	2,3	2,4	2,4			4,1					
58,0	2,2	2,3	2,3	2,2	2,3	2,3			4,0					
60,0	2,0	2,1	2,2	2,1	2,2	2,3								
62,0	1,9	2,0	2,1	1,9	2,1	2,2								
64,0	1,8	1,9	2,0	1,8	1,9	2,1								
66,0	1,6	1,8	1,9	1,6	1,8	2,0								
68,0	1,5	1,6	1,7	1,5	1,7	1,8								
70,0	1,4	1,5	1,6	1,3	1,5	1,7								
72,0	1,3	1,4	1,4	1,2	1,4	1,5								
74,0	1,2	1,3	1,3	1,1	1,2	1,3								
76,0	1,1	1,2	1,2		1,1	1,2								
78,0	1,0	1,1	1,1			1,0								
80,0														
82,0														
84,0														
*** n ***	1	1	1	1	1	1	2	1	1	1	1	1	1	1
xx	0,0	22,5	45,0	0,0	22,5	45,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
1	46 +	46 +	46 +	92 +	92 +	92 +	0 +	0 +	46 -	92 -	92 -	0 +	92 -	0 +
2	92 +	92 +	92 +	92 +	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +	92 -
3	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +	92 -
4	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	92 -
5	92 +	92 +	92 +	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +
% 6	92 +	92 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8	53,8
48,0		1,3		2,3	1,2	2,9			4,0	4,3	1,5		2,0	
50,0		1,1		2,2		2,7			4,0	4,2	1,3		1,8	
52,0				2,0		2,6				4,1	1,1		1,7	
54,0				1,9		2,4				4,0	1,0		1,3	
56,0				1,8		2,3				4,0				
58,0				1,5		2,2				4,0				
60,0						2,0								
62,0						1,9								
64,0						1,8								
66,0						1,6								
68,0						1,5								
70,0						1,4								
72,0						1,3								
74,0						1,2								
76,0						1,1								
78,0						1,0								
80,0														
82,0														
84,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0,0	0,0	0,0	0,0	0,0	0,0	0,0	22,5	22,5	22,5	22,5	22,5	22,5	22,5
1	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +	92 -
2	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -	92 +
3	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -	92 +
4	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
5	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3	26,8	31,3	40,3	44,8	49,3	44,8
48,0	1,7		1,6		2,4	1,5	2,8				4,3	1,6	1,1	2,1
50,0	1,5		1,4		2,2	1,3	2,7				4,2	1,4		1,9
52,0	1,3		1,2		2,1	1,1	2,6				4,2	1,2		1,8
54,0	1,1		1,0		1,9		2,5				4,2	1,1		1,5
56,0					1,8		2,4				2,5			1,0
58,0					1,7		2,3							
60,0							2,1							
62,0							2,0							
64,0							1,9							
66,0							1,8							
68,0							1,6							
70,0							1,5							
72,0							1,4							
74,0							1,3							
76,0							1,2							
78,0							1,1							
80,0														
82,0														
84,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	22,5	22,5	22,5	22,5	22,5	22,5	22,5	22,5	45,0	45,0	45,0	45,0	45,0	45,0
1	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -	0 +	0 +	46 -	92 -	92 -	0 +
2	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	0 +	0 +	46 +	46 +	92 -	92 -
3	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +	46 -	46 -	46 +	46 +	46 +	92 -
4	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
5	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +	46 -	46 +	46 +	46 +	46 +	46 +
% 6	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +	0 +	46 +	46 +	46 +	46 +	46 +
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		

EN 13000

T	NZK xx° 22.0m

045632 02.02

m > < t

CODE >0314< T210.24011

m	53,8	49,3	58,3	53,8	62,8	40,3	58,3	62,8	67,3					
48,0		1,9		1,8		2,4	1,7	2,8						
50,0		1,7		1,5		2,3	1,5	2,7						
52,0		1,5		1,3		2,1	1,3	2,6						
54,0		1,3		1,1		2,0	1,1	2,5						
56,0		1,0				1,9		2,4						
58,0								2,3						
60,0								2,2						
62,0								2,1						
64,0								2,0						
66,0								1,9						
68,0								1,7						
70,0								1,6						
72,0								1,4						
74,0								1,3						
76,0								1,2						
78,0								1,1						
80,0														
82,0														
84,0														
*** n ***	1	1	1	1	1	1	1	1	1					
xx	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0	45,0					
1	92 -	0 +	92 -	0 +	92 -	0 +	0 +	46 -	92 -					
2	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
3	92 +	92 -	92 +	92 -	92 +	0 +	92 -	92 +	92 +					
4	46 +	92 -	92 +	92 -	92 +	92 -	92 +	92 +	92 +					
5	46 +	46 +	46 +	92 -	92 +	92 -	92 +	92 +	92 +					
% 6	46 +	46 +	46 +	46 +	46 +	92 +	92 +	92 +	92 +					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					

	T	NZK xx° 22.0m	72.0 t	8.89 x 8.30 m	360°		